

DAFTAR PUSTAKA

- Abe, M., Pelus, L.M., Singh, P., Hirade, T., Onishi, C., Purevsuren, J., Taketani, T., Yamaguchi, S., Fukuda, S., 2016. Internal tandem duplication in FLT3 attenuates proliferation and regulates resistance to the FLT3 inhibitor AC220 by modulating p21Cdkn1a and Pbx1 in hematopoietic cells. *PLoS One* 11: 1–26.
- Abubacker, F.N., Korula, A., Srivastava, A., Ganapule, A., George, B., Philip, C., Srivastava, V.M., Lakshmi, K.M., Mathews, V., Abraham, A., Alex, A.A., Jain, P., Sitaram, U., Viswabandya, A., Balasubramanian, P., 2015. Acute myeloid leukaemia: challenges and real world data from India. *Br. J. Haematol.* 170: 110–117.
- Agarwal, V., Joyce, M., 2014. Microbiologically Documented Fungal Infections in Pediatric Patients With Acute Myeloid Leukemia. *J. Pediatr. Hematol. Oncol.* 36: e528–e532.
- Ahmad, F., Mandava, S., Das, B.R., 2010. Analysis of FLT3-ITD and FLT3-Asp835 mutations in de novo acute myeloid leukemia: Evaluation of incidence, distribution pattern, correlation with cytogenetics and characterization of internal tandem duplication from Indian population. *Cancer Invest.* 28: 63–73.
- Ali, K., Sutaryo, Purwanto, I., Mulatsih, S., Supriyadi, E., Widjajanto, P.H., Sumadiono, Nurse, J., 2010. Yogyakarta pediatric cancer registry: An international collaborative project of University Gadjah Mada, University of Saskatchewan, and the Saskatchewan cancer agency. *Asian Pacific J. Cancer Prev.* 11: 131–136.



Anderson, P.M., Palla, S.L., Zweidler-McKay, P.A., Yuen, C., De Angulo, G., 2007.

Absolute lymphocyte count is a novel prognostic indicator in ALL and AML.

Cancer 112: 407–415.

Ånensen, N., Hjelle, S.M., Van Belle, W., Haaland, I., Silden, E., Bourdon, J.C., Hovland,

R., Taskén, K., Knappskog, S., Lønning, P.E., Bruserud, O., Gjertsen, B.T., 2012.

Correlation analysis of p53 protein isoforms with NPM1/FLT3 mutations and therapy response in acute myeloid leukemia. *Oncogene* 31: 1533–1545.

Arber, D.A., Orazi, A., Hasserjian, R., Thiele, J., Borowitz, M.J., Le Beau, M.M.,

Bloomfield, C.D., Cazzola, M., Vardiman, J.W., 2016. The 2016 revision to the World Health Organization classification of myeloid neoplasms and acute leukemia.

Blood.

Ardianto, B., Sugimoto, T., Kawano, S., Kasagi, S., Jauharoh, S.N. a, Kurimoto, C.,

Tatsumi, E., Morikawa, K., Kumagai, S., Hayashi, Y., 2010. The HPB-AML-I cell line possesses the properties of mesenchymal stem cells. *J. Exp. Clin. Cancer Res.* 29: 163.

Bahl, A., Sharma, A., Raina, V., Kumar, L., Bakhshi, S., Gupta, R., Kumar, R., 2015.

Long-term outcomes for patients with acute myeloid leukemia: A single-center experience from AIIMS, India. *Asia. Pac. J. Clin. Oncol.* 11: 242–252.

Bar, M., Othus, M., Park, H.M., Sandhu, V., Chen, X., Wood, B.L., Estey, E., 2015.

Elevated lymphocyte count at time of acute myeloid leukemia diagnosis is associated with shorter remission. *Leuk. Lymphoma* 56: 3109–3115.

Bennett, J.M., Catovsky, D., Daniel, M.T., Flandrin, G., Galton, D.A., Gralnick, H.R.,

Sultan, C., 1976. Proposals for the classification of the acute leukaemias. *Br. J.*

Haematol.

- Bhattacharya, K., Chandra, S., Mandal, C., 2014. Critical stoichiometric ratio of CD4+ CD25+ FoxP3+ regulatory T cells and CD4+ CD25- responder T cells influence immunosuppression in patients with B-cell acute lymphoblastic leukaemia. *Immunology* 142: 124–139.
- Booth, B.J., Ward, M.H., Turyk, M.E., Stayner, L.T., 2015. Agricultural crop density and risk of childhood cancer in the midwestern United States: An ecologic study. *Environ. Heal. A Glob. Access Sci. Source* 14.
- Braza, F., Durand, M., Degauque, N., Brouard, S., 2015. Regulatory T Cells in Kidney Transplantation: New Directions? *Am. J. Transplant.* 15: 2288–2300.
- Browne, J.J., Matthews, E.H., Taylor-Robinson, A.W., Kyd, J.M., 2019. Regulatory T lymphocytes are associated with increased nasopharyngeal colonization in children. *Int. J. Pediatr. Otorhinolaryngol.* 120: 51–57.
- Burkhamer, J., Kriebel, D., Clapp, R., 2017. The increasing toll of adolescent cancer incidence in the US. *PLoS One* 12: 1–16.
- Burnett, A.K., Russell, N.H., Hills, R.K., Hunter, A.E., Kjeldsen, L., Yin, J., Gibson, B.E.S., Wheatley, K., Milligan, D., 2013. Optimization of chemotherapy for younger patients with acute myeloid leukemia: Results of the medical research council AML15 trial. *J. Clin. Oncol.* 31: 3360–3368.
- Chang, F., Lee, J.T., Navolanic, P.M., Steelman, L.S., Shelton, J.G., Blalock, W.L., Franklin, R.A., McCubrey, J.A., 2003. Involvement of PI3K/Akt pathway in cell cycle progression, apoptosis, and neoplastic transformation: A target for cancer chemotherapy. *Leukemia* 17: 590–603.

- Choi, C.W., Sung, H.J., Park, K.H., Yoon, S.Y., Kim, S.J., Oh, S.C., Seo, J.H., Kim, B.S., Shin, S.W., Kim, Y.H., Kim, J.S., 2003. Early lymphopenia as a risk factor for chemotherapy-induced febrile neutropenia. *Am. J. Hematol.* 73: 263–266.
- Cockburn, M., Heck, J.E., Park, A.S., Ritz, B., Qiu, J., 2013. Risk of leukemia in relation to exposure to ambient air toxics in pregnancy and early childhood. *Int. J. Hyg. Environ. Health* 217: 662–668.
- Creutzig, U., Zimmermann, M., Reinhardt, D., Rasche, M., von Neuhoff, C., Alpermann, T., Dworzak, M., Perglerová, K., Zemanova, Z., Tchinda, J., Bradtke, J., Thiede, C., Haferlach, C., 2016. Changes in cytogenetics and molecular genetics in acute myeloid leukemia from childhood to adult age groups. *Cancer* 122: 3821–3830.
- Dacoregio, J.S., Costa, I., Freund, A.P.F., Faraco, D., Silva, M.L., de Lima, M.C., Costa, T.E.J.B., da Silva, D.B., 2016. Acute Myeloid Leukemia: analysis of epidemiological profile and survival rate. *J. Pediatr. (Rio. J.)* 92: 283–289.
- de Jonge, H.J.M., Valk, P.J.M., de Bont, E.S.J.M., Schuringa, J.J., Ossenkoppele, G., Vellenga, E., Huls, G., 2011. Prognostic impact of white blood cell count in intermediate risk acute myeloid leukemia: Relevance of mutated NPM1 and FLT3-ITD. *Haematologica* 96: 1311–1317.
- De Keersmaecker, K., Marynen, P., Cools, J., 2005. Genetic insights in the pathogenesis of T-cell acute lymphoblastic leukemia. *Haematologica*.
- Demanelis, K., Sriplung, H., Meza, R., Wiangnon, S., Rozek, L.S., Scheurer, M.E., Lupo, P.J., 2015. Differences in childhood leukemia incidence and survival between Southern Thailand and the United States: A population-based analysis. *Pediatr. Blood Cancer*.

- Dinardo, C.D., Garcia-Manero, G., Pierce, S., Nazha, A., Bueso-Ramos, C., Jabbour, E., Ravandi, F., Cortes, J., Kantarjian, H., 2016. Interactions and relevance of blast percentage and treatment strategy among younger and older patients with acute myeloid leukemia (AML) and myelodysplastic syndrome (MDS). *Am. J. Hematol.* 91: 227–232.
- Filippini, T., Heck, J.E., Malagoli, C., Giovane, C. Del, Vinceti, M., 2015. A review and meta-analysis of outdoor air pollution and risk of childhood leukemia. *J. Environ. Sci. Heal. - Part C Environ. Carcinog. Ecotoxicol. Rev.*
- Fleming, S., Ong, D.M., Jackson, K., Avery, S., Mollee, P., Marlton, P., Kennedy, G., Wei, A.H., 2017. Partial response after induction chemotherapy has clinical relevance in acute myeloid leukaemia. *Br. J. Haematol.* 177: 328–330.
- Giovannetti, E., Ugrasena, D.G., Supriyadi, E., Vroeling, L., Azzarello, A., Lange, D. De, Peters, G.J., Veerman, A.J.P., Cloos, J., 2008. Methylenetetrahydrofolate reductase (MTHFR) C677T and thymidylate synthase promoter (TSER) polymorphisms in Indonesian children with and without leukemia 32: 19–24.
- Hartman, A.D., Wilson-Weekes, A., Suvannasankha, A., Burgess, G.S., Phillips, C.A., Hincher, K.J., Cripe, L.D., Boswell, H.S., 2006. Constitutive c-jun N-terminal kinase activity in acute myeloid leukemia derives from Flt3 and affects survival and proliferation. *Exp. Hematol.* 34: 1360–1376.
- Inaba, H., Fan, Y., Pounds, S., Geiger, T.L., Rubnitz, J.E., Ribeiro, R.C., Pui, C.H., Razzouk, B.I., 2008. Clinical and biologic features and treatment outcome of children with newly diagnosed acute myeloid leukemia and hyperleukocytosis. *Cancer* 113: 522–529.

- Ismail, M.M., Abdulateef, N.A.B., 2017. Bone marrow T-cell percentage: A novel prognostic indicator in acute myeloid leukemia. *Int. J. Hematol.* 105: 453–464.
- Jaime-Pérez, J.C., Padilla-Medina, J.R., Fernández, L.T., Herrera-Garza, J.L., Gutiérrez-Aguirre, C.H., Tarín-Arzaga, L., Gómez-Almaguer, D., 2018. Outcomes of Adolescents and Young Adults With Acute Myeloid Leukemia Treated in a Single Latin American Center. *Clin. Lymphoma, Myeloma Leuk.* 18: 286–292.
- Jeune, C. Le, Bertoli, S., Elhamri, M., Vergez, F., Borel, C., Huguet, F., Michallet, M., Dumontet, C., Recher, C., Thomas, X., 2014. Initial absolute lymphocyte count as a prognostic factor for outcome in acute myeloid leukemia. *Leuk. Lymphoma* 55: 855–862.
- Joffe, L., Dwyer, S., Glade Bender, J.L., Frazier, A.L., Ladas, E.J., 2019. Nutritional status and clinical outcomes in pediatric patients with solid tumors: A systematic review of the literature. *Semin. Oncol.* 46: 48–56.
- Kawamoto, H., Katsura, Y., 2009. A new paradigm for hematopoietic cell lineages: revision of the classical concept of the myeloid-lymphoid dichotomy. *Trends Immunol.* 30: 193–200.
- Kuhn, N.Z., Tuan, R.S., 2010. Regulation of stemness and stem cell niche of mesenchymal stem cells: Implications in tumorigenesis and metastasis. *J. Cell. Physiol.* 222: 268–277.
- Legittimo, P., Farioli, A., Mattioli, S., Magnani, C., Ranucci, A., Miligi, L., Benvenuti, A., Salvan, A., Rondelli, R., 2014. Tobacco Smoke and Risk of Childhood Acute Non-Lymphocytic Leukemia: Findings from the SETIL Study. *PLoS One* 9: e111028.



- Lewis, V., Yanofsky, R., Mitchell, D., Dix, D., Ethier, M.C., Gillmeister, B., Johnston, D., Michon, B., Stobart, K., Portwine, C., Silva, M., Cellot, S., Price, V., Bowes, L., Zelcer, S., Brossard, J., Beyene, J., Sung, L., 2014. Predictors and outcomes of viridans group streptococcal infections in pediatric acute myeloid leukemia: From the Canadian infections in AML research group. *Pediatr. Infect. Dis. J.* 33: 126–129.
- Lin, G.L., Chang, H.H., Lu, C.Y., Chen, C.M., Lu, M.Y., Lee, P.I., Jou, S.T., Yang, Y.L., Huang, L.M., Chang, L.Y., 2018. Clinical characteristics and outcome of invasive fungal infections in pediatric acute myeloid leukemia patients in a medical center in Taiwan. *J. Microbiol. Immunol. Infect.* 51: 251–259.
- Lingga, B., Müller-Tidow, C., van de Locht, L., Hu, M., Nip, J., Serve, H., Berdel, W.E., van der Reijden, B., Quelle, D.E., Rowley, J.D., Cleveland, J., Jansen, J.H., Pandolfi, P.P., Hiebert, S.W., 2002. The t(8;21) fusion protein, AML1-ETO, specifically represses the transcription of the p14ARF tumor suppressor in acute myeloid leukemia. *Nat. Med.* 8: 743–750.
- Lins, M.M., Santos, M. de O., de Albuquerque, M. de F.P.M., de Castro, C.C.L., Mello, M.J.G., de Camargo, B., 2017. Incidence and survival of childhood leukemia in Recife, Brazil: A population-based analysis. *Pediatr. Blood Cancer* 64: 10–15.
- Liu, Y.L., Lo, W.C., Chiang, C.J., Yang, Y.W., Lu, M.Y., Hsu, W.M., Ho, W.L., Li, M.J., Miser, J.S., Lin, D.T., Lai, M.S., 2015. Incidence of cancer in children aged 0-14 years in Taiwan, 1996-2010. *Cancer Epidemiol.* 39: 21–28.
- Loeffen, E.A.H., Brinksma, A., Miedema, K.G.E., de Bock, G.H., Tissing, W.J.E., 2015. Clinical implications of malnutrition in childhood cancer patients—Infections and mortality. *Support. Care Cancer* 23: 143–150.

- Løhmann, D.J.A., Abrahamsson, J., Ha, S.Y., Jónsson, Ó.G., Koskenvuo, M., Lausen, B.,
Palle, J., Zeller, B., Hasle, H., 2016. Effect of age and body weight on toxicity and
sur vival in pediatric acute myeloid leukemia: Results from NOPHO-AML 2004.
Haematologica 101: 1359–1367.
- Loscocco, F., Gabucci, E., Curti, A., Clissa, C., Lecciso, M., Ciciarello, M., Visani, G.,
Ocadlikova, D., Salvestrini, V., Parisi, S., Isidori, A., Rossi, L., 2014. The role of
the immunosuppressive microenvironment in acute myeloid leukemia development
and treatment. *Expert Rev. Hematol.* 7: 807–818.
- Milne, E., Rondelli, R., Zhang, L., Roman, E., Lightfoot, T., Miligi, L., Simpson, J.,
Bailey, H.D., Armstrong, B.K., Th. Petridou, E., Spector, L.G., Orsi, L., Metayer,
C., Clavel, J., Schüz, J., Kaatsch, P., Dockerty, J.D., Kang, A.Y., Moschovi, M.,
Rudant, J., Fritschi, L., Baka, M., Infante-Rivard, C., Magnani, C., 2015. Home
pesticide exposures and risk of childhood leukemia: Findings from the childhood
leukemia international consortium. *Int. J. Cancer* 137: 2644–2663.
- Murphy, K., Weaver, C., 2017. Janeway's Immunobiology, Janeway's Immunobiology.
- Nakata, K., Ito, Y., Magadi, W., Bonaventure, A., Stiller, C.A., Katanoda, K., Matsuda,
T., Miyashiro, I., Pritchard-Jones, K., Rachet, B., 2018. Childhood cancer incidence
and survival in Japan and England: A population-based study (1993-2010). *Cancer
Sci.* 109: 422–434.
- Ofran, Y., Rowe, J.M., 2014. Acute myeloid leukemia in adolescents and young adults:
Challenging aspects. *Acta Haematol.* 132: 292–297.
- Oguz, A., Karadeniz, C., Citak, E.C., Cil, V., 2006. Which one is a risk factor for
chemotherapy-induced febrile neutropenia in childhood solid tumors: Early



- lymphopenia or moncytopenia? *Pediatr. Hematol. Oncol.* 23: 143–151.
- Oksuzyan, S., Crespi, C.M., Cockburn, M., Mezei, G., Vergara, X., Kheifets, L., 2015. Race/ethnicity and the risk of childhood leukaemia: A case-control study in California. *J. Epidemiol. Community Health* 69: 795–802.
- Pabst, T., Mueller, B.U., Harakawa, N., Schoch, C., Haferlach, T., Behre, G., Hiddemann, W., Zhang, D.E., Tenen, D.G., 2001. AML1-ETO downregulates the granulocytic differentiation factor C/EBP α in t(8;21) myeloid leukemia. *Nat. Med.* 7: 444–451.
- Peschel, I., Podmirseg, S.R., Taschler, M., Duyster, J., Götze, K.S., Sill, H., Nachbaur, D., Jäkel, H., Hengst, L., 2017. FLT3 and FLT3-ITD phosphorylate and inactivate the cyclin-dependent kinase inhibitor p27Kip1 in acute myeloid leukemia. *Haematologica* 102: 1378–1389.
- Peterson, L.F., Yan, M., Zhang, D.E., 2007. The p21Waf1 pathway is involved in blocking leukemogenesis by the t(8;21) fusion protein AML1-ETO. *Blood* 109: 4392–4398.
- Pribnow, A.K., Ortiz, R., Báez, L.F., Mendieta, L., Luna-Fineman, S., 2017. Effects of malnutrition on treatment-related morbidity and survival of children with cancer in Nicaragua. *Pediatr. Blood Cancer* 64.
- Ray-Coquard, I., Borg, C., Bachet, T., Sebban, C., Philip, I., Clapisson, G., Le Cesne, A., Biron, P., Chauvin, F., Blay, J.Y., 2003. Baseline and early lymphopenia predict for the risk of febrile neutropenia after chemotherapy. *Br. J. Cancer* 88: 181–186.
- Ribeiro, R.C., Pounds, S., Inaba, H., Pui, C.-H., Alexander, T.B., Rubnitz, J.E., Wang, L., Triplett, B.M., 2017. Decreased relapsed rate and treatment-related mortality contribute to improved outcomes for pediatric acute myeloid leukemia in successive

clinical trials. *Cancer* 123: 3791–3798.

Rudant, J., Clavel, J., Moschovi, M., Ezzat, S., Schüz, J., Milne, E., Metayer, C., Selvin, S., Hung, R.J., Spector, L.G., Armstrong, B.K., Petridou, E., Kang, A.Y., Wesseling, C., Koifman, S., Pombo-de-Oliveira, M.S., Rashed, W.M., Infante-Rivard, C., McCauley, K., Kaatsch, P., Dockerty, J.D., 2014. Maternal Supplementation with Folic Acid and Other Vitamins and Risk of Leukemia in Offspring. *Epidemiology* 25: 811–822.

Ruohtula, T., de Goffau, M.C., Nieminen, J.K., Honkanen, J., Siljander, H., Hämäläinen, A.M., Peet, A., Tillmann, V., Ilonen, J., Niemelä, O., Welling, G.W., Knip, M., Harmsen, H.J., Vaarala, O., 2019. Maturation of gut microbiota and circulating regulatory t cells and development of ige sensitization in early life. *Front. Immunol.* 10: 1–12.

Rutella, S., Folgiero, V., Filippini, P., Bertaina, V., Masetti, R., Zecca, M., Pira, G.L., Torelli, G.F., Testi, A.M., Bertaina, A., Pession, A., Locatelli, F., 2013. Indoleamine 2,3-dioxygenase-1 (IDO1) expression by childhood acute myeloid leukemias inhibits T-cell production of IFN-γ and confers an unfavorable prognosis. *J. Immunother. Cancer.*

Shimada, A., Taki, T., Kubota, C., Tawa, A., Horibe, K., Tsuchida, M., Hanada, R., Tsukimoto, I., Hayashi, Y., 2007. No nucleophosmin mutations in pediatric acute myeloid leukemia with normal karyotype: A study of the Japanese Childhood AML Cooperative Study Group [4]. *Leukemia* 21: 1307.

Shiota, M., Yokomizo, A., Takeuchi, A., Kiyoshima, K., Inokuchi, J., Tatsugami, K., Naito, S., 2014. Risk factors for febrile neutropenia in patients receiving docetaxel



chemotherapy for castration-resistant prostate cancer. *Support. Care Cancer* 22: 3219–3226.

Sitaresmi, M.N., Mostert, S., Purwanto, I., Gundy, C.M., Sutaryo, Veerman, A.J.P., 2009.

Chemotherapy-related side effects in childhood acute lymphoblastic leukemia in Indonesia: Parental perceptions. *J. Pediatr. Oncol. Nurs.* 26: 198–207.

Sitaresmi, M.N., Mostert, S., Schook, R.M., Sutaryo, Veerman, A.J.P., 2010. Treatment refusal and abandonment in childhood acute lymphoblastic leukemia in Indonesia: An analysis of causes and consequences. *Psychooncology*. 19: 361–367.

Stirewalt, D.L., Radich, J.P., 2003. The role of FLT3 in hematopoietic malignancies. *Nat. Rev. Cancer* 3: 650–665.

Su, L., Gao, S.-J., Tan, Y.-H., Han, W., Li, W., 2013a. Associations Between Age, Cytogenetics, FLT3-ITD, and Marrow Leukemia Cells Identified by Flow Cytometry. *Asian Pacific J. Cancer Prev.*

Su, L., Gao, S., Li, W., Tan, Y., Yang, L., Liu, Z., Bai, O., Yang, Y., Yao, C., Song, Y., Wang, G., 2013b. Age-specific distributions of cytogenetic subgroups of acute myeloid leukemia: Data analysis in a Chinese population. *Acta Haematol.* 129: 175–181.

Supriyadi, E., Veerman, A.J.P., Sutaryo, Purwanto, I., Vd Ven, P.M., Cloos, J., 2012. Myeloid antigen expression in childhood acute lymphoblastic leukemia and its relevance for clinical outcome in Indonesian ALL-2006 protocol. *J. Oncol.* 2012: 8–12.

Supriyadi, E., Widjajanto, P.H., Purwanto, I., Cloos, J., Veerman, A.J.P., Sutaryo, S., 2011a. Incidence of childhood leukemia in Yogyakarta, Indonesia, 1998–2009.



Pediatr. Blood Cancer 57: 588–593.

Supriyadi, E., Widjajanto, P.H., Veerman, A.J. p, Purwanto, I., Nency, Y.M., Gunawan, S., Nafianti, S., Purnomasari, D., Intansari, U.S., Westra, G., Cloos, J., 2011b. Immunophenotypic patterns of childhood acute leukemias in Indonesia. *Asian Pac. J. Cancer Prev.*

Syampurnawati, M., Tatsumi, E., Furuta, K., Takenokuchi, M., Nakamachi, Y., Kawano, S., Kumagai, S., Saigo, K., Matsui, T., Takahashi, T., Nagai, K. ichi, Yabe, H., Kondo, S., Hayashi, Y., 2007. HLA-DR-negative AML (M1 and M2): FLT3 mutations (ITD and D835) and cell-surface antigen expression. *Leuk. Res.* 31: 921–929.

User, I.R., Akbayram, S., Özokutan, B.H., 2018. Clinical presentation, prognostic factors, and outcome in neutropenic enteropathy of childhood leukemia. *J. Pediatr. Hematol. Oncol.* 40: 216–220.

Vasquez, L., León, E., Beltran, B., Maza, I., Oscanoa, M., Geronimo, J., 2017. Pretreatment Neutrophil-to-Lymphocyte Ratio and Lymphocyte Recovery. *J. Pediatr. Hematol. Oncol.* 00: 1.

Venditti, A., Del Poeta, G., Buccisano, F., Tamburini, A., Cox, M.C., Stasi, R., Bruno, A., Aronica, G., Maffei, L., Suppo, G., Simone, M.D., Forte, L., Cordero, V., Postorino, M., Tufilli, V., Isacchi, G., Masi, M., Papa, G., Amadori, S., 1997. Minimally differentiated acute myeloid leukemia (AML-M0): Comparison of 25 cases with other French-American-British subtypes. *Blood* 89: 621–629.

Wang, L., Lin, D., Zhang, X., Chen, S., Wang, M., Wang, J., 2005. Analysis of FLT3 internal tandem duplication and D835 mutations in Chinese acute leukemia patients.



Leuk. Res. 29: 1393–1398.

Wei, L., Wang, Z., Zhang, Z., Li, Y., Fan, S., Zhao, Y., Liu, Z., Ye, X., Zhang, F., Yu, Y., Liu, X., Cao, F., Zhou, J., 2019. Assessment of the presence and anti-tumor potential of tumor-infiltrating lymphocytes in patients with acute myeloid leukemia. *Cancer Manag. Res.* 11: 3187–3196.

Wennström, L., Edslev, P.W., Abrahamsson, J., Nørgaard, J.M., Fløisand, Y., Forestier, E., Gustafsson, G., Heldrup, J., Hovi, L., Jahnukainen, K., Jonsson, O.G., Lausen, B., Palle, J., Zeller, B., Holmberg, E., Juliusson, G., Stockelberg, D., Hasle, H., 2016. Acute Myeloid Leukemia in Adolescents and Young Adults Treated in Pediatric and Adult Departments in the Nordic Countries. *Pediatr. Blood Cancer.*

Widjajanto, P.H., Sutaryo, S., Purwanto, I., Ven, P.M. Vd, Veerman, A.J.P., 2012. Early response to dexamethasone as prognostic factor: Result from Indonesian childhood wk-all protocol in Yogyakarta. *J. Oncol.*

Williams, P., Basu, S., Garcia-Manero, G., Hourigan, C.S., Oetjen, K.A., Cortes, J.E., Ravandi, F., Jabbour, E.J., Al-Hamal, Z., Konopleva, M., Ning, J., Xiao, L., Hidalgo Lopez, J., Kornblau, S.M., Andreeff, M., Flores, W., Bueso-Ramos, C., Blando, J., Galera, P., Calvo, K.R., Al-Atrash, G., Allison, J.P., Kantarjian, H.M., Sharma, P., Daver, N.G., 2019. The distribution of T-cell subsets and the expression of immune checkpoint receptors and ligands in patients with newly diagnosed and relapsed acute myeloid leukemia. *Cancer* 125: 1470–1481.

Xie, S., Hossain, M.J., 2018. Survival differences in childhood and young adult acute myeloid leukemia: A cross-national study using US and England data. *Cancer Epidemiol.* 54: 19–24.



UNIVERSITAS
GADJAH MADA

JUMLAH LIMFOSIT ABSOLUT DARAH TEPI PADA SAAT DIAGNOSIS SEBAGAI FAKTOR
PROGNOSTIK LUARAN PENGOBATAN

LEUKEMIA MIELOBLASTIK AKUT ANAK

BAMBANG ARDIANTO, Prof. Dr. dr. Sutaryo, Sp.A(K); dr. Rina Triasih, M.Med(Paed), Ph.D, Sp.A(K)

Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Xu, X.J., Tang, Y.M., Song, H., Yang, S.L., Shi, S.W., Wei, J., 2010. Long-term outcome of childhood acute myeloid leukemia in a developing country: Experience from a children's hospital in China. *Leuk. Lymphoma* 51: 2262–2269.
- Yan, L., Chen, S., Liang, J., Feng, Y., Cen, J., He, J., Chang, W., Zhu, Z., Pan, J., Wu, Y., Xue, Y., Wu, D., 2007. Analysis of NPM1 Gene Mutations in Chinese Adults with Acute Myeloid Leukemia. *Int. J. Hematol.* 86: 143–146.
- Zeller, B., Glosli, H., Forestier, E., Ha, S.Y., Jahnukainen, K., Jónsson, Ó.G., Lausen, B., Palle, J., Hasle, H., Abrahamsson, J., 2017. Hyperleucocytosis in paediatric acute myeloid leukaemia – the challenge of white blood cell counts above $200 \times 10^9/l$. The NOPHO experience 1984–2014. *Br. J. Haematol.* 178: 448–456.