UNIVERSITAS
GADJAH MADA
TANGGAPAN PERTUMBUHAN DAN HASIL BAWANG MERAH (Allium cepa L. Aggregatum group) TERHADAP APLIKASI ASAM SALISILAT DAN BIOSILIKA PADA KONDISI CEKAMAN KEKERINGAN
LISA DWIFANI INDAR, Dr. Ir. Endang Sulistyaningsih, M. Sc ; Ir. Budiastuti Kurniasih, M. Sc.Ph.D
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abdelrahman, M., H. Y. A. H. Mahmoud., M. El-Sayed., S. Tanaka., & S. Tran. 2017. Isolation and Characterization of Cepa2, a Natural Alliospiroside A, from Shallot (*Allium cepa* L. Aggregatum group) with Anticancer Activity. Plant Physiolog and Biochemistry. 116 : 167-173.

Abid, M., A. Hakeem, Y. Shao, Y. Liu, R. Zahoor, Y. Fan, J. Suyu, S. T. Ata-Ul-Karim, Z. Tian, D. Jiang, J.L. Snider, & T. Dai. 2018. Seed Osmopriming Invokes Stress Memory Againts Post-Germinative Drought Stress in Wheat (*Triticum aestivum* L.). Environmental and Experimental Botany. 145 : 12-20.

Adiyoga, W., & L. Lukman. 2017. Persepsi dan Adaptasi Petani Sayuran terhadap Perubahan Iklim di Sulawesi Selatan. Jurnal Hortikultura. 27 (2) 279-296.

Ahmad, M. A., P. V. Murali, & G. Marimuthu. 2014. Impact of Salicylid Acid on Growth, Photosynthesis and Compatible Solute Accumulation in *Allium cepa* L. var. Aggregatum Subjected to Drought Stress. International Journal of Agricultural and Food Science. 4 (1) : 22-30.

Ai, N. S. & Y. Banyo. 2011. Konsentrasi Klorofil Daun sebagai Indikator Kekurangan Air pada Tanaman. Jurnal Ilmiah Sains. 11 (2) : 166-173.

Alam, M. M., M. Hasanuzzaman, K. Nahar, & M. Fujita. 2013. Exogenous Salicylic Acid Ameliorates Short-term Drought Stress in Mustard (*Brassica juncea* L.) Seedling by Up-regulating the Antioxidant Defense and Glyoxalase System. Australian Journal of Crop Science. 7 (7) : 1053-1063.

Alexieva, V., I. Sergiev, S. Mapelli, & E. Karanov. 2001. The Effect of Drought and Ultraviolet Radiation on Growth and Stress Markers in Pea and Wheat. Plant, Cell and Environment. 24 : 1337-1344.

Ali, S., B. A. Ganai, A. N. Kamili, A. A. Bhat, Z. A. Mir, J. A. Bhat, A. Tyagi, S. T. Islam, M. Mushtaq, P. Yadav, S. Rawat & A. Grover. 2018. Pathogenesis-related Proteins and Peptides as Promising Tools for Engineering Plants with Multiple Stress Tolerance Microbiological Research. 212-213 : 29-37.

Amin, B., G. Mahleghah, H. M. R. Mahmood, & M. Hossein. 2009. Evaluation of Interaction Effect of Drought Stress with Ascorbate and Salicylid Acid on Some of Physiological and Biochemical Parameters in Okra (*Hibiscus esculentus* L.). Res. J. Biol. Sci. 4 : 380-387.

An, C., & Z. Mou. 2011. Salicylic Acid and its Function in Plant Immunity. Journal Integrative Plant Biology. 53(6):412–428.

Anggraini, N., E. Faridah, & S. Indrioko. 2015. Pengaruh Cekaman Kekeringan terhadap Perilaku Fisiologis dan Pertumbuhan Bibit Black Locust (*Robinia pseudoacacia)*. Jurnal Ilmu Kehutanan. 9 (1) : 40-56.

Anonymous. 2019. 2 Macam Umbi serta Penjelasan Lengkap. [Online]. Available at https://sel.co.id/2-macam-umbi-pada-tumbuhan/ . Verified 20 Januari 2020.

Anosheh, H. P., A. S. Moucheshi, H. Pakniyat & M. Pessarakli. 2016. Stomatal Responses to Drought Stress Chapter 3. *Water Stress and Crop Plants: A Sustainable* Approach*.* 1 **:** 24-40.

UNIVERSITAS
GADJAH MADA
TANGGAPAN PERTUMBUHAN DAN HASIL BAWANG MERAH (Allium cepa L. Aggregatum group) TERHADAP APLIKASI ASAM SALISILAT DAN BIOSILIKA PADA KONDISI CEKAMAN KEKERINGAN
LISA DWIFANI INDAR, Dr. Ir. Endang Sulistyaningsih, M. Sc ; Ir. Budiastuti Kurniasih, M. Sc.Ph.D
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Antunes, W. C., N. J. Provart, T. C. R. Williams & M. E. Loureiro. 2012 Changes in Stomatal Function and Water Use Efficiency in Potato Plants with Altered Sucrolytic Activity Plant Cell and Environ**.** 35 : 747-59.

AOAC *(Association of Official Analytical Chemist).* 1995. Official Methods of Analysis of AOAC International. 16th ed. Washington DC.

Arnon, D. I. 1949. Copper Enzymes in Isolated Chloroplasts Polyphenoloxidase in *Beta vulgaris*. Plant Physiology. 24 (1) : 1-15.

Arora, N. K. 2019. Impact of Climate Change on Agriculture Production and itsh Sustainable Solutions. Environmental Sustainability. 2 : 95-96.

Ashraf, M., & M. R. Foolad. 2007. Roles of Glycinebetain and Proline in Improving Plant Abiotic Resistance. Environmental and Experimental Botany. 59 (2) : 206-216.

Athoillah, I., R. M. Sibarani, & D. E. Doloksaribu. 2017. Analisis Spaisal El Nino Kuat Tahun 2015 dan La Nina Lemah Tahun 2016 (Pengaruhnya terhadap kelembaban, Angin dan Curah Hujan di Indonesia). Jurnal Sains & Teknologi Modifikasi Cuaca. 18 (1) : 33-41.

BALITAN (Balai Penelitian Tanah). 2009. Analisis Kimia Tanah Tanaman, Air, dan Pupuk. Bogor. pp 47 - 49.

BALITSA (Balai Penelitian Tanaman Sayuran). 2018. Bawang Merah Varietas Bima Brebes. [Online]. Available at http:// balitsa. litbang. pertanian. go.id/ ind/ index. php/ varietas/ cabai/ 36-halaman/ 616-bawang- merah- varietas- bima- brebes. Verified 11 Januari 2021.

Bandurska, H,M & A. Stroinski. 2005. The Effect of Salicylid Acid on Barley Response to Water Deficit. Acta Physiologiae Plantarum. 27 (3) : 379-386.

Barros, T. C., R. M. Prado, C. G. Roque, M. V. Arf & R. G. Vilela. 2019. Silicon and Salicylic Acid in The Physiology and Yield of Cotton. Journal of Plant Nutrition. pp 1-6.

Bates, L. S. 1973. Rapid Determination of Free Proline for Water Stressed Studies. Plant and Soil. 39 : 205-207.

Bianchi, M. E. 2007. DAMPs, PAMPs and Alarmins : All We Need to Know about Danger. J. Leukoc. Biol. 81 (1) : 1-5.

Bideshki, A., & M. J. Arvin. 2010. Effect of Salicylid acid (SA) and Drought Stress on Growth, Bulb Yield and Allicin Content of Garlic *(Allium sativum)* in Field. Plant Ecophysiology. 2 : 73-79.

BPS (Badan Pusat Statistik). 2020. Jumlah Curah Hujan dan Hari Hujan Menurut Bulan di D.I. Yogyakarta, 2019. [Online]. Available at BPS Provinsi D.I. Yogyakarta. Verified 16 Juli 2021.

BPS (Badan Pusat Statistik). 2021. Data Lima Tahun Terakhir Produksi Bawang Merah. [Online]. Available at https:// www. pertanian. go. id/ home/? show= page& act= view&id=61. Verified 03 Maret 2021.

Bray, E. A. 1997. Plant Responses to Water Deficit. Trend in Plant Sci. 2 : 48-54.

Chao, B., Q. Ma., Q. Zhao., L. Wang, & K. Xu. 2015. Effect of Silicon on Absorbed Light Allocation, Antioxidant Enzymes and Ultrastructure of Chloroplast in Tomato Leaves Under Simulated Drought Stress. Scientia Horticulturae. 194 : 53-62.

UNIVERSITAS
GADJAH MADA
TANGGAPAN PERTUMBUHAN DAN HASIL BAWANG MERAH (Allium cepa L. Aggregatum group) TERHADAP APLIKASI ASAM SALISILAT DAN BIOSILIKA PADA KONDISI CEKAMAN KEKERINGAN
LISA DWIFANI INDAR, Dr. Ir. Endang Sulistyaningsih, M. Sc ; Ir. Budiastuti Kurniasih, M. Sc.Ph.D
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Chavarria, G & H. P. dos Santos. 2012. Plant Water Relations: Absorption, Transport and Control Mechanism. Advances in Selected Plant Physiology Aspects.

Chen, D., B. Cao, S. Wang, P. Liu, X. Deng, L. Yin, & S. Zhang. 2016. Silicon Moderated the K Deficiency by Improving the Plant-Water Status in Sorghum. Scientific Reports.

Chen, W., C. Guo, S. Hussain, B. Zhu, F. Deng, Y. Xue, M. Geng, & L. Wu. 2016. Role of Xylo-Oligosaccharides in Protection Against Salinity-induced Adversities in Chinese Cabbage. Environmental Science and Pollution Research. 23 (2) : 1254-1264.

Csiszar, J., E. Lantos., I. Tari., E. Mados., B. Wodala., A. Vashegyi., F. Horvath., A. Pecsvaradi., M. Szabo., B. Bartha., A. Galle., A. Lazar., G. Coradini., M. Staicu., S. Postelnicu., S. Mihacea., G. Nedelea., & L. Erdei. 2007. Antioxidant Enzyme Activities in Allium species and Their Cultivars Under Water Stress. Plant Soil Environ. 53 (12) : 517-523.

Das, P., K. K. Nutan, S. L. Singla-Pareek, & A. Pareek. 2015. Oxidative Environment and Redox Homeostasis in Plants : Dissecting Out Significant Contribution of Major Cellular Organelles. Frontiers Environment Science. 70 (2) : 1-11.

Datnoff, L. E., G. H. Snyder, & G. H. Korndorfer. 2001. Silicon in Agriculture. The Netherlands: Elsevier Science. p 424.

deMan, J. M. 1989. Kimia Makanan. Penerjemah K. Padmawinata. ITB-Press. Bandung.

Demiralay M, A. Saglam & A. Kadioglu. 2013. Salicylic Acid Delays Leaf Rolling by Inducing Antioxidant Enzymes and Modulating Osmoprotectant Content in *Ctenanthe setosa* Under Osmotic Stress. Turkish Journal of Biology. 37 : 49–59.

Dempsey, D. M. A., A. C. Vlot, M. C. Wildermuth, & D. F. Klessing. 2011. Salicylic Acid Biosynthesis and Metabolism. The Arabidopsis Book. 9 : 0156.

Dong, F.C., P.T. Wang, & C.P. Song. 2001. The Role of Hydrogen Peroxide in Salicylid Acid Induced Stomatal Closure in *Vicia faba* Guard Cell. Acta.

Fahroji, V. Zulfia, & Syuryati. 2017. Buku Petunjuk Teknis (Pascapanen Bawang Merah dan Cabai). Badan Penelitian dan Pengembangan Pertanian Balai Pengkajian Teknologi Pertanian Riau. pp 8-12.

Fang, Y. & L. Xiong. 2015. General Mechanism of Drought Response and Their Application in Drought Resistance Improvement in Plants. Cellular and Molecular Life Sciences. 72 (4) : 673-689.

Ferioli F., & D'Antuono L. F. 2016. Evaluation of Phenolics and Cysteine Sulfoxides in Local Onion and Shallot Germplasm from Italy and Ukraine. Genetic Resources and Crop Evolution. 63: 601–614.

Ferraz, R. L. S., N. E. M. Beltr~ao, A. S. Melo, I. D. Magalh~aes, P. D. Fernandes, & M. S. Rocha. 2014. Gas Exchange and Photochemical Efficiency of Cotton Cultivars Under Leaf Application of Silicon. Semina. 35 (2) : 735–48.

Gardner, F. P., R. B. Pearce, & R. L. Mitchell. 1984. Physiology of Crop Plant (Fisiologi Tanaman Budidaya, alih bahasa : D. H. Goenadi). Gadjah Mada University Press. Yogyakarta.

UNIVERSITAS
GADJAH MADA
TANGGAPAN PERTUMBUHAN DAN HASIL BAWANG MERAH (Allium cepa L. Aggregatum group) TERHADAP APLIKASI ASAM SALISILAT DAN BIOSILIKA PADA KONDISI CEKAMAN KEKERINGAN
LISA DWIFANI INDAR, Dr. Ir. Endang Sulistyaningsih, M. Sc ; Ir. Budiastuti Kurniasih, M. Sc.Ph.D
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Garnier, E., & G. Laurent. 1994. Leaf Anatomy, Specific Mass and Water Content in Congeneric Annual and Perennial Grass Species. New Phytologist. 128 (4) : 725-736.

George, E. F., M. A. Hall & G. Jan De Klerk. 2008.Stock Plant Physiological Factors Affecting Growth and Morphogenesis. Plant Propagation by Tissue Culture 3rd Edition. pp 403-422.

Gomez, K. A., & A. A. Gomez. 1985. *Prosedur Statistik untuk Penelitian Pertanian.* Diterjemahkan oleh : Sjamsuddin, E., dan J. S. Baharsjah. Jakarta. : UI Press. p 94.

Gong, H., K. Chen, G. Chen, S. Wang, & C. Zhang. 2003. Effects of Silicon on Growth of Wheat Under Drought. Journal of Plant Nutrition. 26 (5) : 1055-1063.

Habibi, G. 2012. Exogenous Salicylic Acid Alleviates Oxidative Damage of Barley Plants Under Drought Stress. Acta Biologica Szegediensis. 56 : 57-63.

Hakim, A. R., Rajiman, & R. Nalinda. 2017. Analisis Nilai Ekonomi Usahatani Bawang Merah (*Allium cepa* L.) *Off Season* dan *In Season* pada Lahan Pasir Pantai (Studi Kasus di Desa Srigading Kecamatan Sanden Kabupaten Bantul DIY). SEPA. 14 (1) : 53-60.

Hasanuzzaman, M., K. Nahar, T. F. Bhuiyan, T. I. Anee, M. Inafuku, H. Oku, & M. Fujita. 2017. Salicylic Acid : An All-Rounder in Regulating Abiotic Stress Responses in Plants. Chapter 3. INTECH. pp 32-75.

Hattori, T., S. Inanaga, H. Araki, P. An, S. Morita, & M. Luxova. 2005. Application of Silicon Enhanced Drought Tolerance in Sorghum bicolor. Physiologia Plantarum. 123 (4) : 459-466.

Hayat, Q., S. Hayat, M. Irfan, & A. Ahmad. 2010. Effect of Exogenous Salicylic Acid under Changing Environment: a review. Environmental and Experimental Botany. 68 (1):14–25.

Hayat, S., S. A. Hasan, Q. Fariduddin, & A. Ahmad. 2008. Growth of Tomato *(Lycopersicon esculentum)* in Response to Salicylic Acid Under Water Stress. Journal Plant Interacttions. 3 : 297-304.

Heckman, J. 2013. Silicon: a Beneficial Substance. Better Crops. 97. pp 14-16.

Herrmann, K. M., & L. M. Weaver. 1999. The Shikimate Pathway. Annual Review of Plant Physiology and Plant Molecular Biology. 50 : 473-503.

Hidayati, I. N. & Suryanto. 2015. Pengaruh Perubahan Iklim terhadap Produksi Pertanian dan Strategi Adaptasi pada Lahan Rawan Kekeringan. Jurnal Ekonomi dan Studi Pembangunan. 16 (1) : 42-52.

Hong, J. K. & B. K. Hwang .2005. Induction of Enhanced Disease Resistance and Oxidative Stress Tolerance by Over Expression of Pepper Basic PR-1 Gene in Arabidopsis. Physiologia Plantarum. 124 **:** 267–77.

Inayati, A. 2016. Ketahanan Terimbas Tanaman Kacang-Kacangan terhadap Penyakit. IPTEK Tanaman Pangan. 11 (02) : 175-185.

IPCC *(Intergovermental Panel on Climate Change).* 2019. Farming and Context. [Online]. Available at https://www.ipcc.ch/sr15/chapter/chapter-1/. Verified 23 September 2019.

UNIVERSITAS
GADJAH MADA
TANGGAPAN PERTUMBUHAN DAN HASIL BAWANG MERAH (Allium cepa L. Aggregatum group) TERHADAP APLIKASI ASAM SALISILAT DAN BIOSILIKA PADA KONDISI CEKAMAN KEKERINGAN
LISA DWIFANI INDAR, Dr. Ir. Endang Sulistyaningsih, M. Sc ; Ir. Budiastuti Kurniasih, M. Sc.Ph.D
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Isa, M., Bai, S., Yokoyama, T., Ma, J. F., Ishibashi, Y., Yuasa, T., & Inoue, M. I. 2010. Silicon Enhances Growth Independent of Silica Deposition in a Low-Silica Rice Mutant. Plant Soil. 331 :361–375.

Jones, J. D. G. & J. L. Dangl. 2006. The Plant Immune System. Nature. 444 : 323-329.

Jumali, S. S., I. M. Said, I. Ismail, and Z. Zainal. 2011. Genes Induced by High Concentration of Salicylic Acid in Mitragyna speciosa.

Kadayifci, A., G. Tuylu., Y. Ucar., & B. Cakmak. 2005. Crop Water Use of Onion (*Allium cepa* L.) in Turkey. Agricultural Water Management. 72 : 59-68.

Kang, G. Z., G. Z. Li., G. Q. Liu, W. Xu, X. Q. Peng, C. Y. Wang, Y. J. Zhu, & T. C. Guo. 2013. Exogenous Salicylid Acid Enhances Wheat Drought Tolerance by Influence on The Expression of Genes Related to Ascorbate-Glutathione Cycle. Biologia Plantarum. 57 (4) : 718-724.

Kang, G., G. Li, W. Xu, X. Peng, Q. Han, & Y. Zhu. 2012. Proteomics Reveals the Effect of Salicylic Acid on Growth and Tolerance to Subsequent Drought Stress in Wheat. Journal Proteome Research. 11 (12) : 6066-6079.

Kavar T., M. Maras, M. Kidric, J. Sustar-Vozlic & V. Meglic. 2007. Identification of Genes Involved in the Response of Leaves of *Phaseolus vulgaris* to Drought Stress. Molecular Breeding. 21 : 159–172.

Kertonegoro, B. D., S. H. Suparnawa., S. Notohadisuwarno, & S. Handayani. 1998. Panduan Analisis Fisika Tanah. Cetakan Kedua. UGM. Yogyakarta.

Khan, M. I.R., M. Fatma, T. S. Per, N. A. Anjum, & N. A. Khan. 2015. Salicylic acid-Induced Abiotic Stress Tolerance and Underlying Mechanism in Plant. Front. Plant Sci. 6 (462) : 1-17.

Khodary, S. E. A. 2004. Effect of Salicylic Acid on Growth, Photosynthesis and Carbohydrate Metabolism in Salt-Stressed Maize Plants. International Journal Agriculture and Biology. 6: 5–8.

Khokon, A.R., E. Okuma, M.A. Hossain, S. Munemasa, M. Uraji, Y. Nakamura, I.C. Mori, & Y. Murata. 2011. Involvement of Extracellular Oxidative Burst in Salicylid Acid Induced Stomatal Closure in *Arabidopsis.* Plant, Cell & Environment. 34 (3) : 434-443.

Kim, T. H., Böhmer, M., Hu, H., Nishimura, N & Schroeder, J. I. 2010. Guard Cell Signal Transduction Network: Advances in Understanding Abscisic Acid, CO_2, and Ca^{2+} signaling. Annual Review of Plant Biology. 61: 561–591.

Korndorfer, G. H., H. S. Pereira, & M. S. Camargo. 2004. Silicatos de Calcio e Magnesio na Agricultura. 3rd ed. 23. Uberlandia: GPSi.

Kwak, J.M., I.C. Mori, Z-M. Pei, N. Leonhardt, M.A. Torres, J.L. Dangl, R.E. Bloom, S. Bodde, J.D.G. Jones, & J.I. Schroeder. 2003. NADPH Oxidase AtrbohD and AtrbohF Genes Function in ROS-Dependent ABA Signaling in *Arabidopsis*. The Embo Journal. 22 (11) : 2623-2633.

Laane, H. 2018. The Effect of Foliar Sprays with Different Silicon Compounds. Plants (Basel). 7 (45) : 1-22.

Lendzian, K. J. 2006. Survival Strategies of Plants During Secondary Growth: Barrier Properties of Phellems and Lenticels Towards Water, Oxygen and Carbon Dioxide. Journal of Experimental Botany. 57 (11) : 2535-2546.

UNIVERSITAS
GADJAH MADA
TANGGAPAN PERTUMBUHAN DAN HASIL BAWANG MERAH (Allium cepa L. Aggregatum group) TERHADAP APLIKASI ASAM SALISILAT DAN BIOSILIKA PADA KONDISI CEKAMAN KEKERINGAN
LISA DWIFANI INDAR, Dr. Ir. Endang Sulistyaningsih, M. Sc ; Ir. Budiastuti Kurniasih, M. Sc.Ph.D
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Lestari, E. G. 2006. Hubungan Antara Kerapatan Stomata dengan Ketahanan Kekeringan pada Somaklon Padi Gajahmungkur, Towuti, dan IR 64. Biodiversitas, 7 (1) : 44-48.

Li, J. M., & H. Jin. 2007. Regulation of Brassinosteroid Signalling. Trends Plant Science. 12 : 37-41.

Lima, A. L. S., F. M. DaMatta, H. A. Pinheiro, M. R. Totola, & M. E. Loureiro. 2001. Photochemical Responses and Oxidative Stress in Two Clones of Coffea Canephora Under Water Deficit Conditions. Environmental and Experimental Botany. 47: 239-247.

Liu, P., L. Yin, S. Wang, M. Zhang, X. Deng, S. Zhang, & K. Tanaka. 2015. Enhanced Root Hydraulic Conductance by Aquaporin Regulation Accounts for Silicon Alleviated Salt-Induced Osmotic Stress in *Sorghum bicolor* L. Environmental and Experimental Botany. 111 : (42-51).

Lux, A., M. Luxova, T. Hattori, S. Inanaga, & Y. Sugimoto. 2002. Silicification in Sorghum (Sorghum bicolor) Cultivars with Different Drought Tolerance. Physiol Plant. 115 (1) : 87-92.

Ma, J. F. & Yamaji, N. 2008. Functions and Transport of Silicon in Plants. Cellular and Molecular Life Sciences. 65. 3049-3057.

Ma, J. F., & N. Yamaji. 2006. Silicon Uptake and Accumulation in Higher Plants. Trends in Plant Science. 11 (8) : 392-397.

Ma, J. F., & Takashi, E. 2002. Soil, Fertilizer, and Plant Silicon Research in Japan. Amsterdam : Elsevier Science.

Ma, J. F., K. Tamai, & M. Ichii, and G.F. Wu. 2002. A Rice Mutan Defective in Si Uptake. Plant Physiology. 130 : 2111-2117.

Ma, J.F., N. Mitani, S. Nagao, S. Konishi, K. Tamai, T. Iwashita, & M. Yano. 2004. Characterization of The Silicon Uptake System and Molecular Mapping of The Silicon Transporter Gene in Rice. Plant Physiology. 136 : 3284-3289.

Maghsoudi, K., Y. Emam, A. Niazi, M. Pessarakli, & M. J. Arvin. 2018. P5CS Expression Level and Proline Accumulation in The Sensitive and Tolerant Wheat Cultivars under Control and Drought Stress Conditions in The Presence/Absence of Silicon and Salicylid Acid.

Mahajan, S. & N. Tuteja. 2005. Cold, Salinity and Drought Stresses : An Overview. Arch. Biochem. Biophys. 444 : 139-158.

Majumdar, S. Gosh, B. R. Glick, & E. B. Dumbroff. 1991. Activities of Chlorophyllase, Phosphoenolpyruvate Carboxylase and Ribulose-1,5-Biphosphate Carboxylase in The Primary Leaves of Soybean during Senesence and Drought. Physiologia Plantarum. 81 : 473-480.

Malhotra, C. H., R. T. Kapoor, & D. Ganjewala. 2016. Alleviation of Abiotic and Biotic Stresses in Plants by Silicon Supplementation. Scientia Agriculture. 13 (2) : 59-73.

Marganingsari A. 2003. Isolasi dan Penentuan Aktivitas Spesifik Enzim Peroksidase dari Kedelai *(Glycine max).* Undergraduate Thesis. Chemistry Department. Faculty of Mathematics and Science. Universitas Dipenogoro. Semarang. Indonesia.

UNIVERSITAS
GADJAH MADA
TANGGAPAN PERTUMBUHAN DAN HASIL BAWANG MERAH (Allium cepa L. Aggregatum group) TERHADAP APLIKASI ASAM SALISILAT DAN BIOSILIKA PADA KONDISI CEKAMAN KEKERINGAN
LISA DWIFANI INDAR, Dr. Ir. Endang Sulistyaningsih, M. Sc ; Ir. Budiastuti Kurniasih, M. Sc.Ph.D
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Martinez, C., J. C. Baccou, E. Bresson, Y. Baissac, J. F. Daniel, A. Jalloul, J. L. Montilet, J. P. Geiger, K. Assigbetse, & M. Nicole. 2000. Salicylic Acid Mediated by the Oxidative Burst is a Key Molecule in Local and Systemic Response of Catton Challenged by a Virulent Race of *Xanthomonas campestris* pv. *malvacearum.* Plant Physiology. 22 : 756 - 766.

Matlou, M.C. 2006. A Comparison of Soil and Foliar Applied Silicon on Nutrient Avaibility and Plant Growth and Soil Applied Silicon on Phosphorus Availability. Thesis. University of Kwazulu-natal. Pietermaritzburg.Matoh, T. Murata, S. and E. Takahashi. 1991. Effect of Silicate Application on Photosynthesis of Rice Plants (in Japanese). Japanese Journal of Soil Science and Plant Nutrition. 62 : 248-251.

Mercado-Blanco. J., K. M. VanDerDrift, P.E. Olsson, J. E. Thomas-Oates, L. C. Van Loon, & P. A. Bakker. 2001. Analysis of The pmsCEAB Gene Cluster Involved in Biosynthesis of Salicylic Acid and The Siderophore Pseudomonine in The Biocontrol Strain *Pseudomonas fluorescens* WCS374. Journal of Bacteriology. 183:1909–1920.

Mitani, N., & J. F. Ma. 2005. Uptake System of Silicon in Different Plant Species. Journal of Experimental Botany. 56 (414) : 1255-1261.

Miura, K., H. Okamoto, E. Okuma, H. Shiba, H. Kamada, P. M. Hasegawa & Y. Murata. 2012. SIZ1 Deficiency Causes Reduced Stomatal Aperture and Enhanced Drought Tolerance Via Controlling Salicylic Acid Indiced Accumulation of Reactive Oxygen Species in Arabidopsis. The Plant Journal. 73 : 91-104.

Moussa, H. R. & S. M. Abdel-Aziz. 2008. Comparative Response of Drought Tolerant and Drought Sensitive Maize Genotypes to Water Stress. Australian Journal of Crop Science Southern Cross Journals 1 (1) : 31-36.

Murphy, A. M., A. Gilliland, C. E. Wong, J. West, D. P. Singh & J. P. Carr. 2001. Signal Transduction in Resistance to Plant viruses. European Journal Plant Pathology. 107:121–128.

Muthulakshmi, S. & K. Lingakumar. 2017. Role of Salicylic Acid (SA) in Plants - A review. IJAR. 3(3):33-37.

Nasrudin & P. Elizani. 2019. Pengaruh Simulasi La Nina terhadap Mutu Bawang Merah Selama Penyimpanan Suhu Ruang. Agroscript. 1 (2) : 62-69.

Ningsih, I. Y. 2014. Pengaruh Elisitor Biotik dan Abiotik pada Produksi Flavonoid Melalui Kultur Jaringan Tanaman. Pharmacy. 11 (02) : 117-132.

Nio, S. A., G. R. Cawthray, L. J. Wade, & T. D. Colmer. 2011. Pattern of Solutes Accumulated During Leaf Osmotic Adjusment as Related to Duration of Water Deficit for Wheat at The Reproductive Stage. Plant Physiology and Biochemistry. 49 (10) : 1126-1137.

Nivedithadevi, D., R. Somasundaram, & R. Pannerselvam. 2012. Effect of Abscisic Acid, Paclobutrazol and Salicylic Acid on The Growth and Pigment Variation in *Solanum Trilobatum*. International Journal of Drug Development & Research 4 (3) : 236-46.

Noreen, S., M. Ashraf, & N. A. Akram. 2011. Does Exogenous Application of Salicylic Acid Improve Growth and Some Key Physiological Attributes in Sunflower Plants ubjected to salt stress?. Journal of Applied Botany and Food Quality 84 :169–77.

UNIVERSITAS
GADJAH MADA
TANGGAPAN PERTUMBUHAN DAN HASIL BAWANG MERAH (Allium cepa L. Aggregatum group) TERHADAP APLIKASI ASAM SALISILAT DAN BIOSILIKA PADA KONDISI CEKAMAN KEKERINGAN
LISA DWIFANI INDAR, Dr. Ir. Endang Sulistyaningsih, M. Sc ; Ir. Budiastuti Kurniasih, M. Sc.Ph.D
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Nurdin. 2011. Antisipasi Perubahan Iklim untuk Keberlanjutan Ketahanan Pangan. Jurnal Dialog Kebijakan Publik. Sulawesi Utara.

Nurmala, T., A. Yuniarti, W. Firdawati & W. A. Qosim. 2019. Pengaruh Pupuk Biosilika terhadap Pertumbuhan, Hasil, dan Kekerasan Biji Tanaman Hanjeli (*Coix lacryma-jobi* L.) Varietas Batu dan Pulut. Jurnal Kultivasi. 18 (2) : 919-923.

Okuma, E., R. Nozawa, Y. Murata & K. Miura. 2014. Accumulation of Endogenous Salicylic Acid Confers Drought Tolerance to Arabidopsis. Plant Signaling and Behavior. 9 : 1 - 4.

Parry, M. A. J., P.J. Andraloje, S. Khan, P. J. Lea & A. J. Keys. 2002. Rubisco Activity : Effects of Drought Stress. Annals of Botany. 89 : 833-839.

PEMKAB (Pemerintah Kabupaten) Bantul. 2015. Profil Kecamatan Banguntapan. [Online]. Available at https:// kec-banguntapan. bantulkab. go.id/ hal/ profil. Verified 26 November 2019.

Perkasa, A. Y., T. Siswanto, F. Shintarika, & T. G. Aji. 2017. Studi Identifikasi Stomata pada Kelompok Tanaman C3, C4, dan CAM. Jurnal Pertanian Presisi. 1 (1) : 59-72.

Pilon-Smits, E. A. H., C. F. Quinn, W. Tapken, M. Malagoli, & M. Schiavon. 2009. Physiological Functions of Beneficial Elements. Current Opinion in Plant Biology. 12 (3) : 267-274.

PUSLITBANGHORTI (Pusat Penelitian dan Pengembangan Hortikultura). 2015. Budidaya Tanaman Bawang Merah. [Online]. Available at http:// hortikultura. litbang.pertanian.go.id/teknologi-detail-42.html. Verified 24 Oktober 2019.

Qi, L., G. Wang, C. Guan, D. Yang, Y. Wang, Y. Zhang, J. Ji, C. Jin, & T. An. 2019. Overexpression of LcSABP, an Orthologous Gene for Salicylic Acid Binding Protein 2, Enhances Drought Stress Tolerance in Transgenic Tobacco. Frontiers in Plant Science.

Ramulifho, E., T. Goche, J. Van As, T. J. Tsilo, S. Chivasa & R. Ngara. 2019. Establishment and Characterization of Callus and Cell Suspension Cultures of Selected *Sorghum bicolor* (L.) Moench Varieties: A Resource for Gene Discovery in Plant Stress Biology. Agronomy. 9 : 1-18.

Reddy, K. P., S. M. Subhani, P. A. Khan, & K. B. Kumar. 1985. Effect of Light and Benzyladenine on Dark Treated Growing Rice (*Oryza sativa*) Leaves – Changes in Peroxidase Activity. Plant Cell Physiology. 26 : 987-994.

Sacala, E. 2009. Role of Silicon in Plant Resistance to Water Stress. Journal of Elementology. 14 (3) : 619-630.

Santi, L. L., N. Haris, & D. Mulyanto. 2018. Effect of Bio-Silica on Drought Tolerance in Plants. IOP Conf. Series: Earth and Environmental Science. 183 : 1-6.

Sass, J. E. 1958. Botanical Microtechnique. The Lowa State University Press. Lowa. pp 91-98.

Saud, S., X. Li, Y. Chen, L. Zhang, S. Fahad, S. Hussain, A. Sadiq, & Y. Chen. 2014. Silicon Application Increases Drought Tolerance of Kentucky Bluegrass by Improving Plant Water Relations and Morphophysiological Functions. The scientific World Journal.

UNIVERSITAS
GADJAH MADA
TANGGAPAN PERTUMBUHAN DAN HASIL BAWANG MERAH (Allium cepa L. Aggregatum group) TERHADAP APLIKASI ASAM SALISILAT DAN BIOSILIKA PADA KONDISI CEKAMAN KEKERINGAN
LISA DWIFANI INDAR, Dr. Ir. Endang Sulistyaningsih, M. Sc ; Ir. Budiastuti Kurniasih, M. Sc.Ph.D
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Schober, P., C. Boer, & L. A. Schwarte. 2018. Correlation Coefficients: Appropriate Use and Interpretation. Anesthesia & Analgesia. 126 (5) : 1763-1768.

Semida, W. M., T. A. Abd El-Mageed, S. E. Mohamed, & N. A. El-Sawah. 2016. Combined Effect of Deficit Irrigation and Foliar Applied Salicylic Acid on Physiological Responses, Yield, and Water Use Efficiency of Onion Plants in Saline Calcareous Soil. Archuves of Agronomy and Soil Science.

Senaratna, T., D. Touchell, E. Bunn, & K. Dixon. 2000. Acetyl Salicylic Acid (Aspirin) and Salicylic Acid Induce Multiple Stress Tolerance in Bean and Tomato Plants. Plant Growth Regulation. 30 (2) : 157-161.

Setiawan, Tohari, & D. Shiddieq. 2012. Pengaruh Cekaman Kekeringan Terhadap Akumulasi Prolin Tanaman Nilam (*Pogostemon cablin Benth*.). Jurnal Ilmu Pertanian. 15 (2) : 85-99.

Sharma, M., A. Sharma, A. Kumar, & S. K. Basu. 2011. Enhancement of Secondary Metabolites in Cultured Plant Cells Through Stress Stimulus. American Journal of Plant Physiology. 6 (2) : 50-71.

Sharma, M., K. Sunil, Gupta, B. Majumder, V. K. Maurya, F. Deeba, A. Alam, & V. Pandey. 2017. Salicylid Acid Mediated Growth, Physiological and Proteomic Responses in Two Wheat Varieties Under Drought Stress. Journal of Proteomics. 163 : 28-51.

Shigyo, M., & Kik, C. 2008. Onion. In: Prohens-Tomas, J. and F. Nuez (eds). Handbook of Plant Breeding. Volume 2 Vegetables II: Fabaceae, Liliaceae, Solanaceae and Umbelliferae. E-Book. Springer Science. pp 121-159.

Siagian. V. J. 2016. Outlook Bawang Merah. Pusat Data dan Sistem Informasi Pertanian. Kementerian Pertanian.

Singh, N. K., K. R. R. Kumar, D. Kumar, P. Shukla & P. B. Kirti. 2013. Characterization of a Pathogen Induced Thaumatin-like Protein Gene AdTLP from Arachis Diogoi, a Wild Peanut. PLOS ONE. 8 (12) : 1-18.

Slimestad, R., T. Fossen, & I. M. Vagen. 2007. Onions: a Source of Unique Dietary Flavonoids. Journal of Agricultural and Food Chemistry. 55 : 10067–10080.

Sukma, K. P. W. 2015. Mekanisme Tumbuhan Menghadapi Kekeringan. Jurnal Pemikiran Penelitian Pendidikan dan Sains. 3 (6) : 186-194.

Sumarni, N., & A. Hidayat. 2005. Budidaya Bawang Merah. Balai Penelitian Tanaman Sayuran (BALITSA). Lembang. Bandung.

Sunarti, S., V. Fitriana, & Suharyanto. 2018. Tingkat keasaman Acacia mangium, Acacia auriculiformis dan Hibridnya Berdasarkan Sifat Anatomi Akar, Batang dan Daun. Jurnal Ilmu Kehutanan. 12 : 234-247.

Suwandi. 2014. Budidaya Bawang Merah di Luar Musim (Teknologi Unggulan Mengantisipasi Dampak Perubahan Iklim). Badan Penelitian dan Pengembangan Pertanian Kementerian Pertanian. Jakarta.

Swasono, F. D. H. 2010. Karakteristik Fisiologi Toleransi Tanaman Bawang Merah terhadap Cekaman Kekeringan di Tanah Pasir Pantai. Jurnal AgriSains. 3 (4) : 88-103.

Teshika, J. D., A. M. Zakariyyah, T. Zaynab, G. Zengin, K. R. R. Rengasamy, S. K. Pandian, & M. M. Fawzi. 2018. Traditional and Modern Uses of Onion Bulb

UNIVERSITAS
GADJAH MADA
TANGGAPAN PERTUMBUHAN DAN HASIL BAWANG MERAH (Allium cepa L. Aggregatum group) TERHADAP APLIKASI ASAM SALISILAT DAN BIOSILIKA PADA KONDISI CEKAMAN KEKERINGAN
LISA DWIFANI INDAR, Dr. Ir. Endang Sulistyaningsih, M. Sc ; Ir. Budiastuti Kurniasih, M. Sc.Ph.D
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

(*Allium cepa* L.): A Systematic Review. Critical Reviews Food Science Nutrition. 59 : 539-570.

Tiwari, S., C. Lata, P. S. Chauhan, V. Prasad, & M. Prasad. 2017. A Functional Genomic Perspective on Drought Signalling and its Crosstalk with Phytohormone-Mecampbediated Signalling Pathways in Plants. Current Genomics. 18 (6) : 469-482.

Turner N. C., G. C. Wright, & K. H. M. Siddique. 2001. Adaptation of Grain Legumes (pulses) to Water-Limited Environments. Advances in Agronomy. 71 : 123–231.

USDA (U.S. Department of Agriculture). 2019. Shallot, raw. [Online]. Available at https://fdc.nal.usda.gov/fdc-app.html#/food-details/170499/nutrients. Verified 9 September 2019.

Violita, & Hamim. 2010. Sistem Pertahanan Tanaman Kedelai yang Mendapat Perlakuan Cekaman Kekeringan. EKSAKTA. 2 (11) : 103-112.

Wakchaure, G. C., P. S. Minhas, K. Meena, & N. P. Singh. 2018. Growth, Bulb Yield, Water Productivity and Quality of Onion (*Allium cepa* L.) as Affected by Deficit Irrigation Regimes and Exogenous Application of Plant Bio-regulators. Agricultural Water Management. 199 : 1-10.

Warrier, R. R., M. Paul, & M. V. Vineetha. 2013. Estimation of Salicylid Acid in Eucalytpus Leaves Using Spectrophotometric Methods. Genetic and Plant Physiology. 3 (1-2) : 90-97.

Yang, Y., M, Qi, & C. Mei. 2004. Endogenous Salicylid Acid Protects Rice Plant from Oxidative Damage Caused by Aging as Well as Biotic and Abiotic Stress. The Plant Journal. 40 (6) : 909-919.

Zhang, M., Z. Q. Jin, J. Zhao, G. Zhang, & F. Wu. 2015. Physiological and Biochemical Responses to Drought Stress in Cultivated and Tibetan Wild Barley. Plant Growth Regulation. 75 : 567-574.

Zhou, H., G. Zhou, Q. He, L. Zhou, Y. Ji, & X. Lv. 2021. Capability of Leaf Water Content and its Threshold Values in Reflection of Soil-Plant Water Status in Maize During Prolonged Drought. Ecological Indicators. 124 : pp 2-3.

Zipfel, C. 2014. Plant Pattern-Recognition Receptors. Trends in Immunology. 35 (7) : 345-351.

Zipfel, C. & G. Felix. 2005. Plants and Animals : A Different Taste for Microbes. Current Opinion in Plant Biology. 8 : 353-360.

Zlatev, Z., & F. C. Lidon. 2012. An Overview on Drought Induced Changes in Plant Growth, Water Relations and Photosynthesis. Emirates Journal of Food and Agriculture. 24 (1) 57-72.