

Bibliography

Budge, P.J., Little, K.M., Mues, K.E., Kennedy, E.D., Prakash, A., Rout, J. and Fox, L.A.M., 2013. Impact of Community-Based Lymphedema Management on Perceived Disability among Patients with Lymphatic Filariasis in Orissa State, India. *PLoS Neglected Tropical Diseases*, 7(3).

<https://doi.org/10.1371/journal.pntd.0002100>.

Chandrasena, N., Premaratna, R., Gunaratna, I.E. and de Silva, N.R., 2018. Morbidity management and disability prevention for lymphatic filariasis in Sri Lanka: Current status and future prospects. *PLoS Neglected Tropical Diseases*, 12(5).
<https://doi.org/10.1371/journal.pntd.0006472>.

Eakbal Anik, K., Khanum, H., Ahmed Rizvi, I., Alam, S. and Banu, H., 2016. *EPIDEMIOLOGY OF LYMPHATIC FILARIASIS IN NILPHAMARI DISTRICT, BANGLADESH. J. Biol. Sci.*, .

Hafiz, I., Graves, P., Haq, R., Flora, M.S. and Kelly-Hope, L.A., 2015. Clinical case estimates of lymphatic filariasis in an endemic district of Bangladesh after a decade of mass drug administration. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 109(11), pp.700–709.
<https://doi.org/10.1093/trstmh/trv084>.

Hossain, M., Yoshimura, K., Akter, S., Hoque, A. and Afrin, S., 2020. Issue 1 | 1 of 5 Microbiol Infect Dis. *Bangladesh. Microbiol Infect Dis*, 4(1), pp.1–6.

Hossain, M.M., 2016. *Elimination of Lymphatic Filariasis from Bangladesh: Current Status*. [online] *Journal of Science Foundation*, Available at: www.banglajol.info/index.php/JSF.

Jacobs, B., Ir, P., Bigdeli, M., Annear, P.L. and Van Damme, W., 2012.

Addressing access barriers to health services: An analytical framework for selecting appropriate interventions in low-income Asian countries. *Health Policy and Planning*. <https://doi.org/10.1093/heapol/czr038>.

Karim, M.J., Haq, R., Mableson, H.E., Sultan Mahmood, A.S.M., Rahman, M., Chowdhury, S.M., Rahman, A.K.M.F., Hafiz, I., Betts, H., Mackenzie, C., Taylor, M.J. and Kelly-Hope, L.A., 2019. Developing the first national database and map of lymphatic filariasis clinical cases in Bangladesh: Another step closer to the elimination goals. *PLoS Neglected Tropical Diseases*, 13(7). <https://doi.org/10.1371/journal.pntd.0007542>.

Khanum, H., Hossain, I., Sarkar, F. and Zaman, R.F., 2018a. Lymphatic filariasis in Nilphamari district: An endemic area in Bangladesh. *Bangladesh Journal of Zoology*, 46(1), pp.11–20. <https://doi.org/10.3329/bjz.v46i1.37622>.

Levesque, J.F., Harris, M.F. and Russell, G., 2013. Patient-centred access to health care: Conceptualising access at the interface of health systems and populations. *International Journal for Equity in Health*. <https://doi.org/10.1186/1475-9276-12-18>.

Rahman, K., Laskar, M., Basu, B. and Chowdhury, S., 2015. Treatment seeking behavior of filariasis patients in a selected endemic area of Bangladesh. *Mediscope*, 2(2), pp.5–15. <https://doi.org/10.3329/mediscope.v2i2.25404>.

Saha, S. and Ashraful Alam, M., n.d. *KNOWLEDGE AND AWARENESS REGARDING LYMPHATIC FILARIASIS AND BARRIERS IN ITS ELIMINATION PROGRAM IN AN ENDEMIC DISTRICT OF BANGLADESH* *Filaria Elimination Programme in an Endemic Region in Bangladesh View project*. [online] Available at: <https://www.researchgate.net/publication/341776411>.

Shamsuzzaman, A.K.M., Haq, R., Karim, M.J., Azad, M.B., Mahmood, A.S.M.S., Khair, A., Rahman, M., Hafiz, I., Ramaiah, K.D., Mackenzie, C.D., Mablesen, H. and Kelly-Hope, L.A., 2017. The significant scale up and success of Transmission Assessment Surveys “TAS” for endgame surveillance of lymphatic filariasis in Bangladesh: One step closer to the elimination goal of 2020. *PLoS Neglected Tropical Diseases*, 11(1). <https://doi.org/10.1371/journal.pntd.0005340>.

Srivastava, A. and Thomson, S.B., 2009. *Framework Analysis: A Qualitative Methodology for. Applied Policy Research. JOAAG*, .

Stanton, M.C., Best, A., Cliffe, M., Kelly-Hope, L., Biritwum, N.K., Batsa, L. and Debrah, A., 2016. Situational analysis of lymphatic filariasis morbidity in Ahanta West District of Ghana. *Tropical Medicine and International Health*, 21(2), pp.236–244. <https://doi.org/10.1111/tmi.12643>.

Maritim, P., Silumbwe, A., Zulu, J. M., Sichone, G., & Michelo, C. (2021). Health beliefs and health seeking behavior towards lymphatic filariasis morbidity management and disability prevention services in luangwa district, zambia: Community and provider perspectives. *PLoS Neglected Tropical Diseases*, 15(2), 1–14. <https://doi.org/10.1371/journal.pntd.0009075>

Zeldenryk, L., Gray, M., Gordon, S., Speare, R. and Hossain, M., 2014. The use of focus groups to develop a culturally relevant quality of life tool for lymphatic filariasis in Bangladesh. *Quality of Life Research*, 23(1), pp.299–309. <https://doi.org/10.1007/s11136-013-0455-0>.

Anon 2013. *Communicable Disease Control (CDC) Bangladesh Disease Control Unit Directorate General of Health Services Ministry of Health and Family Welfare Government of the Peoples' Republic of Bangladesh*.

Anon 2013. *SEA-CD-268 Distribution: General Morbidity management and disability prevention in lymphatic filariasis Regional Office for South-East Asia.*

Anon n.d. *Independent Evaluation of Community Based Health Services in Bangladesh.*