

References

- Adepoju, P. (2020). Tuberculosis and HIV responses threatened by COVID-19. *The Lancet HIV*, 7(5), e319–e320. [https://doi.org/10.1016/S2352-3018\(20\)30109-0](https://doi.org/10.1016/S2352-3018(20)30109-0)
- Ayakaka, I., Ackerman, S., Ggita, J. M., Kajubi, P., Dowdy, D., Haberer, J. E., Fair, E., Hopewell, P., Handley, M. A., Cattamanchi, A., Katamba, A., & Davis, J. L. (2017). Identifying barriers to and facilitators of tuberculosis contact investigation in Kampala, Uganda: a behavioral approach. *Implementation Science*, 12:33. <https://doi.org/10.1186/s13012-017-0561-4>
- Becerra, M. C., Appleton, S. C., Franke, M. F., Chalco, K., Arteaga, F., Bayona, J., Murray, M., Atwood, S. S., & Mitnick, C. D. (2011). Tuberculosis burden in households of patients with multidrug-resistant and extensively drug-resistant tuberculosis: A retrospective cohort study. *The Lancet*, 377(9760), 147–152. [https://doi.org/10.1016/S0140-6736\(10\)61972-1](https://doi.org/10.1016/S0140-6736(10)61972-1)
- Breitenstein, S. M., Gross, D., Garvey, C. A., Hill, C., Fogg, L., & Resnick, B. (2010). Implementation fidelity in community-based interventions. *Research in Nursing and Health*, 33(2), 164–173. <https://doi.org/10.1002/nur.20373>
- BRM. (2020). *Purposive sampling*. BRM. <https://research-methodology.net/sampling-in-primary-data-collection/purposive-sampling/>
- Carroll, C., Patterson, M., Wood, S., Booth, A., Rick, J., & Balain, S. (2007). A conceptual framework for implementation fidelity. *Implementation Science*, 2(1), 1–9. <https://doi.org/10.1186/1748-5908-2-40>
- Dara, M., Sotgiu, G., Reichler, M. R., Chiang, C.-Y., Chee, C. B. E., & Migliori, G. B. (n.d.). *New diseases and old threats: lessons from tuberculosis for the COVID-19 response*. <https://doi.org/10.5588/ijtld.20.0151>
- De Schacht, C., Mutaquiha, C., Faria, F., Castro, G., Manaca, N., Manhiça, I., & Cowan, J. (2019). Barriers to access and adherence to tuberculosis services, as perceived by patients: A qualitative study in Mozambique. *PLoS ONE*, 14(7). <https://doi.org/10.1371/journal.pone.0219470>

Denholm, J. T., Leslie, D. E., Jenkin, G. A., Darby, J., Johnson, P. D. R., Graham, S. M., Brown, G. V., Sievers, A., Globan, M., Brown, L. K., & McBryde, E. S. (2012). Long-term follow-up of contacts exposed to multidrug-resistant tuberculosis in Victoria, Australia, 1995-2010. *International Journal of Tuberculosis and Lung Disease*, 16(10), 1320–1325. <https://doi.org/10.5588/ijtld.12.0092>

DoHS. (2020). *Annual Report Department of Health Services 2076-/775 (2019/20)*.

Emerson, C., Ng'eno, B., Ngowi, B., Pals, S., Kohi, W., Godwin, M., Date, A., & Modi, S. (2020). Assessment of routine screening of pediatric contacts of adults with tuberculosis disease in Tanzania. *Public Health Action*, 9(4), 148–152. <https://doi.org/10.5588/pha.19.0034>

Fox, Greg J., Nhung, N. V., Sy, D. N., Hoa, N. L. P., Anh, L. T. N., Anh, N. T., Hoa, N. B., Dung, N. H., Buu, T. N., Loi, N. T., Nhung, L. T., Hung, N. V., Lieu, P. T., Cuong, N. K., Cuong, P. D., Bestrashniy, J., Britton, W. J., & Marks, G. B. (2018). Household-Contact Investigation for Detection of Tuberculosis in Vietnam. *Http://Dx.Doi.Org/10.1056/NEJMoa1700209*, 378(3), 221–229. <https://doi.org/10.1056/NEJMOA1700209>

Fox, Gregory James, Loan, L. P., Nhung, N. V., Loi, N. T., Sy, D. N., Britton, W. J., & Marks, G. B. (2015). Barriers to adherence with tuberculosis contact investigation in six provinces of Vietnam: A nested case-control study. *BMC Infectious Diseases*, 15(1). <https://doi.org/10.1186/s12879-015-0816-0>

Hoang, T. T. T., Nguyen, V. N., Dinh, N. S., Thwaites, G., Nguyen, T. A., Van Doorn, H. R., Cobelens, F., & Wertheim, H. F. L. (2019). Active contact tracing beyond the household in multidrug resistant tuberculosis in Vietnam: A cohort study. *BMC Public Health*, 19(1). <https://doi.org/10.1186/s12889-019-6573-z>

Javaid, A., Khan, M. A., Khan, M. A., Mehreen, S., Basit, A., Khan, R. A., Ihtesham, M., Ullah, I., Khan, A., & Ullah, U. (2016). Screening outcomes of household contacts of multidrug-resistant tuberculosis patients in Peshawar, Pakistan. *Asian Pacific Journal of Tropical Medicine*, 9(9), 909–912. <https://doi.org/10.1016/j.apjtm.2016.07.017>

- Kerrigan, D., West, N., Tudor, C., Hanrahan, C. F., Lebina, L., Msandiwa, R., Mmolawa, L., Martinson, N., & Dowdy, D. (2017). Improving active case finding for tuberculosis in South Africa: informing innovative implementation approaches in the context of the Kharitode trial through formative research. *Health Research Policy and Systems* 2017 15:1, 15(1), 1–8. <https://doi.org/10.1186/S12961-017-0206-8>
- Kritski, A. L., Ozorio Marques, M. J., Rabahi, M. F., Silva Vieira, M. A. M., Werneck-Barroso, E., Carvalho, C. E. S., De Noronha Andrade, G., Bravo-De-Souza, R., Andrade, L. M., Gontijo, P. P., & Riley, L. W. (1996). Transmission of Tuberculosis to Close Contacts of Patients with Multidrug-resistant Tuberculosis. *American Journal of Respiratory and Critical Care Medicine*, 153(1), 331–335. <https://doi.org/10.1164/ajrccm.153.1.8542139>
- Lorent, N., Choun, K., Thai, S., Kim, T., Huy, S., Pe, R., Van Griensven, J., Buyze, J., Colebunders, R., Rigouts, L., & Lynen, L. (2014). Community-based active tuberculosis case finding in poor urban settlements of Phnom Penh, Cambodia: A feasible and effective strategy. *PLoS ONE*, 9(3), 1–12. <https://doi.org/10.1371/journal.pone.0092754>
- Morishita, F., Eang, M. T., Nishikiori, N., & Yadav, R.-P. (2016). Increased Case Notification through Active Case Finding of Tuberculosis among Household and Neighbourhood Contacts in Cambodia. *PLOS ONE*, 11(3), e0150405. <https://doi.org/10.1371/journal.pone.0150405>
- NTCC. (2017). *National Childhood TB Management Guideline Government of Nepal Ministry of Health Department of Health Service National Tuberculosis Centre Thimi Bhakatapur 2074 Nepal Paediatric Society (NEPAS)*.
- NTCC. (2018). *(Sub Recipient (SR) Implementation Guideline)*.
- NTCC. (2019). *National Tuberculosis Management Guidelines*. https://nepalntp.gov.np/wp-content/uploads/2019/10/National-Tuberculosis-Management-Guidelines-2019_Nepal.pdf
- NTCC. (2020a). *(National Tuberculosis Program Nepal Annual Report 2075/76*

NTCC. (2020b). *NATIONAL TUBERCULOSIS PREVALENCE SURVEY REPORT*.

<https://nepalntp.gov.np/wp-content/uploads/2021/03/NTPS-Report-Bodypages.pdf>

NTCC. (2021). *Rapid Assessment Report Effect of COVID-19 Pandemic on Tuberculosis Program in Nepal*.

Palinkas, L. A., Horwitz, S. M., Green, C. A., Wisdom, J. P., Duan, N., & Hoagwood, K. (2015). Purposeful Sampling for Qualitative Data Collection and Analysis in Mixed Method Implementation Research. *Administration and Policy in Mental Health and Mental Health Services Research*, 42(5), 533–544. <https://doi.org/10.1007/s10488-013-0528-y>

Peters, D. H., Adam, T., Alonge, O., Agyepong, I. A., & Tran, N. (2014). Republished research: Implementation research: What it is and how to do it. *British Journal of Sports Medicine*, 48(8), 731–736. <https://doi.org/10.1136/bmj.f6753>

Phyo, A. M., Kumar, A. M. V., Soe, K. T., Kyaw, K. W. Y., Thu, A. S., Wai, P. P., Aye, S., Saw, S., Maung, H. M. W., & Aung, S. T. (2020). Contact investigation of multidrug-resistant tuberculosis patients: A mixed-methods study from Myanmar. *Tropical Medicine and Infectious Disease*, 5(1). <https://doi.org/10.3390/tropicalmed5010003>

Rehman, S., Kashif Munir, M., Iqbal, R., Salam, A. A., Saeed, S., Masud, F., & Aasim, M. (2014). Active Case Detection Among Household Contacts of Multi Drug Resistant Tuberculosis Patients in a Tertiary Care Setting. In *Pakistan Journal of Medical Research* (Vol. 53, Issue 3).

Singla, N., Singla, R., Jain, G., Habib, L., & Behera, D. (2011). Tuberculosis among household contacts of multidrug-resistant tuberculosis patients in Delhi, India. *International Journal of Tuberculosis and Lung Disease*, 15(10), 1326–1330. <https://doi.org/10.5588/ijtld.10.0564>

Tesfaye, L., Lemu, Y. K., Tareke, K. G., Chaka, M., & Feyissa, G. T. (2020). Exploration of barriers and facilitators to household contact tracing of index

- Theobald, S., Brandes, N., Gyapong, M., El-Saharty, S., Proctor, E., Diaz, T., Wanji, S., Elloker, S., Raven, J., Elsey, H., Bharal, S., Pelletier, D., & Peters, D. H. (2018). Implementation research: new imperatives and opportunities in global health. *The Lancet.Com*, 392. [https://doi.org/10.1016/S0140-6736\(18\)32205-0](https://doi.org/10.1016/S0140-6736(18)32205-0)
- Vella, V., Racalbutto, V., Guerra, R., Marra, C., Moll, A., Mhlanga, Z., Maluleke, M., Mhlope, H., Margot, B., Friedland, G., Shah, N. S., & Gandhi, N. R. (2011). Household contact investigation of multidrug-resistant and extensively drug-resistant tuberculosis in a high HIV prevalence setting. *International Journal of Tuberculosis and Lung Disease*, 15(9), 1170–1175. <https://doi.org/10.5588/ijtld.10.0781>
- Wang, B., Stanton, B., Deveau, L., Poitier, M., Lunn, S., Koci, V., Adderley, R., Kaljee, L., Marshall, S., Li, X., & Rolle, G. (2015). Factors influencing implementation dose and fidelity thereof and related student outcomes of an evidence-based national HIV prevention program. *Implementation Science*, 10(1). <https://doi.org/10.1186/s13012-015-0236-y>
- Wayan Gede Artawan Eka Putra, I., Kurniasari, N. M. D., Dewi, N. P. E. P., Ketut Suarjana, I., Made Kerta Duana, I., Ketut Hari Mulyawan, I., Riono, P., Alisjahbana, B., Probandari, A., Notobroto, H. B., & Wahyuni, C. U. (2019). The implementation of early detection in tuberculosis contact investigation to improve case finding. *Journal of Epidemiology and Global Health*, 9(3), 191–197. <https://doi.org/10.2991/jegh.k.190808.001>
- WHO. (2013). WHO | Implementation Research in Health: A Practical Guide. WHO. <http://www.who.int/alliance-hpsr/resources/implementationresearchguide/en/>
- WHO. (2019). (*Global Tuberculosis Report 2019*). <http://apps.who.int/bookorders>.
- WHO. (2020). *GLOBAL TUBERCULOSIS REPORT 2020*. <http://apps.who.int/bookorders>.