



DAFTAR PUSTAKA

- Abdel-Tawwab, M. and H.S. Hamed. 2020. Antagonistic effects of dietary guava (*Psidium guajava*) leaves extract on growth, hemato-biochemical, and immunity response of cypermethrin-intoxicated Nile tilapia (*Oreochromis niloticus*). Aquaculture 529.
- Ahmed N. and G.M. Turchini. 2021. Recirculating aquaculture systems (RAS): Environmental solution and climate change adaptation. Journal of Cleaner Production vol. 297.
- Aiyushirota. 2009. Konsep Budidaya Udang Sistem Bakteri Heterotof dengan Bioflocs. Aiyushirota Indonesia, Biotechnology Consulting and Trading. Bandung.
- Ale, M.T., J.D. Mikkelsen, and A.S. Meyer. 2011. Important determinant for fucoidan bioactivity: a critical review of structure-function relations and extraction methods for fucose-containing sulfated polysaccharides from brown seaweeds. Marine Drugs 9: 2106-2130.
- Aly, S.M., Mohamed, M.F., and G, John. 2008. Effect of probiotics on the survival, growth and challenge infection in Tilapia nilotica (*Oreochromis niloticus*). Aquaculture Research 39:647-656.
- Amri, K. dan Khairuman. 2003. Budidaya Ikan Nila Secara Intensif. Jakarta: Agromedia Pustaka.
- Anderson, D. P. and Siwicki. 1994. Syplified assay for measuring nonspecific defence mechanism in fish. Fish Health section. American Fisheries Meeting. Seatle, Washington, 1-26.
- Anderson, D.P. and A.K. Siwicki. 1993. Basic hematology and serology for fish health programs. Paper presented in second symposium on diseases in Asian Aquaculture "Aquatic Animal Health and The Environment". Phuket, Thailand. 25-29th October 1993. 17 hlm.
- Arief, M. 2013. Pemberian Probiotik yang berbeda pada Pakan Komersil terhadap Pertumbuhan Retensi Protein dan Serat Kasar pada Ikan Nila (*Oreochromis sp.*). Argoveteriner 1 (2): 88-93 hlm.
- Avnimelech, Y. 2007. Feeding with microbial flocs by tilapia in minimal discharge bioflocs technology ponds. Aquaculture 264: 140–147.
- Badiola, M., O.C. Basurko, R. Piedrahita, P. Hundley, and D. Mendiola. 2018. Energy use in Recirculating Aquaculture Systems (RAS): A review, Aquacultural Engineering, 81: 57-70
- Bakane, M. 2016. The role of protected areas in the conservation and management of fisheries in the Chobe District of Botswana. Rhodes University. Doctoral dissertation.



Baratawidjaja, K. G. 2006. Imunologi Dasar Edisi ke Tujuh. Balai Penerbit FKUI, Jakarta.

Baratawidjaja, K.G. 2002. Imunologi Dasar. Balai Penerbit Fakultas Kedokteran Universitas Indonesia, Jakarta. hlm. 3-69.

Basmal, J., Y. Sekarsih dan T.K. Bunasa. 2001. Pengaruh konsentrasi bahan pemucat dan enis bahan pengendap terhadap pembentukan sodium alginat dari rumput laut coklat *Sargassum filipendula Agarct*. Jurnal Penelitian Perikanan Indonesia 7: 74-81

Becerril-Cortés, D., M.D.C. Monroy-Dosta, M.G. Coelho-Emerenciano, G. Martinez, R. Lara-Andrade. 2017. Nutritional importance for aquaculture and ecological function of microorganisms that make up Biofloc, a review. Int. J. Aqu. Sci. 8: 69–77.

Berg, J.M., J.L. Tymoczko, and L. Stryer. 2002. Biochemistry Fifth Edition. New York: WH Freeman

Bittencourt, N.L.R., L.M. Molinari, D.O. Scoaris, R.B. Pedroso, C.V. Nakamura, T.U. Nakamura, B.A.A. Filho, and B.P.D. Filho. 2003. Haematological and biochemical values for nile tilapia *Oreochromis niloticus* cultured in semi-intensive system. Biol Sci. 25: 385–389.

Boney, A. D. 1965. Aspect of the biology of the seaweeds of economic importance. Mar. Bot. 3: 205-253.

Bossier, P. and J. Ekasari. 2017. Biofloc technology application in aquaculture to support sustainable development goals. Microb. Biotechnol. 10: 1012–1016.

Boyd. 2004. SNI 01-6139-1999 (Produksi induk ikan nila hitam, *Oreochromis niloticus*). Jakarta.

Bricknell, I. and R.A. Dalmo. 2005. The use of immunostimulants in fish larval aquaculture. Fish shellfish Immunol 19: 457-72.

Bulfon, C., D. Volpatti, M. Galeotti. 2015. Current research on the use of plant-derived products in farmed fish, Aquac. Res. 46: 513-551.

Calder, P.C. and P. Yaqoob. 2004. Amino acids and immune function. In Metabolic & Therapeutic Aspects of Amino Acids in Clinical Nutrition, 2nd ed., pp. 305 – 320 [LA Cynober, editor]. Boca Raton, FL: CRC Press

Castro, R., I. Zarab, & J. Lamas. 2004. Water- soluble Seaweed Extracts Modulate the *Pantoea agglomerans* lippolysaccharide (LPS). Fish Shellfish Immunol (10): 555-558.

Castro, R., I. Zarra and J. Lamas. 2003. Water-soluble seaweed extracts modulate the respiratory burst activity of turbot phagocytes. Aquaculture 229: 67–78.

Chakraborty, S.B., P. Horn, and C. Hancz. 2014. Application of phytochemicals as growthpromoters and endocrine modulators in fish culture, Rev. Aquacult. 6 (1): 1–19.



Cheng, W., C. Liu, S. Yeh, and J. Chen. 2004. The immune stimulatory effect of sodium alginate on the white shrimp *Litopenaeus vannamei* and its resistance against *Vibrio alginolyticus*. Fish and Shellfish Immunology 17: 41-51.

Chiu, S-T., R. Tsai, J. Hsu, C. Liu, and W. Cheng. 2008. Dietary sodium alginate administration to enhance the non-specific immune responses, and disease resistance of the juvenile grouper *Epinephelus fuscoguttatus*. Aquaculture 277: 66- 72.

Citarasu, T. 2010. Herbal biomedicines: a new opportunity for aquaculture industry. Aquac. Int. 18 (3), 403–414.

Crab, R., Y. Avnimelech, T. Defoirdt, P. Bossier, and W. Verstraete. 2007. Nitrogen Removal Techniques in Aquaculture for Sustainable Production. Aquaculture 270: 1-14.

Crab, R., T. Defoirdt, P. Bossier, and W. Verstraete. 2012. Biofloc technology in aquaculture: beneficial effects and future challenges. Aquaculture 356-357: 351–356.

Dalibard, P., V. Hess, L.L. Tutour, M. Peisker, S. Peris, A.P. Gutierrez, and M. Redshaw. 2014. Amino acids in animal nutrition. Belgium: Fevana Publication with Compliments from Evonik Industries.

Deivasigamani and V. Subramanian. 2016. Applications of immunostimulants in aquaculture: a review. Int. J. Curr. Microbiol. App. Sci. 5(9): 447–453.

Doan, H.V., S.H. Hoseinifar, E. Ringø, M.Á. Esteban, M. Dadar, M.A.O. Dawood, and C. Faggio. 2020. Host-associated. Probiotics: A Key Factor in Sustainable Aquaculture 28 (1): 16–42.

El-Sayed, A-F. 2019. Tilapia Culture, 2nd edition. Academic Press, Elsevier Science Publishing Co Inc., San Diego, USA.

FAO. 2018. Cultured Aquatic Species Information Programme. In: Rakocy, J.E. (Ed.), *Oreochromis niloticus*. Cultured Aquatic Species Information Programme. FAO.

FAO. 2020. The state of world fisheries and aquaculture.

Fathi, M., C. Dickson, M. Dickson, W. Leschen, J. Baily, F. Muir, K. Ulrich, and M. Weidmann. 2017. Identification of Tilapia Lake virus in Egypt in Nile tilapia affected by ‘summer mortality’ syndrome. Aquaculture 473: 430–432.

Flores, M.L. 2011. The use of probiotic in aquaculture: an overview. International Research Journal of Microbiology 2: 471–478.

Fujaya, Y. 2004. Fisiologi Ikan. Dasar Pengembangan Teknik Perikanan. Rineka Cipta, Jakarta.

Goddek, S., A. Joyce, B. Kotzen, and G.M. Burnell. 2019. Aquaponics Food Production Systems: Combined Aquaculture and Hydroponic Production Technologies for the Future. Springer Open, Switzerland.



Gómez, G.D. and J.L. Balcázar. 2007. A Review on the interactions between gutmicrobiota and innate immunity of fish. *Immunology Medicine Microbiology* 52: 145–154.

Grimble, R.F. 2006. The effects of sulfur amino acid intake on immune function in humans. *J Nutr* 136, 1660S–1665S

Guiry, M.D. 2007. Seasonal Growth and Phenotypic Variation in *Porphyra Linearis* (Rhodophyta) populations on The West Coast of Ireland. *Journal of Phycology* 43: 90–100.

Guiry, M.D. and G.M. Guiry. 2012. Algae Base. Worldwide electronic publication, National University of Ireland, Galway. <http://www.algaebase.org>.

Hai, N.V. 2015. The use of medicinal plants as immunostimulants in aquaculture: a review. *Aquaculture* 446: 88–96.

Harikrishnan, R., M. Kim, J. Kim, Y. Han, I. Jang, and C. Balasundaram. 2011. Immunomodulatory effect of sodium alginate enriched diet in kelp grouper *Epinephelus bruneus* against *Streptococcus iniae*. *Fish Shellfish Immunol* 27: 508-15.

Hu, X., Y. Cao, G. Wen, X. Zhang, Y. Xu, W. Xu, Y. Xu, and Z. Li. 2017. Effect of combined use of Bacillus and molasses on microbial communities in shrimp cultural enclosure systems. *Aquac. Res.* 48: 2691–2705.

Hussain, M.G., A.H.M. Kohinoor, M.M. Rahman, M.Z. Rahman, A.A. Masum, N.H. Nguyen. 2017. Genetic improvement and effective dissemination of improved Nile tilapia strain in Bangladesh. *AQUA Cul. Asia Pac. Maga.* 13 (6): 49–50.

Huynh, T.G., Y.L. Shiu, T.P. Nguyen, Q.P. Truong, J.C. Chen, and C.H. Liu. 2017. Current applications, selection, and possible mechanisms of actions of synbiotics in improving the growth and health status in aquaculture: a review. *Fish Shellfish Immunol.* 64: 367–382.

Irianto, A. 2005. Patologi Ikan Teleostei. Gadjah Mada University Press, Yogyakarta. hlm. 83-94.

Isnansetyo, A., A. Fikriyah, N. Kasanah, and Murwantoko. 2015. Non-specific immune potentiating activity of fucoidan from a tropical brown algae (Phaeophyceae), *Sargassum cristaefolium* in tilapia (*Oreochromis niloticus*). *Aquaculture Int.* 24: 465-477

Isnansetyo, A., H.M. Irpani, T.A. Wulansari, and N. Kasanah. 2014. Oral Administration of alginate from A Tropical Brown Seaweed, *Sargassum* sp. to Enhance Non-Spesific Defence in Walking Catfish (*Clarias* sp.). *Aquacultura Indonesiana* 2: 49-55.

Isnansetyo, A., I. Istiqomah, dan T. Kuswoyo. 2018. GamaAlgin-F, Immunostimulant Berbasis Alginat untuk Ikan Nila dan Lele: Formulasi Immunostimulant dan Uji Tantang pada Lele. Departemen Perikanan Fakultas Pertanian UGM, Yogyakarta.



Jain, N.C. 1993. Essentials of Veterinary Hematology. Lea & Febiger Philadelphia. 417 pp.

Jensch-Junior, B.E., N. Pressinotil, J.C.S. Borges and J.R.M. Cunha da Silva. 2006. Characterization of Macrophage Phagocytosis of the Tropical Fish Prochilodus scrofa (Steindachner, 1881). Aquaculture 251: 509-515.

Kadi, A. 2005. Kesesuaian Perairan Teluk Klabat Pulau Bangka untuk Usaha Budidaya Rumput laut. Jour. Sci. Fish. VII (1): 65-70.

Kadi, A. dan W.S. Atmaja. 1998. Rumput Laut, Jenis, Reproduksi, Budidaya dan Pasca Panen. Seri Sumber Daya Alam No.141 penyunt. Puslitbang Oceanologi, Jakarta.

Khairuman, H.SP. dan K. Amri. 2012. Pembesaran Nila di Kolam Air Deras. PT. Agro Media Pustaka, Jakarta. hal. 9-19.

Kim, S.K., Z. Pang, H.C. Seo, Y.R. Cho, T. Samocha, and I.K. Jang. 2014. Effect of bioflocs on growth and immune activity of Pacific white shrimp, postlarvae. Aquac. Res. 45: 362–371.

Kim, S.W., R.D. Mateo, Y.L. Yin, and G. Wu. 2007. Functional amino acids and fatty acids for enhancing production performance of sows and piglets. Asian-Aust J Anim Sci 20, 295 –306

LeBlanc, J.G., F. Chain, R. Martin, L.G. Bermudez-Humaran, S. Courau, and P. Langella. 2017. Beneficial effects on host energy metabolism of short-chain fatty acids and vitamins produced by commensal and probiotic bacteria. Microb. Cell Factories 16: 79.

Lee, J. and Y. Gao 2012. Review of the application of garlic, *Allium sativum*, in aquaculture. J. World Aquacult. Soc. 43 (4): 447–458.

Lehninger, A.J. 1982. Dasar-dasar Biokimia. Jilid 1. Jakarta: Erlangga

Lekang, O. I. 2013. Aquaculture engineering. John Wiley & Sons.

Li P., K. Mai, J. Trushenski, and G. Wu. 2008. New developments in fish amino acid nutrition: towards functional and environmentally oriented aquafeeds. Amino Acids 37: 43–53.

Li, B., F. Lu, X. Wei, and R. Zhao. 2008. Fucoidan Structure and Bioactivity. Review Molecules 13: 1671-1695.

Li, D.F., C.T. Xiao, S.Y. Qiao, J.H Zhang., E.W. Johnson, and P.A. Thacker. 1999. Effects of dietary threonine on performance, plasma parameters and immune function of growing pigs. Anim Feed Sci Tech 78, 179 – 188.

Li, J., Y. Xu, L. Jin, and X. Li. 2015. Effects of a probiotic mixture (*Bacillus subtilis* YB-1 and *Bacillus cereus* YB-2) on disease resistance and non-specific immunity of sea cucumber, *Apostichopus japonicus* (Selenka), Aquacult. Res. 46: 3008–3019.



Li, P., Y. Long, Li, Yin D., S.W. Kim, and G. Wu. 2007. Amino acids and immune function. *Journal of Nutrition* 98: 237–252.

Li, Y., H. Liu, X. Dai, J. Li, and F. Ding. 2018. Effects of dietary inulin and mannan oligosaccharide on immune related genes expression and disease resistance of Pacific white shrimp, *Litopenaeus vannamei*. *Fish Shellfish Immunol.* 76: 78–92.

Little, D. C. and G. Hulata. 2000. Strategic for tilapia seed production. In: Beveridge, M.C.M., McAndrew, B.J. (Eds), *Tilapias: Biology and Exploitation*. Fish and Fisheries Series, vol 25. Kluwer, Academic Publisher, Dordrecht, The Netherlands, pp. 267-326.

Lukistyowati, I. dan Windarti. 2007. *Hematologi Ikan-Ikan Air Tawar*. Lembaga Penelitian Universitas Riau, Pekanbaru.

Madigan, M.T., J.M. Martinko, and J. Parker. 2011. *Brock Biology of Microorganisms*. 13th ed. Prentice-Hall Inc., USA.

Magnadottir, B. 2006. Innate immunity of fish (overview). *Fish Shellfish Immunol* 20: 51-137.

Martins, C.I.M., E.H. Eding, M.C.J. Verdegem, L.T.N. Heinsbroek, O. Schneider, J.P. Blancheton, E.R. d'Orbcastel, and J.A.J. Verreth. 2010. New developments in recirculating aquaculture systems in Europe: a perspective on environmental sustainability. *Aquacult. Eng.* 43: 83–93.

Munir, M.B., R. Hashim, Y.H. Chai, T.L. Marsh, S.A.M. Nor. 2016. Dietary prebiotics and probiotics influence growth performance, nutrient digestibility and the expression of immune regulatory genes in snakehead (*Channa striata*) fingerlings. *Aquaculture* 460: 59–68.

Murray, F., J. Bostock, and D. Fletcher. 2014. Review of Recirculation Aquaculture System Technologies and Their Commercial Application. Stirling Aquaculture, University of Stirling, UK.

Nayak, S.K. 2010. Probiotics and Immunity: A Fish Perspective. Review. *Fish and Shellfish Immunolog* 29: 2-14.

Nguyen, H.Y.N., T.L. Trinh, K. Baruah, T. Lundh, and A. Kiessling. 2021. Growth and feed utilisation of Nile tilapia (*Oreochromis niloticus*) fed different protein levels in a clear-water or biofloc-RAS system. *Aquaculture*, vol. 536

Nigam, U. Kumari, S. Mittal, and A.K. Mittal. 2012. Comparative analysis of innate immune parameters of the skin mucous secretions from certain freshwater teleosts, inhabiting different ecological niches, *Fish. Physiol. Biochem.* 38: 1245-1256.

Ningsih, P. 2009. Karakteristik protein dan asam amino kijing lokal (*Pilsbryocioncha exilis*) dari Situ Gede, Bogor akibat proses pengukusan. [skripsi]. Bogor: Institut Pertanian Bogor



NRC. 1993. Nutrient Requirements of Fish. National Academy Press. Washington, DC.g

Oliva-Teles, A. 2012. Nutrition and health of aquaculture fish. Journal of Fish Diseases 35: 83–108.

Ombong, F. dan R.N. Indra. 2016. Aplikasi teknologi bioflok (BFT) pada kultur ikan nila (*Oreochromis niloticus*). Jurnal Budidaya Perairan Vol. 4 No. 2: 16 – 25.

Opiyo, M.A. E. Marijani, P. Muendo, R. Odede, W. Leschen, and H. Charo-Karisa. 2018. A review of aquaculture production and health management practices of farmed fish in Kenya. International Journal of Veterinary Science and Medicine 6: 141-148.

Ovie, S.O. and S.S. Eze. 2013. Lysine requirement and its effect on the body composition of *Oreochromis niloticus* fingerlings. Journal of Fisheries and Aquatic Science 8: 94–100.

Palavesam, S., G. Beena, and Immanuel. 2008. Effect of L-lysine supplementation with different protein levels in diets on growth, body composition and protein metabolism in pearl spot *Etroplus Suratensis Bloch*. Turkish Journal of Fisheries and Aquatic Sciences 8: 133–139

Parata, L., D. Mazumder, J. Sammut, and S. Egan. 2020. Diet type influences the gut microbiome and nutrient assimilation of Genetically Improved Farmed Tilapia (*Oreochromis niloticus*). Plos one 15 (8).

Payung, C.N. dan M. Hengky. 2015. Peningkatan respon kebal non-spesifik dan pertumbuhan ikan nila (*Oreochromis niloticus*) melalui pemberian jahe (*Zingiber officinale*). Jurnal Budidaya Perairan 1(3): 12.

Pérez-Fuentes, J.A., M.P. Hernández-Vergara, C.I. Pérez-Rostro, and I. Fogel. 2016. C:N ratios affect nitrogen removal and production of Nile tilapia *Oreochromis niloticus* raised in a biofloc system under high density cultivation. Aquaculture 452: 247–251.

Perianayagam, M.C., G.F. Oxenkrug, and B.L. Jaber. 2005. Immune-modulating effects of melatonin, N-acetylserotonin, and N-acetyldopamine. Ann NY Acad Sci 1053, 386 –393.

Raa, J., G. Roerstad, R. Engstad, and B. Robertsen. 1992. The use of immunostimulants to increase resistance of aquatic organisms to microbial infections. In: Diseases in Asian aquaculture. I.M. Shariff, R.P. Subasinghe, and J.R. Arthur (Eds.). Fish Health Section. Asian Fisheries Society. Manila. Philippines: 39-50.

Rachmat, R. 1999. Potensi alga coklat di indonesia dan prospek pemanfaatannya. Prosiding Pra Kipnas VII Forum Komunikasi Ikatan Fikologi Indonesia, 31-35.

Rahman, M.M., M. Verdegem, and M.A. Wahab. 2008. Effects of tilapia (*Oreochromis niloticus* L.) stocking and artificial feeding on water quality and production in rohu-common carp bi-culture ponds. Aquaculture Research 39 (15): 1579–1587.

Resmawati, M.B. 2016. Pemberian Ekstrak Air Panas *Spirulina platensis* melalui



Perendaman Terhadap Total leukosit, Indeks fagositosis dan konsentrasi TNF- α Osphronemous gouramy. Jurnal Biosains Pascasarjana 18 (3): 183-190.

Rustikawati, I. 2012. Efektivitas Ekstrak *Sargassum* Sp. Terhadap Diferensiasi Leukosit Ikan Nila (*Oreochromis niloticus*) Yang Diinfeksi *Streptococcus iniae*. Jurnal Akuatika Vol. III No. 2: 125-134.

Saanin, M. 1984. Taksonomi dan Kunci Identifikasi Ikan Vol. 1 dan II. Bina Cipta, Jakarta.

Sari-Chmayssem, N., S. Taha, H. Guégan, J. Jeftic, and T. Benvegnu. 2015. Extracted and depolymerized alginates from brown algae *Sargassum vulgare* of Lebanese origin: chemical, rheological, and antioxidant properties. Journal Applied Phycology.

Sarlin, P.J. and R. Philip. 2011. Efficacy of marine yeasts and baker's yeast as immunostimulants in *Fenneropenaeus indicus*: a comparative study. Aquaculture 321:173–178.

Setyo, B.P. 2006. Efek Konsentrasi Cromium dan Salinitas Berbeda Terhadap Efisiensi Pemanfaatan Pakan Untuk Pertumbuhan Ikan Nila (*Oreochromis niloticus*). Universitas Diponegoro. Tesis.

Soliman, N.F. and D.M.M. Yacout. 2016. Aquaculture in Egypt: status, constraints and potentials. Aquac. Int. 24: 1201–1227.

Souza, D.M., S.M. Suita, L.A. Romano, J. Wasielesky, and E.L.C. Ballester. 2014. Use of molasses as a carbon source during the nursery rearing of *Farfantepenaeus brasiliensis* (Latreille, 1817) in a biofloc technology system. Aquac. Res. 45: 270–277.

Suantika, G., M.L Situmorang., J.B. Kurniawan, S.A. Pratiwi, P. Aditiawati, D.I. Astuti, F.F.N. Azizah, Y.A. Djohan. 2018. Development of a zero water discharge (ZWD) e recirculating aquaculture system (RAS) hybrid system for super intensive white shrimp (*Litopenaeus vannamei*) culture under low salinity conditions and its industrial trial in commercial shrimp urban farming in Gresik, East Java, Indonesia. Aquacult. Eng. 82, 12-24.

Sudarmadji, S., B. Haryono, dan Suhardi. 1989. Analisa Bahan Makanan dan Pertanian. Penerbit Liberty. Yogyakarta.

Suprapto, N.S. dan S.L. Samtafsir. 2013. Bioflok-165 Rahasia Sukses Teknologi Budidaya Lele. AGRO-165, Depok.

Suyanto, S.R. 2010. Pembentahan dan Pembesaran Ikan Nila. Penerbit Swadaya, Jakarta.

Takeda, K. and S. Akira. 2005. Toll-like receptor in innate immunity. International Immunity 17 (1): 1-14.

Talpur, A.D., M. Ikhwanuddin, M.D.D Abdullah., and A.M.A. Bolong. 2013. Indigenous *Lactobacillus plantarum* as probiotic for larviculture of blue swimming crab, *Portunus pelagicus* (Linnaeus, 1758): Effects on survival, digestive enzyme activities and water



quality. *Aquaculture* 416–417: 173–178.

Taw, N. 2014. Shrimp Farming in Biofloc System: Review and recent developments. FAO project, Blue Archipelago. Presented in World Aquaculture 2014, Adelaide.

Tizard, I. 1987. Pengantar imunologi Veteriner. Universitas Airlangga Press, Surabaya.

Umasugi, A., R.A. Tumbol, R.L. Kreckhoff, H. Manoppo, P.L. Pangemanan, dan E.L. Ginting. 2018. Penggunaan bakteri probiotik untuk pencegahan infeksi bakteri *Streptococcus agalactiae* pada ikan Nila, *Oreochromis niloticus*. Jurnal Budidaya Perairan Mei 2018 Vol. 6 No.2: 39 – 44.

Utami, D.T., S.B. Prayitno., S. Hastuti dan A. Santika. 2013. Gambaran Parameter Hematologis pada Ikan Nila (*Oreochromis niloticus*) yang Diberi Vaksin DNA *Streptococcus iniae* dengan Dosis yang Berbeda. *J. of Aquaculture Management and Technology* 2 (4): 7-20.

Vallejos-Vidal, E. F. Reyes-Lopez, M. Teles, and S. MacKenzie. 2016. The response of fish immunostimulant diets. *Fish & Shellfish Immunology* 56: 34-69.

Wang, C., J. Chuprom, Y. Wang, and L. Fu. 2020. Beneficial bacteria for aquaculture: nutrition, bacteriostasis and immunoregulation. *J. Appl. Microbiol.* 128(1): 28–40.

Winarno, F.G. 1997. Kimia Pangan dan Gizi. Cetakan Kesembilan. Jakarta: Gramedia.

Wito, S. 1989. Telah berhubungan kerabat antara ikan nila (*Oreochromis niloticus* Trewavas), Mujahir (*Oreochromis mossambicus* Trewavas), nila merah dan mujair merah dengan metoda meristik dan morfometrik. Fakultas Institut Pertanian Bogor. Tesis.

Wu, G., F.W. Bazer, T.A. Davis, S.W. Kim, P. Li, and R.J. Marc. 2009. Arginine metabolism and nutrition in growth, health and disease. *Amino Acids* 37(1): 153–68.

Yang, J., Y. Xie, and W. He. 2011. Research progress on chemical modification of alginate: a review, *Carbohydr. Polym.* 84: 33-39.

Yanong, R.P.E. and C. Erlacher-Reid. 2012. Biosecurity in Aquaculture, Part 1: an Overview. Southern Regional Aquaculture Center, USA.

Yanuar, A.P. dan H. Manoppo. 2017. Respon Kebal Non-spesifik Ikan Mas yang Diberi Imunostimulant Ragi Roti Secara Oral. *Jurnal Perairan*. Vol 5. No 2: 1-7.

Yeh, S.P., C.A. Chang, and C.Y. Chang 2008. Dietray sodium alginate administration affects fingerling growth and resistance to *Streptococcus* sp. and Iridovirus, and juvenile nonpesific immune response of the orange spotted grouper *Epinephelus coioides*. *Fish and Shellfish Immunology* 25:19-27.

Yeh, S.T., C.S. Lee, and J.C. Chen. 2005. Administration of hot water extract of brown seaweed *Sargassum duplicatum* via immersion and injection enhances the immune resistance of white shrimp *Litopenaeus vannamei*. *Fish and Shellfish Immunology*, 20:



332-345.

Yilmaz, S. and S. Ergün. 2012. Effects of garlic and ginger oils on hematological and biochemical parameters of sea bass (*Dicentrarchus labrax*). *Aqua. Anim. Health* 24 (4): 219–224.

Yogev, U. and A. Gross. 2019. Reducing environmental impact of recirculating aquaculture systems by introducing a novel microaerophilic assimilation reactor: modeling and proof of concept. *J. Clean. Prod.* 226, 1042-1050.

Yudiaty, E., A. Isnansetyo, Murwantoko, Ayuningtyas, Triyanto, and C. R. Handayani. 2016. Innate immune-stimulating and immune genes up-regulating activities of three types of alginate from *Sargassum siliquosum* in Pacific white shrimp, *Litopenaeus vannamei*. *Fish and Shellfish Immunology*. 54: 46-53.

Yudiaty, E., A. Isnansetyo, Triyanto, Murwantoko, and C.R. Handayani. 2019. Alginate from *Sargassum siliquosum* simultaneously stimulates innate immunity, upregulates immune genes, and enhances resistance of Pacific white shrimp (*Litopenaeus vannamei*) against white spot syndrome virus (WSSV). *Mar. Biotechnol.* 21 (4): 503–514.

Zhang, G., S. Gong, D. Yu, and H. Yuan. 2009. Propolis and Herba epimedii extracts enhance the non-specific immune response and disease resistance of Chinese sucker, *Myxocyprinus asiaticus*. *Fish Shellfish Immunol* 26: 467-72.

Zhao, H., R. Jiang, M. Xue, S. Xie, X. Wu, and L. Guo. 2010. Fishmeal can be completely replaced by soy protein concentrate by increasing feeding frequency in Nile tilapia (*Oreochromis niloticus* GIFT strain) less than 2 g. *Aquac. Nutr.* 16: 648–653.

Zorriehzahra, M.J, S.T. Deshad, M. Adel, R. Tiwari, K. Karthik, K. Dhama, and C.C. Lazado. 2016. Probiotics as Beneficial Microbes in Aquaculture: An Update on Their Multiple Modes of Action: A Review. *Veterinary Quarterly* 36 (4): 228 – 241.