



DAFTAR PUSTAKA

- Ahmadzadeh, M., Romero, C. and McCloy, J., 2018, Magnetic Analysis of Commercial Hematite, Magnetite, and Their Mixtures, *AIP ADVANCES*, 8, 056807.
- Aljahdali, M. S., Amin, M. S. and Mohamed, R. M., 2018, Gd-Cobalt Selenite as an Efficient Nanocomposites for Aniline Synthesis from Photocatalytic Reduction of Nitrobenzene, *Mater. Res. Bull.*, 99, 161-167.
- Alzahrani, E., 2017, Photodegradation of Binary Azodyes Using Core-Shell Fe₃O₄/SiO₂/TiO₂ Nanospheres, *Am. Anal. Chem.*, 8, 9-15.
- Aparicio, J.R, Benítez J.E.S and Bon, R.R., 2016, TiO₂-Chabazite Semiconductor Composites For Photocatalytic Degradation Of Rhodamine Under Sunlight Irradiation, *Solar Energy*, 139, 258-265.
- Ardiyanti, H., Suharyadi, E., Kato, T. and Iwata, S., 2016, Crystal Structures and Magnetic Properties of Magnetite, *AIP Conf. Proc.*, 1725, 020007.
- Arifin, K., Yunus, R.M., Minggu, L.J., and Kassim, M.B., 2021, Improvement of TiO₂ Nanotubes For Photoelectrochemical Water Splitting: Review, *Int. J. Hydrog. Energy*, 46, 4998-5024.
- Cahyana, A.H., Pratiwi, D. and Ardiansah, B., 2017, Citrate-Capped Superparamagnetic Iron Oxide (Fe₃O₄-CA) Nanocatalyst For Synthesis Of Pyrimidine Derivative Compound As Antioxidative Agent, *IOP Conf. Ser.: Mater. Sci. Eng.*, 188, 012008.
- Fauzian, M., Taufik, A. and Saleh, R., 2017, Photocatalytic Performance of Fe₃O₄/TiO₂/Ag Nanocomposites for Photocatalytic Activity Under Visible Light Irradiation, *AIP Conf. Proc.*, 1862, 1-6.
- Flores, S.O., Rios-Bernij, O., Valenzuela, M.A., Co'rdova, I., Go'mez, R. and Gutie'rrez R., 2007, Photocatalytic Reduction Of Nitrobenzene Over Titanium Dioxide: By-Product Identification And Possible Pathways, *J. Catal.*, 44(4), 507-511.
- Fujishima, A., Zhang, X. and Tyrk, D. A., 2008, TiO₂ Photocatalysis and Related Surface Phenomena, *Surface Science Reports*, 63, 515-582.
- Fukui, M., Koshidaa, W., Tanakaa, A., Hashimotoa, K., and Kominamia, H., 2020, Photocatalytic Hydrogenation Of Nitrobenzenes To Anilines Over Noble Metal Free TiO₂ Utilizing Methylamine As A Hydrogen Donor, *J. App. Catal. B: Env.*, 268, 118446.
- Harikishorea, M., Sandhyarania, M., Venkateswarlua, K., Nellaippana, T.A. and Rameshabua, N., 2014, Effect of Ag doping on Antibacterial and Photocatalytic Activity of Nanocrystalline TiO₂, *Pro. Mater. Sci.*, 6, 557-566.



- Huang, H., Zhoua, J., Liu, H., Zhouc,Y., dan Fenga,Y., 2010, Selective Photoreduction of Nitrobenzene to Aniline on TiO₂ Nanoparticles Modified With Amino Acid, *J. Hazz. Mater.*, 178, 994–998.
- Jacinto, M.J., Ferreira, L.F., and Silva, V.C., 2020, Magnetic Materials for Photocatalytic Applications, *J. Sol-gel Sci. Technol.*, 96(1), 1-14.
- Jo, W.K., Won, Y.S., Hwang, I., and Tayade, R.J., 2014, Enhanced Photocatalytic Degradation of Aqueous Nitrobenzene Using Graphitic Carbon-TiO₂ Composites, *Ind. Eng. Chem. Res.*, 53, 3455-3461.
- Kaur, J. and Sharma, M., 2015, Structural and Optical Studies of Undoped and Copper Doped Zinc Sulphide Nanoparticles for Photocatalytic Application, *J. Sp. Mi.*, 77, 35-53.
- Khan, M.R., Chuana, T.W., Yousuf, A., Chowdhurya, M. N. K., and Chenga, C.K., 2015, Schottky Barrier and Surface Plasmonic Resonance Phenomena Towards The Photocatalytic Reaction: Study Of Their Mechanisms To Enhance The Photocatalytic Activity, *J. Catal. Sci. Tech.*, 3(1), 1-10.
- Kirui, W.K., Wu, S., Kizito, S., Carvalho, P.N., and Dong, R., 2016, Pathways of Nitrobenzene Degradation in Horizontal Subsurface Flow Constructed Wetlands: Effect of Intermittent Aeration And Glucose Addition, *J. Environ. Manage.*, 166 (38).
- Komaraiah, D., Radha, E., Sivakumar, J., Reddy M.V.R., Sayanna, R., 2020, Photoluminescence and Photocatalytic Activity Of Spin Coated Ag⁺ Doped Anatase TiO₂ Thin Films, *Opt. Mater.*, 108, 110401.
- Kumar, A. dan Pandey, G., 2018, Different Methods Used for the Synthesis of TiO₂ Based Nanomaterials: A Review, *NANO*, 6(1), 1-10.
- Kumar, S.G and Rao, K.S.R.K., 2017, Comparison Of Modification Strategies Towards Enhanced Chargecarrier Separation And Photocatalytic Degradation Activity Of Metal Oxide Semiconductors (TiO₂, WO₃ and ZnO), *App. Surf. Sci.*, 391, 124-148.
- Liu, Y., Zhang, S., Li, L. and Zhang, Q., 2017, TiO₂-SA-Arg Nanoparticles Stabilized Pickering Emulsion For Photocatalytic Degradation Of Nitrobenzene In A Rotating Annular Reactor, *J. Chem. Eng. Chin*, 25, 223–231.
- Maylani, A.S., Sulistyarningsih,T. dan Kusumastuti, E., 2016, Preparasi Nanopartikel Fe₃O₄ (Magnetit) Serta Aplikasinya Sebagai Adsorben Ion Logam Kadmium, *J. Chem. Sci.*, 5 (2), 130-135.
- Nanaji, K., Janardhana, R.K.S.K., Rao, T.N., and Anandan, S., 2019, Energy Level Matching for Efficient Charge Transfer in Ag Doped - Ag Modified TiO₂ for Enhanced Visible Light Photocatalytic Activity, *J.All. Com.*, 794, 662-671.



- Nasirian, M., and Mehrvar, M., 2016, Modification of TiO₂ to Enhance Photocatalytic Degradation of Organics in Aqueous Solution, *J. Env. Chem. Eng.*, 4, 4072-4082.
- Noh, J., Osman, O.I, Aziz, S.G, Winget, P and Brédas, J.L., 2014, A Density Functional Theory Investigation Of The Electronic Structure And Spin Moments Of Magnetite, *Sci. Technol. Adv. Mater*, 15, 044202.
- Ochiai, T. and Fujishimaa, A., 2012, Photoelectrochemical Properties of TiO₂ Photocatalyst And Its Applications For Environmental Purification, *J. Photochem. Rev*, 13, 247-262.
- Oi, L.E., Choo, M.Y., Lee,H.V., Ong, H.C., Hamida, S.B.A. and Juan J.C., 2016, Recent Advances of Titanium Dioxide (TiO₂) for Green Organic Synthesis, *RSC Adv.*, 6, 108741.
- Orooji, Y., Tanhaei, B., Ayati, A., Tabrizi, S.H., Alizadeh, M., Bamoharram, F.F. , Karimi F., Salmanpourf, S., Rouhi, J., Afshar, S., Sillanpa, M., Darabi, R., and Maleh, H.K., 2021, Heterogeneous UV-Switchable Au Nanoparticles Decorated Tungstophosphoric Acid/TiO₂ for Efficient Photocatalytic Degradation Process, *Chemosphere*, 281, 130795.
- Padervan, M., Salari, H., Darabi, F.S., Moghaddam, M.K. and Gholami, M.R., 2012, Photocatalytic Reduction of Nitrobenzene with NaBH₄ in Aqueous Medium Over the Ag/AgBr/TiO₂/NZ and Ag/AgBr/NZ Nanocomposites, *Int. J. Mater. Chem.*, 1(11), 49-52.
- Padervand, M., Rahmani, A., Rahimnejad, S., and Gholami, M.R., 2017, Highly Efficient Nitrobenzene Photoreduction Over The Amino Acid-Modified CdS-TiO₂ Nanostructures Under Visible, *Nanochem. Res.*, 2(1), 109-119.
- Padmanaban, A., Dhanasekaran, T., Kumar, S.P., Gnanamoorthy, G., Munusamy, S., 2017, Visible Light Photocatalytic Property of Ag/TiO₂ Composite . Mechanics, *SOJMSE*, 9 (1), 01498142.
- Pelaez, M., Nolan, N.T., Pillai, S.C., Seery, M.K., Falaras, P., Kontos, A.G., Dunlop, P.S.M., Hamilton, J.W.J., Byrne, J.A., and O'Shea, K., 2012, A Review On The Visible Light Active Titanium Dioxide Photocatalysts For Environmental Applications. *Appl. Catal. B Environ.* 125, 331– 349.
- Phukan, P. and Sahu, P.P., 2020, High performance UV Photodetector Based On Metal-Semiconductor-Metal Structure Using TiO₂-rGO Composite, *Opt. Mater.*, 109, 110330.
- Rabhi, S., Mahtout, L., Bououdina, M., Khezami, L., Belkacemi, H., Kerrami, A., Sakher, E., 2021, Tuning The Photocatalytic Activity of TiO₂ by Ag Loading: Experimental and Modelling Studies For The Degradation Of Amlodipine Besylate Drug, *J. Ceram. Int.*, 162, 1-12.
- Rahmayanti, M., 2020, Sintesis dan Karakterisasi Magnetit (Fe₃O₄): Studi Komparasi Metode Konvensional dan Metode Sonokimia, *Al Ulum Sains dan Teknologi*, 6(1), 26-31.



- Rahmayanti, M., Santosa, S.J., dan Sutarno, 2015, Sonochemical Co-precipitation Synthesis of Gallic Acid-modified Magnetite, *Adv. Mater. Res.*, 1101, 286-289.
- Saad, M. S. K., Umar, A. A., Umar, M.I.A., Tomitori, M., Rahman, M. Y. A., Salleh, M.M. and Oyama, M., 2018, Two-Dimensional, Hierarchical Ag-Doped TiO₂ Nanocatalyst: Effect of the Metal Oxidation State on the Photocatalytic Properties, *ACS Omega*, 3, 2579-2587.
- Sanzone, M., Zimbone, G., Cacciato, F., Ruffino, R., Carles, V., Privitera, M.G., and Grimaldia, 2018, Ag/TiO₂ Nanocomposite For Visible Light-Driven Photocatalysis Author Links Open Overlay Panel G, *J. Super. Micro.*, 123, 394-402.
- Schwertmann, U. 2008. *Iron Oxides*, In : Chesworth W., *Encyclopedia of Soil Science*, Springer, Netherland, 363-369.
- Shah, B. A., Abebe, A.A. and Shah, A.V., 2016, Barium Interleaved and Si/Al Enhanced Sugar Industry Waste For Confiscation Of Nitrobenzene From Aqueous Solution, *J. Environ. Chem. Eng.*, 4, 2592-2606.
- Shojaie, A., Fattahi, M., Jorfi, S. and Ghasemi, B., 2018, Synthesis and Evaluation of Fe₃O₄/TiO₂-Ag Nanocomposites for Photocatalytic Degradation of 4-Chlorophenol: Effect of Ag and Fe Compositions, *Int. J. Ind. Chem.*, 1-11.
- Sirivallop, A., Areerob, T. and Chiarakorn, S., 2020, Enhanced Visible Light Photocatalytic Activity of N and Ag Doped and Co-Doped TiO₂ Synthesized by Using an In-Situ Solvothermal Method for Gas Phase Ammonia Removal, *J. Catal.*, 10(251), 2-18.
- Skoupy, R., Fort, T. dan Kryzaneck, V., 2020, Nanoscale Estimation of Coating Thickness on Substrates via Standarless BSE Detector Calibration, *J. Nanomater.*, 10, 332-343.
- Song, Y.W, Kim, S.E., Jung, Y.G., Yoo, J.Y. and Park, J.C., 2021, Controlling Nitrogen Oxide And Ultraviolet-A Irradiance In Ventilation Duct System Using TiO₂ Photocatalyst, *J. Build. Environ.*, 199, 107881.
- Sukitpong, J. and Chiarakorn, S., 2019, Degradation of Acetaldehyde by Ag/TiO₂ Photocatalyst Coated on Polyester Air Filter, *Earth Environ. Sci.*, 373, 012020.
- Suwarnkar, M.B., Dhabbe, R.S., Kadam, A.N. and Garadkar, K.M., 2014, Enhanced Photocatalytic Activity of Ag doped TiO₂ Nanoparticles Synthesized By A Microwave Assisted Method, *J. Ceram. Int.*, 40, 5489-5496.
- Villegas, V. A.R., Ramirez, J. I. D. L., Guevara, E. H., Sicairos, P. S., Ayala, L. A. H., and Sanchez, B. L., 2020, Synthesis and Characterization of Magnetite Nanoparticles for Photocatalysis of Nitrobenzene, *J. Saudi Chem. Soc.*, 24(2), 223-235.



- Yan, H., Wang, X., Yaon, M. and Yao, X., 2012, Band Structure Design Of Semiconductors For Enhanced Photocatalytic Activity: The Case of TiO₂, *J. Prog. Natur. Sci.*, 23(4), 402-407.
- Yang, X., Wang, Y., Zhang, L., Fu, H., He, P., Han, D., Lawon, T. and An, X., 2020, The Use of Tunable Optical Absorption Plasmonic Au and Ag Decorated TiO₂ Structures as Efficient Visible Light Photocatalysts, *J. Catal.*, 10,139.
- Zhanga, L., Hea,X., Xua, X., Liua, C., Duana, Y., Houa, L., Zhoua, Q., Maa, C., Yang, X., Liud, R., Yanga, F., Cui, L., Xua, C. and Li,Y., 2017, Highly Active TiO₂/g-C₃N₄/G Photocatalyst With Extended Spectral Response Towards Selective Reduction Of Nitrobenzene, *J. App. Catal. B: Environ.*, 203, 1–8.
- Zhanga,Y., Gub, D., Zhua, L. and Wang, B., 2017, Highly Ordered Fe³⁺/TiO₂ Nanotube Arrays For Efficient Photocatalytic Degradation Of Nitrobenzene, *App. Surf. Sci.*, 420, 896-904.
- Zhao, X., Zhang, G. Dan Zhang, Z., 2020, TiO₂-based Catalyst for Photocatalytic Reduction of Aqueous Oxyanions: State-of-the-Art and Future Prospects, *J. Environ. Int.*, 136, 105453.
- Zuo, R., Du, G., Zhang, W., Liu, L., Liu,Y., Mei, L. and Li, Z., 2014, Photocatalytic Degradation of Methylene Blue Using TiO₂ Impregnated Diatomite, *Adv. Mater. Sci. Eng.*, 1-7.