

## DAFTAR PUSTAKA

- Altman KW, Stephens RM, Lyttle CS, Weiss KB. Changing impact of gastroesophageal reflux in medical and otolaryngology practice. *Laryngoscope*. 2005;115:1145–1153.
- Anderson O. Laryngopharyngeal reflux development and refinement of diagnostic tools. Goteborg: Intellecta DocuSys. 2009.p.1-75
- Andriani Y, Akil MA, Gaffar M, Punagi AQ. Deteksi pepsin pada penderita refluks laringofaring yang didiagnosis berdasarkan reflux symptom index dan reflux finding score. *ORLI*. 2011; 41(2): 121-127.
- Asyari A, Amri D, Novialdi, Fitri F, Yerizal E, Bachtiar H, Rachmawati EZK. Deteksi pepsin pada saliva pasien refluks laringofaring. *ORLI*. 2018; 48(1): 65-73.
- Belafsky PC, Postma GN, Koufman JA. Laryngopharyngeal reflux symptoms improve before changes in physical findings. *The Laryngoscope*. 2001;111(6):979–81.
- Belafsky PC, Postma GN, Koufman JA. The validity and reliability of the reflux finding score (RFS). *The Laryngoscope*. 2001;111(8):1313–7.
- Blumin JH, Johnston N. Laryngopharyngeal reflux in Bailey’s Head and Neck Surgery -Otolaryngology Fifth Edition. Philadelphia: Lippincott Williams & Wilkins. 2014 p 958-974.
- Baratawidjaja KG. Pemeriksaan Penunjang Imunologi dalam Imunologi Dasar. Jakarta: Penerbit Gaya Baru. 2004.
- Campagnolo AM, Priston J, Thoen RH, Medeiros T, Assunção AR. Laryngopharyngeal reflux: diagnosis, treatment, and latest research. *Int Arch Otorhinolaryngol*. 2014; 18(2): 184–91.
- Calvo-Hendriquez C, Ruano-Ravina A, Vaamonde P, Martinez-Capoccioni G, Martin-Martin C. Is Pepsin a Realible Marker of Laryngopharyngeal Reflux? A Systematic Review. *Otolaryngology – Head and Neck Surgery*. 2017; 157 (3): 385-391.
- Carrau RL, Khidr A, Crawley JA, Hillson EM, Davis JK, Pashos CL. The impact of laryngopharyngeal reflux on patient-reported quality of life. *Laryngoscope*. 2004;114(4):670–4.
- Ford CN. Evaluation and management of laryngopharyngeal reflux. *JAMA J Am Med Assoc*. 2005;294 (12):1534-40

Fortunato JE, D'Agustivo Jr RB, Lively MO. Pepsin in saliva as a biomarker for oropharyngeal reflux compared with 24-hour esophageal impedance/pH monitoring in pediatric patients. *Neurogastroenterol Motil.* 2016; 1–10

He Z, O'Reilly RC, Bolling L, Soundar S, Shah M, Cook S, Schmidt RJ, Bloedon E, Mehta DI. Detection of gastric pepsin in middle ear fluid of children with otitis media. *Otolaryngol Head Neck Surg.* 2007 Jul;137(1):59-64. doi: 10.1016/j.otohns.2007.02.002. PMID: 17599566.

[https://www.reddotbiotech.ca/elisa\\_kits/index/q:Hu+PGA/](https://www.reddotbiotech.ca/elisa_kits/index/q:Hu+PGA/) (Diakses pada tanggal 30-6-2020 pukul 23.37 WIB)

Johnston N, Wells CW, Samuels TL, Blumin JH. Pepsin in nonacidic refluxate can damage hypopharyngeal epithelial cells. *Ann Otol Rhinol Laryngol.* 2009 Sep;118(9):677-85. doi: 10.1177/000348940911800913. PMID: 19810610.

Kamani T, Penney S, Mitra I, Pothula V. The prevalence of laryngopharyngeal reflux in the English population. *European Archives of Oto-Rhino-Laryngology.* 2012; 269(10):2219–25.

Knight *et al* J, Lively MO, Johnston N, Dettmar PW, Koufman JA. Sensitive pepsin immunoassay for detection of laryngopharyngeal reflux. *Laryngoscope.* 2005;115(8):1473–8.

Koufman JA. The otolaryngologic manifestation of gastroesophageal reflux disease (GERD): a clinical investigation of 225 patients using ambulatory 24-hour pH monitoring and an experimental investigation of the role of acid and pepsin in the development of laryngeal injury. *Laryngoscope.* 1991; 101(4 Pt 2 Supp 53):1-78

Lechien JR, Huet K, Finck C, Khalife M, Fourneau AF, Delvaux V, Piccaluga M, Harmegnies B, Saussez S. Validity and Reliability of a French Version of Reflux Symptom Index. *Journal of Voice.* 2017.1:1-7

Lechien JR, Akst LM, Hamdan AL, Schindler A, Karkos PD, Barillari MR, Calvo-Henriquez C, Crevier-Buchman L, Finck C, Eun YG, Saussez S, Vaezi MF. Evaluation and Management of Laryngopharyngeal Reflux Disease: State of the Art Review. *Otolaryngology – Head and Neck Surgery,* 2019;1-21

Na SY, Kwon OE, Lee YC, Eun YG. Optimal Timing of Saliva Collection to Detect Pepsin in Patients With Laryngopharyngeal Reflux. *The Laryngoscope.* 2016.

McQuaid KR. *Drugs Used in the Treatment of Gastrointestinal Disease in Basic & Clinical Pharmacology Twelfth Edition.* New York: The McGraw-Hill Companies.2012

- O'Reilly RC, He z. Bloedon E, et al. The role of extraesophageal reflux in otitis media in infants and children. *Laryngoscope*. 2008;118(7 Part 2 Suppl116):1-9.
- Ossof R, Shapshay S, Woodson G, Netterville J. The aging larynx. GE W, editor. Philadelphia: Lippincott Williams & Wilkins, 2003.p.251-58
- Poliklinik Telinga Hidung Tenggorok Bedah Kepala dan Leher RSUP Dr. Sardjito Yogyakarta. Laporan Rekapitulasi Pasien. Subbagian Laring Faring 2017-2018. Yogyakarta. 2019.
- Powell J, Cocks HC. Mucosal changes in laryngopharyngeal reflux - Prevalence, sensitivity, specificity and assessment. *Laryngoscope*. 2013;123(4):985-91.
- Printza A, Speletas M, Triaridis S, Wilson J. Is pepsin detected in the saliva of patients who experience pharyngeal reflux? *Hippokratia*. 2007; 11(3):145-9
- Sereg-Bahar M, Jerin A, Jansa R, Stabuc B, Hocevar-Boltezar I. Pepsin and bile acids in saliva in patients with laryngopharyngeal reflux-a prospective comparative study. *Clinical Otolaryngology*. 2015;40(3):234-9.
- Sharma N, Agrawal A, Freeman J. et al. An analysis of persistent symptoms in acid-suppressed patients undergoing impedance pH monitoring. *Clin Gastroenterol Hepatol*. 2008;6(5):521-524
- Spyridoulas A, Lillie S, Vyas A, Fowler SJ. Detecting laryngopharyngeal reflux in patients with upper airways symptoms: symptoms, signs or salivary pepsin? *Respir Med*. 2015;109:963-9.
- Tamhankar AP, Peters JH, Portale G, et al. Omeprazole doesnot reduce gastroesophageal reflux: new insights using multichannel intraluminal impedance technology. *J Gastrointest Surg*. 2004;8(7):890-897; discussion 897-898.
- Tasker A, Dettmar PW, Panetti M, Koufman JA, Birchall JP, Pearson JP. Reflux of gastric juice and glue ear in children. *Lancet*. 2002 Feb 9;359(9305):493. doi: 10.1016/S0140-6736(02)07665-1. PMID: 11853797.
- Tutuian R, Vela ME Hill EG, et al. Characteristics of symptomatic reflux episodes on acid suppressive therapy. *Am J Gastroenterol*. 2008;103(5):1090-1096.
- Wang L, Liu X, Liu Y, et al. Correlation of pepsin-measured laryngopharyngeal reflux disease with symptoms and signs. *Otolaryngol Head Neck Surg*. 2010;143:765-771.