

DAFTAR PUSTAKA

- Aditya, H., Kartika, D., D., E.V.Y., dan Lestari, P., 2012, Sintesis $\text{ZnO-TiO}_2/\text{ZAH}$ dan Aplikasinya sebagai Fotokatalis untuk Mendegradasi Zat Warna Limbah Cair Industri Tekstil, *Prosiding pada Seminar Nasional Kimia dan Pendidikan Kimia*, 6 Oktober 2012, Purwokerto.
- Ajmal, A., Majeed, I., Malik, R.N., Idriss, H., dan Nadeem, M.A., 2014, Principles and Mechanisms of Photocatalytic Dye Degradation on TiO_2 Based Photocatalysts: A Comparative Overview, *RSC Adv.*, 4, 37003–37026.
- Ansari, S.A., Khan, M.M., Ansari, M.O., dan Cho, M.H., 2016, Nitrogen-Doped Titanium Dioxide (N-Doped TiO_2) for Visible Light Photocatalysis, *New J. Chem.*, 40, 3000–3009.
- Asses, N., Ayed, L., Hkiri, N., dan Hamdi, M., 2018, Congo Red Decolorization and Detoxification by *Aspergillus niger*: Removal Mechanisms and Dye Degradation Pathway, *Biomed Res. Int.*, 2018, 1–9.
- Basavarajappa, P.S., Patil, S.B., Ganganagappa, N., Reddy, K.R., Raghu, A. V., dan Reddy, C.V., 2020, Recent Progress in Metal-Doped TiO_2 , Non-metal Doped/Codoped TiO_2 and TiO_2 Nanostructured Hybrids for Enhanced Photocatalysis, *Int. J. Hydrogen Energy*, 45, 7764–7778.
- Burda, C., Lou, Y., Chen, X., Samia, A.C.S., Stout, J., dan Gole, J.L., 2003, Enhanced Nitrogen Doping in TiO_2 Nanoparticles, *Nano Lett.*, 3, 1049–1051.
- Cravanzola, S., Cesano, F., Gaziano, F., dan Scarano, D., 2017, Sulfur-Doped TiO_2 : Structure and Surface Properties, *Catalysts*, 7, 1–11.
- Demeestere, K., Dewulf, J., Ohno, T., Salgado, P.H., dan Van Langenhove, H., 2005, Visible Light Mediated Photocatalytic Degradation of Gaseous Trichloroethylene and Dimethyl Sulfide on Modified Titanium Dioxide, *Appl. Catal. B Environ.*, 61, 140–149.
- Devi, L.G. dan Kavitha, R., 2014, Enhanced Photocatalytic Activity of Sulfur Doped TiO_2 for the Decomposition of Phenol: A New Insight into the Bulk and Surface Modification, *Mater. Chem. Phys.*, 143, 1300–1308.
- Di, T., Zhang, J., Cheng, B., Yu, J., dan Xu, J., 2018, Hierarchically Nanostructured Porous $\text{TiO}_2(\text{B})$ with Superior Photocatalytic CO_2 Reduction Activity, *Sci. China Chem.*, 61, 344–350.
- Ding, Z.W., Chen, S., Liu, Z.Q., Jiang, C.F., dan Chu, W., 2015, Mesoporous Sulfur-Doped TiO_2 Microspheres for Catalytic Degradation of Methylene Blue Under Visible Light, *Adv. Mater. Res.*, 1118, 242–250.
- Do, T.C.M.V., Nguyen, D.Q., Nguyen, K.T., dan Le, P.H., 2019, TiO_2 and Au-TiO_2 Nanomaterials for Rapid Photocatalytic Degradation of Antibiotic Residues in

Aquaculture Wastewater, *Materials (Basel)*, 12, 1–12.

Dodoo-Arhin, D., Buabeng, F.P., Mwabora, J.M., Amaniampong, P.N., Agbe, H., Nyankson, E., Obada, D.O., dan Asiedu, N.Y., 2018, The Effect of Titanium Dioxide Synthesis Technique and Its Photocatalytic Degradation of Organic Dye Pollutants, *Heliyon*, 4, 1–23.

Dubenko, A. V., Nikolenko, M. V., Aksenenko, E. V., Kostyniuk, A., dan Likozar, B., 2020, Mechanism, Thermodynamics and Kinetics of Rutile Leaching Process by Sulfuric Acid Reactions, *Processes*, 8, 1–15.

Erdemoğlu, S., Aksu, S.K., Sayilkan, F., Izgi, B., Asiltürk, M., Sayilkan, H., Frimmel, F., dan Güçer, Ş., 2008, Photocatalytic Degradation of Congo Red by Hydrothermally Synthesized Nanocrystalline TiO₂ and Identification of Degradation Products by LC-MS, *J. Hazard. Mater.*, 155, 469–476.

Gahlawat, S., Singh, J., Yadav, A.K., dan Ingole, P.P., 2019, Exploring Burstein-Moss Type Effects in Nickel Doped Hematite Dendrite Nanostructures for Enhanced Photo-Electrochemical Water Splitting, *Phys. Chem. Chem. Phys.*, 21, 20463–20477.

Gita, S., Hussan, A., dan Choudhury, T.G., 2017, Impact of Textile Dyes Waste on Aquatic Environments and its Treatment, *Environ. Ecol.*, 35, 2349–2353.

Guo, H.X., Lin, K.L., Zheng, Z.S., Xiao, F. Bin, dan Li, S.X., 2012, Sulfanilic Acid-Modified P25 TiO₂ Nanoparticles with Improved Photocatalytic Degradation on Congo Red Under Visible Light, *Dye. Pigment.*, 92, 1278–1284.

Harun, N.S., Abdul Rahman, M.N., Wan Kamarudin, W.F., Irwan, Z., Muhammad, A., Mohd. Akhir, N.E.F., dan Yaafar, M.R., 2018, Photocatalytic Degradation of Congo Red Dye Based on Titanium Dioxide Using Solar and UV Lamp, *J. Fundam. Appl. Sci.*, 10, 832–846.

Hassaan, M.A. dan Nemr, A. El, 2017, Health and Environmental Impacts of Dyes: Mini Review, *Am. J. Environ. Sci. Eng.*, 1, 64–67.

Hidayat, A.R.P., Andina, V.R., Ahnaf, Widiastuti, N., dan Iqbal, R.M., 2019, Synthesis, Characterization, and Performance of TiO₂-N as Filler in Polyethersulfone Membranes for Laundry Waste Treatment, *J. Sains dan Seni ITS*, 8, 7–11.

Ho, W., Yu, J.C., dan Lee, S., 2006, Low-Temperature Hydrothermal Synthesis of S-Doped TiO₂ with Visible Light Photocatalytic Activity, *J. Solid State Chem.*, 179, 1171–1176.

Hou, C., Hu, B., dan Zhu, J., 2018, Photocatalytic Degradation of Methylene Blue over TiO₂ Pretreated with Varying Concentrations of NaOH, *Catalysts*, 8, 1–13.

- Hu, C., Yu, J.C., Hao, Z., dan Wong, P.K., 2003, Effects of Acidity and Inorganic Ions on the Photocatalytic Degradation of Different Azo Dyes, *Appl. Catal. B Environ.*, 46, 35–47.
- Ivanov, S., Barylyak, A., Besaha, K., Bund, A., Bobitski, Y., Wojnarowska-Nowak, R., Yaremchuk, I., dan Kus-Liśkiewicz, M., 2016, Synthesis, Characterization, and Photocatalytic Properties of Sulfur- and Carbon-Codoped TiO₂ Nanoparticles, *Nanoscale Res. Lett.*, 11, 1–12.
- Kavitha, V., 2019, Synthesis and Characterization of Sulfur Doped TiO₂ Nanoparticles for the Improved Photocatalytic Degradation of Rhodamine, *Int. J. Recent Sci. Res.*, 10, 33763–33767.
- Khlyustova, A., Sirotkin, N., Kusova, T., Kraev, A., Titov, V., dan Agafonov, A., 2020, Doped TiO₂: the Effect of Doping Elements on Photocatalytic Activity, *Mater. Adv.*, 1, 1193–1201.
- Kunarti, E.S., Kartini, I., Mardjan, M.I.D., dan Prameswari, E.H., 2021, Sulfur-Doped-Titania Coated on Magnetite as Magnetically Recoverable Photocatalyst for the Uv-Visible Light-Assisted-Degradation of Congo Red Solution, *Rasayan J. Chem.*, 14, 1199–1207.
- Lade, H., Govindwar, S., dan Paul, D., 2015, Mineralization and Detoxification of the Carcinogenic Azo Dye Congo Red and Real Textile Effluent by a Polyurethane Foam Immobilized Microbial Consortium in an Upflow Column Bioreactor, *Int. J. Environ. Res. Public Health*, 12, 6894–6918.
- Lafi, R., Montasser, I., dan Hafiane, A., 2019, Adsorption of Congo Red Dye from Aqueous Solutions by Prepared Activated Carbon with Oxygen-Containing Functional Groups and Its Regeneration, *Adsorpt. Sci. Technol.*, 37, 160–181.
- Li, G., Zou, B., Feng, S., Shi, H., Liao, K., Wang, Y., Wang, W., dan Zhang, G., 2020, Synthesis of N-Doped TiO₂ with Good Photocatalytic Property, *Phys. B Condens. Matter*, 588, 412184.
- Li, W. dan Zeng, T., 2011, Preparation of TiO₂ Anatase Nanocrystals by TiCl₄ Hydrolysis with Additive H₂SO₄, *PLoS One*, 6, 2–7.
- Liu, X., Li, W., Chen, N., Xing, X., Dong, C., dan Wang, Y., 2015, Ag-ZnO Heterostructure Nanoparticles with Plasmon-Enhanced Catalytic Degradation for Congo Red Under Visible Light, *RSC Advances*, 5(43), 34456–34465.
- Luo, T., Cui, J., Hu, S., Huang, Y., dan Jing, C., 2010, Arsenic Removal and Recovery from Copper Smelting Wastewater Using TiO₂, *Environ. Sci. Technol.*, 44, 9094–9098.
- Luttrell, T., Halpegamage, S., Tao, J., Kramer, A., Sutter, E., dan Batzill, M., 2015, Why Is Anatase a Better Photocatalyst than Rutile? - Model Studies on Epitaxial TiO₂ Films, *Sci. Rep.*, 4, 1–8.

- Madarász, J., Brăileanu, A., Crișan, M., Răileanu, M., dan Pokol, G., 2009, Evolved Gas Analysis of Amorphous Precursors for S-Doped TiO₂ by TG-FTIR and TG/DTA-MS: Part 3. Candidate from Thiourea and Ti(IV)-ethoxide, *J. Therm. Anal. Calorim.*, 97, 265–271.
- Mahshid, S., Askari, M., dan Ghamsari, M.S., 2007, Synthesis of TiO₂ Nanoparticles by Hydrolysis and Peptization of Titanium Isopropoxide Solution, *J. Mater. Process. Technol.*, 189, 296–300.
- Mattsson, A., Lejon, C., Bakardjieva, S., Štengl, V., dan Österlund, L., 2013, Characterisation, Phase Stability and Surface Chemical Properties of Photocatalytic Active Zr and Y Co-Doped Anatase TiO₂ Nanoparticles, *J. Solid State Chem.*, 199, 212–223.
- Moradi, H., Eshaghi, A., Hosseini, S.R., dan Ghani, K., 2016, Fabrication of Fe-Doped TiO₂ Nanoparticles and Investigation of Photocatalytic Decolorization of Reactive Red 198 Under Visible Light Irradiation, *Ultrason. Sonochem.*, 32, 314–319.
- Murrini, L., Leyva, G., dan Litter, M.I., 2007, Photocatalytic Removal of Pb(II) Over TiO₂ and Pt-TiO₂ Powders, *Catal. Today*, 129, 127–135.
- Negrulescu, A., Patrulea, V., Mincea, M., Moraru, C., dan Ostafe, V., 2014, The Adsorption of Tartrazine, Congo Red and Methyl Orange on Chitosan Beads, *Dig. J. Nanomater. Biostructures*, 9, 45–52.
- Nguyen, Tan Lam, Dinh Quoc, V., Nguyen, Thi Lan, Le, T.T.T., Dinh, T.K., Nguyen, V.T., dan Nguyen, P.H., 2021, Visible-Light-Driven SO₄²⁻/TiO₂ Photocatalyst Synthesized from Binh Dinh (Vietnam) Ilmenite Ore for Rhodamine B Degradation, *J. Nanomater.*, 2021, 1–13.
- Nickheslat, A., Amin, M.M., Izanloo, H., Fatehizadeh, A., dan Mousavi, S.M., 2013, Phenol Photocatalytic Degradation by Advanced Oxidation Process Under Ultraviolet Radiation Using Titanium Dioxide, *J. Environ. Public Health*, 2013, 1–9.
- Nishikiori, H., Hayashibe, M., dan Fujii, T., 2013, Visible Light-Photocatalytic Activity of Sulfate-Doped Titanium Dioxide Prepared by the Sol-Gel Method, *Catalysts*, 3, 363–377.
- Ohno, T., Mitsui, T., dan Matsumura, M., 2004, Photocatalytic Activity of S-Doped TiO₂ Photocatalyst Under Visible Light, *Chem. Lett.*, 32, 364–365.
- Patel, H. dan Vashi, R.T., 2012, Removal of Congo Red Dye from Its Aqueous Solution Using Natural Coagulants, *J. Saudi Chem. Soc.*, 16, 131–136.
- Peng, F., Cai, L., Huang, L., Yu, H., dan Wang, H., 2008, Preparation of Nitrogen-Doped Titanium Dioxide with Visible-Light Photocatalytic Activity Using a Facile Hydrothermal Method, *J. Phys. Chem. Solids*, 69, 1657–1664.

- Piátkowska, A., Janus, M., Szymański, K., dan Mozia, S., 2021, C-,N- and S-Doped TiO₂ Photocatalysts: A Review, *Catalysts*, 11, 1–56.
- Pillai, S.C., Periyat, P., McCormack, D.E., Colreavy, J., dan Hinder, S.J., 2008, Improved High-Temperature Stability and Sun-Light-Driven Photocatalytic Activity of Sulfur-Doped Anatase TiO₂, *J. Phys. Chem. C*, 112, 7644–7652.
- Ramadhan, L.O.A.N. dan Amiruddin, 2013, Fotodegradasi Pestisida Diazinon dalam TiO₂ Tersuspensi, *ILMU DASAR*, 14, 23–28.
- Rezaee, M., Mousavi Khoie, S.M., dan Liu, K.H., 2011, The Role of Brookite in Mechanical Activation of Anatase-To-Rutile Transformation of Nanocrystalline TiO₂: An XRD and Raman Spectroscopy Investigation, *CrystEngComm*, 13, 5055–5061.
- Sadiq, S.A., Waseem, Z., Hanif, S., Riaz, S., Hayat, K., Batool, A.I.F., Jamil, Y., Naz, M.Y., dan Anwar, H., 2020, Investigation of the Role of pH on Structural and Morphological Properties of Titanium Dioxide Nanoparticles, *IOP Conf. Ser. Mater. Sci. Eng.*, 863, 1–6.
- Santhosh, A.M., Yogendra, K., Mahadevan, K.M., dan Madhusudhana, N., 2017, Photodegradation of Congo Red Azo Dye, a Carcinogenic Textile Dye by Using Synthesized Nickel Calcite Nanoparticles, *Int. adv. res. j. sci. eng.*, 51–64.
- Semiz, L. dan Tanak, H., 2020, Congo Red Filtration by Polyacrylonitrile-Based Copolymer Membranes, *Can. J. Chem.*, 98, 421–426.
- Shapovalova, M. V., Khalyavka, T.A., Shcherban, N.D., Khyzhun, O.Y., Permyakov, V. V., dan Shcherbakov, S.N., 2020, The Influence of Sulphur Dopants on Optical, Textural, Structural and Photocatalytic Properties of Titanium Dioxide, *Nanosistemi, Nanomater. Nanotehnologii*, 18, 681–695.
- Sulaiman, S.N.A., Zaky Noh, M., Nadia Adnan, N., Bidin, N., dan Ab Razak, S.N., 2018, Effects of Photocatalytic Activity of Metal and Non-metal Doped TiO₂ for Hydrogen Production Enhancement - A Review, *J. Phys. Conf. Ser.*, 1027, 1–12.
- Syuhada, N., Yuliarto, B., dan Nugraha, 2018, Synthesis and Characterization Hierarchical Three-Dimensional TiO₂ Structure via Hydrothermal Method, *IOP Conf. Ser. Mater. Sci. Eng.*, 367, 1–6.
- Szatmáry, L., Bakardjieva, S., Šubrt, J., Bezdička, P., Jirkovský, J., Bastl, Z., Brezová, V., dan Korenko, M., 2011, Sulphur Doped Nanoparticles of TiO₂, *Catal. Today*, 161, 23–28.
- Tekin, D., 2014, Photocatalytic Degradation Kinetics of Congo Red Dye in a Sonophotoreactor with Nanotube TiO₂, *Prog. React. Kinet. Mech.*, 39, 249–261.

- Tian, H., Ma, J., Li, K., dan Li, J., 2009, Hydrothermal Synthesis of S-Doped TiO₂ Nanoparticles and Their Photocatalytic Ability for Degradation of Methyl Orange, *Ceram. Int.*, 35, 1289–1292.
- Wahyuni, E.T., 2016, Photodegradation of Detergent Anionic Surfactant in Wastewater Using UV/TiO₂/H₂O₂ and UV/Fe²⁺/H₂O₂ Processes, *Am. J. Appl. Chem.*, 4, 174.
- Wang, F., Li, F., Zhang, L., Zeng, H., Sun, Y., Zhang, S., dan Xu, X., 2017, S-TiO₂ with enhanced Visible-Light Photocatalytic Activity Derived from TiS₂ in Deionized Water, *Mater. Res. Bull.*, 87, 20–26.
- Yu, J.C., Ho, W., Yu, J., Yip, H., Po, K.W., dan Zhao, J., 2005, Efficient Visible-Light-Induced Photocatalytic Disinfection on Sulfur-Doped Nanocrystalline Titania, *Environ. Sci. Technol.*, 39, 1175–1179.
- Zawadzka, J., Gallagher, E., Smith, H., dan Corstanje, R., 2019, Ecosystem Services from Combined Natural and Engineered Water and Wastewater Treatment Systems: Going Beyond Water Quality Enhancement, *Ecol. Eng. X*, 2, 100006.
- Zhang, J. dan Nosaka, Y., 2014, Mechanism of the OH Radical Generation in Photocatalysis with TiO₂ of Different Crystalline Types, *J. Phys. Chem. C*, 118, 10824–10832.
- Zhao, X., Zhang, G., dan Zhang, Z., 2020, TiO₂-Based Catalysts for Photocatalytic Reduction of Aqueous Oxyanions: State-Of-The-Art and Future Prospects, *Environ. Int.*, 136, 1–17.
- Zhu, T. dan Gao, S.-P., 2013, The Stability, Electronic Structure and Optical Property of TiO₂ Polymorphs, *J. Phys. Chem. C*, 1–26.
- Zuo, R., Du, G., Zhang, W., Liu, L., Liu, Y., Mei, L., dan Li, Z., 2014, Photocatalytic Degradation of Methylene Blue using TiO₂ Impregnated Diatomite, *Adv. Mater. Sci. Eng.*, 2014, 1–7.