

DAFTAR PUSTAKA

- Abae, A., Mohammadian, M., Jafari, S.M., (2017). Whey and soy protein-based hydrogels and nano-hydrogels as bioactive delivery systems. *Trends in Food Science & Technology*, 70, 69-81.
- Akhavan, S., Assadpour, E., Katouzian, I., Jafari, S.M. (2018). Lipid nano scale cargos for the protection and delivery of food bioactive ingredients and nutraceuticals. *Trends in Food Science & Technology*, 74, 132-146.
- Akoh, C. C. D. (2017). *Food lipids : chemistry, nutrition, and biotechnology. Fourth edition ed.* Boca Raton: CRC Press.
- Annisa, R., Hendradi, E., Melani, D. (2016). Pengembangan sistem nanostructured lipid carriers (NLC) meloxicam dengan lipid monostearin dan miglyol 808 menggunakan metode emulsifikasi. *Journal of Tropical Pharmacy and Chemistry*, 3(3), 156-169.
- AOAC. (2005). Official methods of analysis. *Association of official analytical chemists.* Washington: Benjamin Franklin Station.
- AOCS. (1998). *Free fatty acids in: official methods and recommended practice of the american oil chemists society vol. 5A, 5th edition.* Champaign: AOCS Press.
- Apriyanto, M., Rujiah, (2017). *Kimia Pangan.* Yogyakarta: Trussmedia Grafika.
- BPOM RI., (2019). *Peraturan Basan Pengawas Obat dan Makanan Nomor 17 Tahun 2019 Tentang Persyaratan Mutu Suplemen Kesehatan.* Jakarta: BPOM
- Chronakis, I. S. (1998). On the molecular characteristics, compositional properties, and structural-functional mechanisms of maltodextrins: A review. *Critical Reviews in Food Technology*, 38(7), 599–637. doi:10.1080/10408699891274327.
- Danaei, M., Dehghankhold, M., Ataei, S., Hasanzadeh Davarani, F., Javanmard, R., Dokhani, A., Mozafari, M. (2018). Impact of particle size and polydispersity index on the clinical applications of lipidic nanocarrier systems. *Pharmaceutics*, 10(2), 57.
- Daugan, E., Sani, H.A., Abdullah, A., Muhammad, H., Top, A.G.M. (2011). Vitamin E and β -carotene composition in four different vegetable oils. *American Journal of Applied Sciences* 8: 407-412.
- Desai K.G.H, Jin Park, H. (2005). Recent developments in microencapsulation of food ingredients. *Drying technology*, 23(7), 1361-1394.
- Edem, D.O. (2002). Palm oil: Biochemical, physiological, nutritional, hematological and toxicological aspects: A review. *Plant Foods for Human Nutrition*, 57(3), 319-341.
- Ernawati, U. R., Khasanah, L. U., Anandito, R. B. K. (2014). Pengaruh variasi nilai dextrose equivalents (DE) maltodekstrin terhadap karakteristik mikroenkapsulan pewarna alami daun jati (*Tectona Grandis L. f.*). *Jurnal Teknologi Pertanian*, 15(2), 111-120.

- Ethica, S.N. (2018). *Buku Referensi Bioremediasi Limbah Biomedik Cair*. Yogyakarta: Deepublish.
- Feryana, I.W.K., Suseno, S.H., Nurjanah. (2014). Pemurnian minyak ikan makarel hasil samping penepungan dengan netralisasi alkali. *Jurnal Pengolahan Hasil Perikanan Indonesia*. 17(3): 207-214.
- Flanagan, J., Singh, H. (2006). Microemulsions: a potential delivery system for bioactive in food. *Critical Reviews in Food Science and Nutrition*, 46(3): 221-237.
- Ghani, A.A., Sae, A., Hirokazu, S., Tze, L.N., Shuji, A., Hidefumi, Y. (2017). Effect of different dextrose equivalents of maltodextrin on oxidation stability in encapsulated fish oil by spray drying. *Bioscience, biotechnology, and biochemistry*, 81(4), 705-711.
- Guillen, M. D., Cabo, N. (2002). Fourier transform infrared spectra data versus peroxide and anisidine values to determine oxidative stability of edible oils. *Food Chemistry*, 77, 503–510.
- Gunstone, Frank D., John, L. H., Albert, J.D. (2007). *The Lipid Handbook*. Boca Rato: CRC Press.
- Hernandez, E.M. and A. Kamal-Eldi. (2013). *Processing and Nutrition of Fats and Oils*. Hoboken, New Jersey: John Wiley and Sons.
- How, C. W., Rasedee, A., Abbasalipourkabar, R. (2013). Characterization and cytotoxicity of nanostructured lipid carriers formulated with olive oil, hydrogenated palm oil, and polysorbate 80. *IEEE Transactions on Nanobioscience*, 12(2), 72-78
- Hung, L. C., Basri, M., Tejo, B. A., Ismail, R., Nang, H. L. L., Hassan, H. A., May, C. Y. (2011). An improved method for the preparations of nanostructured lipid carriers containing heat-sensitive bioactives. *Colloids and Surfaces B: Biointerfaces*, 87(1), 180-186.
- Huang, Q., Yu, H. dan Ru, Q. (2010). Bioavailability and delivery of nutraceuticals using nanotechnology. *Journal of food science*, 75(1), R50-R57.
- IFOS. (2011). Fish Oil Purity Standard. http://www.omegavia.com/best_fishoilsupplement-3
- International IDF Standards. (1991). International Dairy Federation. *IDF-Square Vergote 4*. Brussels. Sec. 74A:1991.
- Iwasaki, R., M. Murakoshi. (1992). Palm oil yields-carotene for world markets. *Oleo Chemical, INFORM*, Vol 3, No. 2,210-217.
- Jafari, S.M., (2017). *Nanoencapsulation of Food Bioactive Ingredients: Principles and Applications*. Academic Press.
- Karadag, A., Yang, X., Ozcelik, B., & Huang, Q. (2013). Optimization of preparation conditions for quercetin nanoemulsions using response surface methodology. *Journal of Agricultural and Food Chemistry*, 61, 2130-2139
- Katouzian, I., Faridi Esfanjani, A., Jafari, S.M., Akhavan, S. (2017). Formulation and application of a new generation of lipid nano-carriers for the food bioactive ingredients. *Trends in Food Science & Technology* 68 (Suppl. C), 14e25.
- Ketaren, S. (2008). *Pengantar teknologi minyak dan lemak pangan*. Jakarta: Universitas Indonesia.

- Kumalaningsih, S. (2014). *Pohon industri potensial pada sistem agroindustri*. Malang: Universitas Brawijaya Press.
- Leyden, J.J., Rawlings, A.V. (2002). *Skin moisturization*. Marcel Dekker: New York, p.559.
- Luo, X., Zhou, Y., Bai, L., Liu, F., Deng, Y., McClements, D. J. (2017). Fabrication of β -carotene nanoemulsion-based delivery systems using dual-channel microfluidization: Physical and chemical stability. *Journal of colloid and interface science*, 490, 328-335.
- Mehnert, W., Mader, K. (2001). Solid lipid nanoparticles, production, characterization and applications. *Advanced Drug Delivery Reviews*, 47, 165-196.
- Mercier, C., and P. Colonna. (1988). Starch and enzymes: Innovations in the products, process and uses. *Biofuture Chimic*. P. 55-60
- Miller, D. M. (2012). Oxidation of food grade oils. *Plant and Food Research*. (Vol. 29).
- Mokhtari, S., Jafari, S.M., Khomeiri, M., Maghsoudlou, Y., Ghorbani, M., (2017). The cell wall compound of *Saccharomyces cerevisiae* as a novel wall material for encapsulation of probiotics. *Food Research International* 96, 19e26.
- Muller, R.H., Shegokar, R., Keck, C.M., (2011). 20 years of lipid nanoparticles (SLN & NLC): present state of development & industrial applications. *Current Drug Discovery Technologies* 8 (3), 207e227.
- NanoComposix. (2012). *Zeta potential analysis of nanoparticles* Vol 1.1. San Diego: NanoComposix
- Nayak, D. S., & Shetti, N. P. (2016). Electrochemical oxidation of provitamin B 5, d-panthenol and its analysis in spiked human urine. *Journal of Analytical Science and Technology*, 7(1), 1-8.
- Norn, V. (2015). *Emulsifiers in food technology second edition*. Hoboken, New Jersey: John Wiley and Sons.
- Özkan, G., S.E. Bilek. (2014). Microencapsulation of natural food colourants. *International Journal of Nutrition and Food Sciences* 3 (3): 145–56. doi: 10.11648/j.ijnfs.20140303.13.
- Panagan, A.T. (2011). Pengaruh Penambahan Tepung Wortel (*Daucus carota* L.) terhadap Bilangan Peroksida dan Asam Lemak Bebas pada Minyak Goreng Curah. *Jurnal Penelitian Sains*
- Pantzaris, T. P., Sue, T. T. (2017). *Pocketbook of oil palm uses* (Seventh Ed). Selangor, Malaysia: Malaysian Palm Oil Board (MPOB).
- Plazzotta, S.; Manzocco, L. (2018). Effect of ultrasounds and high pressure homogenization on the extraction of antioxidant polyphenols from lettuce waste. *Innovative Food Science & Emerging Technologies*, 50, 11-19.
- Putheti S. (2015). Application of nanotechnology in food, nutraceuticals and pharmaceuticals. *e-Journal of Science & Technology*, 10(2).
- Qian, C., E.A. Decker, H. Xiao, and D.J. McClements. (2012). Physical and chemical stability of β -carotene-enriched nanoemulsions: influence of pH, ionic strength, temperature, and emulsifier type. *J. Food Chemistry*. 132: 1221-1229. doi:10.1016/j.foodchem.2011.11.091.

- Raharjo, S., (2006). *Kerusakan oksidatif pada makanan*. Yogyakarta: Gadjah Mada University Press.
- Raharjo, S., (2018). *Kerusakan oksidatif pada makanan*. Yogyakarta: Gadjah Mada University Press.
- Rostamabadi, H., Falsafi, S. R., & Jafari, S. M. (2019). Starch-based nanocarriers as cuttingedge natural cargos for nutraceutical delivery. *Trends in Food Science & Technology*, 88, 397–415.
- Rowe, R. C. (Ed.). (2009). *Handbook of pharmaceutical excipients (6. ed)*. London: APhA, (PhP) Pharmaceutical Press.
- Sekhon, B. S. (2010). Food nanotechnology—an overview. *Nanotechnology, science and applications*, 3, 1.
- Semb, T.N. (2012). *Analytical methods for determination of the oxidative status in oils*. Department of Biotechnology, Norwegian University of Science and Technology
- Shah, B.R., Li, Y., Jin, W., An, Y., He, L., Li, Z., Xu, W., Li, B., (2016). Preparation and optimization of Pickering emulsion stabilized by chitosan-tripolyphosphate nanoparticles for curcumin encapsulation. *Food Hydrocolloids* 52, 369e377.
- Standarisasi Nasional Indonesia, (2013) SNI No 3741:2013. Minyak Goreng. *Badan Standardisasi Nasional*. Jakarta
- Soraya, N. (2013). *Mengenal produk pangan dari minyak sawit*. Bogor: PT Penerbit IPB Press.
- Spickett, C.M., H.J. Forman. (2015). *Lipid oxidation in health and disease*. CRC Press.
- Taghvaei, M., S.M. Jafari, A.S. Mahoonak, A.M. Nikoo, N. Rahmanian, J. Hajitabar, and N. Meshginfar. (2014). The effect of natural antioxidants extracted from plant and animal resources on the oxidative stability of soybean oil. *LWT-Food Science and Technology*, 56(1), 124-130
- Taheri, A., & Jafari, S. M. (2019). Gum-based nanocarriers for the protection and delivery of food bioactive compounds. *Advances in Colloid and Interface Sci.* 2019, 269, 277–295
- Tamjidi, F., Shahedi, M., Varshosaz, J., Nasirpour, A. (2013). Nanostructured lipid carriers (NLC): A potential delivery system for bioactive food molecules. *Innovative Food Science and Emerging Technologies* 19:29–43. DOI: 10.1016/j.ifset.2013.03.002. *Science*, 269, 277–295.
- Tesch, S. (2002). *Charakteristieren meschanischer Emulgienvverfahren: Herstellen und Stabilliesieren von tropfen als Teilschritte*. Universitat Karlsruhe (TH).2002
- Tonon, R.V., C. Brabet, M.D. Hubinger. (2010). Anthocyanin stability and antioxidant activity of spray-dried açai (*Euterpe oleracea* Mart.) juice produced with different carrier agents. *Food research international*, 43(3), 907-914.
- Urika, B.W. (2018). *Pengaruh Substitusi Maltodekstrin Terhadap Sifat Fisik Produk Kerupuk Tapioka*. Skripsi. Bogor: IPB
- Warner, K. (2004). Chemical and physical reactions in oil during frying. *Frying technology and practices*, 16-28.

- Wibowo, A. (2015). Sintesis Nanosilika Dari Abu Ketel Menggunakan Metode Hidrotermal Dengan Variasi Waktu Dan Suhu Proses. Skripsi. Bogor: IPB.
- Yuan Y, Gao Y, Zhao J, Mao L. (2008). Characterization and stability evaluation of β -carotene nanoemulsions prepared by high pressure homogenization under various emulsifying conditions. *Food Research International*, 41(1), 61-68.
- Yuliasari, S., Fardiaz, D., Andarwulan, N., Yuliani, S. (2014). Karakterisasi nanoemulsi minyak sawit merah yang diperkaya beta karoten. *Jurnal Littri*, 20(3).
- Zheng, M., Falkeborg, M., Zheng, Y., Yang, T., Xu, X. (2013). Formulation and characterization of nanostructured lipid carriers containing a mixed lipids core. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 430, 76-84.
- Ziani, K., Fang, Y., McClements, D. J. (2012). Fabrication and stability of colloidal delivery systems for flavor oils: Effect of composition and storage conditions. *Food Research International*, 46(1), 209-216.