

## DAFTAR PUSTAKA

- Arifin, M., 2018. Evaluasi kinerja sistem drainase perkotaan di wilayah Purwokerto. *Jurnal Teknik Sipil*, 13(1), pp.53-65.
- Alberti, M. and Marzluff, J.M., 2004. Ecological resilience in urban ecosystems: linking urban patterns to human and ecological functions. *Urban ecosystems*, 7(3), pp.241-265.
- Badan Pusat Statistik Kabupaten Banyumas. 2018. Jumlah Penduduk, Rumahtangga dan Rata-rata Anggota Rumahtangga Menurut Kecamatan, 2018. Online. URL: <https://banyumaskab.bps.go.id/statictable/2020/01/15/208/jumlah-penduduk-rumahtangga-dan-rata-rata-anggota-rumahtangga-menurut-kecamatan-2018.html>. Diakses pada 11 Januari 2021.
- Bastianoni, S., Galli, A., Niccolucci, V. and Pulselli, R.M., 2006. The ecological footprint of building construction. *The Sustainable City IV: Urban Regeneration and Sustainability*, pp.345-356.
- Beroya-Eitner, M.A., 2016. Ecological vulnerability indicators. *Ecological indicators*, 60, pp.329-334
- Burrough, P.A. 1986. Principles of Geographical Information Systems for Land Resources Assessment. Oxford University Press. 194 pp.
- Chandio, I.A., Abd Nasir, B.M., WanYusof, K.B., Talpur, M.A.H., Balogun, A.L. and Lawal, D.U., 2013. GIS-based analytic hierarchy process as a multicriteria decision analysis instrument: a review. *Arabian Journal of Geosciences*, 6(8), pp.3059-3066.
- Coyle, G. 2004. *The Analytic Hierarchy Process (AHP) Practical Strategy: Structured tools and techniques*. Open access material, Glosgow. Persons Education Ltd.
- Cundill, S.L., Van der Werff, H. and Van der Meijde, M., 2015. Adjusting spectral indices for spectral response function differences of very high spatial resolution sensors simulated from field spectra. *Sensors*, 15(3), pp.6221-6240.
- Danoedoro, P., 2012. Pengantar penginderaan jauh digital. Penerbit Andi, Yogyakarta.

- De Lange, H.J., Sala, S., Vighi, M. and Faber, J.H., 2010. Ecological vulnerability in risk assessment—a review and perspectives. *Science of the total environment*, 408(18), pp.3871-3879.
- Dale, V.H., Delgado-Acevedo, J., MacMahon, J. and Ernst, G.G.J., 2005. Effects of modern volcanic eruptions on vegetation. *Volcanoes and the Environment*, pp.227-249.
- Del Moral, R. and Grishin, S.Y., 1999. Volcanic disturbances and ecosystem recovery. *Ecosystems of the world*, pp.137-160.
- Dinas Lingkungan Hidup Kabupaten Banyumas. 2020. Indeks Kualitas Lingkungan Hidup Kabupaten Banyumas Tahun 2019. Pemerintah Daerah Kabupaten Banyumas.
- Dinas Lingkungan Hidup Kabupaten Banyumas. 2020. Dokumen Informasi Kinerja Pengelolaan Lingkungan Hidup Daerah Kabupaten Banyumas Tahun 2019. Pemerintah Daerah Kabupaten Banyumas.
- Dronova, I., 2017. Environmental heterogeneity as a bridge between ecosystem service and visual quality objectives in management, planning and design. *Landscape and Urban Planning*, 163, pp.90-106.
- Dong, P., Yang, C., Rui, X., Zhang, L. and Cheng, Q., 2003, July. An effective buffer generation method in GIS. In *IGARSS 2003. 2003 IEEE International Geoscience and Remote Sensing Symposium. Proceedings*. Vol. 6, pp. 3706-3708.
- Du, P., Liu, P., Xia, J., Feng, L., Liu, S., Tan, K. and Cheng, L., 2014. Remote sensing image interpretation for urban environment analysis: Methods, system and examples. *Remote Sensing*, 6(10), pp.9458-9474.
- European Space Agency (ESA). 2015. User Handbook. ESA Standard Document, 64.
- ESRI. 2020. *Buffer Analysis*. Online. URL: <https://pro.arcgis.com/en/pro-app/latest/tool-reference/analysis/buffer.htm>. Diakses pada 2 Februari 2020.
- Evangelides, C. and Nobajas, A., 2020. Red-Edge Normalised Difference Vegetation Index (NDVI705) from Sentinel-2 imagery to assess post-fire regeneration. *Remote Sensing Applications: Society and Environment*, 17, p.100283.

- Fawzi, N.I. and Jatmiko, R.H., 2018. *Penginderaan jauh sistem termal dan aplikasinya*. Penerbit Ombak: Yogyakarta.
- Frampton, W.J., Dash, J., Watmough, G. and Milton, E.J., 2013. Evaluating the capabilities of Sentinel-2 for quantitative estimation of biophysical variables in vegetation. *ISPRS journal of photogrammetry and remote sensing*, 82, pp.83-92.
- Gao, B.C., 1996. NDWI—A normalized difference water index for remote sensing of vegetation liquid water from space. *Remote sensing of environment*, 58(3), pp.257-266.
- Gatti, A. and Bertolini, A., 2013. Sentinel-2 products specification document. Available online (accessed February 23, 2015) <https://earth.esa.int/documents/247904/685211/Sentinel-2+Products+Specification+Document>.
- Gunderson, L.H., 2000. Ecological resilience—in theory and application. *Annual review of ecology and systematics*, 31(1), pp.425-439.
- Goepel, K. 2013, June. Implementing the analytic hierarchy process as a standard method for multi-criteria decision making in corporate enterprises—a new AHP excel template with multiple inputs. In *Proceedings of the international symposium on the analytic hierarchy process* (Vol. 2, No. 10, pp. 1-10). Creative Decisions Foundation Kuala Lumpur
- Haubrock, S.N., Chabrillat, S., Lemmnitz, C. and Kaufmann, H., 2008. Surface soil moisture quantification models from reflectance data under field conditions. *International journal of remote sensing*, 29(1), pp.3-29.
- Heriyawan, T., 2020. Kajian Kualitas Kesehatan Lingkungan Permukiman di Kecamatan Purwokerto Barat Kabupaten Banyumas Dengan Menggunakan Citra Satelit Ikonos. *Jurnal Bina Cipta Husada*, 16(1), pp.21-31.
- Hidayati, I.N., Suharyadi, R. and Danoedoro, P., 2019. Environmental Quality Assessment of Urban Ecology based on Spatial Heterogeneity and Remote Sensing Imagery. *KnE Social Sciences*, pp.363-379.
- Hou, K., Li, X., Wang, J. and Zhang, J., 2016. Evaluating Ecological Vulnerability Using the GIS and Analytic Hierarchy Process (AHP) Method in Yan'an, China. *Polish Journal of Environmental Studies*, 25(2).

- Jensen, John R., 2015. *Introductory Digital Image Processing: A Remote Sensing Perspective*. Pearson Education, Inc.
- Jin, S. and Sader, S.A., 2005. Comparison of time series tasseled cap wetness and the normalized difference moisture index in detecting forest disturbances. *Remote sensing of Environment*, 94(3), pp.364-372.
- Kusumawardani, Pasya K. 2020. *Analisis Pola Spasial Fenomena Heterogenitas Fisik dan Biotik Perkotaan Berbasis Indeks Citra Penginderaan Jauh di Kota Semarang*. Skripsi. Program Studi Kartografi dan Penginderaan Jauh, Fakultas Geografi, Universitas Gadjah Mada.
- Lastovicka, J., Svec, P., Paluba, D., Kobliuk, N., Svoboda, J., Hladky, R. and Stych, P., 2020. Sentinel-2 Data in an Evaluation of the Impact of the Disturbances on Forest Vegetation. *Remote Sensing*, 12(12), p.1914.
- Lind, L., Hasselquist, E.M. and Laudon, H., 2019. Towards ecologically functional riparian zones: A meta-analysis to develop guidelines for protecting ecosystem functions and biodiversity in agricultural landscapes. *Journal of environmental management*, 249, p.109391.
- Lillesand, T., Kiefer, R.W. and Chipman, J., 2015. *Remote sensing and image interpretation*. John Wiley & Sons.
- Malczewski, J. dan Rinner, C. 2015. Multicriteria decision analysis in geographic information science (p. 331). New York: Springer.
- Munggiarti, A. and Buchori, I., 2015. Pengaruh keberadaan perguruan tinggi terhadap perubahan morfologi kawasan sekitarnya. *Geoplanning: Journal of Geomatics and Planning*, 2(1), pp.51-68.
- Nels, Janet. 2019. The Effect of Topography on the Climate. Online. URL: <https://sciencing.com/the-effects-of-topography-on-the-climate-12508802.html>.
- Ochtyra, A., Marcinkowska-Ochtyra, A. and Raczko, E., 2020. Threshold-and trend-based vegetation change monitoring algorithm based on the inter-annual multi-temporal normalized difference moisture index series: A case study of the Tatra Mountains. *Remote Sensing of Environment*, 249, p.112026.

Peraturan Daerah Nomor 7 Tahun 2009 tentang Rencana Pembangunan Jangka Panjang Daerah Kabupaten Banyumas Tahun 2005-2025.

Rahman, S. and Mesev, V., 2019. Change vector analysis, tasseled cap, and NDVI-NDMI for measuring land use/cover changes caused by a sudden short-term severe drought: 2011 texas event. *Remote Sensing*, 11(19), p.2217.

Rachmawati, R., Rijanta, R. and Subanu, L.P., 2004. Peranan Kampus Sebagai Pemicu Urbanisasi Spasial Di Pinggiran Kota Yogyakarta. *Majalah Geografi Indonesia*, 18(2004).

Robert Ho, Handbook of Univariate and Multivariate Data Analysis and Interpretation with SPSS (Boca Raton: Chapman & Hall/CRC, 2006) p. 184.

Sekertekin, A. and Bonafoni, S., 2020. Land surface temperature retrieval from landsat 5, 7, and 8 over rural areas: assessment of different retrieval algorithms and emissivity models and toolbox implementation. *Remote Sensing*, 12(2), p.294.

Sobrino, J.A., Jiménez-Muñoz, J.C., Sòria, G., Romaguera, M., Guanter, L., Moreno, J., Plaza, A. and Martínez, P., 2008. Land surface emissivity retrieval from different VNIR and TIR sensors. *IEEE transactions on geoscience and remote sensing*, 46(2), pp.316-327.

Song, G., Chen, Y., Tian, M., Lv, S., Zhang, S. and Liu, S., 2010. The ecological vulnerability evaluation in southwestern mountain region of China based on GIS and AHP method. *Procedia Environmental Sciences*, 2, pp.465-475.

Sutomo, R.H. Bintarto, dan Hadi Sabari Yunus. 2001. Faktor-faktor yang Mempengaruhi Perkembangan Fisikal Kawasan Koridor Antara Kota Purwokerto-Sokaraja. *Teknosains*, 14(3).

Taloor, A.K., Manhas, D.S. and Kothyari, G.C., 2020. Retrieval of land surface temperature, normalized difference moisture index, normalized difference water index of the Ravi basin using Landsat data. *Applied Computing and Geosciences*, p.100051.

United States Geological Survey. 2018. Landsat 8 (L8) Data Users Handbook. LSDS-1574 Version 5.0.

- Van Zuidam, R.A., 1985. 1986. *Aerial Photo–Interpretation in Terrain Analysis and Geomorphologic Mapping*. The Hague, the Netherlands.
- Wang, Q., Li, J., Jin, T., Chang, X., Zhu, Y., Li, Y., Sun, J. and Li, D., 2020. Comparative Analysis of Landsat-8, Sentinel-2, and GF-1 Data for Retrieving Soil Moisture over Wheat Farmlands. *Remote Sensing*, 12(17), p.2708
- Weißhuhn, P., Müller, F. and Wiggering, H., 2018. Ecosystem vulnerability review: proposal of an interdisciplinary ecosystem assessment approach. *Environmental management*, 61(6), pp.904-915.
- Widiyanto, A.F., Pratiwi, O.C. and Yuniarno, S., 2017. Model Pengelolaan Sampah Rumah Tangga di Kabupaten Banyumas. *Prosiding*, 7(1).
- Wibowo, A., 2014. Studi Tentang Struktur Kota Dan Sistem Transportasi Di Perkotaan Purwokerto Tahun 2013. *Geo Edukasi*, 3(1).
- Wu, J. and Liang, S., 2020. Assessing terrestrial ecosystem resilience using satellite leaf area index. *Remote Sensing*, 12(4), p.595.
- Xi, Y., Thinh, N.X. and Li, C., 2019. Preliminary comparative assessment of various spectral indices for built-up land derived from Landsat-8 OLI and Sentinel-2A MSI imageries. *European Journal of Remote Sensing*, 52(1), pp.240-252.
- Xiang, W.N., 1996. GIS-based riparian buffer analysis: injecting geographic information into landscape planning. *Landscape and Urban Planning*, 34(1), pp.1-10.
- Yang, Y. and Song, G., 2020. Human disturbance changes based on spatiotemporal heterogeneity of regional ecological vulnerability: A case study of Qiqihaer city, northwestern Songnen Plain, China. *Journal of Cleaner Production*, p.125262.
- Yang, H., Zhai, G. and Zhang, Y., 2020. Ecological vulnerability assessment and spatial pattern optimization of resource-based cities: A case study of Huaibei City, China. *Human and Ecological Risk Assessment: An International Journal*, pp.1-20.
- Zhang, X., Wang, Z. and Lin, J., 2015. GIS based measurement and regulatory zoning of urban ecological vulnerability. *Sustainability*, 7(8), pp.9924-9942.

Zhang, J., Zhu, Y. and Fan, F., 2016. Mapping and evaluation of landscape ecological status using geographic indices extracted from remote sensing imagery of the Pearl River Delta, China, between 1998 and 2008. *Environmental Earth Sciences*, 75(4), p.32.