

REFERENCES

- Abbas, M., Rao, B.P., Naga, S. M., and Kim, C., 2013, Synthesis of high magnetization hydrophilic magnetite (Fe₃O₄) nanoparticles in single reaction-surfactantless polyol process, *Ceram. Int.*, 39, 7605–7611.
- Abbas, M. W., Soomro, R. A., Kalwar, N. H., Zahoor, M., Avci, A., Pehlivan, E., Hallam, K. R., and Willander, M., 2019, Carbon quantum dot coated Fe₃O₄ hybrid composites for sensitive electrochemical detection of uric acid, *Microchem. J.*, 146, 517–524.
- Aji, M. P., Wiguna, P. A., Suciningtyas, S. A., Susanto, Rosita, N., and Sulhadi, 2016, Carbon nanodots from frying oil as catalyst for photocatalytic degradation of methylene blue assisted solar light irradiation, *Am. J. Appl. Sci.*, 13, 432–438.
- Alzahrani, E., 2017, Photodegradation of Binary Azo Dyes Using Core-Shell Fe₃O₄/SiO₂/TiO₂ Nanospheres, *Am. J. Anal. Chem.*, 8, 95–115.
- Bao, L., Liu, C., Zhang, Z. L., and Pang, D. W., 2015, Photoluminescence-tunable carbon nanodots: Surface-state energy-gap tuning, *Adv. Mater.*, 27, 1663–1667.
- Bo, Z., Maimaiti, H., Dong, Z. D., Bo, X., and Ming, W., 2017, Preparation of coal-based C-Dots/TiO₂ and its visible-light photocatalytic characteristics for degradation of pulping black liquor, *J. Photochem. Photobiol. A*, 345, 54–62.
- Ce, Y., Jiajia, W., and Yanglong, H., 2011, Fe₃O₄ nanostructures: Synthesis, growth mechanism, properties and applications, *Chem. Commun.*, 47, 5130–5141.
- Cheng, J. P., Ma, R., Li, M., Wu, J. S., Liu, F., and Zhang, X. B., 2012, Anatase nanocrystals coating on silica-coated magnetite: Role of polyacrylic acid treatment and its photocatalytic properties, *Chem. Eng. J.*, 210, 80–86.
- Dager, A., Uchida, T., Maekawa, T., and Tachibana, M., 2019, Synthesis and characterization of Mono-disperse Carbon Quantum Dots from Fennel Seeds: Photoluminescence analysis using Machine Learning, *Sci. Rep.*, 9, 1–10.
- De, B., and Karak, N., 2013, A green and facile approach for the synthesis of water soluble fluorescent carbon dots from banana juice, *RSC Adv.*, 3, 8286–8290.

- Cruz, M. I. S. D., Thongsai, N., de Luna, M. D. G., In, I., and Paoprasert, P., 2019, Preparation of highly photoluminescent carbon dots from polyurethane: Optimization using response surface methodology and selective detection of silver (I) ion, *Colloids Surf. A Physicochem. Eng. Aspe.*, 568, 184–194.
- Desmond, L. J., Phan, A. N., and Gentile, P., 2021, Critical overview on the green synthesis of carbon quantum dots and their application for cancer therapy, *Environ. Sci. Nano*, 8, 848.
- Dong, Y., Chen, C., Zheng, X., Gao, L., Cui, Z., Yang, H., Guo, C., Chi, Y., and Li, C. M., 2012, One-step and high yield simultaneous preparation of single- and multi-layer graphene quantum dots from CX-72 carbon black, *J. Mater. Chem.*, 22, 8764–8766.
- Chequer, F. M. D., de Oliveira, G. A. R., Ferraz, E. R. A., Cardoso, J. C., Zanoni, M. V. B. D., and de Oliveira, D. M., 2013, Textile Dyes: Dyeing Process and Environmental Impact, *Eco-Friendly Textile Dyeing and Finishing*, 6, 151–176.
- Fan, Y., Ma, C., Li, W., and Yin, Y., 2012, Synthesis and properties of Fe₃O₄/SiO₂/TiO₂ nanocomposites by hydrothermal synthetic method, *Mater. Sci. Semicond. Process.*, 15, 582–585.
- Gholinejad, M., Najera, C., Hamed, F., Seyedhamzeh, M., Bahrami, M., and Kompany-Zareh, M., 2017, Green synthesis of carbon quantum dots from vanillin for modification of magnetite nanoparticles and formation of palladium nanoparticles: Efficient catalyst for Suzuki reaction, *Tetrahedron*, 73, 5585–5592.
- Guan, Y., Yang, Y., Wang, X., Yuan, H., Yang, Y., Li, N., and Ni, C., 2021, Multifunctional Fe₃O₄@SiO₂-CDs magnetic fluorescent nanoparticles as effective carrier of gambogic acid for inhibiting VX2 tumor cells, *J. Mol. Liq.*, 327.
- Hariani, P. L., Faizal, M., Ridwan, R., Marsi, M., and Setiabudidaya, D., 2013, Synthesis and Properties of Fe₃O₄ Nanoparticles by Co-precipitation Method to Removal Procion Dye, *Int. J. Environ. Sci. Dev.*, 4, 336–340.
- Heng, Z. W., Chong, W. C., Pang, Y. L., and Sim, L. C., 2020, Photocatalytic degradation of methylene blue under visible light using carbon dot/titanium dioxide nanohybrid, *IOP Conf. Ser.: Mater. Sci. Eng.*, 991.

- Himaja, A. L., Karthik, P. S., Sreedhar, B., and Singh, S. P., 2014, Synthesis of carbon dots from kitchen waste: Conversion of waste to value added product, *J. Fluoresc.*, 24, 1767–1773.
- Hou, C., Hu, B., and Zhu, J., 2018, Photocatalytic degradation of methylene blue over TiO₂ pretreated with varying concentrations of NaOH, *Catalysts*, 8, 575.
- Hu, Y., Yang, J., Tian, J., Jia, L., and Yu, J. S., 2014, Green and size-controllable synthesis of photoluminescent carbon nanoparticles from waste plastic bags, *RSC Adv.*, 4, 47169–47176.
- Hu, Y., Gao, Z., Yang, J., Chen, H., and Han, L., 2019, Environmentally benign conversion of waste polyethylene terephthalate to fluorescent carbon dots for “on-off-on” sensing of ferric and pyrophosphate ion, *J. Colloid Interface Sci.*, 534, 481-488.
- Huang, X., Wang, G., Yang, M., Guo, W., and Gao, H., 2011, Synthesis of polyaniline-modified Fe₃O₄/SiO₂ composite microspheres and their photocatalytic application, *Mater. Lett.*, 65, 2887–2890.
- Jiang, L., and Zhang, Z., 2016, Efficient transfer hydrogenation of nitro compounds over a magnetic palladium catalyst, *Int. J. Hydrog. Energy*, 41, 22983–22990.
- Jorns, M., and Pappas, D. A., 2021, A review of fluorescent carbon dots, their synthesis, physical and chemical characteristics, and application, *Nanomaterials*, 11, 1448.
- Kandasamy, G., and Maity, D., 2015, Recent advances in superparamagnetic iron oxide nanoparticles (SPIONs) for in vitro and in vivo cancer nanotheranostics, *Int. J. Pharm.*, 496, 191–218.
- Kasprzyk, W., Świergosz, T., Bednarz, S., Walas, K., Bashmakova, N. V., and Bogdał, D., 2018, Luminescence phenomena of carbon dots derived from citric acid and urea-a molecular insight, *Nanoscale*, 10, 13889–13894.
- Kim, K. Do, Kim, S. S., Choa, Y.-H., and Kim, H. T., 2007, Formation and Surface Modification of Fe₃O₄ Nanoparticles by Co-precipitation and Sol-gel Method, *J. Ind. Eng. Chem.*, 13, 1137–1141.
- Kumar, V. B., Porat, Z., and Gedanken, A., 2016, Facile one-step sonochemical synthesis of ultrafine and stable fluorescent C-dots, *Ultrason. Sonochem.*, 28, 367–375.

- Lee, S. Y., and Park, S. J., 2013, TiO₂ photocatalyst for water treatment applications, *J. Ind. Eng. Chem.*, 19, 1761–1769.
- Li, W., Wu, S., Xu, X., Zhuang, J., Zhang, H., Zhang, X., Hu, C., Lei, B., Kaminski, C. F., and Liu, Y., 2019, Carbon Dot-Silica Nanoparticle Composites for Ultralong Lifetime Phosphorescence Imaging in Tissue and Cells at Room Temperature, *Chem. Mater.*, 31, 9887–9894.
- Liu, J., Li, R., and Yang, B., 2020, Carbon Dots: A New Type of Carbon-Based Nanomaterial with Wide Applications, *ACS Cent. Sci.*, 6, 2179–2195.
- Liu, M., 2020, Optical Properties of Carbon Dots: A Review, *Nanoarchitectonics*, 1, 1–12.
- Ma, Z., Ming, H., Huang, H., Liu, Y., and Kang, Z., 2012, One-step ultrasonic synthesis of fluorescent N-doped carbon dots from glucose and their visible-light sensitive photocatalytic ability, *New J. Chem.*, 36, 861–864.
- Magalhães, P., Andrade, L., Nunes, O. C., and Mendes, A., 2017, Titanium dioxide photocatalysis: Fundamentals and application on photoinactivation, *Rev. Adv. Mater. Sc.*, 51, 91–129.
- Makovec, D., Sajko, M., Selinik, A., and Drofenik, M., 2012, Low-temperature synthesis of magnetically recoverable, superparamagnetic, photocatalytic, nanocomposite particles, *Mater. Chem. Phys.*, 136, 230–240.
- Martínez-Huitle, C. A., and Brillas, E., 2009, Decontamination of wastewaters containing synthetic organic dyes by electrochemical methods: A general review, *Appl. Catal. B: Environ.*, 87, 105–145.
- Nigam, S., Barick, K. C., and Bahadur, D., 2011, Development of citrate-stabilized Fe₃O₄ nanoparticles: Conjugation and release of doxorubicin for therapeutic applications, *J. Magn. Mater.*, 323, 237–243.
- Ochiai, T., and Fujishima, A., 2012, Photoelectrochemical properties of TiO₂ photocatalyst and its applications for environmental purification, *J. Photochem. Photobiol. C: Photochem. Rev.*, 13, 247–262.
- Peng, J., Gao, W., Gupta, B. K., Liu, Z., Romero-Aburto, R., Ge, L., Song, L., Alemany, L. B., Zhan, X., Gao, G., Vithayathil, S. A., Kaiparettu, B. A., Marti, A. A., Hayashi, T., Zhu, J. J., and Ajayan, P. M., 2012, Graphene quantum dots derived from carbon fibers, *Nano Lett.*, 12, 844–849.

- Peng, Z., Zhou, Y., Ji, C., Pardo, J., Mintz, K. J., Pandey, R. R., Chusuei, C. C., Graham, R. M., Yan, G., and Leblanc, R. M., 2020, Facile synthesis of “boron-doped” carbon dots and their application in visible-light-driven photocatalytic degradation of organic dyes, *Nanomaterials*, 10, 1–17.
- Qiao, Z. A., Wang, Y., Gao, Y., Li, H., Dai, T., Liu, Y., and Huo, Q., 2010, Commercially activated carbon as the source for producing multicolor photoluminescent carbon dots by chemical oxidation, *Chem. Commun.*, 46, 8812–8814.
- Qomariyah, A., Nuryono, and Kurnati, E. S., 2021, Recovery of gold in Au/Cu/Mg system from SH/Fe₃O₄@SiO₂ as a magnetically separable and reusable adsorbent, *Ind. J. Chem. Res.*, 9, 26–34.
- Saikia, M., Hower, J. C., Das, T., Dutta, T., and Saikia, B. K., 2019, Feasibility study of preparation of carbon quantum dots from Pennsylvania anthracite and Kentucky bituminous coals, *Fuel*, 243, 433–440.
- Shaikh, A. F., Tamboli, M. S., Patil, R. H., Bhan, A., Ambekar, J. D., Kale, B. B., 2019, Bioinspired carbon quantum dots: An antibiofilm agents, *J. Nanosci. Nanotechnol.*, 19, 2339–2345.
- Shinde, D. B., and Pillai, V. K., 2012, Electrochemical preparation of luminescent graphene quantum dots from multiwalled carbon nanotubes, *Chem. Eur. J.*, 18, 12522–12528.
- Sugiarti, S., and Darmawan, N., 2015, Synthesis of fluorescence carbon nanoparticles from ascorbic acid, *Indones. J. Chem.*, 15, 141–145.
- Sun, Y. P., Zhou, B., Lin, Y., Wang, W., Fernando, K. A. S., Pathak, P., Mezziani, M. J., Harruff, B. A., Wang, X., Wang, H., Luo, P. G., Yang, H., Kose, M. E., Chen, B., Veca, L. M., and Xie, S. Y., 2006, Quantum-sized carbon dots for bright and colorful photoluminescence, *J. Am. Chem. Soc.*, 128.
- Teichner, S. J., 2008, The origins of photocatalysis, *J. Porous Mater.*, 15, 311–314.
- Tripathi, K. M., Tran, T. S., Kim, Y. J., and Kim, T. Y., 2017, Green fluorescent onion-like carbon nanoparticles from flaxseed oil for visible light induced photocatalytic applications and label-free detection of Al(III) ions, *ACS Sustain. Chem. Eng.*, 5, 3982–3992.

- Wang, H., Wei, Z., Matsui, H., and Zhou, S., 2014 Fe₃O₄/carbon quantum dots hybrid nanoflowers for highly active and recyclable visible-light driven photocatalyst, *J. Mater. Chem. A*, 2, 15740–15745.
- Wang, X., Maeda, K., Thomas, A., Takanabe, K., Xin, G., Carlsson, J. M., Domen, K., and Antonietti, M, 2009, A metal-free polymeric photocatalyst for hydrogen production from water under visible light, *Nat. Mater.*, 8, 76–80.
- Wang, Y., and Hu, A., 2014, Carbon quantum dots: Synthesis, properties and applications, *J. Mater. Chem. C*, 2, 6921–6939.
- Xia, C., Zhu, S., Feng, T., Yang, M., and Yang, B., 2019, Evolution and Synthesis of Carbon Dots: From Carbon Dots to Carbonized Polymer Dots, *Adv. Sci.*, 6.
- Xie, H., Wu, Z., Wang, Z., Lu, J., Li, Y., Cao, Y., and Cheng, H., 2020, Facile fabrication of acid-resistant and hydrophobic Fe₃O₄@SiO₂@C magnetic particles for valid oil-water separation application, *Surf. Interfaces*, 21.
- Yang, C., Wu., J., and Hou, Y., 2011, Fe₃O₄ nanostructures: Synthesis, growth mechanism, properties and applications, *Chem. Commun.*, 47, 5130–5141.
- Yuan, Q., Li, N., Geng, W., Chi, Y., and Li, X., 2012, Preparation of magnetically recoverable Fe₃O₄@SiO₂@meso-TiO₂ nanocomposites with enhanced photocatalytic ability, *Mater. Res. Bull.*, 47, 2396–2402.
- Zhou, Y., Elmetwally, A. E., Chen, J., Shi, W., Cilingir, E. K., Walters, B., Mintz, K. J., Martin, C., Ferreira, B. C. L. B., Zhang, W., Hettiarachchi, S. D., Serafim, L. F., Blackwelder, P. L., Wikramanayake, A. H., Peng, Z., and Leblanc, R. M., 2021 Journal of Colloid and Interface Science Gel-like carbon dots: A high-performance future photocatalyst, *J. Colloid Interface Sci.*, 599, 519–532.
- Zhou, Y., Zahran, E. M., Quiroga, B. A., Perez, J., Mintz, K. J., Peng, Z., Liyanage, P. Y., Pandey, R. R., Chusuei, C. C., and Leblanc, R. M, 2019, Size-dependent photocatalytic activity of carbon dots with surface-state determined photoluminescence, *Appl. Catal. B: Environ.*, 248, 157–166.