



## REFERENCES

- Ahmed, W. and Iqbal, J., 2021, Effect of Ni doping on structural, optical and magnetic characteristics of  $\text{ZrO}_2$  nanoparticles with efficient visible light driven photocatalytic activity, *Ceram. Int.*, 47, 24895–24905.
- Alifi, A., Kurniawan, R., and Syofian, A., 2020, Zinc-Doped Titania Embedded on the Surface of Zirconia: A Potential Visible-Responsive Photocatalyst Material, *Indones. J. Chem.*, 20, 1374–1381.
- Alijani, M. and Ilkhechi, N.N., 2018, Effect of Ni Doping on the Structural and Optical Properties of  $\text{TiO}_2$  Nanoparticles at Various Concentration and Temperature, *Silicon*, 10, 2569–2575.
- Alijani, M., Kaleji, B.K., and Rezaee, S., 2017, Improved visible light photocatalytic activity of  $\text{TiO}_2$  nano powders with metal ions doping for glazed ceramic tiles, *Opt. Quantum Electron.*, 1–13.
- Allen, N.S., Mahdjoub, N., Vishnyakov, V., Kelly, P.J., and Kriek, R.J., 2018, The effect of crystalline phase (anatase, brookite and rutile) and size on the photocatalytic activity of calcined polymorphic titanium dioxide ( $\text{TiO}_2$ ), *Polym. Degrad. Stab.*, 150, 31–36.
- Andita, K.R., Kurniawan, R., and Syoufian, A., 2019, Synthesis and Characterization of Cu-Doped Zirconium Titanate as A Potential Visible-Light Responsive Photocatalyst, *Indones. J. Chem.*, 19, 761–766.
- Badli, N.A., Ali, R., Wan Abu Bakar, W.A., and Yuliati, L., 2017, Role of heterojunction  $\text{ZrTiO}_4/\text{ZrTi}_2\text{O}_6/\text{TiO}_2$  photocatalyst towards the degradation of paraquat dichloride and optimization study by Box–Behnken design, *Arab. J. Chem.*, 10, 935–943.
- Basahel, S.N., Ali, T.T., Mokhtar, M., and Narasimharao, K., 2015, Influence of crystal structure of nanosized  $\text{ZrO}_2$  on photocatalytic degradation of methyl orange, *Nanoscale Res. Lett.*, 10, 1-13.
- Binas, V.D., Sambani, K., Maggos, T., Katsanaki, A., and Kiriakidis, G., 2012, Synthesis and photocatalytic activity of Mn-doped  $\text{TiO}_2$  nanostructured powders under UV and visible light, *Appl. Catal. B Environ.*, 113–114, 79–86.
- Chen, C.-Y. and Hsu, L.-J., 2015, Kinetic study of self-assembly Ni(II)-doped  $\text{TiO}_2$  nanocatalysts for the photodegradation of azo pollutants, *RSC Adv.*, 5, 88266–88271.
- Chen, Y. and Dionysiou, D.D., 2006, Effect of calcination temperature on the photocatalytic activity and adhesion of  $\text{TiO}_2$  films prepared by the P-25 powder-modified sol-gel method, *J. Mol. Catal. A Chem.*, 244, 73–82.



- Costa, C.E.F., Crispim, S.C.L., Lima, S.J.G., Paskocimas, C.A., Longo, E., Fernandes, V.J., Araújo, A.S., Santos, I.M.G., Souza, A.G., 2004, Synthesis and thermal characterization of zirconium titanate pigments, *J. Therm. Anal. Calorim.*, 75, 467–473.
- Durgalakshmi, D., Ajay Rakkesh, R., Rajendran, S., and Naushad, M., 2020, Principles and Mechanisms of Green Photocatalysis., In, *Green Photocatalysts.*, pp. 1–24.
- El-Sherbiny, S., Morsy, F., Samir, M., and Fouad, O.A., 2014, Synthesis, characterization and application of TiO<sub>2</sub> nanopowders as special paper coating pigment, *Appl. Nanosci.*, 4, 305–313.
- Fan, M., Hu, S., Ren, B., Wang, J., and Jing, X., 2013, Synthesis of nanocomposite TiO<sub>2</sub>/ZrO<sub>2</sub> prepared by different templates and photocatalytic properties for the photodegradation of Rhodamine B, *Powder Technol.*, 235, 27–32.
- Ganesh, I., Gupta, A.K., Kumar, P.P., Sekhar, P.S.C., Radha, K., Padmanabham, G., and Sundararajan, G., 2012, Preparation and characterization of Ni-doped TiO<sub>2</sub> materials for photocurrent and photocatalytic applications, *Sci. World J.*, 2012, 13–20.
- Ge, J., Zhang, Y., Heo, Y.J., and Park, S.J., 2019, Advanced design and synthesis of composite photocatalysts for the remediation of wastewater: A review, *Catalysts*, 9, 1-32.
- George, A., Solomon, S., Thomas, J.K., and John, A., 2012, Characterizations and electrical properties of ZrTiO<sub>4</sub> ceramic, *Mater. Res. Bull.*, 47, 3141–3147.
- Guerrero-araque, D., Ramírez-ortega, D., Acevedo-peña, P., Tzompantzi, F., Calderón, H.A., and Gómez, R., 2017, Interfacial charge-transfer process across ZrO<sub>2</sub> -TiO<sub>2</sub> heterojunction and its impact on photocatalytic activity, *J. Photochem. Photobiol. A Chem.*, 335, 276–286.
- Hamad, H., Bailón-garcía, E., Pérez-cadenas, A.F., Maldonado-hódar, F.J., and Carrasco-marín, F., 2020, ZrO<sub>2</sub> -TiO<sub>2</sub> /Carbon core-shell composites as highly efficient solar-driven photo-catalysts : An approach for removal of hazardous water pollutants, *J. Environ. Chem. Eng.*, 8, 1-12.
- Hanaor, D.A.H. and Sorrell, C.C., 2011, Review of the anatase to rutile phase transformation, *J. Mater. Sci.*, 855–874.
- Hinojosa, M., Camposeco, R., Ruiz, F., Rodríguez, V., and Moctezuma, E., 2019, Promotional effect of metal doping on nanostructured TiO<sub>2</sub> during the photocatalytic degradation of 4-chlorophenol and naproxen sodium as pollutants, *Mater. Sci. Semicond. Process.*, 100, 130–139.
- Horti, N.C., Kamatagi, M.D., Nataraj, S.K., Wari, M.N., and Inamdar, S.R., 2020, Structural and optical properties of zirconium oxide (ZrO<sub>2</sub>) nanoparticles:



effect of calcination temperature, *Nano Express*, 1, 1–9.

Huang, F., Yan, A., and Zhao, H., 2016, Influences of Doping on Photocatalytic Properties of TiO<sub>2</sub> Photocatalyst, *Semicond. Photocatal. - Mater. Mech. Appl.*, 32–80.

Ibrahim, S.A. and Sreekantan, S., 2011, Effect of pH on TiO<sub>2</sub> nanoparticles via sol-gel method, *Adv. Mater. Res.*, 173, 184–189.

Kakuma, Y., Nosaka, A.Y., and Nosaka, Y., 2015, Difference in TiO<sub>2</sub> photocatalytic mechanism between rutile and anatase studied by detections of active oxygen and surface species in water, *Phys. Chem. Chem. Phys.*, 1–8.

Kang, O.L., Ahmad, A., Rana, U.A., and Hassan, N.H., 2016, Sol-gel titanium dioxide nanoparticles: Preparation and structural characterization, *J. Nanotechnol.*, 2016, 1–7.

Kaplan, R., Erjavec, B., Dražić, G., Grdadolnik, J., and Pintar, A., 2016, Simple synthesis of anatase/rutile/brookite TiO<sub>2</sub> nanocomposite with superior mineralization potential for photocatalytic degradation of water pollutants, *Appl. Catal. B Environ.*, 181, 465–474.

Koch, D. and Manzhos, S., 2017, On the Charge State of Titanium in Titanium Dioxide, *J. Phys. Chem. Lett.*, 8, 1593–1598.

Kubiak, A., Siwińska-Ciesielczyk, K., and Jesionowski, T., 2018, Titania-based hybrid materials with ZnO, ZrO<sub>2</sub> and MoS<sub>2</sub>: A review, *Materials (Basel)*, 11, 1–56.

Kudo, A. and Miseki, Y., 2009, Heterogeneous photocatalyst materials for water splitting, *Chem. Soc. Rev.*, 38, 253–278.

Kumar, D., Singh, A., Kaur, N., Thakur, A., and Kaur, R., 2020, Tailoring structural and optical properties of ZrO<sub>2</sub> with nickel doping, *SN Appl. Sci.*, 2, 1-8.

Kumar, D., Singh, A., Saini, B.S., Choudhary, B.C., Shinde, V., and Kaur, R., 2021, Effect of Ni Doping on the Structural and Optical Properties of ZrO<sub>2</sub> Thin Films, *J. Electron. Mater.*, 50, 65–74.

Kurniawan, R., Sudiono, S., Trisunaryanti, W., and Syoufian, A., 2019, Synthesis of Iron-doped Zirconium Titanate as a Potential Visible-Light Responsive Photocatalyst, *Thesis*, Department of Chemistry Faculty of Mathematics and Natural Sciences UGM, Yogyakarta.

León, A., Reuquen, P., Garín, C., Segura, R., Vargas, P., Zapata, P., and Orihueta, P.A., 2017, FTIR and raman characterization of TiO<sub>2</sub> nanoparticles coated with polyethylene glycol as carrier for 2-methoxyestradiol, *Appl. Sci.*, 7, 1-9.

Liu, S., Xiu, Z., Pan, J., Cui, X., Yu, W., and Yu, J., 2007, Preparation and photocatalytic activities of ZrTiO<sub>4</sub> nanocrystals, *J. Alloys Compd.*, 437, L1–



## L3.

- Martin, D.J., 2015, Investigation into High Efficiency Visible Light Photocatalysts for Water Reduction and Oxidation, *Thesis*, Department of Chemical Engineering University College London, London.
- Nakata, K. and Fujishima, A., 2012, TiO<sub>2</sub> photocatalysis: Design and applications, *J. Photochem. Photobiol. C Photochem. Rev.*, 13, 169–189.
- Nayak, S.K., Hung, C.J., Sharma, V., Alpay, S.P., Dongare, A.M., Brindley, W.J., and Hebert, R.J., 2018, Insight into point defects and impurities in titanium from first principles, *npj Comput. Mater.*, 4, 1–11.
- Phromma, S., Wutikhun, T., Kasamechonchung, P., Eksangsri, T., and Sapcharoenkun, C., 2020, Effect of calcination temperature on photocatalytic activity of synthesized TiO<sub>2</sub> nanoparticles via wet ball milling sol-gel method, *Appl. Sci.*, 10, 1–13.
- Riaz, N., Bustam, M.A., and Shariff, A.M., 2014, Iron doped TiO<sub>2</sub> photocatalysts for environmental applications: Fundamentals and progress, *Adv. Mater. Res.*, 925, 689–693.
- Schattka, J.H., Shchukin, D.G., Jia, J., Antonietti, M., and Caruso, R.A., 2002, Photocatalytic activities of porous titania and titania/zirconia structures formed by using a polymer gel templating technique, *Chem. Mater.*, 14, 5103–5108.
- Singh, K.P., Shin, C.H., Lee, H.Y., Razmjooei, F., Sinhamahapatra, A., Kang, J., and Yu, J.S., 2020, TiO<sub>2</sub>/ZrO<sub>2</sub> Nanoparticle Composites for Electrochemical Hydrogen Evolution, *ACS Appl. Nano Mater.*, 3, 3634–3645.
- Singh, S. and Singhal, S., 2019, Transition metal doped cobalt ferrite nanoparticles: Efficient photocatalyst for photodegradation of textile dye, *Mater. Today Proc.*, 14, 453–460.
- Stichert, W. and Schuth, F., 1998, Influence of crystallite size on the Properties of Zirconia, *Chem. Mater.*, 10, 2020–2026.
- Sulaikhah, E.F., Kurniawan, R., Pradipta, M.F., Trisunaryanti, W., and Syoufian, A., 2020, Cobalt Doping on Zirconium Titanate as a Potential Photocatalyst with Visible-Light-Response, *Indones. J. Chem.*, 20, 911–918.
- Swetha, S. and Balakrishna, R.G., 2011, Preparation and Characterization of High Activity Zirconium-Doped Anatase Titania for Solar Photocatalytic Degradation of Ethidium Bromide, *Chinese J. Catal.*, 32, 789–794.
- Tosoni, S., Chen, H.Y.T., and Pacchioni, G., 2016, A DFT study of Ni clusters deposition on titania and zirconia (101) surfaces, *Surf. Sci.*, 646, 230–238.
- Ullattil, S.G. and Periyat, P., 2017, Sol-Gel Synthesis of Titanium Dioxide, In, *Sol-*



*Gel Materials for Energy, Environment and Electronic Applications.*, pp. 271–283.

Wang, H., Zhang, L., Chen, Z., Hu, J., Li, S., Wang, Z., Liu, J., Wang, X., 2014, Semiconductor heterojunction photocatalysts: Design, construction, and photocatalytic performances, *Chem. Soc. Rev.*, 43, 5234–5244.

Weng, B., Qi, M.Y., Han, C., Tang, Z.R., and Xu, Y.J., 2019, Photocorrosion Inhibition of Semiconductor-Based Photocatalysts: Basic Principle, Current Development, and Future Perspective, *ACS Catal.*, 9, 4642–4687.

Zaleska, A., 2008, Doped-TiO<sub>2</sub>: A Review, *Recent Patents Eng.*, 2, 157–164.

Zeng, L., Song, W., Li, M., Jie, X., Zeng, D., and Xie, C., 2014, Comparative study on the visible light driven photocatalytic activity between substitutional nitrogen doped and interstitial nitrogen doped TiO<sub>2</sub>, *Appl. Catal. A Gen.*, 488, 239–247.

Zhang, X., Li, L., Zhou, Q., Liang, X., and Liu, D., 2019, Facile synthesis of novel gully-like double-sized mesoporous structural Sr-doped ZrO<sub>2</sub>–TiO<sub>2</sub> composites with improved photocatalytic efficiency, *J. Solid State Chem.*, 269, 375–385.

Zwinkels, J.C., Noël, M., and Dodd, C.X., 1994, Procedures and standards for accurate spectrophotometric measurements of specular reflectance, *Appl. Opt.*, 33, 7933–7944.