

DAFTAR PUSTAKA

- Agrios, G.N. 2004. Plant Pathology. Fifth Edition. Academic Press. California
- Akhter, G., and T.A. Khan. 2018. Response of brinjal (*Solanum melongena* L.) varieties for resistance against root-knot nematode, *Meloidogyne incognita* race 1. The Journal of Phytopharmacology. 7(3):222-224.
- Ansari, T., M. Asif, and M.A. Siddiqui. 2018. Resistance screening of lentil cultivars against the root-knot nematode *Meloidogyne incognita*. Hellenic Plant Protection Journal. 11:9-18.
- Badan Pusat Statistik. 2019. Luas Panen dan Produksi Sayuran 2015-2019. <https://www.pertanian.go.id>. Diakses pada 21 Maret 2021.
- Behera, T. K., Sharma, P., Singh, B. K., Kumar, G., Kumar, R., Mohapatra, T., and Singh, N. K. 2006. Assessment of genetic diversity and species relationships in eggplant (*Solanum melongena* L.) using STMS markers. Scientia Horticulturae. 107(4):352–357. <https://doi.org/10.1016/j.scienta.2005.11.004>.
- Bellafiore, S., Zhouxin S., Marie-Noelle R., Pierre A., Patrick S. and Steven P.B. 2008. Direct identification of the *Meloidogyne incognita* secretome reveals proteins with host cell reprogramming potential. Plos Pathogens. 4(10): 1-12.
- Calderón-Urrea, A., B. Vanholme, S. Vangestel, S.M. Kane, A. Bahaji, K. Pha, M. Garcia, A. Snider and G. Gheysen. 2016. Early development of the root-knot nematode *Meloidogyne incognita*. BMC Developmental Biology. 16(10):1-14.
- Desaeger, J.A. and A.S. Csino. 2006. Root-knot nematode management in double-cropped plastic culture vegetables. J. Nematol. 38(1):59-67.
- Ditbenih. 2017. Database varietas terdaftar hortikultura. Direktorat Perbenihan Hortikultura Kementerian Pertanian Republik Indonesia. <http://varitas.net/dbvarietas/>. Diakses pada 21 Maret 2021.
- Eisenback J D, 2020. *Meloidogyne incognita* (root-knot nematode). Invasive Species Compendium. Wallingford, UK: CABI. DOI:10.1079/ISC.33245.20210200734.
- FAO. 2016. FAOSTAT crops data. Food and Agriculture Organization of the United Nations. <http://www.fao.org/faostat/en/#data/QC>. Diakses pada 21 Maret 2021.
- Fitriyanti, D. 2014. Suatu tinjauan tentang respon ketahanan tanaman terhadap adanya infeksi dari nematoda parasit tanaman. Agroscentia Journal. 21(1): 48-53.
- Hadisoeganda, A. W. W. 2006. Nematoda Sista Kentang; Kerugian, Deteksi, Biogeografi dan Pengendalian Nematoda Terpadu. Balai Penelitian Tanaman Sayuran.
- Irmawatie, L., R. R. Robana, dan N. Nuraidah. 2019. Ketahanan tujuh varietas tomat terhadap nematoda puru akar (*Meloidogyne* spp.). Agrotechnology Research Journal. 3(2):61-68.
- Istiqomah, D., dan A. P. Pradana. 2015. Review : Teknik pengendalian nematoda puru akar (*Meloidogyne* spp.) ramah lingkungan. Prosiding Seminar Nasional Pencapaian Swasembada Pangan Melalui Pertanian Berkelanjutan. 1-10.



SKRINING KETAHANAN BEBERAPA AKSESI TERUNG (*Solanum melongena* L.) TERHADAP NEMATODA PURU AKAR (*Meloidogyne incognita*)

ARSINTA DEWI, Dr. Ir. Siwi Indarti, M.P.

UNIVERSITAS
GADJAH MADA

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Jaitoh F., Kwoseh C, and Akromah R. 2012. Evaluation of tomato genotypes for resistant to root-knot nematode. *African Crop Science Journal* (20) 1: 41-49.
- Kaur H. and Rajni A. 2013. Morphological and morphometrical characterization of *Meloidogyne incognita* from different host plants in four districts of Punjab, India. *Journal of Nematology*. 45(2):122-127.
- Kayani, M.Z., Mukhtar, T. and Hussain, M.A., 2017. Effects of southern root knot nematode population densities and plant age on growth and yield parameters of cucumber. *Crop Prot.* 92: 207-212. <https://doi.org/10.1016/j.cropro.2016.09.007>.
- Khan, F., M. Asif, A. Khan, M. Tariq, and M. A. Siddiqui. Screening of carrot cultivars against root-knot nematode *Meloidogyne incognita*. *Indian Phytopathology*. 71:415-421.
- Khan, M. T. A., T. Mukhtar, and M. Saeed. 2019. Resistance or susceptibility of eight auberine cultivars to *Meloidogyne incognita*. *Pakistan Journal of Zoology*. 51(6):2187-2192.
- Khotimah N., I.N. Wijaya, dan M. Sritamin. 2020. Perkembangan populasi nematoda puru akar (*Meloidogyne* spp.) dan tingkat kerusakan pada beberapa tanaman familia solanaceae. *Jurnal Agroekoteknologi Tropika*. 1(9):23-31.
- Lestari, S.B., S. Pratamaningtyas, dan U. Sugiarti. 2016. Evaluasi keragaman dan potensi genetic 7 genotipa terung (*Solanum melongena* L.). *Jurnal Ilmu-Ilmu Pertanian "AGRIKA"*. 10(1):31-40.
- Lu P., Richard F.D., Robert C.K., Marc W.V.I. and Harald S. 2014. Physiological effects of *Meloidogyne incognita* infection on cotton genotypes with differing levels of resistance in the greenhouse. *Journal of Nematology*. 46(4):352-359.
- Montasser, S.A., A.S.M. El-Nuby, and I.A.M. El-Khadrawy. 2019. Response of certain genotypes to the root knot nematode, *Meloidogyne incognita*. *J. Plant Prot. And Path., Mansoura Univ.* 10(3):177-186.
- Mulyadi. 2009. *Nematologi Pertanian*. Yogyakarta: Gadjah Mada University Press.
- Mustika, Ika. 2005. Konsepsi dan strategi pengendalian nematoda parasit tanaman perkebunan di Indonesia. *Perspektif*. Vol. 4 No. 1: 20-32.
- Öçal, S., and Z. Devran. Response of eggplant genotypes to avirulent and virulent populations of *Meloidogyne incognita* (Kofoid & White, 1919) Chitwood, 1949 (Tylenchida: Meloidogyidae). *Türk.entomol.derg.* 43(3): 287-300.
- Osunlola, O.S. and B.Fawole. 2014. The development and life cycle of *Meloidogyne incognita* in sweetpotato (*Ipomoea batatas*) cv TIS 4400-2. *Journal of Agriculture and Veterinary Science*. 7(9):49-53.
- Papolu, K. P., T. K. Dutta, A. Hada, D. Singh, and U. Rao. 2020. The production of a synthetic chemodisruptive peptide *in planta* precludes *Meloidogyne incognita* multiplication in *Solanum melongena*. *Physiological and Molecular Plant Pathology*. Vol.112.
- Sahid, T.O., R.H. Murti, dan S. Trisnowati. 2014. Hasil dan mutu enam galur terung (*Solanum melongena* L.). *Vegetalika* 3(2):45-58.
- Samuels, J. 2015. Biodiversity of food species of the Solanaceae family: A preliminary taxonomic inventory of subfamily Solanoideae. *Resources*, 4(2), 277–322. <https://doi.org/10.3390/resources4020277>.



SKRINING KETAHANAN BEBERAPA AKSESI TERUNG (*Solanum melongena* L.) TERHADAP NEMATODA PURU AKAR (*Meloidogyne incognita*)

ARSINTA DEWI, Dr. Ir. Siwi Indarti, M.P.

UNIVERSITAS
GADJAH MADA

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Sunarto, I., T. Suganda, M.S. Sianipar, dan A.W. Irwan. 2019. Ketahanan sistemik terinduksi pada tanaman padi dengan ekstrak tumbuhan terhadap nematoda bengkak akar (*Meloidogyne graminicola* Golden and Birchfiels). *Jurnal Agrikultura*. 30(1):25-32.

Treger, S. R., J. Otchere, M. F. Keil, J. E. Quagrine, G. Rai, B. T. Mott, D. L. Humphries, M. Wilson, M. Cappello, and J. J. Vermiere. 2014. Short Report : in vitro screening of compounds against laboratory and field isolates of human hookworm reveals quantitative differences in anthelmintic susceptibility. *J.Trop. Med. Hyg.* 90(1):71-74.

Wati, I. K., B. T. Rahardjo, dan H. Tarno. 2020. Efektivitas ekstrak akar tagetes (*Tagetes* sp.) untuk pengendalian nematoda puru akar (*Meloidogyne* spp.). *Jurnal HPT*. 8(1): 22-28.

Yang G., B. Zhou, X. Zhang, Z. Zhang, Y. Wu, Y. Zhang, S. Lu, Q. Zhou, Y. Gao, and L. Teng. 2016. Effect of tomato root exudates on *Meloidogyne incognita*. *Journal Pone*. 1-16.