

## DAFTAR PUSTAKA

- Afrin, S., Forbes-Hernandez, T. Y., Giampieri, F., Battino, M., & Gasparrini, M. (2017). The photoprotective effects of strawberry-based cosmetic formulations on human dermal fibroblasts. *Acta Horticulturae*, 1156, 397–404. <https://doi.org/10.17660/ActaHortic.2017.1156.59>
- Akin, M., Eydurán, S. P., Ercisli, S., Kapchina-Toteva, V., & Eydurán, E. (2016). Phytochemical profiles of wild blackberries, black and white mulberries from southern Bulgaria. *Biotechnology & Biotechnological Equipment*, 30(5), 899–906. <https://doi.org/10.1080/13102818.2016.1204943>
- Akin, M., Eydurán, S., Yilmaz, I., & Çakir, Ö. (2016). Phytochemical Profiles Of Wild Grown Blackberry And Mulberry In Turkey. *Acta Scientiarum Polonorum. Hortorum Cultus = Ogrodnictwo*, 15, 3–12.
- Albrian, D., & Wijaya, S. (2013). *Fraksinasi dan Identifikasi Senyawa Antioksidan pada Ekstrak Etanol buah Goji beny (Lycium barbarum linn.) secara Kromatografi Kolom*. 1, 5.
- Ali, N. W. (2015). Pengaruh Perbedaan Tipe Basis terhadap Sifat Fisik Sediaan Salep Ekstrak Etanol Daun Tapak Kuda (*Ipomoea pes-caprae* (L.) Sweet). *PHARMACON*, 4(3), 110–116.
- Amaliah, A. D., & Pratiwi, R. (2017). Studi Formulasi dan Evaluasi Fisik Sediaan Krim Antiskabies dari Minyak Mimba (*Azadirachta Indica* A.Juss). *Farmaka*, 15(2), 70–81. <https://doi.org/10.24198/jf.v15i2.13010>
- Anggraeni, Y., Hendradi, E., & Purwanti, T. (2012). Karakteristik Sediaan dan Pelepasan Natrium Diklofenak dalam Sistem Niosom dengan Basis Gel Carbomer 940. *PharmaScientia*, 1.
- Araújo, L., Curty, S., Moreira, A., Rossi, A., Raposo, N., Vaz, U., & Polonini, H. (2016). Development of Broad-Spectrum Natural Sunscreens using Combinations of five Plant Species. *Journal of Young Pharmacists*, 8(2), 144–148. <https://doi.org/10.5530/jyp.2016.2.17>
- Ariani, L. W., & Wulandari, W. (2020). Stabilitas Fisik Nanogel Minyak Zaitun (*Olea Europaeae* L.). *CENDEKIA EKSAKTA*, 5(2), Article 2. <https://doi.org/10.3194/ce.v5i2.3738>

- Arikumalasari, J., A, D. I. G. N., & D, W. N. P. A. (2013). Optimasi Hpmc sebagai Gelling Agent dalam Formula Gel Ekstrak Kulit Buah Manggis (*Garcinia Mangostana* L.). *Jurnal Farmasi Udayana*, 2(3), 279718.
- Asmara, A., Daili, S. F., Noegrohowati, T., & Zubaedah, I. (2012). *Vehikulum dalam Dermatoterapi Topikal*. 11.
- Birben, E., Sahiner, U. M., Sackesen, C., Erzurum, S., & Kalayci, O. (2012). Oxidative Stress and Antioxidant Defense. *Oxidative Stress*, 11.
- Bucci, P., Prieto, M. J., Milla, L., Calienni, M. N., Martinez, L., Rivarola, V., Alonso, S., & Montanari, J. (2018). Skin penetration and UV-damage prevention by nanoberries. *Journal of Cosmetic Dermatology*, 17(5), 889–899. <https://doi.org/10.1111/jocd.12436>
- Cefali, L. C., Ataide, J. A., Moriel, P., Foglio, M. A., & Mazzola, P. G. (2016). Plant-based active photoprotectants for sunscreens. *International Journal of Cosmetic Science*, 38(4), 346–353. <https://doi.org/10.1111/ics.12316>
- Cefali, L. C., Franco, J. G., Nicolini, G. F., Ataide, J. A., & Mazzola, P. G. (2019a). In vitro antioxidant activity and solar protection factor of blackberry and raspberry extracts in topical formulation. *Journal of Cosmetic Dermatology*, 18(2), 539–544. <https://doi.org/10.1111/jocd.12842>
- Cefali, L. C., Franco, J. G., Nicolini, G. F., Ataide, J. A., & Mazzola, P. G. (2019b). In vitro antioxidant activity and solar protection factor of blackberry and raspberry extracts in topical formulation. *Journal of Cosmetic Dermatology*, 18(2), 539–544. <https://doi.org/10.1111/jocd.12842>
- Chasanah, U. (2017). *Uji Aktivitas Antioksidan Krim Ekstrak Green Tea Dengan Fase Minyak Vco Dan Minyak Zaitun Dengan Metode DPPH*. 5.
- da Silva, A. C. P., Paiva, J. P., Diniz, R. R., dos Anjos, V. M., Silva, A. B. S. M., Pinto, A. V., dos Santos, E. P., Leitão, A. C., Cabral, L. M., Rodrigues, C. R., de Pádula, M., & Santos, B. A. M. C. (2019). Photoprotection assessment of olive (*Olea europaea* L.) leaves extract standardized to oleuropein: In vitro and in silico approach for improved sunscreens. *Journal of Photochemistry and Photobiology B: Biology*, 193, 162–171. <https://doi.org/10.1016/j.jphotobiol.2019.03.003>

- Dario, M. F., Oliveira, F. F., Marins, D. S. S., Baby, A. R., Velasco, M. V. R., Löbenberg, R., & Bou-Chacra, N. A. (2018). Synergistic photoprotective activity of nanocarrier containing oil of *Acrocomia aculeata* (Jacq.) Lodd. Ex. Martius—Arecaceae. *Industrial Crops and Products*, 112, 305–312. <https://doi.org/10.1016/j.indcrop.2017.12.021>
- Divya, S. P., Wang, X., Pratheeshkumar, P., Son, Y.-O., Roy, R. V., Kim, D., Dai, J., Hitron, J. A., Wang, L., Asha, P., Shi, X., & Zhang, Z. (2015). Blackberry extract inhibits UVB-induced oxidative damage and inflammation through MAP kinases and NF-κB signaling pathways in SKH-1 mice skin. *Toxicology and Applied Pharmacology*, 284(1), 92–99. <https://doi.org/10.1016/j.taap.2015.02.003>
- Erawati, T., Ayuningtyas, J. P., Soeratri, W., & Rosita, N. (2019). Physical Characteristic and SPF Value of Oxybenzone and Octyldimethyl PABA: Effect of Arbutin and Olive Oil in Carbomer 940 Gel Base. *SSRN Electronic Journal*. <https://doi.org/10.2139/ssrn.3489575>
- Ermawati, D. E., Yugatama, A., & Wulandari, W. (2020). Uji Sifat Fisik, Sun Protecting Factor, dan In Vivo ZnO Terdispersi dalam Sediaan Nanoemulgel. *JPSCR: Journal of Pharmaceutical Science and Clinical Research*, 5(1), 49–60. <https://doi.org/10.20961/jpscr.v5i1.31660>
- Etxabide, A., Kilmartin, P. A., & Maté, J. I. (2021). Color stability and pH-indicator ability of curcumin, anthocyanin and betanin containing colorants under different storage conditions for intelligent packaging development. *Food Control*, 121, 107645. <https://doi.org/10.1016/j.foodcont.2020.107645>
- Faramayuda, F., Alatas, F., & Desmiaty, Y. (2010). Formulasi Sediaan Losion Antioksidan Ekstrak Air Daun Teh Hijau (*Camellia Sinensis* L.). *Majalah Obat Tradisional*, 15(2010). <http://i-lib.ugm.ac.id/jurnal/detail.php?dataId=11864>
- Ferlemi, A.-V., & Lamari, F. N. (2016). Berry Leaves: An Alternative Source of Bioactive Natural Products of Nutritional and Medicinal Value. *Antioxidants*, 5(2), 17. <https://doi.org/10.3390/antiox5020017>

- Gajdoš Kljusurić, J., Mihalev, K., Bečić, I., Polović, I., Georgieva, M., Djaković, S., & Kurtanek, Ž. (2016). Near-Infrared Spectroscopic Analysis of Total Phenolic Content and Antioxidant Activity of Berry Fruits. *Food Technology and Biotechnology*, 54(2), 236–242. <https://doi.org/10.17113/ftb.54.02.16.4095>
- Galanakis, C. M., Tsatalas, P., & Galanakis, I. M. (2018). Implementation of phenols recovered from olive mill wastewater as UV booster in cosmetics. *Industrial Crops and Products*, 111, 30–37. <https://doi.org/10.1016/j.indcrop.2017.09.058>
- Gao, W., Wang, Y., Hwang, E., Lin, P., Bae, J., Seo, S. A., Yan, Z., & Yi, T.-H. (2018). *Rubus idaeus* L. (red raspberry) blocks UVB-induced MMP production and promotes type I procollagen synthesis via inhibition of MAPK/AP-1, NF- $\kappa$ B and stimulation of TGF- $\beta$ /Smad, Nrf2 in normal human dermal fibroblasts. *Journal of Photochemistry and Photobiology B: Biology*, 185, 241–253. <https://doi.org/10.1016/j.jphotobiol.2018.06.007>
- Gasparrini, M., Forbes-Hernandez, T. Y., Afrin, S., Alvarez-Suarez, J. M., González-Paramàs, A. M., Santos-Buelga, C., Bompadre, S., Quiles, J. L., Mezzetti, B., & Giampieri, F. (2015). A Pilot Study of the Photoprotective Effects of Strawberry-Based Cosmetic Formulations on Human Dermal Fibroblasts. *International Journal of Molecular Sciences*, 16(8), 17870–17884. <https://doi.org/10.3390/ijms160817870>
- Gasparrini, M., Forbes-Hernandez, T. Y., Afrin, S., Reboredo-Rodriguez, P., Cianciosi, D., Mezzetti, B., Quiles, J. L., Bompadre, S., Battino, M., & Giampieri, F. (2017). Strawberry-Based Cosmetic Formulations Protect Human Dermal Fibroblasts against UVA-Induced Damage. *Nutrients*, 9(6), 605. <https://doi.org/10.3390/nu9060605>
- Gasparrini, M., Forbes-Hernandez, T. Y., Giampieri, F., Afrin, S., Mezzetti, B., Quiles, J. L., Bompadre, S., & Battino, M. (2017). *Protective Effect of Strawberry Extract against Inflammatory Stress Induced in Human Dermal Fibroblasts*. 13.

- Giampieri, F., Alvarez-Suarez, J. M., Mazzoni, L., Forbes-Hernandez, T. Y., Gasparrini, M., González-Paramàs, A. M., Santos-Buelga, C., Quiles, J. L., Bompadre, S., Mezzetti, B., & Battino, M. (2014). Polyphenol-Rich Strawberry Extract Protects Human Dermal Fibroblasts against Hydrogen Peroxide Oxidative Damage and Improves Mitochondrial Functionality. *Molecules*, 19(6), 7798–7816. <https://doi.org/10.3390/molecules19067798>
- Giampieri, F., Alvarez-Suarez, J. M., Tulipani, S., Gonzàles-Paramàs, A. M., Santos-Buelga, C., Bompadre, S., Quiles, J. L., Mezzetti, B., & Battino, M. (2012). Photoprotective Potential of Strawberry (*Fragaria × ananassa*) Extract against UV-A Irradiation Damage on Human Fibroblasts. *Journal of Agricultural and Food Chemistry*, 60(9), 2322–2327. <https://doi.org/10.1021/jf205065x>
- Giampieri, F., Tulipani, S., Alvarez-Suarez, J. M., Quiles, J. L., Mezzetti, B., & Battino, M. (2012). The strawberry: Composition, nutritional quality, and impact on human health. *Nutrition*, 28(1), 9–19. <https://doi.org/10.1016/j.nut.2011.08.009>
- Gledovic, A., Janosevic Lezaic, A., Nikolic, I., Tasic-Kostov, M., Antic-Stankovic, J., Krstonosic, V., Randjelovic, D., Bozic, D., Ilic, D., Tamburic, S., & Savic, S. (2021). Polyglycerol Ester-Based Low Energy Nanoemulsions with Red Raspberry Seed Oil and Fruit Extracts: Formulation Development toward Effective In Vitro/In Vivo Bioperformance. *Nanomaterials*, 11(1). <https://doi.org/10.3390/nano11010217>
- Gorzynik-Debicka, M., Przychodzen, P., Cappello, F., Kuban-Jankowska, A., Marino Gammazza, A., Knap, N., Wozniak, M., & Gorska-Ponikowska, M. (2018). Potential Health Benefits of Olive Oil and Plant Polyphenols. *International Journal of Molecular Sciences*, 19(3), 686. <https://doi.org/10.3390/ijms19030686>
- Gunarti, N. S., & Fikayuniar, L. (2020). Formulasi dan uji aktivitas gel tabir surya dari ekstrak buah blackberry (*Rubus fruticosus*) secara in vitro dengan spektrofotometri Uv-visibel. *Kartika : Jurnal Ilmiah Farmasi*, 7(2), 66–72. <https://doi.org/10.26874/kjif.v7i2.227>

- Hamid, A. A., Aiyelaagbe, O. O., Usman, L. A., Ameen, O. M., & Lawal, A. (n.d.). *Antioxidants: Its medicinal and pharmacological applications*. 11.
- Hamsidi, R., Ikawati, N., & Zaeni, A. (2014). *Uji Aktivitas Tabir Surya Formula Sediaan Losio*. 2(1), 5.
- Hardiany, N. S., Sucitra, S., & Paramita, R. (2020). Profile of malondialdehyde (MDA) and catalase specific activity in plasma of elderly woman. *Health Science Journal of Indonesia*, 10(2), 132–136. <https://doi.org/10.22435/hsji.v12i2.2239>
- He, Y., Hu, Y., Jiang, X., Chen, T., Ma, Y., Wu, S., Sun, J., Jiao, R., Li, X., Deng, L., & Bai, W. (2017). Cyanidin-3-O-glucoside inhibits the UVB-induced ROS/COX-2 pathway in HaCaT cells. *Journal of Photochemistry and Photobiology B: Biology*, 177, 24–31. <https://doi.org/10.1016/j.jphotobiol.2017.10.006>
- Heberlé, G., Santos, M. A. D., & Magri, S. (2012). *Cosmetic Formulations Containing Blueberry Extracts (Vaccinium Myrtillus L.)*. 2(1), 6.
- Hu, S. (2017). Dietary polyphenols as photoprotective agents against UV radiation. *Journal of Functional Foods*, 11.
- Hu, S., Zhang, X., Chen, F., & Wang, M. (2017a). Dietary polyphenols as photoprotective agents against UV radiation. *Journal of Functional Foods*, 30, 108–118. <https://doi.org/10.1016/j.jff.2017.01.009>
- Hu, S., Zhang, X., Chen, F., & Wang, M. (2017b). Dietary polyphenols as photoprotective agents against UV radiation. *Journal of Functional Foods*, 30, 108–118. <https://doi.org/10.1016/j.jff.2017.01.009>
- Huang, W., Zhang, H., Liu, W., & Li, C. (2012). Survey of antioxidant capacity and phenolic composition of blueberry, blackberry, and strawberry in Nanjing. *Journal of Zhejiang University. Science. B*, 13(2), 94–102. <https://doi.org/10.1631/jzus.B1100137>
- Ighodaro, O. M., & Akinloye, O. A. (2018). First line defence antioxidants-superoxide dismutase (SOD), catalase (CAT) and glutathione peroxidase (GPX): Their fundamental role in the entire antioxidant defence grid.

- Alexandria Journal of Medicine*, 54(4), 287–293.  
<https://doi.org/10.1016/j.ajme.2017.09.001>
- Iritanti Tatang, Sugiyanto, Nuranto, S., & Kuswandi. (2017). *Antioksidan*.
- Juwita, A. P., Yamlean, P. V. Y., & Edy, H. J. (2013). *Formulasi Krim Ekstrak Etanol Daun Lamun (Syringodium isoetifolium)*. 2(02), 6.
- Kalangi, S. J. R. (2014). Histofisiologi Kulit. *Jurnal Biomedik (JBM)*, 5(3).  
<https://doi.org/10.35790/jbm.5.3.2013.4344>
- Kaur, C. D., & Saraf, S. (2010). In vitro sun protection factor determination of herbal oils used in cosmetics. *Pharmacognosy Research*, 2(1), 22–25.  
<https://doi.org/10.4103/0974-8490.60586>
- Kim, J.-E., Kwon, J. Y., Seo, S. K., Son, J. E., Jung, S. K., Min, S. Y., Hwang, M. K., Heo, Y.-S., Lee, K. W., & Lee, H. J. (2010). Cyanidin suppresses ultraviolet B-induced COX-2 expression in epidermal cells by targeting MKK4, MEK1, and Raf-1. *Biochemical Pharmacology*, 79(10), 1473–1482. <https://doi.org/10.1016/j.bcp.2010.01.008>
- Korać, R. R., & Khambholja, K. M. (2011). Potential of herbs in skin protection from ultraviolet radiation. *Pharmacognosy Reviews*, 5(10), 164–173.  
<https://doi.org/10.4103/0973-7847.91114>
- Li, L., Wang, L., Wu, Z., Yao, L., Wu, Y., Huang, L., Liu, K., Zhou, X., & Gou, D. (2014). Anthocyanin-rich fractions from red raspberries attenuate inflammation in both RAW264.7 macrophages and a mouse model of colitis. *Scientific Reports*, 4(1), 6234. <https://doi.org/10.1038/srep06234>
- Lin, T.-K., Zhong, L., & Santiago, J. L. (2018). Anti-Inflammatory and Skin Barrier Repair Effects of Topical Application of Some Plant Oils. *International Journal of Molecular Sciences*, 19(1), 70.  
<https://doi.org/10.3390/ijms19010070>
- Lolo, W. A., Sudewi, S., & Edy, H. J. (2017). Determination Sun Protecting Factor (SPF) Of Krokot Herbs Extract (Portulacaoleracea L.). *JPSCR : Journal of Pharmaceutical Science and Clinical Research*, 2(01), 01.  
<https://doi.org/10.20961/jpscr.v2i01.5230>



- Malangngi, L., Sangi, M., & Paendong, J. (2012). Penentuan Kandungan Tanin dan Uji Aktivitas Antioksidan Ekstrak Biji Buah Alpukat (*Persea americana* Mill.). *Jurnal MIPA*, 1(1), 5. <https://doi.org/10.35799/jm.1.1.2012.423>
- Mardikasari, S. A., Mallarangeng, A. N. T. A., Zubaydah, W. O. S., & Juswita, E. (2017). Formulasi dan Uji Stabilitas Lotion dari Ekstrak Etanol Daun Jambu Biji (*Psidium guajava* L.) Sebagai Antioksidan. *Pharmauho: Jurnal Farmasi, Sains, Dan Kesehatan*, 3(2), Article 2. <https://doi.org/10.33772/pharmauho.v3i2.3542>
- Margaretta, S., Handayani, S. D., Indraswati, N., & Hindarso, H. (2013). Ekstraksi Senyawa Phenolic Pandanus Amaryllifolius Roxb. sebagai Antioksidan Alami. *Widya Teknik*, 10(1), 20–30. <https://doi.org/10.33508/wt.v10i1.157>
- Martín-Gómez, J., Varo, M. Á., Mérida, J., & Serratosa, M. P. (2020). Influence of drying processes on anthocyanin profiles, total phenolic compounds and antioxidant activities of blueberry (*Vaccinium corymbosum*). *LWT*, 120, 108931. <https://doi.org/10.1016/j.lwt.2019.108931>
- Megantara, I. N. A. P., Megayanti, K., Wirayanti, R., Esa, I. B. D., Wijayanti, N. P. A. D., & Yustiantara, P. S. (2017). Formulasi Lotion Ekstrak Buah Raspberry(*Rubus Rosifolius*) Dengan Variasi Konsentrasi Trietanolamin Sebagai Emulgator Serta Uji Hedonik Terhadap Lotion. *Jurnal Farmasi Udayana*, 1. <https://doi.org/10.24843/JFU.2017.v06.i01.p01>
- Michalska, A., Carlen, C., Heritier, J., & Andlauer, W. (2017). Profiles of bioactive compounds in fruits and leaves of strawberry cultivars. *Journal of Berry Research*, 7(2), 71–84. <https://doi.org/10.3233/JBR-160146>
- Mimmo, T., Tiziani, R., Valentinuzzi, F., Lucini, L., Nicoletto, C., Sambo, P., Scampicchio, M., Pii, Y., & Cesco, S. (2017). Selenium Biofortification in *Fragaria × ananassa*: Implications on Strawberry Fruits Quality, Content of Bioactive Health Beneficial Compounds and Metabolomic Profile. *Frontiers in Plant Science*, 8. <https://doi.org/10.3389/fpls.2017.01887>
- Muflihunna, A., & Lating, H. (2013). Formulasi Salep Ekstrak Metanol Daun Srikaya (*Annona squamosa* L) dengan Berbagai Variasi Basis. *As-Syifaa Jurnal Farmasi*, 5(1), 72–79.



- Mumtazah, E. F., Salsabila, S., Lestari, E. S., Rohmatin, A. K., Ismi, A. N., Rahmah, H. A., Mugiarto, D., Daryanto, I., Billah, M., Salim, O. S., Damaris, A. R., Astra, A. D., Zainudin, L. B., & Ahmad, G. N. V. (2020). Pengetahuan Mengenai Sunscreen dan Bahaya Paparan Sinar Matahari serta Perilaku Mahasiswa Teknik Sipil Terhadap Penggunaan Sunscreen. *Jurnal Farmasi Komunitas*, 7(2), 63. <https://doi.org/10.20473/jfk.v7i2.21807>
- Mursyid, A. M. (2017). Evaluasi Stabilitas Fisik dan Profil Difusi Sediaan Gel (Minyak Zaitun). *Jurnal Fitofarmaka Indonesia*, 4(1), 205–211. <https://doi.org/10.33096/jffi.v4i1.229>
- Musfiroh, E. (2012). Uji Aktivitas Peredaman Radikal Bebas Nanopartikel Emas Dengan Berbagai Konsentrasi Sebagai Material Antiaging Dalam Kosmetik (Free Radical Scavenging of Activity Test of Gold Nanoparticles with Various Concentrations as Antiaging Material in Cosmetics). *Unesa Journal of Chemistry*, 1(2), Article 2. <https://jurnalmahasiswa.unesa.ac.id/index.php/unesa-journal-of-chemistry/article/view/326>
- Naibaho, O. H., Yamlean, P. V. Y., & Wiyono, W. (2013). Pengaruh Basis Salep terhadap Formulasi Sediaan Salep Ekstrak Daun Kemangi (*Ocimum sanctum L.*) pada Kulit Punggung Kelinci yang Dibuat Infeksi *Staphylococcus aureus*. 2(02), 8.
- Nardi, G., anuário, A. de F., Freire, C., Megiolaro, F., Schneider, K., Perazzoli, M. A., Do Nascimento, S., Gon, A., Mariano, L. B., Wagner, G., Niero, R., & Locatelli, C. (2016). Anti-inflammatory activity of berry fruits in mice model of inflammation is based on oxidative stress modulation. *Pharmacognosy Research*, 8(5), 42. <https://doi.org/10.4103/0974-8490.178642>
- Nichols, J. A., & Katiyar, S. K. (2010). Skin photoprotection by natural polyphenols: Anti-inflammatory, anti-oxidant and DNA repair mechanisms. *Archives of Dermatological Research*, 302(2), 71. <https://doi.org/10.1007/s00403-009-1001-3>

- Niculae, G., Lacatusu, I., Badea, N., Stan, R., Vasile, B. S., & Meghea, A. (2014). Rice bran and raspberry seed oil-based nanocarriers with self-antioxidative properties as safe photoprotective formulations. *Photochemical & Photobiological Sciences*, 13(4), 703–716. <https://doi.org/10.1039/C3PP50290B>
- Oktaviasari, L., & Zulkarnain, A. K. (2017). *Formulasi dan Uji Stabilitas Fisik Sediaan Lotion O/W Pati Kentang (Solanum Tuberosum L.) Serta Aktivitasnya Sebagai Tabir Surya*. 13(1), 19.
- Oliveira, H., Correia, P., Pereira, A. R., Araújo, P., Mateus, N., de Freitas, V., Oliveira, J., & Fernandes, I. (2020). Exploring the Applications of the Photoprotective Properties of Anthocyanins in Biological Systems. *International Journal of Molecular Sciences*, 21(20), 7464. <https://doi.org/10.3390/ijms21207464>
- Oomah, B. D., Ladet, S., Godfrey, D., Liang, J., & Girard, B. (2000). Characteristics of raspberry (*Rubus idaeus* L.) seed oil. *Food Chemistry*, 69, 187–193. [https://doi.org/10.1016/S0308-8146\(99\)00260-5](https://doi.org/10.1016/S0308-8146(99)00260-5)
- Oszmiański, J., Nowicka, P., Teleszko, M., Wojdyło, A., Cebulak, T., & Oklejewicz, K. (2015). Analysis of Phenolic Compounds and Antioxidant Activity in Wild Blackberry Fruits. *International Journal of Molecular Sciences*, 16(7), 14540–14553. <https://doi.org/10.3390/ijms160714540>
- Pachua, L., & Chhakchhuak, M. (2013). Determination of Sun Protection Factor (SPF) number of some aqueous herbal extracts. *Journal of Applied Pharmaceutical Science*, 3, 150–151. <https://doi.org/10.7324/JAPS.2013.3925>
- Pambianchi, E., Ferrara, F., Pecorelli, A., Woodby, B., Grace, M., Therrien, J.-P., Lila, M. A., & Valacchi, G. (2020). Blueberry Extracts as a Novel Approach to Prevent Ozone-Induced Cutaneous Inflammasome Activation. *Oxidative Medicine and Cellular Longevity*, 2020. <https://doi.org/10.1155/2020/9571490>
- Pongsipulung, G. R., Yamlean, P. V. Y., & Banne, Y. (2012). Formulasi dan Pengujian Salep Ekstrak Bonggol Pisang Ambon (*Musa paradisiaca* var.

- Sapientum (L.)) terhadap Luka Terbuka pada Kulit Tikus Putih Jantan Galur Wistar (*Rattus norvegicus*). *PHARMACON*, 1(2), Article 2. <https://doi.org/10.35799/pha.1.2012.462>
- Pratama, W. A., & Zulkarnain, A. K. (2015). UJI SPF IN VITRO DAN SIFAT FISIK BEBERAPA PRODUK TABIR SURYA YANG BEREDAR DI PASARAN. *Pharmasutics Journal*, 11(1).
- Pratheeshkumar, P., Son, Y.-O., Wang, X., Divya, S. P., Joseph, B., Hitron, J. A., Wang, L., Kim, D., Yin, Y., Roy, R. V., Lu, J., Zhang, Z., Wang, Y., & Shi, X. (2014). Cyanidin-3-Glucoside inhibits UVB-induced oxidative damage and inflammation by regulating MAP kinase and NF-κB signalling pathways in SKH-1 hairless mice skin. *Toxicology and Applied Pharmacology*, 280(1), 127–137. <https://doi.org/10.1016/j.taap.2014.06.028>
- Priani, S. E., Dewi, W. K., & Gadri, A. (2019). Formulasi Sediaan Mikroemulsi Gel Anti Jerawat Mengandung Kombinasi Minyak Jinten Hitam (*Nigella sativa* L.) dan Minyak Zaitun (*Olea europaea* L.). *Kartika: Jurnal Ilmiah Farmasi*, 6(2), 57–64. <https://doi.org/10.26874/kjif.v6i2.143>
- Priani, S. E., Humanisya, H., & Darusman, F. (2012). *Development of Sunscreen Emulgel Containing Cinnamomum Burmannii Stem Bark Extract*. 3(12), 4.
- Priska, M., Peni, N., Carvallo, L., & Ngapa, Y. D. (2018). Review: Antosianin dan Pemanfaatannya. *Journal of Applied Chemistry*, 6, 19.
- Putri, Y. D., Kartamihardja, H., & Lisna, I. (2019). Formulasi dan Evaluasi Losion Tabir Surya Ekstrak Daun Stevia (*Stevia rebaudiana* Bertoni M). *Jurnal Sains Farmasi & Klinis*, 6(1), 32–36.
- Radovanović, B. C., Anđelković, S. M., Radovanović, A. B., & Anđelković, M. Z. (2013). Antioxidant and Antimicrobial Activity of Polyphenol Extracts from Wild Berry Fruits Grown in Southeast Serbia. *Tropical Journal of Pharmaceutical Research*, 12(5), 813–819. <https://doi.org/10.4314/tjpr.v12i5.23>
- Rahman, M., Sabir, A. A., Mukta, J. A., Khan, M. M. A., Mohi-Ud-Din, M., Miah, M. G., Rahman, M., & Islam, M. T. (2018). Plant probiotic bacteria *Bacillus*

- and Paraburkholderia improve growth, yield and content of antioxidants in strawberry fruit. *Scientific Reports*, 8(1), 2504. <https://doi.org/10.1038/s41598-018-20235-1>
- Rahmani, A. H., Albutti, A. S., & Aly, S. M. (2014). Therapeutics role of olive fruits/oil in the prevention of diseases via modulation of anti-oxidant, anti-tumour and genetic activity. *International Journal of Clinical and Experimental Medicine*, 7(4), 799–808.
- Saewan, N., & Jimtaisong, A. (2013a). Photoprotection of natural flavonoids. <https://doi.org/10.7324/japs.2013.3923>
- Saewan, N., & Jimtaisong, A. (2013b). Photoprotection of natural flavonoids. *Journal of Applied Pharmaceutical Science*, 13.
- Safitri, N. A., Puspita, O. E., & Yurina, V. (2016). Optimasi Formula Sediaan Krim Ekstrak Stroberi (*Fragaria x ananassa*) sebagai Krim Anti Penuaan. *Majalah Kesehatan FKUB*, 1(4), 235–246.
- Sayuti, N. A. (2015). Formulasi dan Uji Stabilitas Fisik Sediaan Gel Ekstrak Daun Ketepeng Cina (*Cassia alata* L.). *Jurnal Kefarmasian Indonesia*, 5(2), 74–82. <https://doi.org/10.22435/jki.v5i2.4401.74-82>
- Schiavon, D., Martini, D. N., Brocco, G., Santos, J. S., Anzolin, A. P., Rossato-Grando, L. G., Omidian, H., & Bertol, C. D. (2019). Multifunctional Cosmetic Containing Blueberry and Tinosorb M®-Loaded Microparticles Improves Sunscreen Performance. *Advanced Pharmaceutical Bulletin*, 9(2), 241–248. <https://doi.org/10.15171/apb.2019.027>
- Segantini, D. M., Falagán, N., Leonel, S., Modesto, J. H., Takata, W. H. S., Artés, F., Segantini, D. M., Falagán, N., Leonel, S., Modesto, J. H., Takata, W. H. S., & Artés, F. (2015). Chemical quality parameters and bioactive compound content of brazilian berries. *Food Science and Technology*, 35(3), 502–508. <https://doi.org/10.1590/1678-457X.6726>
- Setiawati, R. I. (2014). Pengaruh Perbandingan Konsentrasi Cera Albaterhadap Sifat Fisik Salep Minyak Zaitun (Olive Oil). *Parapemikir : Jurnal Ilmiah Farmasi*, 2(3), Article 3. <https://doi.org/10.30591/pjif.v2i3.51>

- Shaddel, R., Hesari, J., Azadmard-Damirchi, S., Hamishehkar, H., Fathi-Achachlouei, B., & Huang, Q. (2018). Use of gelatin and gum Arabic for encapsulation of black raspberry anthocyanins by complex coacervation. *International Journal of Biological Macromolecules*, 107, 1800–1810. <https://doi.org/10.1016/j.ijbiomac.2017.10.044>
- Skrovankova, S., Sumczynski, D., Mlcek, J., Jurikova, T., & Sochor, J. (2015). Bioactive Compounds and Antioxidant Activity in Different Types of Berries. *International Journal of Molecular Sciences*, 16(10), 24673–24706. <https://doi.org/10.3390/ijms161024673>
- Slatnar, A., Jakopic, J., Stampar, F., Veberic, R., & Jamnik, P. (2012). The Effect of Bioactive Compounds on In Vitro and In Vivo Antioxidant Activity of Different Berry Juices. *PLoS ONE*, 7(10), e47880. <https://doi.org/10.1371/journal.pone.0047880>
- Smaoui, S., Hlima, H. B., Jarraya, R., Kamoun, N. G., Ellouze, R., & Damak, M. (2012). Cosmetic emulsion from virgin olive oil: Formulation and biophysical evaluation. *African Journal of Biotechnology*, 11(40), 9664–9671. <https://doi.org/10.4314/ajb.v11i40>
- Soemarie, Y. B., Astuti, T., & Rochmah, N. (2017). Formulasi Sediaan Salep Ekstrak Etanol Daun Alpukat (*Persea americana* Mill.) sebagai Antiacne. *Jurnal Ilmiah Manuntung*, 2(2), 224–232.
- Sopyan, I., Permata, R. D., Gozali, D., & Syah, I. S. K. (2019). Formulation of Lotion from Black Tea Extract (*Camellia Sinensis* Linnaeus) as Sunscreen. *International Journal of Applied Pharmaceutics*, 205–209. <https://doi.org/10.22159/ijap.2019v11i1.29564>
- Stajcic, S., Tepic, A., Djilas, S., Sumic, Z., Canadanovic-Brunet, J., Cetkovic, G., Vulic, J., & Tumbas, V. (2012a). Chemical composition and antioxidant activity of berry fruits. *Acta Periodica Technologica*, 43, 93–105. <https://doi.org/10.2298/APT1243093S>
- Stajcic, S., Tepic, A., Djilas, S., Sumic, Z., Canadanovic-Brunet, J., Cetkovic, G., Vulic, J., & Tumbas, V. (2012b). Chemical composition and antioxidant

- activity of berry fruits. *Acta Periodica Technologica*, 43, 93–105.  
<https://doi.org/10.2298/APT1243093S>
- Suryanto, E., Momuat, L. I., Yudistira, A., & Wehantouw, F. (2013). The Evaluation of Singlet Oxygen Quenching and Sunscreen Activity of Corn Cob Extract. *Indonesian Journal of Pharmacy*, 24(4), 267–276.
- Suryawanshi, J. A. S. (2016). *In-Vitro Determination Of Sun Protection Factor And Evaluation Of Herbal Oils*. 6(1), 7.
- Torma, P. do C. M. R., Brasil, A. V. S., Carvalho, A. V., Jablonski, A., Rabelo, T. K., Moreira, J. C. F., Gelain, D. P., Flôres, S. H., Augusti, P. R., & Rios, A. de O. (2017). Hydroethanolic extracts from different genotypes of açai (*Euterpe oleracea*) presented antioxidant potential and protected human neuron-like cells (SH-SY5Y). *Food Chemistry*, 222, 94–104.  
<https://doi.org/10.1016/j.foodchem.2016.12.006>
- Trivedi, P., Karppinen, K., Klavins, L., Kviesis, J., Sundqvist, P., Nguyen, N., Heinonen, E., Klavins, M., Jaakola, L., Väänänen, J., Remes, J., & Häggman, H. (2019). Compositional and morphological analyses of wax in northern wild berry species. *Food Chemistry*, 295, 441–448.  
<https://doi.org/10.1016/j.foodchem.2019.05.134>
- Van de Velde, F., Grace, M. H., Esposito, D., Pirovani, M. É., & Lila, M. A. (2016a). Quantitative comparison of phytochemical profile, antioxidant, and anti-inflammatory properties of blackberry fruits adapted to Argentina. *Journal of Food Composition and Analysis*, 47, 82–91.  
<https://doi.org/10.1016/j.jfca.2016.01.008>
- Van de Velde, F., Grace, M. H., Esposito, D., Pirovani, M. É., & Lila, M. A. (2016b). Quantitative comparison of phytochemical profile, antioxidant, and anti-inflammatory properties of blackberry fruits adapted to Argentina. *Journal of Food Composition and Analysis*, 47, 82–91.  
<https://doi.org/10.1016/j.jfca.2016.01.008>
- Voća, S., Žlabur, J. Š., Dobričević, N., Jakobek, L., Šeruga, M., Galić, A., & Pliestić, S. (2014). Variation in the Bioactive Compound Content at Three



- Ripening Stages of Strawberry Fruit. *Molecules*, 19(7), 10370–10385.  
<https://doi.org/10.3390/molecules190710370>
- Wala, M. E., Suryanto, E., & Wewengkang, D. S. (2015). *Aktivitas Antioksidan dan Tabir Surya Fraksi Dari Ekstrak Lamun (Syringodium Isoetifolium)*. 4(4), 8.
- Wang, H., Liu, J., Pang, D., Li, T., & Liu, R. H. (2019). Mechanisms underlying the protective effects of blueberry extract against ultraviolet radiation in a skin cell co-culture system. *Journal of Functional Foods*, 52, 603–610.  
<https://doi.org/10.1016/j.jff.2018.11.037>
- Wang, P.-W., Cheng, Y.-C., Hung, Y.-C., Lee, C.-H., Fang, J.-Y., Li, W.-T., Wu, Y.-R., & Pan, T.-L. (2019). Red Raspberry Extract Protects the Skin against UVB-Induced Damage with Antioxidative and Anti-inflammatory Properties. *Oxidative Medicine and Cellular Longevity*, 2019.  
<https://doi.org/10.1155/2019/9529676>
- Widyastuti, W. (2020). Formulasi Lotion Ekstrak Etanol Buah Stroberi (Fragaria X ananassa Duchesne Ex Weston) sebagai Antioksidan dan Tabir Surya. *SCIENTIA: Jurnal Farmasi dan Kesehatan*, 10(2), 120–127.  
<https://doi.org/10.36434/scientia.v10i2.228>
- Widyastuti, W., Kusuma, A. E., Nurlaili, N., & Sukmawati, F. (2016). Antioxidant and Sunscreen Activities of Ethanol Extract of Strawberry Leaves (Fragaria X Ananassa A.N. Duchesne). *Jurnal Sains Farmasi dan Klinik*, 3(1), 19–24.
- Zulfa, E., Prasetyo, T. B., & Murukmihadi, M. (2015). Formulasi Salep Ekstrak Etanolik Daun Binahong (Anrederacordifolia (Ten.) Steenis) dengan Variasi Basis Salep. *Jurnal Ilmu Farmasi Dan Farmasi Klinik*, 12(2), 41–48. <https://doi.org/10.31942/jiffk.v12i2.1411>
- Zulkarnain, A. K., Ernawati, N., & Sukardani, N. I. (2012). Aktivitas Amilum Bengkuang (Pachyrrizus erosus (L.) Urban) sebagai Tabir Surya pada Mencit dan Pengaruh Kenaikan Kadarnya terhadap Viskositas Sediaan. *Traditional Medicine Journal*, 18(1), 1–8.