



DAFTAR PUSTAKA

- Abdullah, B., Periasamy, C. and Ismail, R. (2019) 'Nasal Irrigation as Treatment in Sinonasal Symptoms Relief: A Review of Its Efficacy and Clinical Applications', *Indian Journal of Otolaryngology and Head and Neck Surgery*, 71, pp. 1718–1726. doi: 10.1007/s12070-017-1070-0.
- Adriaensen, G. F. J. P. M. and Fokkens, W. J. (2013) 'Chronic rhinosinusitis: An update on current pharmacotherapy', *Expert Opinion on Pharmacotherapy*. doi: 10.1517/14656566.2013.837450.
- Amelia, N. L., Zuleika, P. and Utama, D. S. (2017) 'Prevalensi Rinosinusitis Kronik di RSUP Dr. Mohammad Hoesin Palembang', *Majalah Kedokteran Sriwijaya*, 49(2), pp. 75–83.
- Bachmann, G., Hommel, G. and Michel, O. (2000) 'Effect of irrigation of the nose with isotonic salt solution on adult patients with chronic paranasal sinus disease', *European Archives of Oto-Rhino-Laryngology*, 257(10), pp. 537–541. doi: 10.1007/s004050000271.
- Ballenger, J. J. (2010) 'Aplikasi Klinis Anatomi dan Fisiologi Hidung dan Sinus Paranasal', in *Penyakit telinga, hidung, tenggorok, kepala dan leher*. 13th edn. Jakarta: Bina Rupa Aksara.
- Bassiouni, A., Chen, P. G. and Wormald, P. J. (2013) 'Mucosal remodeling and reversibility in chronic rhinosinusitis', *Current Opinion in Allergy and Clinical Immunology*, 13(1), pp. 4–12. doi: 10.1097/ACI.0b013e32835ad09e.
- Bassiouni, A., Naidoo, Y. and Wormald, P. J. (2012) 'When FESS fails: The inflammatory load hypothesis in refractory chronic rhinosinusitis', *Laryngoscope*, 122(2), pp. 460–466. doi: 10.1002/lary.22461.
- Bastier, P. L. et al. (2015) 'Nasal irrigation: From empiricism to evidence-based medicine. A review', *European Annals of Otorhinolaryngology, Head and Neck Diseases*, 132(5), pp. 281–285. doi: 10.1016/j.anorl.2015.08.001.
- Becker, D. G. and Becker, S. S. (2011) *Allergic and Non-Allergic Sinusitis for the Primary Care Physician: Pathophysiology, Evaluation and Treatment*. Philadelphia.
- Beule, A. G. (2010) 'Physiology and pathophysiology of respiratory mucosa of the nose and the paranasal sinuses.', *GMS current topics in otorhinolaryngology, head and neck surgery*, 9, p. Doc07. doi: 10.3205/cto000071.
- Beule, A. G. (2015) 'Epidemiology of chronic rhinosinusitis, selected risk factors, comorbidities and economic burden', *Laryngo- rhino- otologie*, 94(Figure 1), pp. S1–S23. doi: 10.1055/s-0034-1396869.
- Boek, W. M. et al. (1999) 'Physiologic and Hypertonic Saline Solutions', (March), pp. 396–399.
- Chong, L. Y. et al. (2016) 'Saline irrigation for chronic rhinosinusitis', *Cochrane Database of Systematic Reviews*, 2016(4). doi: 10.1002/14651858.CD011995.pub2.
- Van Crombruggen, K. et al. (2011) 'Pathogenesis of chronic rhinosinusitis: Inflammation', *Journal of Allergy and Clinical Immunology*. doi:



10.1016/j.jaci.2011.07.049.

- Dahlan, M. S. (2019) *Besar sampel dalam Penelitian Kedokteran dan Kesehatan*. 5th edn. Jakarta: Epidemiologi Indonesia.
- Dass, K. and Peters, A. T. (2016) ‘Diagnosis and Management of Rhinosinusitis: Highlights from the 2015 Practice Parameter’, *Current Allergy and Asthma Reports*, 16(4), pp. 1–7. doi: 10.1007/s11882-016-0607-8.
- Fokkens, W. J. et al. (2012) ‘EPOS 2012: European position paper on rhinosinusitis and nasal polyps 2012. A summary for otorhinolaryngologists.’, pp. 1–12. doi: 10.4193/Rhino12.000.
- Friedman, M. et al. (2012) ‘Dead Sea salt irrigations vs saline irrigations with nasal steroids for symptomatic treatment of chronic rhinosinusitis: A randomized, prospective double-blind study’, *International Forum of Allergy and Rhinology*, 2(3), pp. 252–257. doi: 10.1002/alr.21003.
- Heldin, C. H., Landström, M. and Moustakas, A. (2009) ‘Mechanism of TGF-β signaling to growth arrest, apoptosis, and epithelial-mesenchymal transition’, *Current Opinion in Cell Biology*, 21(2), pp. 166–176. doi: 10.1016/j.ceb.2009.01.021.
- Husni, T. and Pradista, A. (2012) ‘Faktor Predisposisi Terjadinya Rinosinusitis Kronik Di Poliklinik Tht-Kl Rsud Dr. Zainoel Abidin Banda Aceh’, *Jurnal Kedokteran Syiah Kuala*, 12(3), pp. 132–137.
- Jiang, R.-S. et al. (2014) ‘Electrolyzed acid water nasal irrigation after functional endoscopic sinus surgery’, 28(2), pp. 176–181. doi: 10.2500/ajra.2014.28.4015.
- Jiang, R. S., Hsu, S. H. and Liang, K. L. (2015) ‘Amphotericin B nasal irrigation as an adjuvant therapy after functional endoscopic sinus surgery’, *American Journal of Rhinology and Allergy*, 29(6), pp. 435–440. doi: 10.2500/ajra.2015.29.4246.
- Juanda, I. J., Madiadipoera, T. and Ratunanda, S. S. (2017) ‘Adaptasi Budaya, Alih Bahasa Indonesia, dan Validasi Sino-Nasal Outcome Test (SNOT)-22’, *Majalah Kedokteran Bandung*, 49(4), pp. 267–273. doi: 10.15395/mkb.v49n4.1145.
- KemkesRI (2018) *Riset Kesehatan Dasar Tahun 2018*. Available at: <http://labdata.litbang.depkes.go.id/riset-badan-litbangkes/menu-riskesnas/menu-riskesdas>.
- Khalil, H. and Nunez, D. A. (2009) ‘Functional endoscopic sinus surgery for chronic rhinosinusitis’, *Cochrane Database of Systematic Reviews*. doi: 10.1002/14651858.CD004458.pub2.
- Kim, S. T. et al. (2013) ‘The effect of maxillary sinus irrigation on early prognostic factors after endoscopic sinus surgery: A preliminary study’, *American Journal of Rhinology and Allergy*, 27(5), pp. 158–161. doi: 10.2500/ajra.2013.27.3967.
- Krisna, P. et al. (2018) ‘DI POLI THT-KL RSUP SANGLAH DENPASAR TAHUN 2016 Program Studi Pendidikan Dokter Fakultas Kedokteran Universitas Udayana Bagian / SMF Ilmu Telinga Hidung dan Tenggorokan Kepala dan Leher Fakultas Kedokteran Universitas Udayana / RSUP Sanglah , Denpasar Ema’, *E-Jurnal Medika*, 7(12), pp. 1–10.
- Kurniasih, C. and Ratnawati, L. M. (2019) ‘Distribusi penderita rinosinusitis kronis



- yang menjalani pembedahan di RSUP Sanglah Denpasar Periode Tahun 2014 – 2016’, *Medicina*, 50(1), pp. 133–137. doi: 10.15562/medicina.v50i1.272.
- Lam, K., Schleimer, R. and Kern, R. C. (2015) ‘The Etiology and Pathogenesis of Chronic Rhinosinusitis: a Review of Current Hypotheses’, *Current Allergy and Asthma Reports*. doi: 10.1007/s11882-015-0540-2.
- Levine, C. G. and Casiano, R. R. (2017) ‘Revision Functional Endoscopic Sinus Surgery’, *Otolaryngologic Clinics of North America*, 50(1), pp. 143–164. doi: 10.1016/j.otc.2016.08.012.
- Longhini, A. B. and Ferguson, B. J. (2011) ‘Clinical aspects of odontogenic maxillary sinusitis: A case series’, *International Forum of Allergy and Rhinology*, 1(5), pp. 409–415. doi: 10.1002/alr.20058.
- Low, T. H. et al. (2014) ‘A double-blind randomized controlled trial of normal saline, lactated Ringer’s, and hypertonic saline nasal irrigation solution after endoscopic sinus surgery’, *American Journal of Rhinology and Allergy*, 28(3), pp. 225–231. doi: 10.2500/ajra.2014.28.4031.
- Mace, J. C. et al. (2010) ‘Correlations between endoscopy score and quality of life changes after sinus surgery’, *Archives of Otolaryngology - Head and Neck Surgery*, 136(4), pp. 340–346. doi: 10.1001/archoto.2010.34.
- Mangunkusumo, E. and Soetjipto, D. (2007) ‘Buku Ajar Ilmu Kesehatan Telinga Hidung Tenggorok Kepala dan Leher’, in *Buku Ajar Ilmu Kesehatan Telinga Hidung Tenggorok Kepala dan Leher*. 6th edn. Jakarta: FKUI, pp. 150–154.
- Marieb, E. N. and Hoehn, K. N. (2016) *Human Anatomy & Physiology*. 10th edn. Canada: Pearson.
- Paventhan, K., Krishna, P. R. and Ramyashree, C. (2020) ‘Comparison of nasal douching with isotonic saline versus Ringer lactate in chronic rhinosinusitis: a randomized controlled trial’, *International Journal of Otorhinolaryngology and Head and Neck Surgery*, 6(6), p. 1064. doi: 10.18203/issn.2454-5929.ijohns20202075.
- Principi, N. and Esposito, S. (2017) ‘Nasal irrigation: An imprecisely defined medical procedure’, *International Journal of Environmental Research and Public Health*, 14(5). doi: 10.3390/ijerph14050516.
- Rabago, D. et al. (2006) ‘Qualitative aspects of nasal irrigation use by patients with chronic sinus disease in a multimethod study’, *Annals of Family Medicine*, 4(4), pp. 295–301. doi: 10.1370/afm.552.
- Salib, R. J. et al. (2013) ‘A prospective randomised single-blinded clinical trial comparing the efficacy and tolerability of the nasal douching products sterimar™ and sinus rinse™ following functional endoscopic sinus surgery’, *Clinical Otolaryngology*, 38(4), pp. 297–305. doi: 10.1111/coa.12132.
- Salsabila, H. (2017) *Studi Epidemiologi Rhinosinusitis (RSK) Di Poli THT RSUP DR Sardjito Yogyakarta*. University of Gadjah Mada.
- Singh, S., Kerndt, C. and Davis, D. (2021) *Ringer's Lactate, Treasure Island (FL): StatPearls Publishing*. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK500033/> (Accessed: 19 April 2021).
- Snow, J. B. and Wackym, P. A. (2009) *Ballenger's Otorhinolaryngology: Head and Neck Surgery*. 17th edn. Philadelphia: BC Decker.
- Soetjipto, D. (2006) ‘Berbagai Aspek Sinusitis dan Hubungan dengan Alergi’,



- Kumpulan Naskah Simposium Nasional Perkembangan Terkini Penatalaksanaan Beberapa Penyakit Penyerta Rinitis Alergi*, pp. 10–15.
- Sopiyudin, M. (2015) *Statistik untuk Kedokteran dan Kesehatan*. 6th edn. Jakarta: Epidemiologi Indonesia.
- Succar, E. F., Turner, J. H. and Chandra, R. K. (2019) ‘Nasal saline irrigation: a clinical update’, *International Forum of Allergy and Rhinology*, 9(S1), pp. S4–S8. doi: 10.1002/alr.22330.
- Tai, J., Lee, K. and Kim, T. H. (2021) ‘Current perspective on nasal delivery systems for chronic rhinosinusitis’, *Pharmaceutics*, 13(2), pp. 1–21. doi: 10.3390/pharmaceutics13020246.
- Tomassen, P. et al. (2011) ‘Pathophysiology of chronic rhinosinusitis’, in *Proceedings of the American Thoracic Society*. doi: 10.1513/pats.201005-036RN.
- Wang, C. S. and Zhang, L. (2016) ‘Management of chronic rhinosinusitis’, *Lin chuang er bi yan hou tou jing wai ke za zhi = Journal of clinical otorhinolaryngology, head, and neck surgery*. doi: 10.13201/j.issn.1001-1781.2016.14.024.
- Yoo, F. et al. (2017) ‘Evaluation of patient nasal saline irrigation practices following endoscopic sinus surgery’, 00(0), pp. 1–9. doi: 10.1002/alr.22034.