

DAFTAR PUSTAKA

- Amarasekara AS. 2013. Handbook of Cellulosic Ethanol: John Wiley & Sons.
- Anisah LN, Siswamartana S. 2005. Kualitas Kayu Jati Plus Perhutani pada Kelas Umur-I di Beberapa Lokasi Penanaman . Jakarta: Perum Perhutani. Hlm 163-182.
- Bajpai P. 2018. Biotechnology for Pulp and Paper Processing. Springer Science+Business Media, doi: 10.1007/978- 981-10-7853-8.
- Boyles D. 1984. Bio Energy-Technology, Thermodynamic and Costs. West Sussex: Ellis Horwood
- Bruce A, Palfreyman JW, Dean JF. 1998. Forest Products Biotechnology. Trends in Biotechnology **16(9)**: 404.
- Cardona CA, Sanchez CJ. 2007. Fuel Ethanol Production: Process Design Trends and Integration Opportunities. Bioresource Technology **98**: 2415-2457.
- Dadi AP, Varanasi S, Schall CA. 2006. Enhancement of cellulose saccharification kinetics using an ionic liquid pretreatment step. Biotechnol. Bioeng. **95**:904–10.
- Damayanti R, Ozarska B, Pandit, IKN, et al. 2018. Wood Properties of 5-year-old Fast Grown Teak. Wood Research Journal Vol 9 No 2
- Daud M, Syafii W, Syamsu K. 2012. Produktivitas Bioetanol dari Kayu Sengon (*Paraserianthes falcataria*) dengan Perlakuan Enzimatis. In Seminar Nasional Masyarakat Peneliti Kayu Indonesia XV “Hijaukan Bumi untuk Kelestarian Pemanfaatan Kayu yang Optimal Bagi Kehidupan yang Berkelanjutan, Makassar (pp. 6-7).
- Daud M. 2010. Produksi Bioetanol Dari Beberapa Jenis Kayu Tropis Melalui Proses Sakarifikasi dan Fermentasi Secara Simultan (Doctoral dissertation, Tesis. Sekolah Pascasarjana, Institut Pertanian Bogor, Bogor
- Derkyi NSA, Bailleres H, Chaix G, et al. 2009. Colour variation in teak (*Tectona grandis*) wood from plantations across the ecological zones of Ghana. Ghana Journal of Forestry **25**: 40-48.
- Dewan Energi Nasional. 2014. Outlook Energi Indonesia 2014, Jakarta
- Direktorat Jenderal Kehutanan. 1976. Vademecum. Kehutanan Indonesia. Jakarta.
- Dunisch O, Richter H G, Koch G. 2010. Wood properties of juvenile and mature heartwood in *Robinia pseudoacacia* L. Wood Science and Technology Vol.

44: 301-313.

- Efansyah MN, MH Bintoro, WH Limbong, 2012. Prospek Usaha bagi Hasil Penanaman Jati Unggul Nusantara (Studi Kasus pada Koperasi Perumahan Wanabhakti Nusantara di Kabupaten Bogor). *Manajemen IKM* Vol. 7 No. 1.
- Elkman R, Holmbom, B. 2000. *The Chemistry of wood resin*. Tappi Press. Atlanta
- Fengel D, Wegener G, 1984. *Wood: Chemistry, Ultrastructure, Reactions*. Berlin: Walter de Gruyter & Co.
- Fengel D, Wegener G. 1995. *Kayu: Kimia, Ultrastruktur, Reaksi-reaksi*. Yogyakarta: Gadjah Mada University Press.
- Fernandes E, Pires R, Mano JF, et al. (2013). Bionanocomposites from lignocellulosic resources: Properties, applications and future trends for their use in the biomedical field. *Progress in Polymer Science* **38(10-11)**: 1415-1441
- Fessenden RJ dan JS Fessenden. 1986. *Kimia Organik Dasar Edisi Ketiga Jilid. 2*, Terjemahan Oleh A.H. Pudjaatmaka, Erlangga, Jakarta.
- Hadrawi J. 2014. Kandungan Lignin, Selulosa dan Hemiselulosa Limbah Baglog Jamur Tiram Putih (*Pleurotus ostreatus*) dengan Masa Inkubasi yang Berbeda Sebagai Bahan Pakan Ternak. Skripsi. Fakultas Peternakan. Universitas Hasanudin. Makassar.
- Hendriks ATWM, Zeeman G. 2009. Pretreatments to enhance the digestibility of lignocellulosic biomass. *Bioresour: Technol* **100**:10- 18.
- Irawati D. 2017. Hidrolisis Media Sisa Budidaya Jamur Kuping Menggunakan Tiga Jenis Enzim Selulase. *Jurnal Ilmu Kehutanan* **11(1)**: 52-62.
- Judoamidjojo RM, Said EG, Hartoto L. 1989. *Biokonversi*. Departemen Pendidikan dan Kebudayaan. Direktorat Pendidikan Tinggi. Pusat Antar Universitas Bioteknologi. Institut Pertanian Bogor.
- Kartono. 1992. *Teknologi Pengolahan Sebuk Kayu*. Semarang
- Kerr RA. 1998. The next oil crisis looms large and possibly close. *Science* **281**: 1128-1131.
- Kocaefe D, Poncsak S, Dore G, et al. 2008. Effect of heat treatment on wettability of White Ash and Soft Maple by water. *Holz Roh Werkst* **66**: 355-361.
- Kokutse AD, Stokes A, Baillères, H, et al. 2006. Decay resistance of Togolese teak (*Tectona grandis* L. f) heartwood and relationship with colour. *Trees* **20(3)**: 219-223.

- Kumar R, Wyman CE. 2010. Key features of pretreated lignocelluloses biomass solids and their impact on hydrolysis. In K. Waldron (Ed.), Bioalcohol Production (pp. 73-121): Woodhead Publishing.
- Lachowicz H, Hanna W, Rafal W, Magdalena S. 2019. The effect of tree age on the chemical composition of the wood of Silver Birch (*Betula pendula* Roth) in Poland. *Wood Science and Technology* Vol. 53: 1135–1155
- Lemos JAS, Mendes MCS, Madi JPS, et al. 2019. Influence of the propagation method on the production and quality of *Tectona grandis* wood. *Advances in Forestry Science* **6(3)**: 761-765.
- Liska AJ, Yang HS, Bremer VR, et al. 2009. Improvements in life cycle energy efficiency and greenhouse gas emissions of corn-ethanol. *Journal of Industrial Ecology* **13(1)**: 58-74.
- Loebis EH, Meutia YR, Junaidi L, et al. 2015. Proses Delignifikasi Limbah Pasar untuk Produksi Bioetanol. *Warta Industri Hasil Pertanian* **32(02)**: 68-74.
- Lukmandaru G dan Takahashi K. 2009. Radial distribution of quinones in plantation teak (*Tectona grandis* Lf). *Ann. For. Sci.* **66**:1.9.
- Lukmandaru G, Mohammad AR, Wargono P, et al. 2016. Studi mutu kayu jati di hutan rakyat Gunungkidul. V. Sifat kimia kayu. *Jurnal Ilmu Kehutanan* **10(2)**: 108-118.
- Lukmandaru G. 2009. Sifat Kimia dan Warna Kayu Teras Jati pada Tiga Umur Berbeda. *Tropical Wood Science and Technology* Volume 7 no 1.
- Lukmandaru G. 2016. Hubungan kadar ekstraktif dengan sifat warna kayu teras jati. *Jurnal Penelitian Hasil Hutan* Vol. 34: 207 – 216.
- MacLeod M. 2007. The top ten factors in kraft pulp yield. *Paperi Ja Puu/Paper & Timber* **89(7)**: 417.
- Maharani D, Irawati D. 2019. Karakteristik Energi Pembakaran Kayu Dan Kulit Batang Jabon Merah (*Anthocephalus macrophyllus* (Roxb.) Havil). Skripsi. Fakultas Kehutanan UGM. Yogyakarta.
- Maris AJA, Van Abbott AEDA, Bellissimi AEA, et al. 2006. Alcoholic fermentation of carbon sources in biomass hydrolysates by *Saccharomyces cerevisiae*: Current status. *Antonie van Leeuwenhoek* **90**: 391-418.
- Maulida F, Meiganati KB, Maslahat M. 2020. Komponen Kimia Kayu Trubusan Jati Unggul Nusantara (*Tectona grandis* Linn.f.) Pada Bagian Pangkal, Tengah, Ujung. *Jurnal Sains Natural Universitas Nusa Bangsa* Vol 10 No 2 Juli 2020
- McKendry P. 2002. Energy Production from Biomass (part2): Conversion Technologies. *Bioresource Technology* **83**: pp. 47-54.

- Meiganati KB. 2017. Riap pertumbuhan jati unggul nusantara rotasi kedua di kebun percobaan Cogreg Universitas Nusa Bangsa. *Nusa Sylvae* Vol. 17: 101 - 105
- Metsamuuronen S, Siren H. 2019. Bioactive phenolic compounds, metabolism and properties: a review on valuable chemical compounds in Scots pine and Norway spruce. *Phytochem Review* Vol. 18: 623-664
- Migita NY, Yonezawa, Kondo T. 1968. *Wood chemistry*. Kyoritsu Shupan. Tokyo
- Mooney CA, Mansfield SD, Touhy MG, et al. 1998. The effect of initial pore volume and lignin content on the enzymatic hydrolysis of softwoods. *Bioresource Technology* **64**: 113–119.
- Muladi S, Sukaton E. 1996. Analisis komponen kimia kayu dan pemanfaatan residu kayu kapur (*Dryobalanops sp.*) sebagai bahan bahu pulp dan kertas dengan sistem kraft.
- Narayanamurthi D, George J, Pant H C, et al. 1962. Extractives in teak. *Sylvae geneticae* Vol. 11: 57-63.
- Nisula L. 2018. *Wood extractives in conifer : A study of stemwood and knots of industrially important species*. Abo Academy University Press. Tavastgatan
- Nuringtyas, Tri Rini. 2010. *Karbohidrat*. Gajah Mada University Press, Yogyakarta.
- Olsson L, Hahn-Hagerdahl B. 1993. Fermentative performance of bacteria and yeast in lignocellulose hydrolysates. *Process Biochem* **28**: 249–57. Palmer TJ.
- Oswaldo ZS, Putra P, Faizal M. 2012. Pengaruh konsentrasi asam dan waktu pada proses hidrolisis dan fermentasi pembuatan bioetanol dari alang-alang. *Jurnal Teknik Kimia* **18(2)**.
- Panshin AJ, Zeeuw CD, Brown HP. 1964. *Textbook of wood technology: Volume I structure, identification, uses, and properties of the commercial woods of the United States*. McGraw-Hill Book Company.
- Pari G, Saepuloh S. 2000. Analisis Komponen Kimia Kayu Mangium pada Beberapa Macam Umur Asal Riau. *Jurnal Penelitian Hasil Hutan* **17(3)**: 140-148.
- Pereira H. 1986. Variability in the chemical composition of plantation eucalypts (*Eucalyptus globulus*). *Wood and Fiber Science* Vol. 20: 82 - 90
- Pintor-Ibarra LF, Rivera-Prado JJ, Ngangyo-Heya M, et al. 2018. “Evaluation of the chemical components of *Eichhornia crassipes* as an alternative raw material for pulp and paper,” *BioResources* **13(2)**: 2800-2813.
- Puri VP, 1984. Effect of crystallinity and degree of polymerization of cellulose on enzymatic saccharification. *Biotechnol Bioeng* **26**: 1219-1222.

- Putra AFR, Wardenaar E, Husni H. 2018. Analisa komponen kimia kayu sengon (*Albizia falcataria* (L.) Fosberg) berdasarkan posisi ketinggian batang. *Jurnal Hutan Lestari* **6(1)**: 83-89.
- Putro GS, Marsoem SN, Sulisty J, Hadiwinoto S. 2020. Sifat kayu jati unggul nusantara (*Tectona grandis* L.f) pada tiga kelas diameter pohon. *Pemuliaan 90 Tanaman Hutan Vol 14*: 9 - 18.
- Putro GS, Marsoem SN, Sulisty J, Hardiwinoto S. 2020. The growth of three teak (*Tectona grandis*) clones and its effect on wood properties. *Biodiversitas* **21**: 2814-2821.
- Rowell, Roger M. 2005. Chemical modification of wood. *Handbook of wood chemistry and wood composites*. Boca Raton, Fla. : CRC Press, 2005: pages 381-420.
- Ruiz-Aquino F, Ruiz-Ángel S, Feria-Reyes R, et al. 2019. Wood chemical Composition of Five Tree Species from Oaxaca, Mexico. *BioResources* **14(4)**: 9826-9839.
- Samariha A, Kiaei M. 2011. Chemical Composition Properties of Stem and Branch in *Alianthus altissima* Wood. *Middle-East Journal of Scientific Research*, VIII(5), pp. 967-970.
- Schubert C. 2006. Can biofuels finally take center stage? *Nature Biotechnol* **24(7)**: 777-784.
- Shmulsky R, Jones PD. 2011. *Forest products and wood science, an introduction* (6th ed.). West Sussex: Wiley Blackwell.
- Silverstein RA, Chen Y, Sharma-Shivappa, et al. 2007. A comparison of chemical pretreatment methods for improving saccharification of cotton stalks. *Bioresource technology* **98(16)**: 3000-3011.
- Sjostrom E. 1981. *Wood Chemistry Fundamentals and Applications*. Academic Press, New York. pp. 6 -82, 105 -193.
- Sjostrom E. 1998. *Kimia Kayu, Dasar-dasar dan Penggunaan Edisi Kedua*. Yogyakarta: Gadjah Mada University Press.
- Sjostrom, E. 1995. *Kimia Kayu, Dasar-dasar dan Penggunaan Edisi Kedua*. Gadjah Mada University Press, Yogyakarta.
- Soenardi. 1976. *Sifat-sifat Kimia Kayu*. Yayasan Pembina Fakultas Kehutanan. Universitas Gadjah Mada. Yogyakarta.

- Sokanandi, A., Pari, G., Setiawan, D., et al. 2014. Komponen kimia sepuluh jenis kayu kurang dikenal: kemungkinan penggunaan sebagai bahan baku pembuatan bioetanol. *Jurnal Penelitian Hasil Hutan* **32(3)**: 209-220.
- Sudiyani Y, Amriani F, Simanungkalit SP. 2019. Perkembangan Bioetanol G2: Teknologi dan Perspektif.
- Sukaryo S, Jos B, Hargono H. 2013. Pembuatan Bioetanol Dari Pati Umbi Kimpul (*Xanthosoma Sagittifolium*). *Majalah Ilmiah Momentum*, 9(2).
- Sumada K. 2011. Kajian Proses Isolasi Alfa Selulosa Dari Limbah Batang Tanaman *Manihot Esculenta Crantz* yang Efisien. Fakultas Teknologi Industri UPN. Jawa Timur
- Sumarna Y. 2003. Budi Daya Jati. Penebar Swadaya. Jakarta
- Sun Y, Cheng J. 2002. Hydrolysis of lignocellulosic materials for ethanol production: A review. *Bioresource Technology* **83(1)**: 1-11.
- Suwono A. 2004. Indonesia's Potential Contribution of Biomass in Sustainable Energy Development. Conference Proceeding of the 10th APCCHE Congress. the Asia Pasific Conderation of Chemical Engineering, Kiyatyushu Oct. 17-21. Japan
- Syafii W. 2000. The basic properties of Indonesia teakwood at various age classes. Proceeding of the Third International Wood Science Symposium. Kyoto
- Syahidah H, Yuniarti AD. 2007. Kandungan Kimia Dan Dimensi Serat Akar, Cabang Dan Batang Bagian Atas Kayu Gmelina dan Kayu Jati di Hutan Rakyat Sulawesi Selatan. *Jurnal Perennial*, 11-14.
- Thatoi H, Das S, Mishra J, et al. 2014. Bacterial chromate reductase, a potential enzyme for bioremediation of hexavalent chromium: a review. *Journal of Environmental Management* **146**: 383-399.
- Verardi A, Bari I, De Ricca E, Calabro V. 2012. Hydrolysis of lignocellulosic biomass: Current status of processes and technologies and future perspectives. Dalam M. A. P. Lima (Ed.). *Bioethanol* (p.290).
- Walker GM. 2010. *Bioethanol: Science and technology of fuel alcohol*.
- Wang M, Han J, Dunn JB, Cai H. 2012. Well-to-wheels energy use and greenhouse gas emissions of ethanol from corn. Sugarcane and cellulosic biomass for US use. *Environment Research Letter*. 7, 4.

- Wen CL, TH Cheng. 2000. Modeling of ethanol using *Zymomonas mobilis* ATCC 10988 grown on media containing glucose and fructose. *Biochemical Engineering Journal* 217- 227.
- Wijaya M., Noor E, Irawadi TT, Pari G. 2008. Perubahan Suhu Pirolisis Terhadap Struktur Kimia Asap Cair Dari Serbuk Gergaji Kayu Pinus. *Jurnal Ilmu dan Teknologi Hasil Hutan* **1(2)**: 73-77.
- Wilkes J. 1984 The influence of rate of growth on the density and heartwood extractives content of eucalypt species. *Wood Sci. Technol* **18**:113.120.
- Winarni I, Bardant TB. 2017. Pembuatan Bioetanol Dari Limbah Kayu Sengon (*Falcataria Moluccana* (Miq.) Barneby dan Jw Grimes) Dengan Metode Substrat Konsentrasi Tinggi. *Jurnal Penelitian Hasil Hutan* **35(4)**: 231-242.
- Winarti S. 1996. Pengaruh Lama Fermentasi dan Kadar Substrat Terhadap Produksi Etanol Pada Fermentasi Onggok oleh *Saccharomyces cerevisiae*, Fakultas MIPA, Universitas Brawijaya. Malang.
- Wyman C. 2018. *Handbook on Bioethanol: Production and Utilization*: CRC Press.
- Wyman CE, Dale BE, Elander RT, et al. 2005. Comparative sugar recovery data from laboratory scale application of leading pretreatment technologies to corn stover. *Bioresource Technology* **96(18)**: 2026-2032.
- Yeh TF, Braun JL, Goldfarb B, et al. 2006. Morphological and chemical variations between juvenile wood, mature wood, and compression wood of loblolly pine (*Pinus taeda* L.). *Holzforschung* Vol. 60: 1–8
- Pelawi RB. 2011. Pulp Kraft Kayu Jabon sebagai Bahan Baku Pembuatan Bioetanol.
- Risanto L, Hermiati E, Adi DS. 2012. Microwave Treatment on Two Fast Growing Trees Species for Bioethanol Production. *Jurnal Ilmu dan Teknologi Kayu Tropis* **10(1)**: 76-81.
- Al-Zuhair S. 2008. The effect of crystallinity of cellulose on the rate of reducing sugars production by heterogeneous enzymatic hydrolysis. *Bioresource Technology* **99(10)**: 4078-4085.
- Duff SJB, Murray WD. 1996. Bioconversion of forest products industry waste cellulosic to fuel ethanol: A review. *Bioresource Technology* 55: 1-33.
- Fan LT, Lee YH, Beardmore DH. 1980. Mechanism of the enzymatic hydrolysis of cellulose: effects of major structural features of cellulose on enzymatic Hydrolysis. *Biotechnology and Bioengineering* **22(1)**: 177-199.