

DAFTAR PUSTAKA

- Abdulkareem, J.H., Pradhan, B., Sulaiman, W.N.A. & Jamil, N.R. (2019). Prediction of spatial soil loss impacted by long-term land-use/land-cover change in a tropical watershed. *Geoscience Frontiers*, 10(2), 389–403. <https://doi.org/10.1016/j.gsf.2017.10.010>
- Ahrens, C.D. (2001). *Essentials of Meteorology: An Invitation to the Atmosphere* (Edisi ke-3). Pacific Grove: Brooks/Cole/Thompson Learning.
- Alewell, C., Borrelli, P., Meusburger, K. & Panagos, P. (2019). Using the USLE: chances, challenges and limitations of soil erosion modelling. *International Soil and Water Conservation Research*, 7(3), 203–225. <https://doi.org/10.1016/j.iswcr.2019.05.004>
- Alfianto, A. & Soewarno. (2014). Teknosabo untuk mengatasi sedimentasi di daerah tangkapan air waduk (kasus Waduk Mrica). *Jurnal Teknik Hidraulika*, 5(1), 83–98.
- Alighalehbabakhani, F., Miller, C.J., Selegan, J.P., Barkach, J., Abkenar, S.M.S., Dahl, T. & Baskaran, M. (2017). Estimates of sediment trapping rates for two reservoirs in the Lake Erie watershed: past and present scenarios. *Journal of Hydrology*, 544, 147–155. <https://doi.org/10.1016/j.jhydrol.2016.11.032>
- Amalia, B. & Sugiri, A. (2014). Ketersediaan air bersih dan perubahan iklim: studi krisis air di Kedungkarang, Kabupaten Demak. *Teknik Perencanaan Wilayah Kota*, 3(2), 295–302.
- Amangabara, G.T. (2014). Understanding effective gully control measures in Imo State, Nigeria. *Canadian Open Soil and Erosion Journal*, 1(1), 1–9.
- Anggraini, D., Atmojo, P.S. & Wulandari, D.A. (2019). Analisis ekonomi pengendalian sedimentasi Waduk Mrica. *Jurnal Riset dan Konseptual (Briliant)*, 4(4), 567–586.
- Anna, A.N. (2016). Pendekatan hidrologi untuk penilaian kegiatan pengelolaan DAS. *Forum Geografi*, 8(1), 40–54. <https://doi.org/10.23917/forgeo.v8i1.4818>
- Annandale, G., Morris, G. & Karki, P. (2016). *Extending the Life of Reservoirs*. Washington DC: World Bank Group.
- Arbangiyah, R. (2012). *Perubahan Pola Pertanian Rakyat di Desa Sembungan Dataran Tinggi Dieng (1985-1995)*. (Skripsi). Universitas Indonesia.
- Ashari, A. (2013). Kajian tingkat erodibilitas beberapa jenis tanah di Pegunungan Baturagung Desa Putat dan Nglanggeran Kecamatan Patuk Kabupaten Gunungkidul. *Informasi*, 39(2), 15–31. <https://doi.org/10.21831/informasi.v0i2.4441>
- Auliyani, D. & Wijaya, W.W. (2017). Perbandingan prediksi hasil sedimen menggunakan pendekatan model Universal Soil Loss Equation dengan pengukuran langsung. *Jurnal Penelitian Pengelolaan Daerah Aliran Sungai*, 1(1), 61–71.
- Bacchi, O.O.S., Reichardt, K. & Sparovek, G. (2003). Sediment spatial distribution evaluated by three methods and its relation to some soil properties. *Soil and Tillage Research*, 69(1–2), 117–125. [https://doi.org/10.1016/S0167-1987\(02\)00133-2](https://doi.org/10.1016/S0167-1987(02)00133-2)
- Badan Informasi Geospasial. *Peraturan Kepala Badan Informasi Geospasial*



- Nomor 3 Tahun 2014 Tentang Pedoman Teknis Pengumpulan dan Pengolahan Data Geospasial Mangrove. (2014).
- Bagarello, V., Di Stefano, C., Ferro, V. & Pampalone, V. (2017). Predicting maximum annual values of event soil loss by USLE-type models. *Catena*, 155, 10–19. <https://doi.org/10.1016/j.catena.2017.03.002>
- Balitbangda Provinsi Kalimantan Timur. (2015). *Perwilayahan Komoditas Pertanian Unggulan Daerah: Mendukung Pengembangan Pertanian di Kabupaten Penajam Paser Utara*. Samarinda: Balitbangda Provinsi Kalimantan Timur.
- Bashir, S., Javed, A., Bibi, I. & Ahmad, N. (2018). Soil and Water Conservation. In *Soil Science Concepts and Applications* (Hal. 263–284). <https://doi.org/10.1029/EO057i010p00708>
- BBSDLP. (2006). *Lahan Sawah Bukaian Baru*. Bogor: BBSDLP.
- BBSDLP. (2016). *Kunci Taksonomi Tanah*. Bogor: BBSDLP.
- Bhattacharyya, K. & Singh, V.P. (2009). *Reservoir Sedimentation : Assessment and Environmental Controls*. Boca Raton: CRC Press.
- BMKG. (2016). *Prakiraan Musim Hujan 2016/2017 di Indonesia*. Jakarta: BMKG.
- BMKG. (2017). *Prakiraan Musim Hujan 2017/2018 di Indonesia*. Jakarta: BMKG.
- BMKG. (2018). *Prakiraan Musim Hujan 2018/2019 di Indonesia*. Jakarta: BMKG.
- BMKG. (2019). *Prakiraan Musim Hujan 2019/2020 di Indonesia*. Jakarta: BMKG.
- BPBD Wonosobo. (2018). *Kajian Analisis Jalur Evakuasi Bencana Gunungapi Sindoro*. <https://doi.org/10.22146/jp.36215>
- BPDASPS. (2011). *Petunjuk Teknis Sistem Standar Operasi Prosedur (SSOP) Penanggulangan Banjir dan Tanah Longsor*. Jakarta: BPDASPS.
- Bronick, C.J. & Lal, R. (2005). Soil structure and management: a review. *Geoderma*, 124(1–2), 3–22. <https://doi.org/10.1016/j.geoderma.2004.03.005>
- Budiman, F.P., Dermawan, V. & Fidari, J.S. (2018). Studi evaluasi tampungan sabo dam terhadap laju erosi di DAS Konto Hulu Kabupaten Malang. *Jurnal Teknik Pengairan*, 2(1), 8–16.
- Burley, N.R. (2011). *Reducing Flood Storage Space at Reservoirs: A Benefit Cost Analysis for the Mokelumne River System, California* (University of California). <https://doi.org/10.1017/CBO9781107415324.004>
- Carretta, L., Tarolli, P., Cardinali, A., Nasta, P., Romano, N. & Masin, R. (2021). Evaluation of runoff and soil erosion under conventional tillage and no-till management: A case study in northeast Italy. *Catena*, 197, 1–10. <https://doi.org/10.1016/j.catena.2020.104972>
- Chaleeraktragoon, C. & Chinsomboon, Y. (2015). Dynamic rule curves for flood control of a multipurpose dam. *Journal of Hydro-Environment Research*, 9(1), 133–144. <https://doi.org/10.1016/j.jher.2014.11.002>
- Chen, J., Li, Z., Xiao, H., Ning, K. & Tang, C. (2021). Effects of land use and land cover on soil erosion control in southern China: Implications from a systematic quantitative review. *Journal of Environmental Management*, 282, 1–11. <https://doi.org/10.1016/j.jenvman.2020.111924>
- Chen, Y., Xu, M., Wang, Z., Gao, P. & Lai, C. (2021). Applicability of two satellite-based precipitation products for assessing rainfall erosivity in China. *Science of the Total Environment*, 757, 1–11. <https://doi.org/10.1016/j.scitotenv.2020.143975>
- Christanto, N., Setiawan, M.A., Nurkholis, A., Istiqomah, S., Sartohadi, J. & Hadi,



- M.P. (2018). Analisis laju sedimen DAS Serayu Hulu dengan menggunakan model SWAT. *Majalah Geografi Indonesia*, 32(1), 50–58. <https://doi.org/10.22146/mgi.32280>
- Davie, T. (2008). *Fundamentals of Hydrology* (Edisi ke-2). New York: Routledge.
- Demirel, M. & Wurbs, R.A. (2017). Assessment of flood control capabilities for alternative reservoir storage allocations. *Turkish Journal of Water Science and Management*, 1(1), 108–137. <https://doi.org/10.31807/tjwsm.297150>
- Departemen Pekerjaan Umum. (1995). *Bendungan Besar di Indonesia*. Jakarta: Departemen Pekerjaan Umum.
- Ditjen SDA Kementerian PUPR. (2009). *Prosedur dan Instruksi Kerja Survei Penempatan dan Pembangunan Pos Hidrologi*. Jakarta: Ditjen SDA Kementerian PUPR.
- Fahliza, U., Anugerah, D.D., & Sarino. (2013). Analisis erosi pada SubDAS Lematang Hulu. *Jurnal Teknik Sipil dan Lingkungan*, 1(1), 32–39.
- FAO. (2019). *Soil Erosion: The Greatest Challenge for Sustainable Soil Management*. https://doi.org/10.1007/978-94-017-9499-2_19
- Febrianti, N. (2008). Perubahan Zona Iklim di Indonesia dengan Menggunakan Sistem Klasifikasi Koppen. *Prosiding Workshop Aplikasi Sains Atmosfer*, 252–259.
- Gan, F., He, B., Qin, Z. & Li, W. (2020). Role of rock dip angle in runoff and soil erosion processes on dip/anti-dip slopes in a karst trough valley. *Journal of Hydrology*, 588, 1–12. <https://doi.org/10.1016/j.jhydrol.2020.125093>
- García-Ruiz, J.M., Beguería, S., Nadal-Romero, E., González-Hidalgo, J.C., Lana-Renault, N. & Sanjuán, Y. (2015). A meta-analysis of soil erosion rates across the world. *Geomorphology*, 239, 160–173. <https://doi.org/10.1016/j.geomorph.2015.03.008>
- Godoi, R.F., Rodrigues, D.B.B., Borrelli, P. & Oliveira, P.T.S. (2021). High-resolution soil erodibility map of Brazil. *Science of the Total Environment*, 781, 1–10. <https://doi.org/10.1016/j.scitotenv.2021.146673>
- Gracheva, R. (2011). Formation of soil diversity in the mountainous tropics and subtropics: Rocks, time, and erosion. *Geomorphology*, 135(3–4), 224–231. <https://doi.org/10.1016/j.geomorph.2011.02.008>
- Gunawan, J., Hazriani, R. & Mahardika, R.Y. (2020). *Buku Ajar Morfologi dan Klasifikasi Tanah*. Pontianak: Universitas Tanjungpura.
- Hardjowigeno, S. (2016). *Klasifikasi Tanah dan Pedogenesis*. Bekasi: Akademika Pressindo.
- Hariyanto, A. & Iskandar, K. (2011). Kajian identifikasi potensi dan permasalahan sumberdaya air (studi kasus : Kabupaten Belitung). *Jurnal Perencanaan Wilayah dan Kota*, 11(2), 1–13. <https://doi.org/10.29313/jpwk.v11i2.1381>
- Hauer, C., Leitner, P., Unfer, G., Pulg, U., Habersack, H. & Graf, W. (2018). The Role of Sediment and Sediment Dynamics in the Aquatic Environment. Dalam *Riverine Ecosystem Management* (Edisi ke-1, Hal. 151–169). https://doi.org/10.1007/978-3-319-73250-3_8
- Herliani, D.R., Sumarjono, D. & Setiawan, B.M. (2019). Analisis pendapatan usahatani monokultur kentang dan tumpangsari kentang-carica Desa Sembungan Kecamatan Kejajar Kabupaten Wonosobo. *SOCA: Jurnal Sosial, Ekonomi Pertanian*, 13(3), 291–303. <https://doi.org/10.24843/soca.2019.v13.i03.p01>



- Hingray, B., Picouet, C. & Musy, A. (2015). *Hydrology: A Science for Engineers*. Boca Raton: CRC Press.
- Hou, J., Fu, B., Wang, S. & Zhu, H. (2014). Comprehensive analysis of relationship between vegetation attributes and soil erosion on hillslopes in the Loess Plateau of China. *Environmental Earth Sciences*, 72(5), 1721–1731. <https://doi.org/10.1007/s12665-014-3076-1>
- Huggett, R.J. (2011). *Fundamentals of Geomorphology* (Edisi ke-3). Poynton: Routledge. <https://doi.org/10.4324/9780203860083>
- Husein, S., Jyalita, J. & Nursecha, M.A.Q. (2013). Kendali stratigrafi dan struktur gravitasi pada rembesan hidrokrabon Sijenggung, Cekungan Serayu Utara. *Prosiding Seminar Nasional Kebumihan Ke-6*, 474–489.
- Indian Institutes of Technology. (2010). Lesson 5: Planning Of Water Storage Reservoirs. In *Module 4: Hydraulic Structures for Flow Diversion and Storage*. Kharagpur: Indian Institute of Technology.
- Issa, I.E., Al-Ansari, N., Sherwany, G. & Knutsson, S. (2013). Sedimentation processes and useful life of Mosul Dam Reservoir, Iraq. *Engineering*, 5(10), 779–784. <https://doi.org/10.4236/eng.2013.510094>
- IWRMP & IPB. (2010). *Laporan Rutin Kegiatan Bantuan Teknis TA B2 Penataan Ruang WS Citarum: Thematic Maps of Soil Erodibility in The 6 Cis River Basin Territory*. Bogor.
- Jia, L., Zhao, W., Zhai, R., An, Y. & Pereira, P. (2020). Quantifying the effects of contour tillage in controlling water erosion in China: a meta-analysis. *Catena*, 195, 1–9. <https://doi.org/10.1016/j.catena.2020.104829>
- Jiang, Q., Zhou, P., Liao, C., Liu, Y. & Liu, F. (2020). Spatial pattern of soil erodibility factor (K) as affected by ecological restoration in a typical degraded watershed of central China. *Science of the Total Environment*, 749, 1–12. <https://doi.org/10.1016/j.scitotenv.2020.141609>
- Kartikoputro, E. (2010). *Pengaruh Perubahan Tutupan Lahan terhadap Morfologi Dasar Waduk Mrica, Jawa Tengah*. (Skripsi). Universitas Indonesia.
- Kementerian Lingkungan Hidup dan Kehutanan. *Peraturan Direktur Jendral Pengendalian Daerah Aliran Sungai dan Hutan Lindung No. P.10/PDASHL/SET/KUM.1/8/2017 tentang Petunjuk Teknis Penyusunan Peta Daerah Aliran Sungai Skala 1:50.000 dan Peta Rawan Erosi*. (2017).
- Kondolf, G.M., Gao, Y., Annandale, G.W., Morris, G.L., Jiang, E., Zhang, J., ... Yang, C.T. (2014). Sustainable sediment management in reservoirs and regulated rivers: Experiences from five continents. *Earth's Future*, 2(5), 256–280. <https://doi.org/10.1002/2013ef000184>
- Krisetyana, H. (2008). *Tingkat Efisiensi Penggelontoran Endapan Sedimen di Waduk PLTA PB. Sudirman*. (Tesis). Universitas Diponegoro.
- Kusumandari, A. (2014). Soil erodibility of several types of green open space areas in Yogyakarta City, Indonesia. *Procedia Environmental Sciences*, 20, 732–736. <https://doi.org/10.1016/j.proenv.2014.03.087>
- Lacoul, P. & Freedman, B. (2006). Environmental influences on aquatic plants in freshwater ecosystems. *Environmental Reviews*, 14(2), 89–136. <https://doi.org/10.1139/A06-001>
- Lutgens, F.K. & Tarbuck, E. J. (2012). *Essentials of Geology* (Edisi ke-11). Upper Saddle River: Pearson Prentice Hall, Pearson Education Inc.
- Marhendi, T. (2013). Strategi pengelolaan sedimentasi waduk. *Techno*, 14(2), 29–



41.

- Marhendi, T. (2018). Analisa perubahan volume sedimentasi Waduk Pangsar Soedirman menggunakan karakteristik curah hujan berbasis Universal Soil Loss Equation (USLE). *Teknik*, 39(2), 120–125. <https://doi.org/10.14710/teknik.v39n2.13763>
- Marhendi, T. & Pramono, A.A. (2019). Prediksi peningkatan debit puncak Sungai Serayu berdasarkan perubahan penggunaan lahan. *Jurnal Riset Sains dan Teknologi*, 3(1), 19–26.
- Marhendi, T. & Putra, S.T. (2019). Pengaruh aktivitas flushing terhadap prediksi reduksi endapan sedimen di Waduk Pangsa Soedirman, Banjarnegara. *Jurnal Techno*, 20(2), 117–124.
- Mekarsasi, R. & Utomo, P. (2019). Analisis tingkat bahaya erosi pada Waduk Wadaslintang dengan aplikasi ArcGIS. *Jurnal Geografi GEA*, 19(2), 93–104.
- Menteri Kehutanan Republik Indonesia. *Keputusan Menteri Kehutanan Republik Indonesia No. SK. 328/Menhut-II/2009 tentang Penetapan Daerah Aliran Sungai (DAS) Prioritas dalam rangka Rencana Pembangunan Jangka Menengah (RPJM) Tahun 2010-2014*. (2009).
- Moghadam, B.K., Jabarifar, M., Bagheri, M. & Shahbazi, E. (2015). Effects of land use change on soil splash erosion in the semi-arid region of Iran. *Geoderma*, 241–242, 210–220. <https://doi.org/10.1016/j.geoderma.2014.11.025>
- Muchane, M.N., Sileshi, G.W., Gripenberg, S., Jonsson, M., Pumariño, L. & Barrios, E. (2020). Agroforestry boosts soil health in the humid and sub-humid tropics: a meta-analysis. *Agriculture, Ecosystems and Environment*, 295, 1–12. <https://doi.org/10.1016/j.agee.2020.106899>
- Nastain & Nugroho, P. S. (2009). Pemanfaatan sedimen Waduk Mrica untuk bahan baku bata merah. *Dinamika Rekayasa*, 5(2), 41–44.
- Nearing, M.A., Yin, S., Borrelli, P. & Polyakov, V.O. (2017). Rainfall erosivity: an historical review. *Catena*, 157, 357–362. <https://doi.org/10.1016/j.catena.2017.06.004>
- Ngabekti, S., Setyowati, D.L. & Sugiyanto, R. (2007). Tingkat kerusakan lingkungan di Dataran Tinggi Dieng sebagai database guna upaya konservasi. *Jurnal Manusia dan Lingkungan*, 14(2), 93–102.
- Nichols, G. (2009). *Sedimentology and Stratigraphy* (Edisi ke-2). Chichester: Wiley-Blackwell.
- NRCS USDA. (1983). Chapter 6: Sediment Sources, Yields, and Delivery Ratios. Dalam *National Engineering Handbook Section 3: Sedimentation*. Washington DC: USDA.
- NRCS USDA. (1999). *Soil Taxonomy: A Basic System of Soil Classification for Making and Interpreting Soil Surveys* (Edisi ke-2). Washington DC: USDA.
- Nugroho, S.P. (2003). Pergeseran kebijakan dan paradigma baru dalam pengelolaan daerah aliran sungai di Indonesia. *Jurnal Teknologi Lingkungan P3TL-BBPT*, 4(3), 136–142.
- Nurulloh, U.I. & Suprayogi, S. (2016). Prediksi umur dan pengelolaan DTA Waduk Ngancar, Batuwarno, Wonogiri, Jawa Tengah. *Jurnal Bumi Indonesia*, 5(3), 1–9.
- Panagos, P., Borrelli, P., Meusburger, K., Yu, B., Klik, A., Lim, K. J., ... Ballabio, C. (2017). Global rainfall erosivity assessment based on high-temporal resolution rainfall records. *Scientific Reports*, 7(1), 1–12.



- <https://doi.org/10.1038/s41598-017-04282-8>
- Panagos, P., Meusburger, K., Ballabio, C., Borrelli, P. & Alewell, C. (2014). Soil erodibility in Europe: a high-resolution dataset based on LUCAS. *Science of the Total Environment*, 479–480(1), 189–200. <https://doi.org/10.1016/j.scitotenv.2014.02.010>
- Patterson, L., Doyle, M.W. & Kuzma, S. (2018). *Creating Data as a Service for U.S. Army Corps of Engineers Reservoirs*. Diakses dari <http://nicholasinstitute.duke.edu/publications>
- Pauwelyn, P.L.L., Lenvain, J.S. & Sakala, W.K. (1988). Iso-erodent map of Zambia: Part I: The calculation of erosivity indices from a rainfall data bank. *Soil Technology*, 1(3), 235–250. [https://doi.org/https://doi.org/10.1016/0933-3630\(88\)90023-2](https://doi.org/https://doi.org/10.1016/0933-3630(88)90023-2)
- Pratiwi, D.W., Sujono, J. & Rahardjo, A.P. (2017). Evaluasi data hujan satelit untuk prediksi data hujan pengamatan menggunakan cross correlation. *Seminar Nasional Sains dan Teknologi*, 1–11. <https://doi.org/10.13140/RG.2.2.29067.23845>
- PT. Indonesia Power Mrica PGU. (2021). *Lampiran Kajian Lingkungan untuk Optimasi Operasional Waduk PLTA PB Soedirman*. Banjarnegara.
- Purba, E.C., Suryani, L., Nur, A., Mustofa, H. & Syafe'i, H. (2020). Analisis tingkat bahaya erosi daerah hulu dan hilir menggunakan pendekatan Universal Soil Lost Equation (USLE) pada sebagian Daerah Aliran Sungai (DAS) Garang, Kota Semarang, Jawa Tengah. *Jurnal Geosains dan Teknologi*, 3(2), 73–82.
- Pusat Pengendalian Pembangunan Ekoregion Jawa. (2015). *Album Peta Ekoregion Jawa Skala 1:250.000*. Yogyakarta: Kementerian Lingkungan Hidup dan Kehutanan.
- Pusdiklat SDA & Konstruksi. (2017). *Modul Perhitungan Hidrologi Pelatihan Perencanaan Bendungan Tingkat Dasar 2017*. Bandung: Pusdiklat SDA & Konstruksi.
- Puslitbangtanak. (2004). *Teknologi Konservasi Tanah pada Lahan Kering Berlereng*. Bogor: Puslitbangtanak.
- Quan, X., He, J., Cai, Q., Sun, L., Li, X. & Wang, S. (2020). Soil erosion and deposition characteristics of slope surfaces for two loess soils using indoor simulated rainfall experiment. *Soil and Tillage Research*, 204, 1–12. <https://doi.org/10.1016/j.still.2020.104714>
- Ran, H., Deng, Q., Zhang, B., Liu, H., Wang, L., Luo, M. & Qin, F. (2018). Morphology and influencing factors of rills in the steep slope in Yuanmou Dry-Hot Valley (SW China). *Catena*, 165, 54–62. <https://doi.org/10.1016/j.catena.2018.01.017>
- Ren, S., Zhang, B., Wang, W.J., Yuan, Y. & Guo, C. (2021). Sedimentation and its response to management strategies of the Three Gorges Reservoir, Yangtze River, China. *Catena*, 199, 1–13. <https://doi.org/10.1016/j.catena.2020.105096>
- Riquetti, N.B., Mello, C.R., Beskow, S. & Viola, M.R. (2020). Rainfall erosivity in South America: Current patterns and future perspectives. *Science of the Total Environment*, 724, 1–14. <https://doi.org/10.1016/j.scitotenv.2020.138315>
- Roslina, A. (2016). *Studi Pendugaan Sisa Usia Guna Waduk Sempor di Kabupaten Kebumen Provinsi Jawa Tengah*. (Skripsi). Universitas Negeri Jakarta.



- Rustanto, A. (2019). Dinamika erosi tanah dan krisis ekonomi-era reformasi di Daerah Aliran Sungai Serayu Hulu. *Jurnal Geografi Lingkungan Tropik*, 3(1), 41–47. <https://doi.org/10.7454/jglitrop.v3i1.70>
- Rustanto, A., Shrestha, D.P. & Jetten, V. G. (2010). Perubahan tutupan lahan di Daerah Aliran Sungai Serayu Hulu. *Jurnal Geografi*, 3(1), 1–11.
- Sallata, M.K. (2015). Konservasi dan pengelolaan sumber daya air berdasarkan keberadaannya sebagai sumber daya alam. *Info Teknis EBONI*, 12(1), 75–86.
- Sayaka, B. & Pasandaran, E. (1996). Menuju era baru pengelolaan sumberdaya air di Indonesia. *Forum Agro Ekonomi*, 14(2), 27–36. <https://doi.org/10.21082/fae.v14n2.1996.27-36>
- Schietecatte, W., D'hondt, L., Cornelis, W.M., Acosta, M.L., Leal, Z., Lauwers, N., ... Gabriels, D. (2008). Influence of landuse on soil erosion risk in the Cuyaguaje watershed (Cuba). *Catena*, 74(1), 1–12. <https://doi.org/10.1016/j.catena.2007.12.003>
- Shi, D., Jiang, G., Peng, X., Jin, H. & Jiang, N. (2021). Relationship between the periodicity of soil and water loss and erosion-sensitive periods based on temporal distributions of rainfall erosivity in the Three Gorges Reservoir Region, China. *Catena*, 202, 1–8. <https://doi.org/10.1016/j.catena.2021.105268>
- Subardja, D., Ritung, S., Anda, M., Suryani, E. & Subandiono, R. E. (2016). *Petunjuk Teknis Klasifikasi Tanah Nasional*. Bogor: BBSDLP.
- Subramanya, K. (2008). *Engineering Hydrology* (Edisi ke-3). New Delhi: Tata McGraw-Hill Publishing Company Limited (India).
- Sudibyakto, H.A., Gunawan, D., Nurjani, E., Sekaranom, A.B. & Wulandari, R. (2016). Pemodelan hujan wilayah di Pulau Jawa. *Prosiding SNSA*, 82–88. Bandung: LAPAN.
- Sugiharyanto & Khotimah, N. (2009). *Diktat Mata Kuliah Geografi Tanah*. Yogyakarta: Universitas Negeri Yogyakarta.
- Sukarman & Dariah, A. (2014). *Tanah Andosol di Indonesia: Karakteristik, Potensi, Kendala, dan Pengelolannya untuk Pertanian*. Bogor: BBSDLP.
- Sukartaatmadja, S., Sato, Y., Yamaji, E. & Ishikawa, M. (2003). The effect of rainfall intensity on soil. *Buletin Agronomi*, 31(2), 71–79.
- Sukmawati, R. (2019). Dinamika erosi di sub DAS Tanralili sehubungan dengan perubahan penggunaan lahan tahun 2009 – 2019. *Seminar Nasional Penginderaan Jauh Ke-6*, 8–22. Depok: LAPAN.
- Sun, J., Yu, X., Li, H., Chang, Y., Wang, H., Tu, Z. & Liang, H. (2016). Simulated erosion using soils from vegetated slopes in the Jiufeng Mountains, China. *Catena*, 136, 128–134. <https://doi.org/10.1016/j.catena.2015.02.019>
- Suroso & Widiyanto, W. (2009). Model pengendalian sedimentasi Waduk Mrica dengan fluidisasi. *Jurnal Dinamika Rekayasa*, 5(2), 50–58. <https://doi.org/10.20884/1.dr.2009.5.2.26>
- Suroyo, Suntoro & Suryono. (2013). Sistem tumpangsari dan integrasi ternak terhadap perubahan sifat fisik dan kimia tanah Litosol. *Jurnal Ilmu Tanah dan Agroklimatologi*, 10(1), 71–80.
- Susanti, Y., Syafrudin, S. & Helmi, M. (2019). Soil erosion modelling at watershed level in Indonesia: a review. *The 4th International Conference on Energy, Environment, Epidemiology and Information System (ICENIS 2019)*, 125(2019), 1–5. <https://doi.org/10.1051/e3sconf/201912501008>



- Susanti, Y., Syarifudin & Helmi, M. (2020). Analisa perubahan penggunaan lahan di Daerah Aliran Sungai Serayu Hulu dengan penginderaan jauh dan sistem informasi geografis. *BIOEDUKASI: Jurnal Pendidikan Biologi*, 13(1), 23–30.
- Tarigan, D.R. & Mardiatno, D. (2012). Pengaruh erosivitas dan topografi terhadap kehilangan tanah pada erosi alur di Daerah Aliran Sungai Secang Desa Hargotirto Kecamatan Kokap Kabupaten Kulonprogo. *Jurnal Bumi Indonesia*, 1(3), 411–420.
- Tetzlaff, B., Friedrich, K., Vorderbrügge, T., Vereecken, H. & Wendland, F. (2013). Distributed modelling of mean annual soil erosion and sediment delivery rates to surface waters. *Catena*, 102, 13–20. <https://doi.org/10.1016/j.catena.2011.08.001>
- Thompson, G.R. & Turk, J. (1997). *Introduction to Physical Geology* (Edisi ke-2). Pacific Grove: Brooks Cole.
- Thornton, J., Steel, A. & Rast, W. (1996). Reservoirs. Dalam *Water Quality Assessments - A Guide to Use of Biota, Sediments and Water in Environmental Monitoring - Second Edition*. New York: Taylor & Francis.
- Tukidin. (2010). Karakter curah hujan di Indonesia. *Jurnal Geografi*, 7(2), 136–145. <https://doi.org/10.15294/jg.v7i2.84>
- Umiyati, R. (2015). Diversifikasi hasil kegiatan agroforestri bagi ketahanan pangan di Kecamatan Sigaluh, Kabupaten Banjarnegara. *Jurnal Ilmiah Teknosains*, 1(1), 52–56.
- US Department of Interior. (2006). *Erosion and Sedimentation Manual*. Denver: US Department of Interior.
- Wahyunto, Hikmatullah, Suryani, E., Tafakresnanto, C., Ritung, S., Mulyani, A., ... Nursyamsi, D. (2016). *Petunjuk Teknis Pedoman Survei dan Pemetaan Tanah Tingkat Semi Detail Skala 1:50.000*. Bogor: BBSDLP.
- Wibowo, A., Soeprbowati, T.R. & Sudarno. (2015). Laju erosi dan sedimentasi Daerah Aliran Sungai Rawa Jombor dengan model USLE dan SDR untuk pengelolaan danau berkelanjutan. *Indonesia Journal of Conservation*, 4(1), 16–27.
- Wijanarko, A., Sudaryono & Sutarno. (2007). Karakteristik sifat kimia dan fisika tanah Alfisol di Jawa Timur dan Jawa Tengah. *Iptek Tanaman Pangan*, 2(2), 214–226.
- Williams, J.R. & Berndt, H.D. (1977). Sediment yield prediction based on watershed hydrology. *Transactions of the ASAE*, 20(6), 1100–1104. <https://doi.org/10.13031/2013.35710>
- Wu, L., He, Y. & Ma, X. (2020). Using five long time series hydrometeorological data to calibrate a dynamic sediment delivery ratio algorithm for multi-scale sediment yield predictions. *Environmental Science and Pollution Research*, 27(14), 16377–16392. <https://doi.org/10.1007/s11356-020-08121-8>
- Wu, L., Liu, X. & Ma, X. (2018). Research progress on the watershed sediment delivery ratio. *International Journal of Environmental Studies*, 75(4), 565–579. <https://doi.org/10.1080/00207233.2017.1392771>
- Wulandari, A. & Cahyono, B.K. (2018). Estimasi volume sedimentasi Waduk Sermo menggunakan metode RUSLE, batimetri dan angkutan sedimen. *Journal of Geospatial Information Science and Engineering*, 1(2), 39–48. <https://doi.org/10.22146/jgise>.
- Wulandari, D.A. (2007). Penanganan sedimentasi Waduk Mrica. *Berkala Ilimiah*



- Teknik Keairan*, 13(4), 264–271.
- Wulansari, H. (2017). Uji akurasi klasifikasi penggunaan lahan dengan menggunakan metode Defuzzifikasi Maximum Likelihood berbasis citra ALOS AVNIR-2. *BHUMI: Jurnal Agraria dan Pertanahan*, 3(1), 98–110. <https://doi.org/10.31292/jb.v3i1.96>
- Wurbs, R.A., Cabezas, L.M. & Tibbets, M.N. (1985). *Optimum Reservoir Operation for Flood Control and Conservation Purposes*. College Station.
- Xiong, M., Sun, R. & Chen, L. (2019). A global comparison of soil erosion associated with land use and climate type. *Geoderma*, 343, 31–39. <https://doi.org/10.1016/j.geoderma.2019.02.013>
- Yue, T., Xie, Y., Yin, S., Yu, B., Miao, C. & Wang, W. (2020). Effect of time resolution of rainfall measurements on the erosivity factor in the USLE in China. *International Soil and Water Conservation Research*, 8(4), 373–382. <https://doi.org/10.1016/j.iswcr.2020.06.001>
- Yuningsih, S.M., Raharja, B., Sudono, I. & Fauzi. (2012). Estimasi laju erosi pada beberapa daerah tangkapan air waduk di Daerah Aliran Sungai Bengawan Solo dengan sistem informasi geografi. *Jurnal Sumber Daya Air*, 8(1), 39–52.
- Zehetner, F. & Miller, W.P. (2006). Erodibility and runoff-infiltration characteristics of volcanic ash soils along an altitudinal climosequence in the Ecuadorian Andes. *Catena*, 65(3), 201–213. <https://doi.org/10.1016/j.catena.2005.10.003>
- Zhang, K.L., Shu, A.P., Xu, X.L., Yang, Q.K. & Yu, B. (2008). Soil erodibility and its estimation for agricultural soils in China. *Journal of Arid Environments*, 72(6), 1002–1011. <https://doi.org/10.1016/j.jaridenv.2007.11.018>
- Zhang, X., Hu, M., Guo, X., Yang, H., Zhang, Z. & Zhang, K. (2018). Effects of topographic factors on runoff and soil loss in Southwest China. *Catena*, 160, 394–402. <https://doi.org/10.1016/j.catena.2017.10.013>
- Zhao, G., Gao, P., Tian, P., Sun, W., Hu, J. & Mu, X. (2020). Assessing sediment connectivity and soil erosion by water in a representative catchment on the Loess Plateau, China. *Catena*, 185, 1–10. <https://doi.org/10.1016/j.catena.2019.104284>
- Zhou, Q., Wang, W., Pang, Y., Zhou, Z. & Luo, H. (2015). Temporal and spatial distribution characteristics of water resources in Guangdong Province based on a cloud model. *Water Science and Engineering*, 8(4), 263–272. <https://doi.org/10.1016/j.wse.2015.09.001>