

## DAFTAR PUSTAKA

- Adams, J. B., & Gillespie, A. R. (2006). *Remote Sensing of Landscapes with Spectral Images Spectral : A Physical Modelling Approach*. Cambridge University Press.
- Badan Standardisasi Nasional. (2011a). *Pengukuran dan penghitungan cadangan karbon – Pengukuran lapangan untuk penaksiran cadangan karbon hutan*.
- Badan Standardisasi Nasional. (2011b). *Survei dan pemetaan mangrove*.
- Baloloy, A. B., Blanco, A. C., Candido, C. G., Argamosa, R. J. L., Dimalag, J. B. L. C., DImapilis, L. L. C., & Paringit, E. C. (2018). Estimation of Mangrove Forest Aboveground Biomass Using Multispectral Bands, Vegetation Indices and Biophysical Variables Derived from Optical Satellite Imageries : Rapideye, Planetscope, and Sentinel-2. *ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, 4(3), 29–36.  
<https://doi.org/10.5194/isprs-annals-IV-3-29-2018>
- Bindu, G., Rajan, P., Jishnu, E. S., & Ajith Joseph, K. (2020). Carbon stock assessment of mangroves using remote sensing and geographic information system. *Egyptian Journal of Remote Sensing and Space Science*, 23(1), 1–9.  
<https://doi.org/10.1016/j.ejrs.2018.04.006>
- Bouwer, L. M. (2011). Have disaster losses increased due to anthropogenic climate change? *Bulletin of the American Meteorological Society*, 92(1), 39–46.  
<https://doi.org/10.1175/2010BAMS3092.1>
- Brahmantara, R. P. (2017). *Pengukuran Kualitas Geometri Hasil Orthorektifikasi Citra Worldview-2 Geometric Quality Assessment of Orthorectified Worldview-2*. 97–104.
- Congalton, R. G., & Green, K. (2019). *Assessing the Accuracy of Remotely Sensed Data*. CRC Press. <https://doi.org/10.1201/9780429052729>
- Cyr, H., & Pace, M. L. (1993). Allometric Theory : Extrapolations from Individuals

to Communities. *Ecology*, 74(4), 1234–1245.

<https://doi.org/https://doi.org/10.2307/1940493>

Danoedoro, P. (2012). *Pengantar Penginderaan Jauh Digital*. Penerbit Andi.

Danoedoro, P., Kristian, G., & Rahmi, K. N. I. (2015). Pengaruh Metode Koreksi Radiometrik Citra ALOS AVNIR-2 Terhadap Akurasi Hasil Estimasi Karbon Vegetasi Tegakan di wilayah Kota Semarang Bagian Timur. *ResearchGate*, February, 1–16.

Davis, B. A., & Jensen, J. R. (1998). Remote sensing of mangrove biophysical characteristics. *Geocarto International*, 13(4), 55–64.  
<https://doi.org/10.1080/10106049809354665>

Departemen Kelautan dan Perikanan. (2004). *Pedoman Pengelolaan Ekosistem Mangrove*. Departemen Kelautan dan Perikanan (DKP).

Dharmawan, I. W. S., & Siregar, C. A. (2008). Karbon Tanah dan Pendugaan Karbon Tegakan *Avicennia marina* (Forsk.) Vierh. di Ciasem, Purwakarta. *Jurnal Penelitian Hutan Dan Konservasi Alam*, 5(4), 317–328.

Donato, D. C., Kauffman, J. B., Murdiyarso, D., Kurnianto, S., Stidham, M., & Kanninen, M. (2012). Mangrove adalah salah satu hutan terkaya karbon di kawasan tropis. *CIFOR Brief*, 13(12), 12.

Fawzi, N. I. (2016). *Penginderaan Jauh untuk Lingkungan dan Konservasi*. Penerbit Ombak.

Forestriko, H. F. (2016). Pemanfaatan Citra Landsat 8 untuk Estimasi Stok Karbon Hutan Mangrove di Kawasan Segara Anakan Cilacap Jawa Tengah. *Jurnal Bumi Indonesia*, 5(1), 1–10.

Gao, B.-C. (1996). NDWI-A Normalized Difference Water Index for Remote Sensing of Vegetation Liquid Water From Space. *Remote Sens. Environ*, 58, 257–266.

Giri, C., Pengra, B., Zhu, Z., Singh, A., & Tieszen, L. L. (2007). Monitoring

- mangrove forest dynamics of the Sundarbans in Bangladesh and India using multi-temporal satellite data from 1973 to 2000. *Estuarine, Coastal and Shelf Science*, 73(1–2), 91–100. <https://doi.org/10.1016/j.ecss.2006.12.019>
- Gitelson, A., & Merzlyak, M. N. (1994). Spectral Reflectance Changes Associated with Autumn Senescence of *Aesculus hippocastanum* L. and *Acer platanoides* L. Leaves. Spectral Features and Relation to Chlorophyll Estimation. *Journal of Plant Physiology*, 143(3), 286–292. [https://doi.org/10.1016/S0176-1617\(11\)81633-0](https://doi.org/10.1016/S0176-1617(11)81633-0)
- Green, E. P., Mumby, P. J., Edwards, A. J., & Clark, C. D. (2000). *Remote Sensing Handbook for Tropical Coastal Management* (A. J. Edwards (ed.)). UNESCO.
- Gupta, K., Mukhopadhyay, A., Giri, S., Chanda, A., Datta Majumdar, S., Samanta, S., Mitra, D., Samal, R. N., Pattnaik, A. K., & Hazra, S. (2018). An index for discrimination of mangroves from non-mangroves using LANDSAT 8 OLI imagery. *MethodsX*, 5, 1129–1139. <https://doi.org/10.1016/j.mex.2018.09.011>
- Hardisky, M. A., Gross, M. F., & Klemas, V. (1986). Remote Sensing of Coastal Wetlands. *BioScience*, 36(7), 453–460. <https://doi.org/10.2307/1310341>
- Heenkenda, M. K., Maier, S. W., & Joyce, K. E. (2016). Estimating mangrove biophysical variables using worldview-2 satellite data: Rapid creek, Northern Territory, Australia. *Journal of Imaging*, 2(3). <https://doi.org/10.3390/jimaging2030024>
- Hernandez, R. P. (2004). *Assessing Carbon Stocks and Modelling Win-Win Scenarios of Carbon Sequestration Through Land-Use Changes*. Food and Agriculture Organization of The United Nations.
- Hobi, M. L., & Ginzler, C. (2012). Accuracy assessment of digital surface models based on WorldView-2 and ADS80 stereo remote sensing data. *Sensors (Switzerland)*, 12(5), 6347–6368. <https://doi.org/10.3390/s120506347>
- Hoegh-Guldberg, O., & Bruno, J. F. (2010). The impact of climate change on the

- world's marine ecosystems. *New Scientist*, 206(2765), 49.  
[https://doi.org/10.1016/s0262-4079\(10\)61509-6](https://doi.org/10.1016/s0262-4079(10)61509-6)
- Huete, A., Miura, T., Yoshioka, H., Ratana, P., & Broich, M. (2013). Indices of Vegetation Activity. *Biophysical Applications of Satellite Remote Sensing*, 1–42.
- Huete, A. R., & Glenn, E. P. (2011). Remote sensing of ecosystem structure and function. *Advances in Environmental Remote Sensing: Sensors, Algorithms, and Applications*, 291–320. <https://doi.org/10.1201/b10599-16>
- Huete, A. R., Liu, H. Q., & van Leeuwen, W. J. D. (1997). Use of vegetation indices in forested regions: Issues of linearity and saturation. *International Geoscience and Remote Sensing Symposium (IGARSS)*, 4(1), 1966–1968.  
<https://doi.org/10.1109/igarss.1997.609169>
- Ismail, M. H., Zaki, P. H., & Hamed, H. A. (2015). Wood density and carbon estimates of mangrove species in Kuala Sepetang, Perak, Malaysia. *Malaysian Forester*, 78(1–2), 115–124.
- Jensen, J. R. (2014). Remote sensing of the environment: an earth resource perspective second edition. In *Pearson Education Limited, Harlow, England* (Vol. 1).
- Jensen, J. R. (2015). *Introductory Digital Image Processing : a Remote Sensing Perspective*. Pearson.
- Jordan, C. F. (1969). Derivation of Leaf-Area Index From Quality of Light on The Forest Floor. *Ecology*, 50, 663–666. <https://doi.org/10.1155/2012/651039>
- Kamal, M., Kanekaputra, T., Hermayani, R., Utari, D., Geografi, S. I., Geografi, F., Mada, U. G., Geografi, P. F., & Mada, U. G. (2020). *Pengaruh Distribusi Spasial Sampel Pemodelan Terhadap Akurasi Estimasi Leaf Area Index ( Lai ) Mangrove ( the Effect of Spatial Distribution of Modelling Sample To the Accuracy of Mangrove Leaf Area Index Estimation )*. 17(2), 101–112.

- Karnieli, A., Agam, N., Pinker, R. T., Anderson, M., Imhoff, M. L., Gutman, G. G., Panov, N., & Goldberg, A. (2010). Use of NDVI and land surface temperature for drought assessment: Merits and limitations. *Journal of Climate*, 23(3), 618–633. <https://doi.org/10.1175/2009JCLI2900.1>
- Komiyama, A., Pongparn, S., & Kato, S. (2005). Common allometric equations for estimating the tree weight of mangroves. *Journal of Tropical Ecology*, 21(4), 471–477. <https://doi.org/10.1017/S0266467405002476>
- Kuenzer, C., Bluemel, A., Gebhardt, S., Quoc, T. V., & Dech, S. (2011). Remote sensing of mangrove ecosystems: A review. In *Remote Sensing* (Vol. 3, Issue 5). <https://doi.org/10.3390/rs3050878>
- Leech, N. L., Barrett, K. C., & Morgan, G. A. (2005). *SPSS for Intermediate Statistics : Use and Interpretation* (Second Edi). Lawrence Erlbaum Associates, Inc.
- Major, D. J., Baret, F., & Guyot, G. (1990). A ratio vegetation index adjusted for soil brightness. *International Journal of Remote Sensing*, 11, 727–740.
- McCoy, R. M. (2005). *Field Methods in Remote Sensing*. The Guilford Press.
- Muhsoni, F. F., Sambah, A. B., Mahmudi, M., & Wiadnya, D. G. R. (2018). Comparison of different vegetation indices for assessing mangrove density using sentinel-2 imagery. *International Journal of GEOMATE*, 14(45), 42–51. <https://doi.org/10.21660/2018.45.7177>
- Noor, Y. R., Khazali, M., & Suryadiputra, I. N. N. (2006). *Panduan Pengenalan Mangrove di Indonesia* (PHKA/WI-IP (Wetlands International-Indonesia Programme). (ed.); 2nd ed., Issue May).
- Oktaviani, M. A., & Notobroto, H. B. (2014). Perbandingan Tingkat Konsistensi Normalitas Distribusi Metode Kolmogorov-Smirnov, Lilliefors, Shapiro-Wilk, dan Skewness-Kurtosis. *Jurnal Biometrika Dan Kependudukan*, 3(2), 127–135.

- Pons, X., & Solé-Sugrañes, L. (1994). A simple radiometric correction model to improve automatic mapping of vegetation from multispectral satellite data. *Remote Sensing of Environment*, 48(2), 191–204. [https://doi.org/10.1016/0034-4257\(94\)90141-4](https://doi.org/10.1016/0034-4257(94)90141-4)
- Purnobasuki, H. (2012). Pemanfaatan Hutan Mangrove Sebagai Penyimpan Karbon. In *Buletin PSL Universitas Surabaya* (Vol. 28, Issue 04 June 2012).
- Rock, B. N., Vogelmann, J. E., Williams, D. L., Vogelmann, A. F., & Hoshizaki, T. (1986). Remote Detection of Forest Damage. *BioScience*, 36(7), 439–445. <https://doi.org/10.2307/1310339>
- Rodhe, H. (1990). A Comparison of the Contribution of Various Gases. *Science*, 248(1983), 1217–1219.
- Sahu, S. C., Kumar, M., & Ravindranath, N. H. (2016). Carbon stocks in natural and planted mangrove forests of Mahanadi Mangrove Wetland, East Coast of India. *Current Science*, 110(12), 2253–2260.
- Sertel, E., Kutoglu, S. H., & Kaya, S. (2007). Geometric correction accuracy of different satellite sensor images: Application of figure condition. *International Journal of Remote Sensing*, 28(20), 4685–4692. <https://doi.org/10.1080/01431160701592452>
- Setyawan, A. D., Winarno, K., & Purnama, P. C. (2003). Mangrove ecosystem in Java: 1. recent status. *Biodiversitas, Journal of Biological Diversity*, 4(2), 130–142. <https://doi.org/10.13057/biodiv/d040211>
- Sugiyono. (2016). *Metode Penelitian Kuantitatif, Kualitatif, dan R&D*. Penerbit Alfabeta.
- Sutanto. (1986). *Penginderaan Jauh Jilid 1*. Gadjah Mada University Press.
- Sutaryo, D. (2009). *Penghitungan Biomassa: Sebuah pengantar untuk studi karbon dan perdagangan karbon*. 1–38.

- Tucker, C. J., Fung, I. Y., Keeling, C. D., & Gammon, R. H. (1986). Relationship between atmospheric CO<sub>2</sub> variations and a satellite-derived vegetation index. *Nature*, 319(6050), 195–199. <https://doi.org/10.1038/319195a0>
- Udpik, T., & Comp, C. (2010). Radiometric Use of WorldView-2 Imagery Technical Note. In *DigitalGlobe* (Issue November). DigitalGlobe. [http://www.digitalglobe.com/downloads/Radiometric\\_Use\\_of\\_WorldView-2\\_Imagery.pdf](http://www.digitalglobe.com/downloads/Radiometric_Use_of_WorldView-2_Imagery.pdf)
- Utari, D., Kamal, M., & Sidik, F. (2020). Above-ground biomass estimation of mangrove forest using WorldView-2 imagery in Perancak Estuary, Bali. *IOP Conference Series: Earth and Environmental Science*, 500(1). <https://doi.org/10.1088/1755-1315/500/1/012011>
- Vassilev, S. V., Baxter, D., Andersen, L. K., & Vassileva, C. G. (2010). An overview of the chemical composition of biomass. *Fuel*, 89(5), 913–933. <https://doi.org/10.1016/j.fuel.2009.10.022>
- Walpole, R. E. (1995). *Pengantar Statistika Edisi ke 3*. Gramedia Pustaka Utama.
- Walsh, G. E. (1974). Mangroves : A Review. In *Ecology of Halophytes*. ACADEMIC PRESS, INC. <https://doi.org/10.1016/b978-0-12-586450-3.50008-1>
- Weber, F. P., & Olson, C. E. (1967). Remote sensing implications of change in physiologic structure and function of tree seedlings under moisture stress. In *Berkeley Research Report*. Forest Remote Sensing Laboratory.
- Wicaksono, P. (2017). Mangrove above-ground carbon stock mapping of multi-resolution passive remote-sensing systems. *International Journal of Remote Sensing*, 38(6), 1551–1578. <https://doi.org/10.1080/01431161.2017.1283072>
- Wicaksono, P., & Hafizt, M. (2017). Dark target effectiveness for dark-object subtraction atmospheric correction method on mangrove above-ground carbon stock mapping. *IET Image Processing*, 12(4), 582–587. <https://doi.org/10.1049/iet-ipr.2017.0295>

- Wigley, T. M. L., Jones, P. D., & Kelly, P. M. (2019). Global warming of 1.5°C An IPCC Special Report on the impacts of global warming of 1.5°C above pre-industrial levels and related global greenhouse gas emission pathways, in the context of strengthening the global response to the threat of climate change, . In *Nature* (Vol. 291, Issue 5813). <https://doi.org/10.1038/291285a0>
- Wulder, M. (1998). *Optical remote-sensing techniques for the assessment of forest inventory and biophysical parameters*. 4, 449–476.
- Xie, Y., Sha, Z., & Yu, M. (2008). Remote sensing imagery in vegetation mapping: a review. *Journal of Plant Ecology*, 1(1), 9–23. <https://doi.org/10.1093/jpe/rtm005>
- Xue, J., & Su, B. (2017). Significant remote sensing vegetation indices: A review of developments and applications. *Journal of Sensors*, 2017. <https://doi.org/10.1155/2017/1353691>