

DAFTAR PUSTAKA

- Allain, A., dan Kis, A., 2014. Electron and hole mobilities in single-layer WSe₂. *ASC Nano*, 30(20), pp.1-6.
- Ariasoca, T. A., Sholihun, Santoso, I., 2019. Trotter-suzuki propagation method for calculating the density of states of disordered graphene. *Computational Material Science*, 156, pp.434-440.
- Atkins, P. dan Friedman, R., 2011. Molecular quantum mechanics (5th ed., pp. 258-260). New York: Oxford University Press Inc.
- Avermann, A., Fehske, H., dan Littlewood, P. B., 2012. Numerical time propagation of quantum system in radiation fields. *New Journal of Physics*, 14(10), pp.1-14.
- Bieniek, M., Korkusiñki, M., Szulakowska, L., Potasz, P., Ozfidan, I., dan Hawrylak, P., 2017. Band nesting, massive dirac fermions, and valley landè and zeeman effects in transition metal dichalcogenides: a tight-binding model. *Physical Review B*, 97(8), p.085153.
- Brinkman, W. F., Haggan, D. E., dan Troutman, W. W., 1997. A history of the invention of the transistor and where it will lead us. *IEEE Journal of Solid-State Circuits*, 32(12), pp.1858-1865.
- Brunton, S. L. dan Kutz, J. N., 2019. Data-driven science and engineering: machine learning, dynamical systems, and control (1st ed., pp. 54-88). United Kingdom: Cambridge University Press.
- Cappelluti, E., Roldàn, R., Silva-Guillén, J. A., Ordejòn, P., dan Guinea, F., 2013. Tight-binding model and direct-gap/indirect-gap transition in single-layer and multilayer MoS₂. *Physical Review B*, 88(7), p.075409.

- De Raedt, H., 1996. Computer simulation of quantum phenomena in nanoscale devices. In Stauffer, D. (Ed.). Annual review of computational physics IV. Singapore: World Scientific Publishing.
- de Vries, P. dan De Raedt, H., 1993. Solution of the time dependent schrödinger equation for two-dimensional spin-1/2 heisenberg systems. *Physical Review B*, 47(13), pp. 7929-7937.
- Dias, A.C., Qu, F., Azevedo, D. L., dan Fu, J., 2018. Band structure of monolayer transition-metal dichalcogenides and topological properties of their nanoribbons: next-nearest-neighbor hopping. *Physical Review B*, 98(7), p.075202.
- Dietl, P., 2009. Numerical studies of electronic transport through graphene nanoribbons with disorder. *Thesis*. Karlsruhe Institute of Technology. Fakultät Für Physik. Karlsruhe.
- Fang, S., Defo, R. K., Shirodkar, S., Lieu, S., Tritsarlis, G., dan Kaxiras, E., 2015. Ab initio tight-binding hamiltonian for transition metal dichalcogenides. *Physical Review B*, 92(20), pp.1-16.
- Gerstner, E., 2010. Nobel prize 2010: andre geim & konstantin novoselov. *Nature Physics*, 6(11), p.836.
- Gharekhanlou, B. dan Khorasani, S., 2011. An overview of tight-binding method for two-dimensional carbon structures. In Xu, Z.(Ed). Graphene: properties, synthesis, and applications (pp. 1-36). New York: Nova Science Publishers, Inc.
- Goringe, C. M., Bowler, D. R., dan Hernández, E., 1997. Tight-binding modelling of materials. *Reports on Progress in Physics*, 60(12), pp.1447-1512.
- Gusakova, J., Wang, X., Shiau, L. L., Krivosheeva, A., Shaposhnikov, V., Borisenko, V., Gusakov, V., dan Tay, B. K., 2017. Electronic properties of bulk and monolayer tmds: theoretical study within dft framework (gvj-2e method). *Physica Status Solidi Applied Research*, 214(12), pp.1700218.

- Häfner, V., 2011. Large scale simulation of wave-packet propagation via krylov subspace methods and application to graphene. Karlsruhe Institute of Technology. Institut für Theorie der Kondensierten Materie.
- Hamaguchi, C., 2017. basic semiconductor physics. Berlin: Springer.
- Hams, A. dan De Raedt, H., 2000. Fast algorithm for finding the eigenvalue distribution of very large matrices. *Physical Review E*, 62(3), pp.4365-4377.
- Hatano, N. dan Suzuki, M., 2005. Finding exponential product formula of higher orders. In Chakrabarti, B. K. dan Das, A. (Ed). Quantum annealing and other optimization methods (pp. 37-68). Berlin: Springer.
- Herman, C., 2005. Statistical physics: including applications to condensed matter (1st ed.). New York: Springer Science+Business Media Inc.
- Hummel, R. E., 2011. Electronic Properties of Materials (4th ed., pp. 63-74). New York: Springer Science+Business Media.
- Isihara, A., 1971. statistical physics. New York: Academic Press.
- Jeong, T. Y., Kim, H., Choi, S. J., Watanabe, K., Taniguchi, T., Yee, K. J., Kim, Y. S., dan Jung, S., 2019. Spectroscopic studies of atomic defects and bandgap renormalization in semiconducting monolayer transition metal dichalcogenides. *Nature Communications*, 10(1), pp.1-10.
- Kim, K., Choi, J. Y., Kim, T., Cho, S. H., dan Chung. H. J., 2011. A role for graphene in silicon-based semiconductor devices. *Nature*, 479, pp. 338-344.
- Kumar, A., 2018. Fundamental of Quantum Mechanics (1st ed.). United Kingdom: Cambridge University Press.
- Kumar, A. dan Ahluwalia, P. K., 2012. Electronic structure of transition metal dichalcogenides monolayer 1H-MX₂ (M = Mo, W; X = S, Se, Te) from ab-initio theory: new direct band gap semiconductors. *The European Physical Journal B*, 85(6), p.186.

- Liu, G. B., Shan, W. Y., Yao, Y., Yao, W., dan Xiao, D., 2013. Three-band tight-binding model for monolayers of group-VIB transition metal dichalcogenides. *Physics Review B*, 88(8), pp. 1-11.
- Liu, W., Luo, C., Tang, X., Peng, X., dan Zang, J., 2019. Valleytronic properties of monolayer WSe₂ in external magnetic field. *AIP Advances*, 9(4), pp.1-6.
- Lu, N., Guo, H., Li, L., Dai, J., Wang, L., Mei, W., Wu, X., dan Zeng, X. C., 2014. MoS₂/MX₂ heterobilayers: bandgap engineering via tensile strain or external electrical field. *Nanoscale*, 6(5) pp.2879-2886.
- Lv, R., Robinson, J. A., Schaak, R. E., Sun, D., Sun, Y., Mallouk, T. E., dan Terrones, M., 2014. Transition metal dichalcogenides and beyond: synthesis, properties, and applications of single- and few-layer nanosheets. *Account of Chemical Research*, 48(1), pp.56-64.
- Mahan, G. D., 2011. Condensed matter in a nutshell (pp.9-14). United Kingdom: Princeton University Press.
- Manzeli, S., Ovchinnikov, D., Pasquier, D., Yazyev, O. V., dan Kis, A., 2017. 2D transition metal dichalcogenides. *Nature Review Materials*, 2(8), pp. 17033(1-15).
- Martin, R. M., 2020. Electronic structure: basic theory and practical methods (2nd ed., pp. 298-303). United Kingdom: Cambridge University Press.
- McCann, E., 2012. Electronic properties of monolayer and bilayer graphene. In Raza, H. (Ed). Graphene nanoelectronics: metrology, synthesis, properties, and applications (pp. 237-273). Berlin: Springer-Verlag Berlin Heidelberg.
- Neamen, D. A., 2011. Semiconductor physics and devices: basic principles (4th ed.). New York: McGraw-Hill.
- Obeng, Y. dan Srinivasan, P., 2011. Graphene: is it the future for semiconductor? An overview of the material, devices, and applications. *ECS Interface Magazine*, 20(1), p.47.

- Ohtake, T., 2018. Bottom-up approaches for material and device designing using practical aspects of self-assembled molecular architectures. *Molecular Systems Design and Engineering*, 3(5), pp.804-818.
- Papaconstantopoulos, D. A. dan Mehl, M. J., 2003. The slater-koster tight-binding method: a computationally efficient and accurate approach. *Journal of Physics: Condensed Matter*, 15(10), pp.413-440.
- Pavarini, E., 2012. Crystal-field theory, tight-binding method, and Jahn-Teller effect. In Pavarini, E., Koch, E., Anders, F., dan Jarrell, M. (Eds). *Correlated electrons: from models to materials* (pp. 6.2-6.38). Jülich: Forschungszentrum Jülich GmbH.
- Peng, Q. dan De, S., 2013. Outstanding mechanical properties of monolayer MoS₂ and its application in elastic energy storage. *Physical Chemistry Chemical Physics*, 15(44), pp.19427-19437.
- Quinn, M. J., 2004. *Parallel programming in c with mpi and openmp* (Vol. 1, pp. 3-4). Singapore: McGraw-Hill Education.
- . Radu, I., 2020. Atom-thick transistor. *IEEE Spectrum*, 57(2), pp.44-49.
- Ridolfi, E., 2017. *Electronic structure, transport and optical properties of MoS₂ monolayers and nanoribbons*. Thesis. Universidade Federal Fluminense. Instituto de Física. Niterói.
- Ridolfi, E., Le, D., Rahman, T. S., Mucciolo, E. R., dan Lewenkopf, C. H., 2015. A tight-binding model for MoS₂ monolayer. *Journal of Physics: Condensed Matter*, 27(36), p.365501.
- Roldán, R., López-Sancho, M.P., Guinea, F., Cappelluti, Silva-Guillén, J. A., dan Ordejón, P., 2014. Momentum dependence of spin-orbit interaction effects in single-layer and multi-layer transition metal dichalcogenides. *2D Materials*, 1(3), pp.034003.

- Salehi, S. dan Saffarzadeh, A., 2016. Atomic defect states in monolayer of MoS₂ and WS₂. *Surface Science*, 651, pp.215-221.
- Silva-Guillèn, J. À., San-Jose, P., dan Roldàn, R., 2016. Electronic band structure of transition metal dichalcogenides from ab initio and slater-koster tight-binding model. *Applied Science*, 6(10), p.284.
- Slater, J. C. dan Koster, G. F., 1954. Simplified lcao method for the periodic potential problem. *Physical Review*, 94(6), pp.1498-1524.
- Sohail, A. dan Yi, J., 2017. Two-dimensional transition metal dichalcogenides and their charge carrier mobilities in field-effect transistors. *Nano-Micro Letters*, 9(50), pp. 1-23.
- Sorkin, V., Pan, H., Shi, H., Quek, S. Y., dan Zhang, Y. W., 2014. Nanoscale transition metal dichalcogenides: structures, properties, and applications. *Critical Reviews in Solid State and Material Science*, 39(5), pp.319-367.
- Suzuki, M. 1976. Generalized trotter's formula and systematic approximations to exponential operator and inner derivations with applications to many-body problems. *Communications in Mathematical Physics*, 51(2), pp.183-190.
- Szulakowska, L., 2020. Electron-electron interactions and optical properties of two-dimensional nanocrystals. *Thesis*. University of Ottawa. Department of Physics. Ottawa.
- Tahir, M., 2018. Elctrical and optical transport properties of single layer WSe₂. *Physica E: Low-dimensional Systems and Nanostructures*, 97, pp.184-190.
- Tannor, D. J., 2007. introduction to quantum mechanics: a time-dependent perspective (1st ed., pp. 313-316). California: University Science Books.
- Troyer, M., 2015. computational quantum physics.
- Veen, E. V., 2019. Large-scale tight-binding simulations of two-dimensional materials and self-similar systems. *Thesis*. Radboud University Nijmegen. Faculteit Natuurwetenschappen, Wiskunde en Informatica. Nijmegen.

- Wehling, T. O., Yuan, S., Lichtenstein, A. I., dan Katsnelson, M. I., 2010. Supplementary information for: Resonant scattering by realistic impurities in graphene. *Physical Review Letters*, 105(5), pp.1-4.
- Wickramaratne, D., Zahid, F., dan Lake, R. K., 2014. Electronic and thermoelectric properties of few-layer transition metal dichalcogenides. *Journal of Chemical Physics*, 140(12), pp.1-13.
- Yang, D., Fang, X., Zhang, F., Hu, Y., dan Luo, Z., 2019. Electronic and magnetic properties of defected monolayer WSe₂ with vacancies. *Nanoscale Res Lett*, 14(1), pp.1-9.
- Yeo, B. C., Kim, D., Kim, C., dan Han, S. S., 2019. Pattern learning electronic density of states. *Scientific Reports*, 9(1), pp. 1-10.
- Yuan, S., De Raedt, H., dan Katsnelson, M. I., 2010. Modeling electronic structure and transport properties of graphene with resonant scattering centers. *Physical Review B*, 82(11), pp. 115448-1 - 115448-16.
- Yuan, S., Roldan, R., Katsnelson, M. I., dan Guinea, F., 2014. Effect of point defects on the optical and transport properties of MoS₂ and WS₂. *Physical Review B*, 90(4), pp. 1-5.
- Zhao, W., Huang, Y., Shen, C., Li, C., Cai, Y., Xu, Y., Rong, H., Gao, Q., Wang, Y., Zhao, L., Bao, L., Wang, Q., Zhang, G., Gao, H., Xu, Z., Zhou, X., dan Liu, G., 2019. Elektronik structure of exfoliated milimeter-sized monolayer WSe₂ on silicon wafer. *Nano Research*, 12(12), pp.3095-3100.