

## DAFTAR PUSTAKA

- Al-Sheikh, Bahaa, E., Ayah. (2013). (PDF) *Sound Source Direction Estimation in Horizontal Plane Using Microphone Array*. ResearchGate. <https://doi.org/10.1109/AEECT.2013.6716479>
- Amir, A. Y., & Sumiharto, R. (2019). *Sistem Deteksi Posisi Suara Menggunakan Metode TDOA (Time Difference Of Arrival) Pada Jaringan Sensor Nirkabel*. SISTEM DETEKSI POSISI SUARA MENGGUNAKAN METODE TDOA(TIME DIFFERENCE OF ARRIVAL) PADA JARINGAN SENSOR NIRKABEL. [http://etd.repository.ugm.ac.id/home/detail\\_pencarian/167988](http://etd.repository.ugm.ac.id/home/detail_pencarian/167988)
- Asfari, M., Rivai, M., & Tasripan, T. (2017). Penentuan Arah Sumber Suara dengan Metode Interaural Time Difference menggunakan Mikrokontroler STM32F4. *Jurnal Teknik ITS*, 6(2), A753-757. <https://doi.org/10.12962/j23373539.v6i2.26063>
- Bao, H., Ma, W., & Yang, M. (2018). Error in Sound Source Localization of Phased Microphone Array Caused by Installation Position Deviation of Microphone Array. *Proceedings of International Conference on Aerospace System Science and Engineering 2018*, 39–51. [https://doi.org/10.1007/978-981-13-6061-9\\_3](https://doi.org/10.1007/978-981-13-6061-9_3)
- Ding et al. - 2018—*Microphone Array Acoustic Source Localization syst.pdf*. (2018).
- Ding, J., Ren, B., & Zheng, N. (2018). Microphone Array Acoustic Source Localization system based on Deep Learning. *2018 11th International Symposium on Chinese Spoken Language Processing (ISCSLP)*, 409–413. <https://doi.org/10.1109/ISCSLP.2018.8706599>
- Giannoulis, P., Potamianos, G., & Maragos, P. (2019). Room-localized speech activity detection in multi-microphone smart homes. *EURASIP Journal on Audio, Speech, and Music Processing*, 2019(1), 15. <https://doi.org/10.1186/s13636-019-0158-8>
- Han, L., & Ye, Z. (2018). An Advanced Expectation-Maximization Algorithm for Multimicrophone Speech Dereverberation and Noise Reduction. *2018 2nd IEEE Advanced Information Management, Communicates, Electronic and Automation Control Conference (IMCEC)*, 2341–2345. <https://doi.org/10.1109/IMCEC.2018.8469347>

- Jeyasingh, P., & Mohamed Ismail, M. (2018). Real-time Multi Source Speech Enhancement based on Sound Source Separation using Microphone Array. *2018 Conference on Emerging Devices and Smart Systems (ICEDSS)*, 183–187. <https://doi.org/10.1109/ICEDSS.2018.8544373>
- Kho, D. (2014, October 1). Pengertian Microphone (Mikrofon) dan Cara Kerja Microphone. *Teknik Elektronika*. <https://teknikelektronika.com/pengertian-microphone-mikropon-cara-kerja-mikrofon/>
- Kodrat. (2019). *Pengertian Frekuensi, Getaran, Gelombang, dan Amplitudo—Centipedia*. <https://www.centipedia.net/pengertian-frekuensi-getaran-gelombang-dan-amplitudo/>
- Ma, N., May, T., & Brown, G. J. (2017). Exploiting Deep Neural Networks and Head Movements for Robust Binaural Localization of Multiple Sources in Reverberant Environments. *IEEE/ACM Transactions on Audio, Speech, and Language Processing*, 25(12), 2444–2453. <https://doi.org/10.1109/TASLP.2017.2750760>
- Malchaire, P. J. (2001). *SOUND MEASURING INSTRUMENTS*. 16.
- Modhave, N., Karuna, Y., & Tonde, S. (2016). *Design of matrix wiener filter for noise reduction and speech enhancement in hearing aids*. 843–847. <https://doi.org/10.1109/RTEICT.2016.7807946>
- Rahman, S. A., Arifianto, D., Dhanardono, T., & Wirawan. (2016). Localization of underwater moving sound source based on time delay estimation using hydrophone array. *Journal of Physics: Conference Series*, 776, 012075. <https://doi.org/10.1088/1742-6596/776/1/012075>
- Rama Rao, C., Murthy, M. B. R., & Rao, K. (2011). Speech Enhancement Using Cross-Correlation Compensated Multi-Band Wiener Filter Combined with Harmonic Regeneration. *J. Signal and Information Processing*, 2, 117–124. <https://doi.org/10.1016/j.aeue.2011.10.007>
- Riyadi, Hermawan. (2019). *Pengertian SOUND CARD Adalah: Fungsi & Cara Kerja Sound Card*. *Pengertian Soundcard*. <https://www.nesabamedia.com/pengertian-sound-card-dan-fungsi-sound-card/>

- Simbolon, F. C., & Sani, A. (2014). *ANALISIS PENGURANGAN DERAU PADA SINYAL LOUDSPEAKER MENGGUNAKAN FILTER ADAPTIF KALMAN*. 6, 6.
- Skordilis, Z. I., Tsiami, A., Maragos, P., Potamianos, G., Spelgatti, L., & Sannino, R. (2015). Multichannel speech enhancement using MEMS microphones. *2015 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, 2729–2733. <https://doi.org/10.1109/ICASSP.2015.7178467>
- Soda, S., Nakamura, M., Matsumoto, S., Izumi, S., Kawaguchi, H., & Yoshimoto, M. (2013). *Introducing Multiple Microphone Arrays for Enhancing Smart Home Voice Control*. 6.
- Valero, M. L., & Habets, E. A. P. (2019). Low-Complexity Multi-Microphone Acoustic Echo Control in the Short-Time Fourier Transform Domain. *IEEE/ACM Transactions on Audio, Speech, and Language Processing*, 27(3), 595–609. <https://doi.org/10.1109/TASLP.2018.2885786>
- Vesperini, F., Vecchiotti, P., Principi, E., Squartini, S., & Piazza, F. (2016). A neural network based algorithm for *speaker* localization in a multi-room environment. *2016 IEEE 26th International Workshop on Machine Learning for Signal Processing (MLSP)*, 1–6. <https://doi.org/10.1109/MLSP.2016.7738817>
- YPaulmay. (2019). iPhone Android Smartphones External 3.5mm Multipurpose Mic Condenser Cell Phone. [https://www.ypaulmay.top/index.php?main\\_page=product\\_info&products\\_id=596107](https://www.ypaulmay.top/index.php?main_page=product_info&products_id=596107)
- Yusniyanti, E., & Kurniati, K. (2017). Analisa Puncak Banjir Dengan Metode MAF (Studi Kasus Sungai Krueng Keureuto). *EINSTEIN e-JOURNAL*, 5(1). <https://doi.org/10.24114/einstein.v5i1.7224>