

DAFTAR PUSTAKA

- Abiri, R., Shaharuddin, N. A., Maziah, M., Yusof, Z. N. B., Atabaki, N., Sahebi, M., Hanafi, M. M. 2017. Role of Ethylene and The APETALA 2/Ethylene Response Factor Superfamily In Rice Under Various Abiotic And Biotic Stress Conditions. *Environmental and Experimental Botany*. 134(2017) : 33–44.
- Ahn, H., Jung, I., Shin, S. J., Park, J., Rhee, S., Kim, J. K., Kim, S. 2017. Transcriptional Network Analysis Reveals Drought Resistance Mechanisms of AP2/ERF Transgenic Rice. *Frontiers in Plant Science*. 8(1044) : 1–18.
- Alturkistani, H. A., Tashkandi, F. M. and Mohammedsaleh, Z. M. 2016. Histological Stains: A Literature Review and Case Study. *Global journal of health science*. 8(3) : 72–79.
- Amack C, S., & Antunes M. S. 2020. CaMV 35S Promoter - A Plant Biology and Biotechnology Workhorse in The Era of Synthetic Biology. *Current Plant Biology*. 24(2020) : 1 - 9.
- Aoyama, T., & Chua, N. 1997. A Glucocorticoid-Mediated Transcriptional Induction System in Transgenic Plants. *The Plant Journal*. 11(3) : 605–612.
- Apridamayanti, P., Pratiwi, R., Purwestri, Y. A., Sri Tunjung, W. A., & Rumiati, R. 2018. Anthocyanin, nutrient Contents, And Antioxidant Activity Of Black Rice Bran of *Oryza sativa* L. 'Cempo Ireng' from Sleman, Yogyakarta, Indonesia. *Indonesian Journal of Biotechnology*. 22(1) : 49–54.
- Atkinson, T. J., & Halfon, M. S. 2014. Regulation of Gene Expression in The Genomic Context. *Computational and Structural Biotechnology Journal*. 9(13) : 1–9.
- Azizi, P., Rafii, M. Y., Maziah, M., Abdullah, S. N. A., Hanafi, M. M., Latif, M. A., Sahebi, M. 2015. Understanding the Shoot Apical Meristem Regulation: A Study of The Phytohormones, Auxin And Cytokinin, in Rice. *Mechanisms of Development*. 135(2015) : 1–15.
- Azmi, Y., Purwoko, B. S., Dewi, I. S., Syukur, M., Pascasarjana, S., & Pertanian, F. 2017. Kultur Antera Hasil Persilangan Padi Lokal Beras Hitam dengan Varietas Budidaya ('Fatmawati' dan 'Inpari 13'). *Agronomi Indonesia*. 45(3) : 228–234.
- Barton, M. K. 2010. Twenty years on: The Inner Workings Of The Shoot Apical Meristem, A Developmental Dynamo. *Developmental Biology*. 341(1) : 95–113.
- BPTP. 2015. *Petunjuk Teknis : Tata Laksana Pengamatan Agronomi Padi di Kawasan teknologi Pertanian Kota Jantho Kabupaten Aceh Besar*. Banda Aceh : BPTP.
- Bustin, S. A & Nolan, T. 2019. *Analysis of mRNA Expression by Real-time PCR*

(*Polymerase Chain Reaction : Theory and Technology*). London : Horizon Press.

Caplan, M., & Ralph Bradshaw. 2014. *Transcription Factors (Reference Module in Biomedical Research)*. Amsterdam : Elsevier.

Carles, C. C., Ha, C. M., Jun, J. H., Fiume, E., & Fletcher, J. C. 2010. Analyzing Shoot Apical Meristem Development. *Plant Developmental Biology*. 8(655) : 65–75).

Chardin, C., Girin, T., Roudier, F., Meyer, C., & Krapp, A. 2014. The Plant RWP-RK Transcription Factors : Key Regulators of Nitrogen Responses and of Gametophyte Development. *Journal of Experimental Botany*. 65(19) : 5577–5587.

Chen, Zaijie . 2017. A chemical-Induced, Seed-Soaking Activation Procedure for Regulated Gene Expression in Rice. *Frontiers in Plant Science*. 8(1447) : 1–13.

Demidenko, N. V., & Penin, A. A. 2012. Comparative Analysis of Gene Expression Level y Quantitative Real-Time PCR Has Limited Application in Objects With Different Morphology. *PLoS ONE*. 7(5) : 5–10.

Derveaux, S., Vandesompele, J., & Hellemans, J. 2010. How to Do Successful Gene Expression Analysis Using Real-Time PCR. *Methods*. 50(4) : 227–230.

Dias, A. L. D. S., Pachikian, B., Larondelle, Y., & Quetin-Leclercq, J. 2017. Recent Advances on Bioactivities of Black Rice. *Current Opinion in Clinical Nutrition and Metabolic Care*. 20(6) : 470–476.

Dionne, L. A. & Spicer, P. B. 1958. Staining Germinating Pollen and Pollen Tubes. *Stain Technol*. 33(1) : 15 - 7.

Dodsworth, S. 2009. A Diverse and Intricate Signalling Network Regulates Stem Cell Fate in The Shoot Apical Meristem. *Developmental Biology*. 336(1) : 1–9.

Dubois, M., Van den Broeck, L. and Inzé, D. 2018. The Pivotal Role of Ethylene in Plant Growth. *Trends in Plant Science*. 23(4) : 311–323.

Fauzia, A. N., Purwestri, Y. A., & Nuringtyas, T. R. 2017. *Overekspresi Gen OsRKD4 pada Padi Hitam (Oryza sativa L. 'Cempo Ireng') untuk Induksi Embriogenesis Somatik* . Yogyakarta : Universitas Gadjah Mada.

Franck, A., Gullley, H., Jonard, G., Richards, K., & Hirth L. 1980. Nucleotide Sequence of Cauliflower Mosaic Virus DNA. *Cell*. 21(1) : 285-294.

Freitas, F. C. P., Depintor, T. S., Agostini, L. T., Luna-Lucena, D., Nunes, F. M. F., Bitondi, M. M. G., Lourenço, A. P. 2019. Evaluation of Reference Genes for Gene Expression Analysis by Real-Time Quantitative PCR (qPCRr) In Three Stingless Bee Species (*Hymenoptera: Apidae: Meliponini*). *Scientific Reports*. 9(1) : 1–13.

Guo, B., Wei, Y., Xu, R., Lin, S., Luan, H., Lv, C., & Xu, R. 2016. Genome-Wide

Analysis of APETALA2/Ethylene-Responsive Factor (AP2/ERF) Gene Family in Barley (*Hordeum vulgare* L.). *PLoS ONE*. 11(9) : 1–17.

Hong, J. C. 2016. *General Aspects of Plant Transcription Factor Families (Plant Molecular Biology and Biotechnology Research Center)*. Amsterdam : Elsevier Inc.

Hussien, A., Tavakol, E., Horner, D. S., Muñoz-Amatriaín, M., Muehlbauer, G. J., & Rossini, L. 2014. Genetics of Tillering in Rice and Barley. *The Plant Genome* . 7(1) : 1–20.

IRRI. 2013. *Standard Evaluation System for Rice, International Rice Research Institute*. Available at: http://www.clrri.org/ver2/uploads/SES_5th_edition.pdf.

Ito, V. C., & Lacerda, L. G. 2019. Black Rice (*Oryza sativa* L.): A Review of Its Historical Aspects, Chemical Composition, Nutritional and Functional Properties, and Applications and Processing Technologies. *Food Chemistry*. 301(2019) : 1-13.

Jang, S., & Li, H. Y. 2018. Overexpression of *OsAP2* and *OsWRKY24* in Arabidopsis Results in Reduction of Plant Size. *Plant Biotechnology*. 35(3) : 273–279.

Jeong, S., Palmer, T. M., & Lukowitz, W. 2011. The RWP-RK Factor GROUNDED Promotes Embryonic Polarity by Facilitating YODA MAP Kinase Signaling. *Current Biology*. 21(15) : 1268–1276.

Köszegi, D., Johnston, A. J., Rutten, T., Czihal, A., Altschmied, L., Kumlehn, J., Bäumlein, H. 2011. Members of the RKD Transcription Factor Family Induce an Egg Cell-like Gene Expression Program. *Plant Journal*. 67(2) : 280–291.

Kristamtini. 2009. Mengenal Beras Hitam dari Bantul. *Tabloid Sinar Tani*. (13 Mei). Retrieved from [http://www.litbang.pertanian.go.id/artikel/one/238/pdf/Mengenal Beras Hitam dari Bantul.pdf](http://www.litbang.pertanian.go.id/artikel/one/238/pdf/Mengenal_Beras_Hitam_dari_Bantul.pdf)

Kristamtini, Sutarno, Wiranti, E. W., & Widyayanti, S. 2016. Kemajuan Genetik dan Heritabilitas Karakter Agronomi Padi Beras Hitam pada Populasi F2 Genetic Advance and Heritability of Agronomic Characters of. *Penelitian Pertanian Tanaman Pangan*. 35(2) : 119–124.

Kuang, J., Yan, X., Genders, A. J., Granata, C., & Bishop, D. J. 2018. An Overview of Technical Considerations when Using Quantitative Real-Time PCR Analysis of Gene Expression in Human Exercise Research. *PLoS ONE*. 13(5) : 1–27.

Kumar, Anuj, Batra, R., Gahlaut, V., Gautam, T., Kumar, S., Sharma, M., Gupta, P. K. 2018. Genome-wide Identification and Characterization of Gene Family for RWP-RK Transcription Factors in Wheat (*Triticum aestivum* L.). *PLoS ONE*. 13(12) : 1–28.

Kumar, Arvind. 2014. Gene : Expression and Regulation (in Recent Advances in

- Life Sciences). *Gene : Expression and Regulation*. 16(2014) : 353–361.
- Kushwaha, U. K. S. 2016. Nutrition Profiles of Black Rice. New York : Springer Inc.
- Kushwaha, U. K. S. 2016. Book Review:Black Rice: Research, History, and Development. *Advances in Plants & Agriculture Research*. 5(1) : 1–10.
- Latchman, D. S. 1997. Transcription Factors: An Overview. *International Journal of Biochemistry and Cell Biology*. 29(12) : 1305–1312.
- Liang, W. hong, Shang, F., Lin, Q. ting, Lou, C., & Zhang, J. 2014. Tillering and Panicle Branching Genes in Rice. *Gene*. 537(1) : 1–5.
- Livak, K. J., & Schmittgen, T. D. 2001. Analysis of Relative Gene Expression Data Using Real-Time Quantitative PCR and The 2- $\Delta\Delta$ CT Method. *Methods*. 25(4) : 402–408.
- Lu, J., Ju, H., Zhou, G., Zhu, C., Erb, M., Wang, X., & Lou, Y. 2011. An EAR-Motif-Containing ERF Transcription Factor Affects Herbivore-Induced Signaling, Defense and Resistance in Rice. *Plant Journal*. 68(4) : 583–596.
- Masruroh, F., Samanhudi., Sulanjari., &Yunus, A. 2016. Improvement of Rice (*Oryza sativa* L.) var. 'Ciherang' and 'Cempo Ireng' Productivity Using Gamma Irradiation. *Journal of Agriculture Science and Technology B*. 6(2016) : 289-294
- Mizoi, J., Shinozaki, K., & Yamaguchi-Shinozaki, K. 2012. AP2/ERF Family Transcription Factors in Plant Abiotic Stress Responses. *Biochimica et Biophysica Acta - Gene Regulatory Mechanisms*. 1819(2) : 86 – 96.
- Monobe, M. M. de S., & Silva, R. C. da. 2016. Gene Expression: An Overview of Methods and Applications for Cancer Research. *Veterinaria Zootecnia*. 23(4) : 532 – 546.
- Mu, C., Nemoto, K., You, Z., & Yamagishi, J. 2005. Size and Activity of Shoot Apical Meristems as Determinants of Floret Number in Rice Panicles. *Plant Production Science*. 8(1) : 51 – 59.
- Nashrurrokhman, M., Sayekti, P. R., Safitri, A. Y. U., Purwestri, Y. A., & Pratiwi, R. 2019. Macronutrient and Mineral Contents of Five Local Black Rice (*Oryza sativa*) Cultivars in Indonesia. *Biodiversitas*. 20(12) : 3647 – 3653.
- Nurhidayah, S., & Umbara, D. S. 2019. Perbedaan Komponen Vegetatif dan Generatif Pada Lima Aksesori Padi Hitam (*Oryza sativa* L.) di Kecamatan Indihiang Tasikmalaya Jawa Barat. *Agriprima, Journal of Applied Agricultural Sciences*. 3(1) : 15–21.
- Ouwerkerk, P. B.. 2001. Glucocorticoid-Inducible Gene Expression in Rice. *Planta*. 213(3) : 370–378.
- Pautler, M. 2013. Grass Meristems I: Shoot Apical Meristem Maintenance, Axillary Meristem Determinacy and The Floral Transition. *Plant and Cell Physiology*. 54(3) : 302–312.

- Prabawa, P.S. & Purba, J.H. 2019. Identifikasi Pengaruh Fenotip Padi Beras Hitam (*Oryza sativa* L.) var 'Cempo Ireng' Hasil Perlakuan Kolkisin. *Agricultural Journal*. 2(1) : 1-7.
- Prasad, B. J., Sharavanan, P. S., & Sivaraj, R. 2019. Health Benefits of Black Rice – A Review. *Grain & Oil Science and Technology*. 2(4) : 109–113.
- Pratiwi, R., & Purwestri, A. Y. 2017. Black Rice as a Functional Food in Indonesia. *Functional Foods in Health and Disease*. 7(3) : 182–194.
- Pratiwi, R., Tunjung, W. A. S., Rumiati, R., & Amalia, A. R. 2016. Black Rice Bran Extracts and Fractions Containing Cyanidin 3-glucoside and Peonidin 3-glucoside Induce Apoptosis in Human Cervical Cancer Cells. *Indonesian Journal of Biotechnology*. 20(1) : 69–76.
- Purwestri, Y.A., Sari, R. D. K., Anggraeni, L. N. & Sasongko, A. B. 2015. *Agrobacterium tumefaciens* Mediated Transformation of *rolC::Hd3a-GFP* in Black Rice (*Oryza sativa* L. cv 'Cempo Ireng') to Promote Early Flowering. *Procedia Chemistry*. 14(2015) : 469-473.
- Purwestri, Y. A., Susanto, F. A., & Fauzia, A. N. 2019. Flowering Gene Expression in Indonesian Long Harvest Black Rice (*Oryza sativa* L. 'Cempo Ireng'). *Australian Journal of Crop Science*. 13(6) : 874–880.
- Qi, W., Sun, F., Wang, Q., Chen, M., Huang, Y., Feng, Y. Q., Yang, J. 2011. Rice Ethylene-Response AP2/ERF Factor OsEATB Restricts Internode Elongation by Down-Regulating a Gibberellin Biosynthetic Gene. *Plant Physiology*. 157(1) : 216–228.
- Qu, R., Miao, Y., Cui, Y., Cao, Y., Zhou, Y., Tang, X., Wang, F. 2019. Selection of Reference Genes for The Quantitative Real-Time PCR Normalization of Gene Expression in *Isatis Indigotica* Fortune. *BMC Molecular Biology*. 20(1) : 1–12.
- Rahmansyah. 2019. *Analisis Ekspresi Gen Hd3a Pada Tanaman Kentang (Solanum Tuberosum L.) Kultivar Jala Ipam Transgenik*. Bogor : Insitute Pertanian Bogor.
- Rashid, M., Guangyuan, H., Guangxiao, Y., Hussain, J., & Xu, Y. 2012. AP2/ERF Transcription Factor In Rice: Genome-Wide Anvas And Yntenic Relationships Between Monocots And Udicots. *Evolutionary Bioinformatics*. 2012(8) : 321–355.
- Rocha, A. J., Monteiro-Júnior, J. E., Freire, J. E. C., Sousa, A. J. S., & Fonteles, C. S. R. 2015. Real Time PCR: the Use of Reference Genes and Essential Rules Required to Obtain Normalisation Data Reliable to Quantitative Gene Expression. *Journal of Molecular Biology Research*. 5(1) : 45–55.
- Rong, W., Qi, L., Wang, A., Ye, X., Du, L., Liang, H., & Zhang, Z. 2014. The ERF Transcription Factor Taerf3 Promotes Tolerance To Salt And Drought Stresses In Wheat. *Plant Biotechnology Journal*. 12(4) : 468–479.
- S.A. Deepak, K.R. Kottapalli, R. Rakwal, G. Oros, K.S. Rangappa, H. Iwahashi, &

- G.K. Agrawal. 2007. Real-Time PCR: Revolutionizing Detection and Expression Analysis of Genes. *Current Genomics*. 8(4) : 234–251.
- Sa'adah, N. N., & Pratiwi, R. 2016. Profil Lipid dan Indeks Aterogenik Tikus Putih (*Rattus norvegicus* Berkenhout, 1769) Hiperlipidemia dengan Asupan Pelet Nasi dan Bekatul Beras Hitam (*Oryza sativa* L.) 'Cempo Ireng'. *Seminar Nasional Biodiversitas VI*. 6 September 2016 : 807–820.
- Schauser, L., Wieloch, W., & Stougaard, J. 2005. Evolution of NIN-like Proteins in Arabidopsis, Rice, and *Lotus japonicus*. *Journal of Molecular Evolution*. 60(2) : 229–237.
- Schwechheimer, C., Zourelidou, M., & Bevan, M. W. 1998. Plant Transcription Factor Studies. *Annual Review of Plant Physiology and Plant Molecular Biology*. 49(1) : 127–150.
- Setiari, N., Purwantoro, A., Moeljopawiro, S., & Semiarti, E. 2018. Micropropagation of *Dendrobium phalaenopsis* Orchid through Overexpression of Embryo Gene AtRKD4. *Agrivita*. 40(2) : 284–294.
- Sharoni, A. M., Nuruzzaman, M., Rahman, M. A., Karim, R., & Islam, A. K. M. R. 2017. AP2/EREBP Transcription Factor Family Genes Are Differentially Expressed In Rice Seedlings During Infections With Different Viruses. *International Journal of Biosciences (IJB)*. 10(3) : 1–14.
- Silitonga, T. S. 2004. Pengelolaan dan Pemanfaatan Plasma Nutfah Padi di Indonesia. *Buletin Plasma Nutfah*. 10(2) : 56–71.
- Suardi, D., & Ridwan, I. 2009. Beras Hitam, Pangan Berkhasiat yang Belum Populer. *Warta Penelitian Dan Pengembangan Pertanian*. 31(2) : 9–10.
- Tang, Y., Qin, S., Guo, Y., Chen, Y., Wu, P., Chen, Y., Wu, G. 2016. Genome-Wide Analysis of the AP2/ERF Gene Family in Physic Nut and Overexpression of the JcERF011 Gene in Rice Increased Its Sensitivity to Salinity Stress. *PLoS ONE*. 11(3) : 1–20.
- Tedeschi, F., Rizzo, P., Rutten, T., Altschmied, L., & Bäumlein, H. 2017. RWP-RK domain-Containing Transcription Factors Control Cell Differentiation During Female Gametophyte Development In Arabidopsis. *New Phytologist*. 213(4) : 1909–1924.
- USDA. 2015. <https://plants.usda.gov/home/plantProfile?symbol=ORSA>. diakses pada Juli 2020.
- VanGuilder, H. D., Vrana, K. E., & Freeman, W. M. 2008. Twenty-five years of Quantitative PCR For Gene Expression Analysis. *BioTechniques*. 44(5) : 619–626.
- Vlad, D., Abu-Jamous, B., Wang, P., & Langdale, J. A. 2019. A Modular Steroid-Inducible Gene Expression System For Use In Rice. *BMC Plant Biology*. 19(1) : 1–28.
- Wai, C. C., Ruiting, W. and Yongwei, T. 2012. A Study on Tissue Processing. *International Journal of Innovative Interdisciplinary Research*. 3(3) : 25–26.

- Waki, T., Hiki, T., Watanabe, R., Hashimoto, T., & Nakajima, K. 2011. The Arabidopsis RWP-RK Protein RKD4 Triggers Gene Expression And Pattern Formation In Early Embryogenesis. *Current Biology*. 21(15) : 1277–1281.
- Wang, Y., & Li, J. 2006. Genes controlling Plant Architecture. *Current Opinion in Biotechnology*. 17(2) : 123–129.
- Wijayanti, P., Nuringtyas, T. R., & Purwestri, Y. A. 2018. *Karakter Fenotipik dan Molekuler Padi Hitam Transgenik (Oryza Sativa L . “ ‘Cempo Ireng’ ”) Pembawa Gen OsRKD4*. Yogyakarta : Universitas Gadjah Mada.
- Wong, M. L., & Medrano, J. F. 2005. Real Time PCR for RNA Quantification. *BioTechniques*. 39(1) : 75–85.
- Xie, Z., Nolan, T. M., Jiang, H., & Yin, Y. 2019. AP2/ERF transcription Factor Regulatory Networks In Hormone And Abiotic Stress Responses In Arabidopsis. *Frontiers in Plant Science*. 10(228) : 1–17.
- Xu, Z. S., Chen, M., Li, L. C., & Ma, Y. Z. 2011. Functions and Application of the AP2/ERF Transcription Factor Family in Crop Improvement. *Journal of Integrative Plant Biology*. 53(7) : 570–585.
- Xue, Z., Liu, L., & Zhang, C. 2020. Regulation of shoot apical meristem and axillary meristem development in plants. *International Journal of Molecular Sciences*, 21(8), 2–15.
- Yaish, M. W., El-Kereamy, A., Zhu, T., Beatty, P. H., Good, A. G., Bi, Y. M., & Rothstein, S. J. 2010. The APETALA-2-like transcription Factor OsAP2-39 Controls Key Interactions Between Abscic Acid And Gibberellin In Rice. *PLoS Genetics*. 6(9) : 1 - 12.
- Yamaguchi, N., Winter, C. M., Wellmer, F., & Wagner, D. 2015. Identification of Direct Targets of Plant Transcriptional Factors Using the GR Fusion Technique. *Plant Functional Genomics: Methods and Protocols: Second Edition*. 2(1284) : 123–138.
- Zhang, H., Zhang, J., Quan, R., Pan, X., Wan, L., & Huang, R. 2013. EAR Motif Mutation Of Rice OsERF3 Alters The Regulation Of Ethylene Biosynthesis And Drought Tolerance. *Planta*. 237(6) : 1443–1451.
- Zhao, Y., Cheng, S., Song, Y., Huang, Y., Zhou, S., Liu, X., & Zhou, D. X. 2015. The Interaction Between Rice ERF3 And WOX11 Promotes Crown Root Development By Regulating Gene Expression Involved In Cytokinin Signaling. *Plant Cell*. 27(9) : 2469–2483.