

TABLE OF CONTENTS

ENDORSEMENT.....	ii
DECLARATION OF AUTHENTICITY	iii
FOREWORD	iv
TABLE OF CONTENTS.....	vi
LIST OF TABLES.....	vii
TABLE OF FIGURES.....	viii
TABLE OF ATTACHMENT	xi
INTISARI	xii
ABSTRACT.....	xiii
CHAPTER I.....	1
1.1. Background	1
1.2. Objectives	2
1.3. Benefits.....	2
CHAPTER II.....	3
2.1. Urban Forest of Universitas Gadjah Mada.....	3
2.2. Morphological Characteristics of Macro Fungi	4
2.3. Role of Macro Fungi to the Ecosystem	6
2.4. Macro Fungi on Urban Forest	7
CHAPTER III	9
3.1. Location.....	9
3.2. Tools and Materials	10
3.3. Methods	10
3.4. Data Analysis	16
CHAPTER IV	17
4.1. Identification of the genera of macro fungi on the Urban Forest of UGM	17
4.2. Assessment of the diversity of macro fungi on the Urban Forest of UGM	49
CHAPTER V	53
5.1. Conclusion.....	53
5.2. Recommendation.....	53
REFERENCES	54
GLOSSARY	62
ATTACHMENT	67

LIST OF TABLES

Table 3.1.Determination of Research Location	9
Table 4.1.Taxonomy of Macro Fungi on the Urban Forest of Universitas Gadjah Mada	17
Table 4.2.Distribution of Macro Fungi Genera on the Urban Forest of Universitas Gadjah Mada.....	20

TABLE OF FIGURES

Figure 2.1. Identifying Parts of an Amanita as Agaricales Order	5
Figure 2.2. Fruiting Body of <i>Ganoderma europaeum</i> as Polyporales Order	6
Figure 3.1. The Map of Research Location	10
Figure 3.2. Survey Pattern Used in Surveying the Macro Fungi in Universitas Gadjah Mada (Source: Van Norman & Huff (2012))	11
Figure 3.3. Agaric Annotation Sheet (Source: Lodge et al. (2004))	14
Figure 3.4. Boletae Annotation Sheet (Source: Lodge et al. (2004))	15
Figure 4.1. Variation of Substrate of Macro Fungi on the Urban Forest of UGM	19
Figure 4.2. Distribution of Macro Fungi Genera on the Urban Forest of UGM...	22
Figure 4.3. Morphology of <i>Agaricus</i> fungus, a. The top surface shows plane shape pileus with flattened umbo coloured light brown on the center (fu), b. The gills and the stipe have dull white colour and ring (r).	24
Figure 4. 4. Morphology of <i>Amanita</i> , a. The surface of pileus has squamose scales (ss) and bright orange coloured (<i>Amanita</i> sp. 1), b. The gills is light brown and the bright orange stipe has annulus ring (ar) attached single edged (<i>Amanita</i> sp. 1), c. <i>Amanita</i> sp. 2, d. <i>Amanita</i> sp. 3, e. <i>Amanita</i> sp. 4	25
Figure 4 5. Morphology of <i>Collybia</i> fungus, a. The top surface of pileus is smooth with plicate striate margin type, b. The gill is light brown with white stipe	26
Figure 4.6. Morphology of <i>Coprinellus</i> fungus, a. The top surface of pileus is pubescent with translucent striate margin type (ts), b. The long and thin fruiting body (lt) has white colour, c. The gill under the pileus is light brown.	27
Figure 4. 7. Morphology of <i>Lepiota</i> fungus, a. The top surface of pileus is cracked (cr) and has pale white colour with greyish brown scales, b. The gill is pale white with greyish brown margin and the stipe has annulus ring (ar).	28
Figure 4. 8. Morphology of <i>Mycena</i> fungus, a. The pileus has translucent striate margin type and coloured dull white and pale brown on the margin (<i>Mycena</i> sp. 1), b. The gill is cream which attached free (<i>Mycena</i> sp. 1), c. <i>Mycena</i> sp. 2, d. <i>Mycena</i> sp. 3	29
Figure 4.9. Morphology of <i>Pleurotus</i> fungus, a. The top of pileus is dull white with blackish brown dots, b. The gill is dull white and the stipe is yellowish white.	30

- Figure 4.10. a. Shell-shaped (ss) fruiting bodies of *Schizophyllum*, b. The split gill (g) of *Schizophyllum*. 31
- Figure 4.11. Morphology of *Tricholoma* fungus, a. The top surface has dull brown scales on the white pileus (bs), b. The gill is dull white and the stipe is white. 32
- Figure 4.12. Morphology of *Xerula* fungus, a. The top surface of pileus is grayish white with dull yellow slight umbo, b. The gill is dull white and the stipe is white..... 33
- Figure 4. 13. Morphology of *Auricularia* fungus, a. The upper side (up) is dark brown, b. The underside (ud) is light brown. 34
- Figure 4. 14. Morphology of *Coriolopsis* fungus, a. The top surface has brown concentric rings (*Coriolopsis* sp. 1), b. The underside is pale brown with minute pores (mp) (*Coriolopsis* sp. 10), c. *Coriolopsis* sp. 2. 35
- Figure 4.15. Morphology of *Earliella* fungus, a. The top surface is dark red and white on the margin, b. The underside pores are light brown, c. *Earliella* fungus that grow stratified. 36
- Figure 4.16. Morphology of *Fomes* fungus, a. The upper side is dark brown, b. The stratified fruiting body (sf), c. The underside minute pores are cream. 37
- Figure 4.17. Morphology of *Ganoderma* fungus, a. The upper side has reddish dark brown concentric zones with white margin (wm) (*Ganoderma* sp. 1), b. The underside minute pores are pale white (*Ganoderma* sp. 1), c. *Ganoderma* sp. 2, d. *Ganoderma* sp. 3, e. *Ganoderma* sp. 38
- Figure 4.18. The top surface of *Microporellus* has concentric zones coloured pale yellow to cream. 39
- Figure 4. 19. Morphology of *Microporus* fungus, a. The upper side has concentric zones coloured brown, paler brown, buff, orange, or dark brown (cz) (*Microporus* sp. 1), b. The underside with cream coloured minute pores surface and yellow stipe (ys) (*Microporus* sp. 1), c. *Microporus* sp. 2, d. *Microporus* sp. 3. 40
- Figure 4.20. Morphology of *Polyporus* fungus, a. The upper side has brownish orange colour (*Polyporus* sp. 1), b. The underside with big hexagonal shaped pores (bh) (*Polyporus* sp. 1), c. *Polyporus* sp. 2..... 41
- Figure 4.21. Morphology of *Poria* fungus, a. The top surface has brown and light brown concentric zones with pale orange margin, b. The underside surface with brown minute pores. 42
- Figure 4.22. Morphology of *Pycnoporus* fungus, a. The upper side has bright orange concentric pattern (cp), b. The underside has reddish orange minute pores surface..... 43

Figure 4. 23. Morphology of Trametes fungus, a. The top surface has dark brown to brown concentric zones (cz) (Trametes sp. 1), b. The underside is brown with pores surface (Trametes sp. 1), c. Trametes sp. 2, d. Trametes sp. 3.....	44
Figure 4.24. Morphology of Russula fungus, a. The top surface of pileus has dull cream colour, b. The gill is attached adnexed coloured dull white and has dull cream colour at the margin. The stipe has light brown colour with white scales.....	45
Figure 4.25. Morphology of Stereum fungus, a. The upper side has dull cream to dull light brown concentric zones, b. The underside surface is smooth and dull cream coloured.	46
Figure 4. 26. Jelly fruiting bodies of Tremella.....	47
Figure 4. 27. Black, hard, and finger-like fruiting bodies of Xylaria, a. Xylaria grew in a group, b. Xylaria grew solitary.	48
Figure 4.28. The Value of Density on the a. Low-light Intensity Area, b. Medium-light Intensity Area, and c. High-light Intensity Area.	49
Figure 4.29. The Value of Simpson Diversity Index on Each Location	50

TABLE OF ATTACHMENT

Attachment 1. Calculation of Simpson Diversity Index on the Urban Forest of Universitas Gadjah Mada	67
Attachment 2. Calculation of Relative Light Intensity on the Urban Forest of Universitas Gadjah Mada	69