

DAFTAR PUSTAKA

- Atici, A., Karaman, A., Zenciroğlu, A., Karaman, I., Afşarlar, Ç.E., Yilmaz, E., Okumuş, N., Çavuşoğlu, Y.H., Özgüner, I.F., Erdoğan, D., 2014. Factors affecting mortality in stage 3b necrotizing enterocolitis. *Turk. J. Pediatr.* 56: 133–137.
- Been, J. V., Lievense, S., Zimmermann, L.J.I., Kramer, B.W., Wolfs, T.G.A.M., 2013. Chorioamnionitis as a risk factor for necrotizing enterocolitis: A systematic review and meta-analysis. *J. Pediatr.* 162: 236-242.e2. doi:10.1016/j.jpeds.2012.07.012
- Bhandari, V., Bizzarro, M.J., Shetty, A., Zhong, X., Page, G.P., Zhang, H., Ment, L.R., Gruen, J.R., 2006. Familial and genetic susceptibility to major neonatal morbidities in preterm twins. *Pediatrics* 117: 1901–1906. doi:10.1542/peds.2005-1414
- Blackwood, B.P., Yuan, C.Y., Wood, D.R., Nicolas, J.D., Grothaus, J.S., Hunter, C.J., 2017. Probiotic *Lactobacillus* Species Strengthen Intestinal Barrier Function and Tight Junction Integrity in Experimental Necrotizing Enterocolitis. *J. Probiotics Heal.* 05: 1–10. doi:10.4172/2329-8901.1000159
- Crabtree, C.S., Pakvasa, M., Radmacher, P.G., Adamkin, D.H., 2018. Retrospective case-control study of necrotizing enterocolitis and packed red blood cell transfusions in very low birth weight infants. *J. Neonatal. Perinatal. Med.* 11: 365–370. doi:10.3233/NPM-1634
- Dominguez, K.M., Moss, R.L., 2012. Necrotizing Enterocolitis. *Clin. Perinatol.* doi:10.1016/j.clp.2012.04.011

- Duci, M., Fascetti-Leon, F., Erculiani, M., Priante, E., Cavicchiolo, M.E., Verlato, G., Gamba, P., 2018. Neonatal independent predictors of severe NEC. *Pediatr. Surg. Int.* 34: 663–669. doi:10.1007/s00383-018-4261-1
- Fitzgibbons, S.C., Ching, Y., Yu, D., Carpenter, J., Kenny, M., Weldon, C., Lillehei, C., Valim, C., Horbar, J.D., Jaksic, T., 2009. Mortality of necrotizing enterocolitis expressed by birth weight categories. *J. Pediatr. Surg.* 44: 1072–1076. doi:10.1016/j.jpedsurg.2009.02.013
- Franklin, A.L., Said, M., Cappiello, C.D., Gordish-Dressman, H., Tatari-Calderone, Z., Vukmanovic, S., Rais-Bahrami, K., Luban, N.L.C., Devaney, J.M., Sandler, A.D., 2015. Are Immune Modulating Single Nucleotide Polymorphisms Associated with Necrotizing Enterocolitis? *Sci. Rep.* 5: 1–9. doi:10.1038/srep18369
- Hull, M.A., Fisher, J.G., Gutierrez, I.M., Jones, B.A., Kang, K.H., Kenny, M., Zurakowski, D., Modi, B.P., Horbar, J.D., Jaksic, T., 2014. Mortality and management of surgical necrotizing enterocolitis in very low birth weight neonates: A prospective cohort study. *J. Am. Coll. Surg.* 218: 1148–1155. doi:10.1016/j.jamcollsurg.2013.11.015
- Llanos, A.R., Moss, M.E., Pinzòn, M.C., Dye, T., Sinkin, R.A., Kendig, J.W., 2002. Epidemiology of neonatal necrotising enterocolitis: A population-based study. *Paediatr. Perinat. Epidemiol.* 16: 342–349. doi:10.1046/j.1365-3016.2002.00445.x
- Luo, L., Dong, W., Zhang, L., Zhai, X., Li, Q., Lei, X., 2018. Correlative Factors of the Deterioration of Necrotizing Enterocolitis in Small for Gestational Age

Newborns. *Sci. Rep.* 8: 13–18. doi:10.1038/s41598-017-18467-8

Maayan-Metzger, A., Itzhak, A., Mazkereth, R., Kuint, J., 2004. Necrotizing enterocolitis in full-term infants: Case-control study and review of the literature. *J. Perinatol.* 24: 494–499. doi:10.1038/sj.jp.7211135

Miner, C.A., Fullmer, S., Eggett, D.L., Christensen, R.D., 2013. Factors affecting the severity of necrotizing enterocolitis. *J. Matern. Neonatal Med.* 26: 1715–1719. doi:10.3109/14767058.2013.798283

Mohd, A.T., Rafdzah, A., Florian, A.Z., Sharif, S.P., 2021. C - reactive protein / albumin ratio is a prognostic indicator for predicting surgical intervention and mortality in neonates with necrotizing enterocolitis. *Pediatr. Surg. Int.* doi:10.1007/s00383-021-04879-1

moya1994.pdf, n.d.

Patel, A.L., Trivedi, S., Bhandari, N.P., Ruf, A., Scala, C.M., Witowitch, G., Chen, Y., Renschen, C., Meier, P.P., Silvestri, J.M., 2014. Reducing necrotizing enterocolitis in very low birth weight infants using quality-improvement methods. *J. Perinatol.* 34: 850–857. doi:10.1038/jp.2014.123

Patole, S.K., De Klerk, N., 2005. Impact of standardised feeding regimens on incidence of neonatal necrotising enterocolitis: A systematic review and meta-analysis of observational studies. *Arch. Dis. Child. Fetal Neonatal Ed.* 90: 147–152. doi:10.1136/adc.2004.059741

Pickard, S.S., Feinstein, J.A., Popat, R.A., Huang, L., Dutta, S., 2009. Short- and long-term outcomes of necrotizing enterocolitis in infants with congenital heart disease. *Pediatrics* 123. doi:10.1542/peds.2008-3216

- Robinson, J.R., Rellinger, E.J., Hatch, L.D., Weitkamp, J.H., Speck, K.E., Danko, M., Blakely, M.L., 2017. Surgical necrotizing enterocolitis. *Semin. Perinatol.* 41: 70–79. doi:10.1053/j.semperi.2016.09.020
- Rusconi, B., Good, M., Warner, B.B., 2017. The Microbiome and Biomarkers for Necrotizing Enterocolitis: Are We Any Closer to Prediction? *J. Pediatr.* 189: 40-47.e2. doi:10.1016/j.jpeds.2017.05.075
- Short, S.S., Papillon, S., Berel, D., Ford, H.R., Frykman, P.K., Kawaguchi, A., 2014. Late onset of necrotizing enterocolitis in the full-term infant is associated with increased mortality: Results from a two-center analysis. *J. Pediatr. Surg.* 49: 950–953. doi:10.1016/j.jpedsurg.2014.01.028
- Sidauruk, R.J.M., Amir, I., Kadim, M., Said, M., 2016. Faktor Risiko yang Memengaruhi Kolonisasi Mikroflora Saluran Cerna Neonatus Kurang Bulan dengan Enterokolitis Nekrotikans. *Sari Pediatr.* 15: 353. doi:10.14238/sp15.6.2014.353-60
- Stevenson, D.K., Enterocolitis, N., 2007. 220 / Neonatal and Perinatal Medicine A C-to-A nucleotide transversion (T1405N) in the gene that encodes carbamoyl-phosphate synthetase 1 (CPS1) has been correlated with low plasma concentrations of L -arginine in neonates . As plasma L -arginine conc 220–221.
- Stout, G., Lambert, D.K., Baer, V.L., Gordon, P. V., Henry, E., Wiedmeier, S.E., Stoddard, R.A., Miner, C.A., Schmutz, N., Burnett, J., Christensen, R.D., 2008. Necrotizing enterocolitis during the first week of life: A multicentered case - Control and cohort comparison study. *J. Perinatol.* 28: 556–560.

doi:10.1038/JP.2008.36

- Talavera, M.M., Bixler, G., Cozzi, C., Dail, J., Miller, R.R., McClead, R., Reber, K., 2016. Quality improvement initiative to reduce the necrotizing enterocolitis rate in premature infants. *Pediatrics* 137. doi:10.1542/peds.2015-1119
- Treszl, A., Hèninger, E., Kálmán, A., Schuler, A., Tulassay, T., Vászárhelyi, B., 2003. Lower prevalence of IL-4 receptor α -chain gene 1902G variant in very-low-birth-weight infants with necrotizing enterocolitis. *J. Pediatr. Surg.* 38: 1374–1378. doi:10.1016/S0022-3468(03)00399-3
- Verma, R.P., Kota, A., n.d. Necrotizing Enterocolitis.
- Yaseen, H., Kamaledin, K., Al Umran, K., Al Arfaj, A., Darwich, M., Awary, B., 2002. Epidemiology and outcome of “early-onset” vs “late-onset” necrotizing enterocolitis. *Indian J. Pediatr.* 69: 481–484. doi:10.1007/BF02722648