

DAFTAR PUSTAKA

- Abu-Ouf, N.M. dan Jan, M.M., 2015. The impact of maternal iron deficiency and iron deficiency anemia on child's health. *Saudi Medical Journal*, **36**: 146–149.
- Aleem, A., 2011. 'Misoprostol for cervical ripening and induction of labour | RHL', . URL: <https://extranet.who.int/rhl/topics/pregnancy-and-childbirth/induction-labour/misoprostol-cervical-ripening-and-induction-labour> (diakses tanggal 1/2/2017).
- Alfirevic, Z., Aflaifel, N., dan Weeks, A., 2014. Oral misoprostol for induction of labour, dalam: *Cochrane Database of Systematic Reviews*. John Wiley & Sons, Ltd.
- Anderson, J.M. dan Etches, D., 2007. Prevention and management of postpartum hemorrhage. *American Family Physician*, **75**: .
- Arrowsmith, S., Kendrick, A., dan Wray, S., 2010a. Drugs acting on the pregnant uterus. *Obstetrics, Gynaecology & Reproductive Medicine*, **20**: 241–247.
- Arrowsmith, S., Kendrick, A., dan Wray, S., 2010b. Drugs acting on the pregnant uterus. *Obstetrics, Gynaecology & Reproductive Medicine*, **20**: 241–247.
- Atukunda, E.C., Mugenyi, G.R., Obua, C., Atuhumuza, E.B., Musinguzi, N., Tornes, Y.F., dkk., 2016. Measuring Post-Partum Haemorrhage in Low-Resource Settings: The Diagnostic Validity of Weighed Blood Loss versus Quantitative Changes in Hemoglobin. *PloS One*, **11**: e0152408.
- Bakker, R., Pierce, S., dan Myers, D., 2017. The role of prostaglandins E1 and E2, dinoprostone, and misoprostol in cervical ripening and the induction of labor: a mechanistic approach. *Archives of Gynecology and Obstetrics*, **296**: 167–179.
- Bamigboye, A.A., Hofmeyr, G.J., dan Merrell, D.A., 1998. Rectal misoprostol in the prevention of postpartum hemorrhage: A placebo-controlled trial. *American Journal of Obstetrics & Gynecology*, **179**: 1043–1046.
- Blum, J., Alfirevic, Z., Walraven, G., Weeks, A., dan Winikoff, B., 2007. Treatment of postpartum hemorrhage with misoprostol. *International Journal of Gynecology & Obstetrics*, **99**: S202–S205.
- Cavazos-Rehg, P.A., Krauss, M.J., Spitznagel, E.L., Bommarito, K., Madden, T., Olsen, M.A., dkk., 2015. Maternal age and risk of labor and delivery complications. *Maternal and child health journal*, **19**: 1202–1211.

- Chan, T.Y., Tang, C.H., dan Critchley, J.A., 1995. Poisoning due to an over-the-counter hypnotic, Sleep-Qik (hyoscine, cyproheptadine, valerian). *Postgraduate medical journal*, **71**: 227–228.
- Charles, L., Armstrong, L.L., Goldman, M.P., dan Lance, L.L. (Editor), 2010. *Drug Information Handbook with International Trade Names Index*, 20th ed. Lexicomp, Hudson, Ohio.
- Chaudhuri, P. dan Majumdar, A., 2016. A randomized trial of sublingual misoprostol to augment routine third-stage management among women at risk of postpartum hemorrhage. *International Journal of Gynecology & Obstetrics*, **132**: 191–195.
- Dahlan, M.S., 2016. *Besaran Sampel Dalam Penelitian Kedokteran Dan Kesehatan*, 4th ed. Epidemiologi Indonesia.
- Dittrich, R., Mueller, A., Oppelt, P.G., Hoffmann, I., Beckmann, M.W., dan Maltaris, T., 2009. Differences in muscarinic-receptor agonist-, oxytocin-, and prostaglandin-induced uterine contractions. *Fertility and Sterility*, **92**: 1694–1700.
- El-Refaey, H. dan Rodeck, C., 2003. Post-partum haemorrhage: definitions, medical and surgical management. A time for change. *British Medical Bulletin*, **67**: 205–217.
- Frass, K.A., 2015. Postpartum hemorrhage is related to the hemoglobin levels at labor: Observational study. *Alexandria Journal of Medicine*, **51**: 333–337.
- Goonewardene, M., Shehata, M., dan Hamad, A., 2012. Anaemia in pregnancy. *Best Practice & Research. Clinical Obstetrics & Gynaecology*, **26**: 3–24.
- Hofmeyr, G.J., Gülmezoglu, A.M., Novikova, N., Linder, V., Ferreira, S., dan Piaggio, G., 2009. Misoprostol to prevent and treat postpartum haemorrhage: a systematic review and meta-analysis of maternal deaths and dose-related effects. *Bulletin of the World Health Organization*, **87**: 666–667.
- Hofmeyr, G.J., Gülmezoglu, A.M., dan Pileggi, C., 2010. Vaginal misoprostol for cervical ripening and induction of labour, dalam: *Cochrane Database of Systematic Reviews*. John Wiley & Sons, Ltd.
- Jekti, R.P. dan Suarhana, E., 2011. Risk factors of post partum haemorrhage in Indonesia. *Health Science Journal of Indonesia*, **2**: 66–70.
- Karkanis, S.G., Caloia, D., Salenieks, M.E., Kingdom, J., Walker, M., Meffe, F., dkk., 2002. Randomized controlled trial of rectal misoprostol versus oxytocin in third stage management. *Journal of obstetrics and gynaecology Canada: JOGC = Journal d'obstetrique et gynecologie du Canada: JOGC*, **24**: 149–154.

- Katsuragi, S., Sameshima, H., Omine, M., dan Ikenoue, T., 2008. Pregnancy-induced hemolytic anemia with a possible immune-related mechanism. *Obstetrics and Gynecology*, **111**: 528–529.
- Kemenkes RI, (pertama), 2017. 'Pelayanan Informasi Obat', . URL: <http://pio.binfar.depkes.go.id/> (diakses tanggal 1/2/2017).
- Kementrian Kesehatan RI, 2016. *PROFIL KESEHATAN INDONESIA TAHUN 2015*. Kementerian Kesehatan Republik Indonesia.
- Khan, K.S., Wojdyla, D., Say, L., Gülmezoglu, A.M., dan Van Look, P.F., 2006. WHO analysis of causes of maternal death: a systematic review. *The lancet*, **367**: 1066–1074.
- Khoigani, M.G., Goli, S., dan HasanZadeh, A., 2012. The relationship of hemoglobin and hematocrit in the first and second half of pregnancy with pregnancy outcome. *Iranian Journal of Nursing and Midwifery Research*, **17**: S165–S170.
- Lakshmi Prasanna, J., Deepthi, B., dan Rama Rao, N., 2012. Rectal drug delivery: A promising route for enhancing drug absorption. *Asian J. Res. Pharm. Sci*, **2**: 143–149.
- Lapaire, O., Schneider, M.C., Stotz, M., Surbek, D.V., Holzgreve, W., dan Hoesli, I.M., 2006. Oral misoprostol vs. intravenous oxytocin in reducing blood loss after emergency cesarean delivery. *International Journal of Gynecology & Obstetrics*, **95**: 2–7.
- Lobo, M.F., Bastos, L.F., van Meurs, W.L., dan Ayres-de-Campos, D., 2013. A model for educational simulation of the effect of oxytocin on uterine contractions. *Medical Engineering & Physics*, **35**: 524–531.
- Lu, J.F. dan Nightingale, C.H., 2000. Magnesium sulfate in eclampsia and pre-eclampsia: pharmacokinetic principles. *Clinical Pharmacokinetics*, **38**: 305–314.
- Lumbiganon, P., Villar, J., Piaggio, G., Gülmezoglu, A.M., Adetoro, L., dan Carroli, G., 2002. Side effects of oral misoprostol during the first 24 hours after administration in the third stage of labour. *BJOG: an international journal of obstetrics and gynaecology*, **109**: 1222–1226.
- Moegni, E.M. dan Ocviyanti (Editor), 2013. *Buku Saku Pelayanan Kesehatan Ibu Di Fasilitas Kesehatan Dasar Dan Rujukan*, 1st ed. Kementerian Kesehatan Republik Indonesia.
- Moghaddam Tabrizi, F. dan Barjasteh, S., 2015. Maternal Hemoglobin Levels during Pregnancy and their Association with Birth Weight of Neonates. *Iranian Journal of Pediatric Hematology and Oncology*, **5**: 211–217.

- Morrison, J., Parrish, 2016. 'Anemia Associated with Pregnancy | GLOWM', *Anemia Associated with Pregnancy*. URL: [http://www.glowm.com/section_view/heading/Anemia Associated with Pregnancy/item/164](http://www.glowm.com/section_view/heading/Anemia%20Associated%20with%20Pregnancy/item/164) (diakses tanggal 3/12/2017).
- Norwitz, E.R. dan Schorge, J.O., 2007. *At a Glance Obstetri & Ginekologi*, 2nd ed. Erlangga dan Pusat Perbukuan Depdiknas.
- Oladapo, O.T., Fawole, B., Blum, J., dan Abalos, E., 2012. Advance misoprostol distribution for preventing and treating postpartum haemorrhage, dalam: *Cochrane Database of Systematic Reviews*. John Wiley & Sons, Ltd.
- Ozkaya, O., Sezik, M., Kaya, H., Desdicioglu, R., dan Dittrich, R., 2005. Placebo-controlled randomized comparison of vaginal with rectal misoprostol in the prevention of postpartum hemorrhage. *Journal of Obstetrics and Gynaecology Research*, **31**: 389–393.
- Pakniat, H. dan Khezri, M.B., 2015. The Effect of Combined Oxytocin–Misoprostol Versus Oxytocin and Misoprostol Alone in Reducing Blood Loss at Cesarean Delivery: A Prospective Randomized Double-Blind Study. *Journal of Obstetrics and Gynaecology of India*, **65**: 376–381.
- Parsons, S.M., Walley, R.L., Crane, J.M.G., Matthews, K., dan Hutchens, D., 2007. Rectal misoprostol versus oxytocin in the management of the third stage of labour. *Journal of obstetrics and gynaecology Canada: JOGC = Journal d'obstetrique et gynecologie du Canada: JOGC*, **29**: 711–718.
- Phillippe, M., 1998. Cellular mechanisms underlying magnesium sulfate inhibition of phasic myometrial contractions. *Biochemical and Biophysical Research Communications*, **252**: 502–507.
- Prawirohardjo, S., 2014. *Ilmu Kebidanan*, 4th ed. PT. Bina Pustaka, Jakarta.
- Prevost, M., Zerkowicz, P., Tulandi, T., Hayton, B., Feeley, N., Carter, C.S., dkk., 2014. Oxytocin in Pregnancy and the Postpartum: Relations to Labor and Its Management. *Frontiers in Public Health*, **2**: .
- Pubchem, 2018. 'misoprostol', . URL: <https://pubchem.ncbi.nlm.nih.gov/compound/5282381> (diakses tanggal 7/2/2018).
- Sentilhes, L., Vayssière, C., Deneux-Tharaux, C., Aya, A.G., Bayoumeu, F., Bonnet, M.-P., dkk., 2016. Postpartum hemorrhage: guidelines for clinical practice from the French College of Gynaecologists and Obstetricians (CNGOF): in collaboration with the French Society of Anesthesiology and Intensive Care (SFAR). *European Journal of Obstetrics & Gynecology and Reproductive Biology*, **198**: 12–21.

- Setiawan, A., Lipoeto, N.I., dan Izzah, A.Z., 2013. Hubungan Kadar Hemoglobin Ibu Hamil Trimester III Dengan Berat Bayi Lahir di Kota Pariaman. *Jurnal Kesehatan Andalas*, **2**: 34–37.
- Shetty, A., Danielian, P., dan Templeton, A., 2002. Sublingual misoprostol for the induction of labor at term. *American Journal of Obstetrics and Gynecology*, **186**: 72–76.
- Shrestha, A., Dongol, A., Chawla, C.D., dan Adhikari, R., 2012. Rectal misoprostol versus intramuscular oxytocin for prevention of post partum hemorrhage. *Kathmandu University Medical Journal*, **9**: 8–12.
- Smith, J.R. dan Brennan, B.G., 2017. Postpartum Hemorrhage: Background, Problem, Epidemiology.
- Stephansson, O., Dickman, P.W., Johansson, A., dan Cnattingius, S., 2000. Maternal hemoglobin concentration during pregnancy and risk of stillbirth. *JAMA*, **284**: 2611–2617.
- Surgeons (AAOS), A.A. of O. dan Caroline, N.L., 2017. *Nancy Caroline's Emergency Care in the Streets*. Jones & Bartlett Learning.
- Tang, O. s., Gemzell-Danielsson, K., dan Ho, P. c., 2007. Misoprostol: Pharmacokinetic profiles, effects on the uterus and side-effects. *International Journal of Gynecology & Obstetrics*, **99**: S160–S167.
- Ugwu, I.A., Oluwasola, T.A., Enabor, O.O., Anayochukwu-Ugwu, N.N., Adeyemi, A.B., dan Olayemi, O.O., 2016. Randomized controlled trial comparing 200 µg and 400 µg sublingual misoprostol for prevention of primary postpartum hemorrhage. *International Journal of Gynecology & Obstetrics*, **133**: 173–177.
- Wallerstein, R.O., 1987. Laboratory evaluation of anemia. *The Western Journal of Medicine*, **146**: 443–451.
- Weeks, A.D., 2001. The Retained Placenta. *African Health Sciences*, **1**: 36–41.
- whestoff, G., Cotter, A., dan Tolosa, J., 2013. 'Prophylactic oxytocin for the third stage of labour | Cochrane', . URL: /CD001808/PREG_prophylactic-oxytocin-for-the-third-stage-of-labour (diakses tanggal 8/1/2018).
- Yadav, D.P., Gaur, S., dan Meena, M.L., 2017. MISOPROSTOL: AN ALTERNATIVE TO OXYTOCIN IN MANAGEMENT OF 3rd STAGE OF LABOUR IN RURAL INDIA **8**: .