

DAFTAR PUSTAKA

- Abidin, H. Z., 2011, Penentuan Posisi dengan GPS dan Aplikasinya, PT. Pradnya Paramitha, Jakarta.
- Anam, S., 2005, Menggunakan ArcInfo untuk Proyeksi Peta, Informatika Bandung.
- Anonim, 2015, Bendungan Jatigede: Wujud Upaya Pemerintah Menyejahterakan Masyarakat, Media Informasi Sumber Daya Air.
- Anonim, 2014, Guideline for Continuously Operating Reference Stations, Special Publication 1, Ver. 2.1, Australia.
- Anonim, 2011, Leica TS30/TM30 User Manual, Leica Geosystem AG, http://www.surveyteq.com/pdf/Leica_TS30_TM30_UM_en.pdf (akses tanggal 4 Mei 2017).
- Anonim, 2010, GeoMoS version 5.1, Leica Geosystem AG, http://www.softrock.com.au/wp-content/uploads/2013/06/GeoMoS-Help-v5-1_en.pdf (akses tanggal 4 Mei 2017).
- Anonim, 2010, Republik Indonesia, Peraturan Pemerintah No. 37 Tahun 2010 tentang Bendungan, Indonesia.
- Artini, S. R., 2014, Penentuan Koordinat Stasiun GNSS CORS GMU1 dengan Kombinasi Titik Ikat GPS Global dan Regional, PILAR Jurnal Teknik Sipil, Vol. 10, No. 1, Yogyakarta.
- Awange, J.L., 2012, Environmental Science and Engineering Environmental Science, Disunting oleh Allan, R., Forstner, U., dan Salomons, W., Springer-Verlag Berlin Heidelberg.
- Azdan, M.D. dan Samekto, C., 2008, Kritisnya Kondisi Bendungan di Indonesia, Seminar Nasional Bendungan Besar, Surabaya.
- Basuki, S., 2010, Ukur Tanah, Cetakan ke-2, Gadjah Mada University Press, Yogyakarta.
- Behr, J., Hudnut, K., dan King, N., 1998, Monitoring Structural Deformation at Pacoima Dam, California using Continuous GPS, Proceedings of Ion GPS, Vol. 11, Hal. 59-68.
- Bond, J., Chrzanowski, A., dan Kim, D., 2008, Bringing GPS into Harsh Environments for Fully Automated Deformation Monitoring. GPS Solution, Vol. 12, Hal. 1–11.
- Casaca, J., Braz, N., dan Conde, V., 2016, Combined Adjustment of Angle and Distance Measurements in a Dam Monitoring Network, Survey Review.

- Caspary, W.F., 1987, Concepts of Network and Deformation Analysis, Monograph 11, School of Surveying the University of New South Wales.
- Cetin, H., Laman, M., dan Ertunc, A., 2000, Settlement and Slaking Problems in the World's Fourth Largest Rock-Fill Dam, The Ataturk Dam in Turkey, Engineering Geology, Vol. 56, Hal. 225-242.
- Chrzanowski, A., Szostak-Chrzanowski, A., dan Bond, J., 2007, Increasing Public and Environmental Safety through Integrated Monitoring and Analysis of Structural and Ground Deformations, Geomatics Solutions for Disaster Management 92.
- Chrzanowski, A., Szostak-Chrzanowski, A., dan Steeves, R., 2011, Reliability and Efficiency of Dam Deformation Monitoring Schemes, CDA 2011 Annual Conference.
- Cifres, R. dan Cifres, E., 2016, Satellite Technologies for Dam Motion Monitoring, JISDM 2016, Hal. 71–75.
- Cook, D., 2006, Robotic Total Stations and Remote Data Capture : Challenges IN Construction, Geotechnical News-Vancouver, Hal. 43–46.
- Dare, P, dan Saleh, H., 2000, GPS Network Design: Logistics Solution using Optimal and Near-Optimal Methods, Journal of Geodesy, Vol. 74, Hal. 467-478.
- Deakin, R. E., 2006, A Note on the Bursa-Wolf and Molodensky-Badekas Transformations. School of Mathematical and Geospatial Sciences, RMIT University, Hal. 1-21.
- Duffy, M.A., Hill, C., Whitaker, C., Chrzanowski, A., Lutes, J., dan Bastin, G., 2001, An Automated and Integrated Monitoring Program for Diamond Valley Lake in California. Hal. 1–21.
- Erol, S., Erol, B., dan Ayan, T., 2002, A General Review of the Deformation Monitoring Techniques and a Case Study: Analysing Deformations using GPS/Levelling, ISPRS Congress.
- Esmaeili, R. dan Cranenbroeck, V.J., 2012, Establishing a Geodetic Monitoring System for Gotvand Dam.
- Gikas, V. dan Sakellariou, M., 2008, Horizontal Deflection Analysis of a Large Earthen Dam by Means of Geodetic and Geotechnical Methods, FIG International Symposium on Deformation Measurements and Analysis, Lisbon.
- Gökalp, E. dan Taşçı, L., 2016, Deformation Monitoring by GPS at Embankment Dams and Deformation Analysis, Survey Review.
- Grafarend, E.W., 1974, Optimization of Geodetic Networks, Bolletino di Geodesia a

- Science Affini, Hal. 351–406.
- Haryanto, I., 2004, Tektonik Sesar Baribis-Cimandiri, Prosiding Tahunan IAGI 33.
- Herring, T.A., King, R.W, dan McClusky, S.C., 2006, Introduction to GAMIT/GLOBK, Department of Earth, Atmospheric, and Planetary Science, Massachusetts Institute of Technology.
- Hofmann-Wellenhof, B., Herbert L., dan Elmar W., 2008, GNSS-Global Navigation Satellite Systems, Austria: Springerwien New York.
- Kalkan, Y., 2014, Geodetic Deformation Monitoring of Atatürk Dam in Turkey, *Arabian Journal of Geosciences*, 7(1), Hal. 397-405.
- Kiersch, G.A., 1976, Vaiont Reservoir Disaster, Focus on Environmental Geology, R. Tank, Ed.
- Kuang, S., 1991, Optimization and Design of Deformation Monitoring Schemes, Dissertation, Department of Surveying Engineering Technical Report No.157, University of New Brunswick, Fredericton, New Brunswick, Canada, Hal. 179.
- Leick, A., 2004, GPS Satellite Surveying, 3rd Edition, John Wiley and Sons Inc, Hoboken, New Jersey.
- Lestari, D dan Yulaikhah, 2013, Optimasi Jaring Kontrol Horizontal Berdasarkan Persyaratan Matriks Kriteria untuk Studi Geodinamika di Patahan Sungai Opak, Penelitian DPP Sekolah Vokasi Universitas Gadjah Mada.
- Lestari, D., 2006, GPS Study for Resolving the Stability of Borobudur Temple Site, Thesis, School of Surveying and Spatial Information System, University of New South Wales.
- Londe, P., 1987, The Malpasset Dam Failure, *Engineering, Geology*, 24 (1-4), Hal. 295-329.
- Lutes, J.A., 2002, Automated Dam Displacement Monitoring using a Robotic Total Station, Thesis, Department of Geodesy and Geomatics Engineering Technical Report No. 214, University of New Brunswick, Fredericton, New Brunswick, Canada, 138 pp.
- Ma'ruf, B dan Rahman, M. A., 2009, Analisis Teknik Pengolahan Baseline secara Baseline-per-baseline dan Sesi-per-sesi pada Perataan Jaring GPS, Prosiding Seminar Nasional Revitalisasi Data, Yogyakarta.
- Marwasta, D. dan Priyono, K.D., 2016, Analisis Karakteristik Permukiman Desa-desa Pesisir di Kabupaten Kulonprogo, *Forum Geografi*, Vol. 21, No.1, Hal. 57–68.
- Mitsakaki, C., 2004. Coordinate Transformation. FIG Working Week 2004, Athena,

Yunani.

- Ninkov, T., Zoran, S., Marko, M., dan Maksimovi, P., 2014, Modern Technologies and Methodologies Concerning Permanent Monitoring of Position Changes and Entity State in Space and Time.
- Nursetiyadi, R., 2015, Pengaruh Geometri Jaringan IGS terhadap Ketelitian Koordinat Titik Pantau Geodinamika Kepulauan Sangehe Epoch 2014, Skripsi, Skripsi, Jurusan Teknik Geodesi Fakultas Teknik, Universitas Gadjah Mada, Yogyakarta
- Panuntun, H., 2012, Penentuan Posisi Anjungan Minyak Lepas Pantai dengan Titik Ikat GPS Regional dan Global, Tesis, Program Studi S-2 Teknik Geomatika, Pascasarjana Fakultas Teknik, Universitas Gadjah Mada, Yogyakarta..
- Parseno dan Yulaikhah, 2010, Pengaruh Sudut Vertikal terhadap Hasil Ukuran Jarak dan Beda Tinggi Metode Trigonometris Menggunakan Total Station Nikon DTM 352, Forum Teknik, Vol. 33, No. 3, Yogyakarta.
- Phang, S.B. dan Setan, H., 2007, 3D Coordinate Transformation using Molodensky Badekas Transformation Model: MBT07, Joint International Symposium and Exhibition on Geoinformation and International Symposium and Exhibition on GPS/GNSS, Johor, Malaysia.
- Rizal, M., 2012, Model Perencanaan Pembangunan Bendungan yang Berkelanjutan: Studi Kasus Bendungan Jatigede, Institut Pertanian Bogor, Bogor.
- Soehaimi, A., 2008, Seismotektonik dan Potensi Kegempaan Wilayah Jawa, Jurnal Geologi Indonesia, Vol. 3, No. 4, Hal. 227–40.
- Soeta'at.1996."Ilmu Hitung Kuadrat Terkecil Lanjut (HKTL)".Jurusan Teknik Geodesi, Fakultas Teknik, Universitas Gadjah Mada.Yogyakarta
- Sosrodarsono, S. dan Takeda K., 1977, Bendungan Tipe Urugan, Cetakan ke-2, PT. Pradnya Paramitra, Jakarta.
- Studer, M., 2011, Automatic Monitoring of Large Dams in the Swiss Alps during Construction of the Gotthard Base Tunnel (57 km), Proceeding of the International Symposium on Dams and Reservoirs under Changing Challenges, Lucerne, Switzerland.
- Sudarsono, D.B., 2000, Prinsip Kerja Alat Pengukur Jarak Elektronis (EDM), Jurnal Teknik Sipil SIPIL SOEPRA, Vol. 2, No. 4, Hal. 108–115.
- Sudibyo, 1987, Teknik Bendungan, PT. Pradnya Paramita, Jakarta.
- Sunantyo, T.A., 2009, GNSS CORS Infrastructure and Standard in Indonesia GNSS CORS Infrastructure and Standard in Indonesia, FIG Regional Conference, Hanoi, Hal. 19–22.

- Sunantyo, T.A., Suryolelolo, K.B., Djawahir, F., Swastana, A., Darmawan, A., dan Adityo, S., 2012, Design and Installation for Dam Monitoring using Multi Sensors : A Case Study at Sermo Dam, Yogyakarta, Indonesia, FIG Working Week, Hal. 6–10.
- Suwastono, A. dan Sutopo, B., 2012, Perancangan Jaringan Nirkabel untuk Infrastruktur Monitoring Deformasi Bendungan Sermo, Jurnal Nasional Teknologi Elektro dan Teknologi Informasi, Vol. 1, No. 3, Yogyakarta
- Szostak-chrzanowski, A., Chrzanowski, A., Deng, N., dan Bazanowski, M., 2008, Design and Analysis of a Multi-Sensor Deformation Detection System, Journal of Applied Geodesy 2:205–11.
- Szostak-chrzanowski, A., Chrzanowski, A., Massiéra, M., Bazanowski, M., dan Whitaker, C., 2008, Study of a Long-Term Behavior of Large Earth Dam Combining Monitoring and Finite Element Analysis, FIG International Symposium on Deformation Measurements and Analysis, Lisbon.
- Tandisau, T. R., 2017, Metode Pemeriksaan Besar Bendungan di Indonesia, Studi BBWS Pompengan-Jeneberang, Sulawesi Selatan.
- Vanicek P., dan Steeves R.R., 1996, Transformation of Coordinates between Two Horizontal Geodetic Datums. Journal of Geodesy, No. 70, Hal. 740-745.
- Whitaker, C., Duffy, M., dan Chrzanowski, A., 1998, Design of an Automated Dam Deformation Monitoring System: A Case Study, Journal of Geospatial Engineering, Vol. 2, No.1, Hal. 23-34.
- Widjajanti, N., 1992, Modifikasi Hitungan Transformasi Datum Metode Molodensky-Badekas. Skripsi. Jurusan Teknik Geodesi, Fakultas Teknik, Universitas Gadjah Mada. Yogyakarta.
- Wolf, P.R. dan Ghilani C.D., 2010, Adjustment Computations Statistics and Least Squares in Surveying and GIS, Jhon Wiley and Son Inc., New York.
- Xie, S., 2016, Investigation on Fast Response Performance of Dam Deformation Monitoring System with Wireless Sensor and Virtualizing Technique. International Journal of Multimedia an Ubiquitous Engineering, 11(7), Hal. 193–204.
- Yalçinkaya dan Teke, 2012, Strategy for Designing Geodetic GPS Networks with High Reliability and Accuracy, Hal 2-3.
- Zakaria, Z., Ismawan, dan Haryanto, I., 2011, Identifikasi dan Mitigasi pada Zona Rawan Gempa Bumi di Jawa Barat. Bulletin of Scientific Contribution, 9(1), Hal. 35–41.