

DAFTAR PUSTAKA

- Agustine, R. (2011). Produksi Biogas dari Palm Oil Mill Effluent (POME) dengan Penambahan Kotoran Sapi Potong sebagai Aktivator.
- Ahmad, A. L., Ismail, S., Ibrahim, N., & Bhatia, S. (2003). Removal of suspended solids and residual oil from palm oil mill effluent, 978(January), 971–978. <https://doi.org/10.1002/jctb.892>
- Ahmad, A., Omar, M., & Kadir, A. (2010). Anaerobic co-digestion of palm oil mill effluent with rumen fluid as a co-substrate Anaerobic co-digestion of palm oil mill effluent with rumen fluid as a co-substrate, (November). <https://doi.org/10.1016/j.desal.2010.10.041>
- Aini, N. U. R., Hasanah, I., Biologi, D., Sains, F., Teknologi, D. A. N., & Airlangga, U. (2013). Pengaruh Hydraulic Retention Time (Hrt) Terhadap Hasil Produksi Gas Metan Pada Pengolahan Air Limbah Kantin Menggunakan Hybrid Anaerobic Reactor Pengaruh Hydraulic Retention Time (Hrt) Pada Pengolahan Air Limbah Kantin.
- Alkarimiah, R., Mahat, S. B., Yuzir, A., Din, M. F. M., & Chelliapan, S. (2011). Performance of an innovative multi-stage anaerobic reactor during start-up period. *African Journal of Biotechnology*, 10(54), 11294–11302. <https://doi.org/10.5897/AJB11.1270>
- Battumur, U., Yoon, Y.-M., & Kim, C.-H. (2016). Isolation and Characterization of a New <i>Methanobacterium formicicum</i>; KOR-1 from an Anaerobic Digester Using Pig Slurry. *Asian-Australasian Journal of Animal Sciences*, 29(4), 586–593. <https://doi.org/10.5713/ajas.15.0507>
- Bouallagui, H., Touhami, Y., Ben Cheikh, R., & Hamdi, M. (2005). Bioreactor performance in anaerobic digestion of fruit and vegetable wastes. *Process Biochemistry*, 40(3–4), 989–995. <https://doi.org/10.1016/j.procbio.2004.03.007>
- C.P. Leslie Grady, J., Daigger, G. T., & Lim, H. C. (2014). *Biological Wastewater Treatment. Marcel Dekker, Inc.* <https://doi.org/10.1007/s13398-014-0173-7.2>
- Carneiro, T.F., Pe´rez, M. dan Romero, L. I. (2008). Anaerobic digestion of municipal solid wastes: Dry thermophilic performance. *Bioresource Technology*, 99, 8180–8184.
- Chen, Y., Cheng, J. J., & Creamer, K. S. (2008). Inhibition of anaerobic digestion process : A review, 99, 4044–4064. <https://doi.org/10.1016/j.biortech.2007.01.057>
- Chin, M. J., Poh, P. E., Tey, B. T., Chan, E. S., & Chin, K. L. (2013). Biogas from palm oil mill effluent (POME): Opportunities and challenges from Malaysia’s perspective. *Renewable and Sustainable Energy Reviews*, 26, 717–726.

- <https://doi.org/10.1016/j.rser.2013.06.008>
- Choorit, W., & Wisarnwan, P. (2007). Effect of temperature on the anaerobic digestion of palm oil mill effluent. *Electronic Journal of Biotechnology*, 10(3), 376–385. <https://doi.org/10.2225/vol10-issue3-fulltext-7>
- Demirer, G. N., & Chen, S. (2005). Two-phase anaerobic digestion of unscreened dairy manure. *Process Biochemistry*, 40(11), 3542–3549. <https://doi.org/10.1016/j.procbio.2005.03.062>
- Deublein, D., & Steinhauser, A. (2008). *Biogas from waste and renewable resources. Choice: Current Reviews for Academic Libraries*. <https://doi.org/10.1002/9783527632794>
- Echiegu, E. ., & A.E. Ghaly. (2014). Kinetic Modelling of Continuous-Mix Anaerobic Reactors Operating Under Diurnally Cyclic Temperature Environment. *American Journal of Biochemistry and Biotechnology*, 10(2), 130–142. <https://doi.org/10.3844/ajbbsp.2014.130.142>
- Fedailaine, M., Moussi, K., Khitous, M., Abada, S., Saber, M., & Tirichine, N. (2015). Modeling of the anaerobic digestion of organic waste for biogas production. *Procedia Computer Science*, 52(1), 730–737. <https://doi.org/10.1016/j.procs.2015.05.086>
- Fernández, N., Montalvo, S., Fernández-Polanco, F., Guerrero, L., Cortés, I., Borja, R., ... Travieso, L. (2007). Real evidence about zeolite as microorganisms immobilizer in anaerobic fluidized bed reactors. *Process Biochemistry*, 42(4), 721–728. <https://doi.org/10.1016/j.procbio.2006.12.004>
- Gerardi, M. H. (2003). *The Microbiology of Anaerobic Digesters*. *Vasa*. <https://doi.org/10.1002/0471468967>
- Gonçalves, M. R., Costa, J. C., Marques, I. P., & Alves, M. M. (2009). Anaerobic Digestion of OMW : Intermittent Feeding Strategy and LCFA Oxidation Profile.
- Halim, L., Mellyanawaty, M., & Bakti, R. (n.d.). Anaerobic Digestion of Palm Oil Mill Effluent with Lampung Natural Zeolite as Microbe Immobilization Medium and Digested Cow Manure as Starter.
- Hidalgo, D., Gómez, M., Martín-Marroquín, J. M., Aguado, A., & Sastre, E. (2015). Two-phase anaerobic co-digestion of used vegetable oils??? wastes and pig manure. *International Journal of Environmental Science and Technology*, 12(5), 1727–1736. <https://doi.org/10.1007/s13762-014-0560-9>
- Khanal, S. K. (2009). *Anaerobic Biotechnology for Bioenergy Production: Principles and Applications*. *Anaerobic Biotechnology for Bioenergy Production: Principles and Applications*. <https://doi.org/10.1002/9780813804545>
- Milan, Z., Montalvo, S., Ruiz-Tagle, N., Urrutia, H., Chamy, R., Sanchez, E., & Borja, R. (2010). Influence of heavy metal supplementation on specific methanogenic activity and microbial communities detected in batch anaerobic digesters. *Journal of Environmental Science and Health. Part A, Toxic/hazardous Substances & Environmental Engineering*, 45(11), 1307–1314. <https://doi.org/10.1080/10934529.2010.500878>
- Montalvo, S., Borja, R., Guerrero, L., Sa, E., Colmenarejo, M. F., Travieso, L., &

- Raposo, F. (2008). Performance evaluation of an anaerobic fluidized bed reactor with natural zeolite as support material when treating high-strength distillery wastewater, *33*, 2458–2466. <https://doi.org/10.1016/j.renene.2008.02.002>
- Mujdalipah, S., Dohong, S., Suryani, A., & Fitria, A. (2014). Pengaruh Waktu Fermentasi Terhadap Produksi Biogas Menggunakan Digester Dua Tahap pada Berbagai Konsentrasi Palm Oil Mill Effluent dan Lumpur Aktif, *34*(1), 56–64.
- Mussati, M., Thompson, C., Fuentes, M., Aguirre, P., & Scenna, N. (2005). Characteristics of a methanogenic biofilm on sand particles in a fluidized bed reactor. *Latin American Applied Research*, *35*(4), 265–272.
- Nicolella, C., Loosdrecht, M. C. M. Van, & Heijnen, J. J. (2000). Wastewater treatment with particulate biofilm reactors, *80*, 1–33.
- Poh, P. E., & Chong, M. F. (2009). Development of anaerobic digestion methods for palm oil mill effluent (POME) treatment. *Bioresource Technology*, *100*(1), 1–9. <https://doi.org/10.1016/j.biortech.2008.06.022>
- Prasetyo, E., Sudibyoy, H., & Budhijanto, W. (2017). Determination of the Optimum Hydraulic Retention Time in Two Stages Anaerobic Fluidized Bed Bioreactor for Landfill Leachate Treatment, *49*(3), 1–11. <https://doi.org/10.5614/j.eng.technol.sci.2016.xx.x.x>
- Rahayu, A. S., Karsiwulan, D., Yuwono, H., Trinawati, I., Mulyasari, S., Rahardjo, S., ... Paramita, V. (2015). Konversi POME Menjadi Biogas, 98.
- Setyowati, P. A. H., Halim, L., Mellyanawaty, M., Sudibyoy, H., & Budhijanto, W. (2017). Anaerobic treatment of palm oil mill effluent in batch reactor with digested biodiesel waste as starter and natural zeolite for microbial immobilization. *AIP Conference Proceedings*, *1840*. <https://doi.org/10.1063/1.4982334>
- Shuler, M. L., & Kargi, F. (2002). Bioprocess engineering: Basic concepts. *Journal of Controlled Release*, *293*. [https://doi.org/10.1016/0168-3659\(92\)90106-2](https://doi.org/10.1016/0168-3659(92)90106-2)
- Soetopo, R. S., Purwati, S., Hardiani, H., Aini, M. N., & Wardhana, K. A. (2014). Aplikasi Proses Digestasi Anaerobik Lumpur Biologi Instalasi Pengolahan Air Limbah Industri Kertas, 75–88.
- Solera, R., Romero, L. I., & Sales, D. (2002). The evolution of Biomass in a two-phase anaerobic treatment process during start-up. *Chemical and Biochemical Engineering Quarterly*, *16*(1), 25–29.
- Sudibyoy, Hanifrahmawan; Shabrina, Zata Lini; Wondah, Hartika Rafih; Hastuti, Retno Tri; Halim, Lenny; Purnomo, Chandra Wahyu; Budhijanto, W. (n.d.). Anaerobic Digestion of Landfill Leachate with Natural Zeolite and Sugarcane Bagasse Fly Ash as the Microbial Immobilization Media in Packed Bed Reactor.
- Taruyanon, K., & Tejasen, S. (2010). Modelling of two-stage anaerobic treating wastewater from a molasses-based ethanol distillery with the IWA anaerobic digestion model no.1. *Engineering Journal*, *14*(1), 25–36. <https://doi.org/10.4186/ej.2010.14.1.25>
- Walker, M., Zhang, Y., Heaven, S., & Banks, C. (2009). Bioresource Technology Potential errors in the quantitative evaluation of biogas production in anaerobic

digestion processes, *100(m)*, 6339–6346.

<https://doi.org/10.1016/j.biortech.2009.07.018>

Westerholm, M., Hansson, M., & Schnürer, A. (2012). Bioresource Technology
Improved biogas production from whole stillage by co-digestion with cattle
manure. *Bioresource Technology*, *114*, 314–319.
<https://doi.org/10.1016/j.biortech.2012.03.005>