

## DAFTAR PUSTAKA

- Amanatie, Jumina, Mustofa, Hanafi, M., and Armunanto, R., 2015, Structural Model Design of Xanthone Compounds as Antimalarial Activity, *J. Sci. Res. Publ.*, 5, 5–10.
- Anonim, World Health Organization, World malaria report 2015, Geneva: WHO Press; 2015. [Online] Available from: <https://apps.who.int/iris/handle/10665/200018> [Accessed on May 25th 2021]
- Anonim, 2018, World Malaria Report 2018, World Health Organization.
- Anonim, World Health Organization, World malaria report 2020, Geneva: WHO Press; 2017. [Online] Available from: <https://www.who.int/teams/global-malaria-programme/reports/world-malaria-report-2020> [Accessed on May 26th 2021].
- Asfari, Z., Böhmer, V., Harrowfield, J., and Vicens, J., 2001, *Calixarenes 2001*, Kluwer Academic Publishers, New York.
- Ashley, E.A., Pyae Phy, A., and Woodrow, C.J., 2018, Malaria, *Lancet*, 391, 1608–1621.
- Baelmans, R., Deharo, E., Muoz, V., Sauvain, M., and Ginsburg, H., 2000, Experimental Conditions for Testing The Inhibitory Activity of Chloroquine on The Formation of  $\beta$ -hematin, *Exp. Parasitol.*, 96, 243–248.
- Balami, U. and Taylor, D.K., 2014, Electrochemical Responsive Arrays of Sulfonatocalixarene Groups Prepared by Free Radical Polymerization, *React. Funct. Polym.*, 81, 54–60.
- Basilico, N., Pagani, E., Monti, D., Oliaro, P., and Taramelli, D., 1998, A Microtitre-Based Method for Measuring The Heme Polymerization Inhibitory Activity (HPIA) of Antimalarial Drugs, *J. Antimicrob. Chemother.*, 42, 55–60.
- Becker, K., Tilley, L., Vennerstrom, J.L., Roberts, D., Rogerson, S., and Ginsburg, H., 2004, Oxidative Stress in Malaria Parasite-Infected Erythrocytes: Host-Parasite Interactions, *Int. J. Parasitol.*, 34, 163–189.
- Bishnoi, A. and Chawla, H.M., 2014, Synthesis and Applications of Chromogenic Calix[4] resorcinarene Derivatives, *Res. J. Chem. Environ.*, 18, 45–49.
- Bray, P.G. and Ward, S.A., 1998, A Comparison of The Phenomenology and Genetics of Multidrug Resistance in Cancer Cells and Quinoline

- Resistance in *Plasmodium falciparum*, *Pharmacol. Ther.*, 77, 1–28.
- Caminade, C., Kovats, S., Rocklov, J., Tompkins, A.M., Morse, A.P., Colón-gonzález, F.J., Stenlud, H., Martens, P., and Lloyd, S.J., 2014, Impact of Climate Change on Global Malaria Distribution, *PNAS*, 111, 3286–3291.
- Campanale, N., Nickel, C., Daubenberger, C.A., Wehlan, D.A., Gorman, J.J., Klonis, N., Becker, K., and Tilley, L., 2003, Identification and Characterization of Heme-interacting Proteins in The Malaria Parasite, *Plasmodium falciparum*, *J. Biol. Chem.*, 278, 27354–27361.
- Chugh, M., Sundararaman, V., Kumar, S., Reddy, V.S., Siddiqui, W.A., Stuart, K.D., and Malhotra, P., 2013, Protein Complex Directs Hemoglobin-to-Hemozoin Formation in *Plasmodium falciparum*, *PNAS*, 110, 5392–5397.
- Combrinck, J.M., Mabotha, T.E., Ncokazi, K.K., Ambele, M.A., Taylor, D., Smith, P.J., Hoppe, H.C., and Egan, T.J., 2013, Insights into The Role of Heme in The Mechanism of Action of Antimalarials, *ACS Chem. Biol.*, 8, 133–137.
- Coronado, L.M., Nadovich, C.T., and Spadafora, C., 2014, Malarial Hemozoin: From Target to Tool, *Biochim. Biophys. Acta*, 1840, 2032–2041.
- Da Silva, E., Lazar, A.N., and Coleman, A.W., 2004, Biopharmaceutical Applications of Calixarenes, *J. Drug Deliv. Sci. Technol.*, 14, 3–20.
- De Fatima, A., Fernandes, S.A., and Sabino, A.A., 2009, Calixarenes as New Platforms for Drug Design, *Curr. Drug Discov. Technol.*, 6, 1–20.
- Deska, M., Dondela, B., and Sliwa, W., 2014, Calixarenes Containing Modified Meso Bridges, *Arkivoc*, 2015, 29–47.
- Dimi, B., Adam, A., dan Alim, A., 2020, Prevalensi Malaria Berdasarkan Karakteristik Sosio Demografi, *J. Ilm. Kesehat.*, 19, 1–9.
- Egan, T.J., Combrinck, J.M., Egan, J., Hearne, G.R., Marques, H.M., Ntenti, S., Sewell, B.T., Smith, P.J., Taylor, D., Van Schalkwyk, D.A., and Walden, J.C., 2002, Fate of Haem Iron in The Malaria Parasite *Plasmodium falciparum*, *Biochem. J.*, 365, 343–347.
- Ferrao, J.L., Niquisse, S., Mendes, J.M., and Painho, M., 2018, Mapping and Modelling Malaria Risk Areas Using Climate, Socio-Demographic and Clinical Variables in Chimoio, Mozambique, *Int. J. Environ. Res. Public Health*, 15, 1–15.
- Firdaus, Jumina, dan Sastrohamidjojo, H., 2007, Sintesis dan Konformasi p-(Amino)Butoksikaliks[4]arena, *Indo. J. Chem.*, 7, 49–57.
- Firdaus, M., Jumina, and Anwar, C., 2008, Green Synthesis of C-4-Hydroxy-3-methoxyphenylcalix[4]resorcinarene, and C-4-Methoxyphenylcalix[4]

resorcinarene, *Proceeding Int. Semin. Chem.*, 346–350.

- Fitch, C.D., 2004, Ferriprotoporphyrin IX, Phospholipids, and The Antimalarial Actions of Quinoline Drugs, *Life Sci.*, 74, 1957–1972.
- Fitriastuti, D., Darussalam Mardjan, M.I., Jumina, and Mustofa, 2014, Synthesis and Heme Polymerization Inhibitory Activity (HPIA) Assay of Antiplasmodium of (1)-N-(3,4-Dimethoxybenzyl)-1,10-phenanthroline bromide from Vanillin, *Indones. J. Chem.*, 14, 1–6.
- Fitriastuti, D., Jumina, and Priatmoko, 2016, Synthesis and Characterization of 2,3,4-Trihydroxy-5-methyl Xanthone as Antimalarial Compound, *Eksakta J. Ilmu-Ilmu MIPA*, 16, 94–102.
- Foley, M. and Tilley, L., 1998, Quinoline Antimalarials: Mechanisms of Action and Resistance and Prospects for New Agents, *Pharmacol. Ther.*, 79, 55–87.
- Garcia-bustos, J.F. and Gamo, F., 2013, Antimalarial Drug Resistance and Early Drug Discovery, *Curr. Pharm. Des.*, 19, 270–281.
- Ginsburg, H. and Krugliak, M., 1999, Chloroquine - Some Open Questions on its Antimalarial Mode of Action and Resistance, *Drug Resist. Updat.*, 2, 180–187.
- Gokoglan, T.C., Soylemez, S., Kesik, M., Unay, H., Sayin, S., Yildiz, H.B., Cirpan, A., and Toppare, L., 2015, A Novel Architecture Based on a Conducting Polymer and Calixarene Derivative: Its Synthesis and Biosensor Construction, *RSC Adv.*, 5, 35940–35947.
- Graham, P., 2020, *Antimalarial Agents Design and Mechanism of Action*, Elsevier, Oxford.
- Guimarães, D. S. M., de Sousa Luz, L. S., do Nascimento, S. B., Silva, L. R., de Miranda Martins, N. R., de Almeida, H. G., de Souza Reis, V., Maluf, S. E. C., Budu, A., Marinho, J. A., Abramo, C., Carmona, A. K., da Silva, M., G., da Silva, G. R., Kemmer, V. M., Butera, A. P., Ribeiro-Viana, R. M. Gazarini, M. L., Júnior, C. S. N., Guimarães, L., dos Santos, F. V., de Castro, W. V., Viana, G. H. R., de Brito, C. F. A., and de Pilla Varotti, F., 2019, Improvement of Antimalarial Activity of a 3-Alkylpyridine Alkaloid Analog by Replacing The Pyridine Ring to a Thiazole-Containing Heterocycle: Mode of Action, Mutagenicity Profile, and Caco-2 Cell-Based Permeability, *Eur. J. Pharm. Sci.*, 138, 105015.
- Handayani, D.S., Amin, Z.A.A., Kusumaningsih, T., and Masykur, A., 2014, Synthesis and Characterization of C-Hexyl Calix[4]Resorcinarene from Resorcinol-Heptanal Condensation, *ALCHEMY J. Penelit. Kim.*, 10, 49–53.

- Handayani, S.N., Ekowati, H., Irmanto, Aprilia, D.N.A., and Utami, S., 2020, Synthesis of Phenylcalix[4]resorcinarene Sulfonate and it's Application as an Antioxidant, *AIP Conf. Proc.*, 2237, 1–8.
- Hasbullah, A., M.Abosadiya, H., Jumina, J., M.Tahir, M.I., and Yamin, B.M., 2013, Synthesis, Structural and Antioxidant Properties of C-p-methoxyphenylcalix[4]resorcinarene, *Int. J. Adv. Sci. Eng. Inf. Technol.*, 3, 36–39.
- Hobbs, C. and Duffy, P., 2011, Drugs for Malaria: Something Old, Something New, Something Borrowed, *F1000 Biol. Rep.*, 3, 1–9.
- Hooley, R.J. and Julius Rebek, J., 2009, Chemistry and Catalysis in Functional Cavitands, *Chem. Biol. Rev.*, 16, 255–264.
- Hoskins, C. and Curtis, A.D., 2015, Simple Calix[n]arenes and Calix[4]resorcinarenes as Drug Solubilizing Agents, *J. Nanomedicine Res.*, 2, 1–8.
- Ichimura, K., Fukushima, N., Fujimaki, M., Kawahara, S., Matsuzawa, Y., Hayashi, Y., and Kudo, K., 1997, Macrocyclic Amphiphiles: Properties of Calix[4]resorcinarene Derivatives Substituted with Azobenzenes in Solutions and Monolayers, *Langmuir*, 13, 6780–6786.
- Islam, M.M., Georghiou, P.E., Rahman, S., and Yamato, T., 2020, Calix[3]arene-Analogous Metacyclophanes: Synthesis, Structures and Properties with Infinite Potential, *Mol.*, 25, 1–19.
- Iwanek, W., Wolff, C., and Mattay, J., 1995, Chiral Calixarenes Derived from Resorcinol-II. Functionalization by Mannich Reaction with  $\alpha$ -Aminoalcohols, *Tetrahedron Lett.*, 36, 8969–8972.
- Iwanek, W. and Wzorek, A., 2009, Introduction to The Chirality of Resorcinarenes, *Mini. Rev. Org. Chem.*, 6, 398–411.
- Jain, V.K. and Kanaiya, P.H., 2011, Chemistry of Calix[4]resorcinarenes, *Russ. Chem. Rev.*, 80, 75–102.
- Jenett-siems, K., Mockenhaupt, F.P., Bienzle, U., Gupta, M.P., and Eich, E., 1999, In Vitro Antiplasmodial Activity of Central American Medicinal Plants, *Trop. Med. Int. Heal.*, 4, 611–615.
- Jumina, Siswanta, D., Zulkarnain, A.K., Triono, S., Priatmoko, Yuanita, E., Imawan, A.C., Fatmasari, N., and Nursalim, I., 2019, Development of C-Arylcalix[4]resorcinarenes and C-Arylcalix[4]pyrogallolarenes as Antioxidant and UV-B Protector, *Indones. J. Chem.*, 19, 273–284.
- Kang, Y. and Rudkevich, D.M., 2004, Polymer-Supported Calix[4]arenes for Sensing and Conversion of  $\text{NO}_2/\text{N}_2\text{O}_4$ , *Tetrahedron*, 60, 11219–11225.

- Ke, H., Sigala, P.A., Miura, K., Morrissey, J.M., Mather, M.W., Crowley, J.R., Henderson, J.P., Goldberg, D.E., Long, C.A., and Vaidya, A.B., 2014, The Heme Biosynthesis Pathway is Essential for *Plasmodium falciparum* Development in Mosquito Stage but not in Blood Stage, *J. Biol. Chem.*, 289, 34827–34837.
- Kellici, S., Acord, J., Vaughn, A., Power, N.P., Morgan, D.J., Heil, T., Facq, S.P., and Lampronti, G.I., 2016, Calixarene Assisted Rapid Synthesis of Silver-Graphene Nanocomposites with Enhanced Antibacterial Activity, *ACS Appl. Mater. Interfaces*, 8, 19038–19046.
- Kobasa, T., Talundzic, E., Sug-Aram, R., Boondat, P., Goldman, I.F., Lucchi, N.W., Dharmarak, P., Sintasath, D., Fukuda, M., Whistler, T., MacArthur, J., Udhayakumar, V., Prempre, P., and Chinanonwait, N., 2018, Emergence and Spread of kelch13 Mutations Associated with Artemisinin Resistance in *Plasmodium falciparum* Parasites in 12 Thai Provinces from 2007 to 2016, *Antimicrob. Agents Chemother.*, 62, 1–10.
- Kumar, S., Guha, M., Choubey, V., Maity, P., and Bandyopadhyay, U., 2007, Antimalarial Drugs Inhibiting Hemozoin ( $\beta$ -hematin) Formation: A Mechanistic Update, *Life Sci.*, 80, 813–828.
- Kurosawa, Y., Dorn, A., Kitsuji-Shirane, M., Shimada, H., Satoh, T., Matile, H., Hofheinz, W., Masciadri, R., Kansy, M., and Ridley, R.G., 2000, Hematin Polymerization Assay as a High-Throughput Screen for Identification of New Antimalarial Pharmacophores, *Antimicrob. Agents Chemother.*, 44, 2638–2644.
- Ladhani, S., Aibara, R.J., Riordan, F.A.I., and Shingadia, D., 2007, Imported Malaria in Children: a Review of Clinical Studies, *Lancet Infect. Dis.*, 7, 349–357.
- Landier, J., Kajeechiwa, L., Thwin, M. M., Parker, D. M., Chaumeau, V., Wiladphaingern, J., Imwong, M., Miotto, O., Patumrat, K., Duanguppama, J., Cerqueira, D., Malleret, B., Rénia, L., Nosten, S., Seidlein, L. V., Ling, C., Proux, S., Corbel, V., Simpson, J. A., Dondorp, A. M., White, N. J., and Nosten, F. H., 2017, Safety and effectiveness of mass drug administration to accelerate elimination of artemisinin-resistant *falciparum* malaria: A pilot trial in four villages of Eastern Myanmar [ version 1 ; referees : 2 approved ], *Wellcome Open Res*, 2, 81.
- Linane, P. and Shinkai, S., Calixarenes: Adaptable Hosts Par Excellence, *Chem. Ind.*, 1994, 811–814
- Matsuzawa, Y., Seki, T., and Ichimura, K., 1998, Mixed Monolayers of a Calix[4]resorcinarene with a Nematic Liquid Crystal and Their Bilayered Structuring, *Chem. Lett.*, 411–412.

- McMahon, G., O'Malley, S., Nolan, K., and Diamond, D., 2003, Important Calixarene Derivatives - Their Synthesis and Applications, *Arkivoc*, 2003, 23–31.
- Mendes, A.R., Gregório, C.C., Barata, P.D., Costa, A.I., and Prata, J. V., 2005, Linear and Crosslinked Copolymers of p-tert-Butylcalix[4]arene Derivatives and Styrene: New Synthetic Approaches to Polymer-Bound Calix[4]arenes,. In, *Reactive and Functional Polymers.*, hal. 9–21.
- Mishra, S., Karmodiya, K., Surolia, N., and Surolia, A., 2008, Synthesis and Exploration of Novel Curcumin Analogues as Anti-malarial Agents, *Bioorganic Med. Chem.*, 16, 2894–2902.
- Nagababu, E., Chrest, F.J., and Rifkind, J.M., 2003, Hydrogen-Peroxide-Induced Heme Degradation in Red Blood Cells: The Protective Roles of Catalase and Glutathione Peroxidase, *Biochim. Biophys. Acta*, 1620, 211–217.
- Naing, C., Whittaker, M.A., Nyunt Wai, V., and Mak, J.W., 2014, Is *Plasmodium vivax* Malaria a Severe Malaria?: A Systematic Review and Meta-Analysis, *PLoS Negl. Trop. Dis.*, 8, 1–11.
- Neri, P., Sessler, J.L., and Wang, M.-X., 2016, *Calixarenes and Beyond*, Springer, Switzerland.
- Ngurah, B.I.G.M., Jumina, and Anwar, C., 2016, Synthesis and Application of C-Phenylcalix[4]resorcinarene in Adsorption of Cr(III) and Pb(II), *J. Appl. Chem. Sci.*, 3, 289–298.
- Nifant'ev, E.E., Maslennikova, V.I., Habicher, W.D., Serkova, O.S., and Guzova, T.A., 2004, New Aspects in The Chemistry of Perphosphorylated Calix[4]resorcinarenes, *ARKIVOC*, 2004, 23–37.
- Pagola, S., Stephens, P.W., Bohle, D.S., Kosar, A.D., and Madsen, S.K., 2000, The Structure of Malaria Pigment  $\beta$ -haematin, *Nature*, 404, 307–310.
- Pandey, A.V. and Chauhan, V.S., 1998, Heme Polymerization by Malarial Parasite: A Potential Target for Antimalarial Drug Development, *Curr. Sci.*, 75, 911–918.
- Pandey, S., Agarwal, P., Srivastava, K., RajaKumar, S., Puri, S.K., Verma, P., Saxena, J.K., Sharma, A., Lal, J., and Chauhan, P.M.S., 2013, Synthesis and Bioevaluation of Novel 4-Aminoquinoline-tetrazole Derivatives as Potent Antimalarial Agents, *Eur. J. Med. Chem.*, 66, 69–81.
- Pfeiffer, C.R., Feaster, K.A., Dalgarno, S.J., and Atwood, J.L., 2015, Syntheses and Characterization of Aryl-Substituted Pyrogallol[4]arenes and Resorcin[4]arenes, *CrystEngComm*, 18, 222–229.
- Qiu, Y., Chen, Y., Zhang, G.G.Z., Yu, L., and Mantri, R. V., 2017, *Developing*



*Solid Oral Dosage Forms: Pharmaceutical Theory and Practice*, Second Edition, Elsevier, United States.

- Roberts, B.A., Cave, G.W.V., Raston, C.L., and Scott, J.L., 2001, Solvent-Free Synthesis of Calix[4]resorcinarenes, *Green Chem.*, 3, 280–284.
- Rodik, R., Boyko, V., and Kalchenko, V., 2009, Calixarenes in Bio-Medical Researches, *Curr. Med. Chem.*, 16, 1630–1655.
- Saritha, M., Koringa, K., Dave, U., and Gatne, D., 2015, A Modified Precise Analytical Method for Anti-Malarial Screening: Heme Polymerization Assay, *Mol. Biochem. Parasitol.*, 201, 112–115.
- Schneider, H.-J. and Schneider, U., 1994, The Host-Guest Chemistry of Resorcinarenes[1], *J. Inclusion Phenom. Mol. Recognit. Chem.*, 19, 67–83.
- Shah, M.D. and Agrawal, Y.K., 2012, Calixarene: A New Architecture in the Analytical and Pharmaceutical Technology, *J. Sci. Ind. Res. (India)*, 71, 21–26.
- Shah, R.B., Valand, N.N., Sutariya, P.G., and Menon, S.K., 2016, Design, Synthesis and Characterization of Quinoline-Pyrimidine Linked Calix[4]arene Scaffolds as Anti-Malarial Agents, *J. Incl. Phenom. Macrocycl. Chem.*, 84, 173–178.
- Simamora, D. and Fitri, L.E., 2007, Resistensi Obat Malaria: Mekanisme dan Peran Obat Kombinasi Obat Antimalaria untuk Pencegahan, *Kedokt. Brawijaya*, 23, 82–92.
- Slater, A.F.G. and Cerami, A., 1992, Inhibition by Chloroquine of a Novel Haem Polymerase Enzyme Activity in Malaria Trophozoites, *Nature*, 355, 167–169.
- Slater, A.F.G., Swiggard, W.J., Orton, B.R., Flitter, W.D., Goldberg, D.E., Cerami, A., and Henderson, G.B., 1991, An Iron-Carboxylate Bond Links The Heme Units of Malaria Pigment, *Proc. Natl. Acad. Sci. U. S. A.*, 88, 325–329.
- Sliwa, W. and Deska, M., 2011, Functionalization Reactions of Calixarenes, *Arkivoc*, 2011, 496–551.
- Sliwa, W. and Kozlowski, C., 2009, *Calixarenes and Resorcinarenes: Synthesis, Properties and Applications*, Wiley-VCH, Weinheim.
- Su, X.Z., Kirkman, L.A., Fujioka, H., and Wellems, T.E., 1997, Complex Polymorphisms in an ~330 kDa Protein Are Linked to Chloroquine-Resistant *P. falciparum* in Southeast Asia and Africa, *Cell*, 91, 593–603.
- Su, X.Z. and Miller, L.H., 2015, The Discovery of Artemisinin and The Nobel Prize in Physiology or Medicine, *Sci. China. Life Sci.*, 58, 1175–1179.

- Suwandi, J.F., 2015, Gen PfATP6 and Resistensi *Plasmodium falciparum* terhadap Golongan Artemisinin PfATP6 Gene and *Plasmodium falciparum* Resistance Againsts Artemisinin Derivate, *J. Kedokt. Unila*, 5, 141–146.
- Tahghighi, A., Karimi, S., Rafie Parhizgar, A., and Zakeri, S., 2018, Synthesis and Antiplasmodial Activity of Novel Phenanthroline Derivatives: An In Vivo Study, *Iran. J. Basic Med. Sci.*, 21, 202–211.
- Tekwani, B. and Walker, L., 2005, Targeting The Hemozoin Synthesis Pathway for New Antimalarial Drug Discovery: Technologies for In Vitro  $\beta$ -Hematin Formation Assay, *Comb. Chem. High Throughput Screen.*, 8, 63–79.
- Timmerman, P., Verboom, W., and Reinhoudt, D.N., 1996, Resorcinarenes, *Tetrahedron*, 52, 2663–2704.
- Toh, S.Q., Glanfield, A., Gobert, G.N., and Jones, M.K., 2010, Heme and Blood-Feeding Parasites: Friends or Foes, *Parasites and Vectors*, 3, 1–10.
- Travassos, M.A. and Laufer, M.K., 2009, Resistance to Antimalarial Drugs: Molecular, Pharmacologic, and Clinical Considerations, *Pediatr. Res.*, 65, 64–70.
- Tunstad, L.M., Sherman, J.C., Helgeson, R.C., Weiser, J., Knobler, C.B., Cram, D.J., Bryant, J.A., Dalcanale, E., and Tucker, J.A., 1989, Host-Guest Complexation-Octol Building Blocks for Cavitands and Carcerands, *J. Org. Chem.*, 54, 1305–1312.
- Utomo, S.B., Saputro, A.N.C., and Rinanto, Y., 2016, Functionalization of C-4-methoxyphenylcalix[4]resorcinarene with Several Ammonium Compounds, *IOP Conf. Ser. Mater. Sci. Eng.*, 107, .
- Utomo, S.B., Siswanta, D., and Kumar, N., 2011, Synthesis of Thiomethylated Calix[4] Resorcinarene Based on Fennel Oil, *Indo. J. Chem.*, 11, 1–8.
- Vaid, A., Ranjan, R., Smythe, W.A., Hoppe, H.C., and Sharma, P., 2010, PfPI3K, a Phosphatidylinositol-3 Kinase from *Plasmodium falciparum*, is Exported to The Host Erythrocyte and is Involved in Hemoglobin Trafficking, *Blood*, 115, 2500–2507.
- Varo, R., Chaccour, C., and Bassat, Q., 2020, Update on Malaria, *Med. Clin. (Barc.)*, 155, 395–402.
- Walker, E.J., Peterson, G.M., Grech, J., Paragalli, E., and Thomas, J., 2018, Are We Doing Enough to Prevent Poor-Quality Antimalarial Medicines in The Developing World, *BMC Public Health*, 18, 1–6.
- Weinelt, F. and Schneider, H.J., 1991, Mechanisms of Macrocyclic Genesis. The



Condensation of Resorcinol with Aldehydes, *J. Org. Chem.*, 56, 5527–5535.

- Yamin, B.M., M Abosadiya, H., Aisah Hasbullah, S., and Jumina, J., 2014, Structural, Antioxidant and Antiviral Studies of C-3-Nitrophenyl Calix[4]resorcinarene, *Int. J. Adv. Sci. Eng. Inf. Technol.*, 4, 125.
- Yang, Y. and Swager, T.M., 2007, Main-Chain Calix[4]arene Elastomers by Ring-Opening Metathesis Polymerization, *Macromolecules*, 40, 7437–7440.
- Zadmard, R., Hokmabadi, F., Jalali, M.R., and Akbarzadeh, A., 2020, Recent Progress to Construct Calixarene-Based Polymers Using Covalent Bonds: Synthesis and Applications, *RSC Adv.*, 10, 32690–32722.
- Zakiah, M., Syarif, R.A., Mustofa, M., Jumina, J., Fatmasari, N., and Sholikhah, E.N., 2021, In Vitro Antiplasmodial, Heme Polymerization, and Cytotoxicity of Hydroxyxanthone Derivatives, *J. Trop. Med.*, 2021, 1–11.
- Zhang, R.Y., Zhang, Y., Tong, J., Liu, L., and Han, Z.B., 2021, A Bifunctional Cationic Covalent Organic Polymer for Cooperative Conversion of CO<sub>2</sub> to Cyclic Carbonate without Co-catalyst, *Catal. Letters*, 151, 2833–2841.