

## DAFTAR PUSTAKA

- Abbasi, T., Tauseef, S. M., & Abbasi, S. A. (2012). Biogas Energy. In *Springer Briefs in Environmental Science*. Springer. New York.  
<https://doi.org/https://doi.org/10.1007/978-3-319-96646-5>
- APHA. (2017a). 5220 CHEMICAL OXYGEN DEMAND (COD). In *Standard Methods For the Examination of Water and Wastewater* (p. S-18).  
<https://doi.org/10.2105/SMWW.2882.103>
- APHA. (2017b). 5560 ORGANIC AND VOLATILE ACIDS. In *Standard Methods For the Examination of Water and Wastewater* (pp. 5–56).  
<https://doi.org/10.2105/SMWW.2882.111>
- Aziz, M. M., Kassim, K. A., ElSergany, M., Anuar, S., Jorat, M. E., Yaacob, H., Ahsan, A., Imteaz, M. A., & Arifuzzaman, A. (2020). Recent advances on palm oil mill effluent (POME) pretreatment and anaerobic reactor for sustainable biogas production. *Renewable and Sustainable Energy Reviews*, 119(2020), 109603. <https://doi.org/10.1016/j.rser.2019.109603>
- Azzahrani, I. N., Davanti, F. A., Millati, R., & Cahyanto, M. N. (2018). Effect of Hydraulic Retention Time (HRT) and Organic Loading Rate (OLR) to the nata de coco anaerobic treatment efficiency and its wastewater characteristics. *Agritech*, 38(2), 160. <https://doi.org/10.22146/agritech.24226>
- Bala, J. D., Lalung, J., Al-Gheethi, A. A. S., Hossain, K., & Ismail, N. (2018). Microbiota of palm oil mill wastewater in Malaysia. *Tropical Life Sciences Research*, 29(2), 131–163. <https://doi.org/10.21315/tlsr2018.29.2.10>
- Bodaghabadi, M. B., Salehi, M. H., Martínez-Casasnovas, J. A., Mohammadi, J., Toomanian, N., & Borujeni, I. E. (2011). Using Canonical Correspondence Analysis (CCA) to identify the most important DEM attributes for digital soil mapping applications. *Catena*, 86(1), 66–74.  
<https://doi.org/10.1016/j.catena.2011.02.009>
- Braz, G. H. R., Fernandez-Gonzalez, N., Lema, J. M., & Carballa, M. (2019). Organic overloading affects the microbial interactions during anaerobic digestion in sewage sludge reactors. *Chemosphere*, 222, 323–332.  
<https://doi.org/10.1016/j.chemosphere.2019.01.124>
- Cayetano, R. D. A., Park, J., Kim, G. B., Jung, J. H., & Kim, S. H. (2021). Enhanced anaerobic digestion of waste-activated sludge via bioaugmentation strategy—Phylogenetic investigation of communities by reconstruction of unobserved states (PICRUST2) analysis through hydrolytic enzymes and possible linkage to system performance. *Bioresource Technology*, 332(February), 125014. <https://doi.org/10.1016/j.biortech.2021.125014>
- Chachkhiani, M., Dabert, P., Abzianidze, T., Partskhaladze, G., Tsiklauri, L., Dudaui, T., & Godon, J. J. (2004). 16S rDNA characterisation of bacterial and archaeal communities during start-up of anaerobic thermophilic digestion of cattle manure. *Bioresource Technology*, 93(3), 227–232.  
<https://doi.org/10.1016/j.biortech.2003.11.005>
- Chen, Y., Cheng, J. J., & Creamer, K. S. (2008). Inhibition of anaerobic digestion process: A review. *Bioresource Technology*, 99(10), 4044–4064.

<https://doi.org/10.1016/j.biortech.2007.01.057>

- Chernov, T. I., Tkhakakhova, A. K., & Kutovaya, O. V. (2015). Assessment of diversity indices for the characterization of the soil prokaryotic community by metagenomic analysis. *Eurasian Soil Science*, 48(4), 410–415.  
<https://doi.org/10.1134/S1064229315040031>
- Choong, Y. Y., Chou, K. W., & Norli, I. (2018). Strategies for improving biogas production of palm oil mill effluent (POME) anaerobic digestion: A critical review. *Renewable and Sustainable Energy Reviews*, 82(January 2017), 2993–3006. <https://doi.org/10.1016/j.rser.2017.10.036>
- Choorit, W., & Wisarnwan, P. (2007). Effect of temperature on the anaerobic digestion of palm oil mill effluent. *Electronic Journal of Biotechnology*, 10(3), 376–385. <https://doi.org/10.2225/vol10-issue3-fulltext-7>
- Coenye, T., Vanlaere, E., Samyn, E., Falsen, E., Larsson, P., & Vandamme, P. (2005). *Advenella incenata* gen. nov., sp. nov., a novel member of the *Alcaligenaceae*, isolated from various clinical samples. *International Journal of Systematic and Evolutionary Microbiology*, 55(1), 251–256.  
<https://doi.org/10.1099/ijs.0.63267-0>
- Damayanti, S. I., Astiti, D. F., Purnomo, C. W., Sarto, S., & Budhijanto, W. (2019). Inoculum Selection and Micro-Aeration for Biogas Production in Two-Stage Anaerobic Digestion of Palm Oil Mill Effluent (POME). *Jurnal Bahan Alam Terbarukan*, 8(1), 14–21.  
<https://doi.org/10.15294/jbat.v8i1.16318>
- Dyksma, S., & Gallert, C. (2019). *Candidatus Syntrophosphaera thermopropionivorans*: a novel player in syntrophic propionate oxidation during anaerobic digestion. *Environmental Microbiology Reports*, 11(4), 558–570. <https://doi.org/10.1111/1758-2229.12759>
- Elsamadony, M., Mostafa, A., Fujii, M., Tawfik, A., & Pant, D. (2021). Advances towards understanding long chain fatty acids-induced inhibition and overcoming strategies for efficient anaerobic digestion process. *Water Research*, 190, 116732. <https://doi.org/10.1016/j.watres.2020.116732>
- Etchebehere, C., Pavan, M. E., Zorzópulos, J., Soubes, M., & Muxí, L. (1998). *Coprothermobacter platensis* sp. nov., a new anaerobic proteolytic thermophilic bacterium isolated from an anaerobic mesophilic sludge. *International Journal of Systematic Bacteriology*, 48(4), 1297–1304.  
<https://doi.org/10.1099/00207713-48-4-1297>
- Feng, S., Hong, X., Wang, T., Huang, X., Tong, Y., & Yang, H. (2019). Reutilization of high COD leachate via recirculation strategy for methane production in anaerobic digestion of municipal solid waste: Performance and dynamic of methanogen community. *Bioresource Technology*, 288(1800), 121509. <https://doi.org/10.1016/j.biortech.2019.121509>
- Ferdeş, M., Dincă, M. N., Moiceanu, G., Zabava, B. S., & Paraschiv, G. (2020). Microorganisms and enzymes used in the biological pretreatment of the substrate to enhance biogas production: A review. *Sustainability (Switzerland)*, 12(17). <https://doi.org/10.3390/su12177205>
- Filer, J., Ding, H. H., & Chang, S. (2019). Biochemical Methane Potential (BMP) Assay Method for Anaerobic Digestion Research. *Water*, 11(921).

<https://doi.org/10.3390/w11050921>

- FitzGerald, J. A., Wall, D. M., Jackson, S. A., Murphy, J. D., & Dobson, A. D. W. (2019). Trace element supplementation is associated with increases in fermenting bacteria in biogas mono-digestion of grass silage. *Renewable Energy*, 138, 980–986. <https://doi.org/10.1016/j.renene.2019.02.051>
- Gao, S., Hu, C., Sun, S., Xu, J., Zhao, Y., & Zhang, H. (2018). Performance of piggery wastewater treatment and biogas upgrading by three microalgal cultivation technologies under different initial COD concentration. *Energy*, 165, 360–369. <https://doi.org/10.1016/j.energy.2018.09.190>
- GAPKI. (2020). *Refleksi Industri Sawit 2020 & Prospek 2021*. <https://gapki.id/news/18768/refleksi-industri-sawit-2020-prospek-2021>
- Gerber, M., & Span, R. (2008). An analysis of available mathematical models for anaerobic digestion of organic substances for production of biogas. *International Gas Research Conference Proceedings*, 2(528), 1294–1323.
- Gibello, A., Vela, A. I., Martín, M., Barra-Caracciolo, A., Grenni, P., & Fernández-Garayzábal, J. F. (2009). Reclassification of the members of the genus *Tetrathibacter* Ghosh et al. 2005 to the genus *Advenella* Coenye et al. 2005. *International Journal of Systematic and Evolutionary Microbiology*, 59(8), 1914–1918. <https://doi.org/10.1099/ijs.0.007443-0>
- Gómez, X., Cuetos, M. J., Cara, J., Morán, A., & García, A. I. (2006). Anaerobic co-digestion of primary sludge and the fruit and vegetable fraction of the municipal solid wastes. Conditions for mixing and evaluation of the organic loading rate. *Renewable Energy*, 31(12), 2017–2024. <https://doi.org/10.1016/j.renene.2005.09.029>
- Goswami, R., Chattopadhyay, P., Shome, A., Banerjee, S. N., Chakraborty, A. K., Mathew, A. K., & Chaudhury, S. (2016). An overview of physico-chemical mechanisms of biogas production by microbial communities: A step towards sustainable waste management. *3 Biotech*, 6(1), 1–12. <https://doi.org/10.1007/s13205-016-0395-9>
- Guo, X., Wang, C., Sun, F., Zhu, W., & Wu, W. (2014). A comparison of microbial characteristics between the thermophilic and mesophilic anaerobic digesters exposed to elevated food waste loadings. *Bioresource Technology*, 152, 420–428. <https://doi.org/10.1016/j.biortech.2013.11.012>
- Hagos, K., Zong, J., Li, D., Liu, C., & Lu, X. (2017). Anaerobic co-digestion process for biogas production: Progress, challenges and perspectives. *Renewable and Sustainable Energy Reviews*, 76(November 2016), 1485–1496. <https://doi.org/10.1016/j.rser.2016.11.184>
- Halim, L., Mellyanawaty, M., Cahyono, R. B., Sudibyo, H., & Budhijanto, W. (2017). Anaerobic digestion of palm oil mill effluent with lampung natural zeolite as microbe immobilization medium and digested cow manure as starter. *AIP Conference Proceedings*, 1840(June). <https://doi.org/10.1063/1.4982333>
- Hamzah, M. A. F., Abdul, P. M., Azahar, A. M., & Jahim, J. M. (2020). Performance of Anaerobic Digestion of Acidified Loading Rates and Temperatures. *Water*, 12, 2432.
- Hamzah, M. A. F., Jahim, J. M., Abdul, P. M., & Asis, A. J. (2019). Investigation

- of Temperature Effect on Start-Up Operation from Anaerobic Digestion of Acidified Palm Oil Mill Effluent. *Energies*, 12(2473), 1–16.
- Holm-Nielsen, J. B., Al Seadi, T., & Oleskowicz-Popiel, P. (2009). The future of anaerobic digestion and biogas utilization. *Bioresource Technology*, 100(22), 5478–5484. <https://doi.org/10.1016/j.biortech.2008.12.046>
- Hua, D., Fan, Q., Zhao, Y., Xu, H., Chen, L., & Li, Y. (2020). Comparison of methanogenic potential of wood vinegar with gradient loads in batch and continuous anaerobic digestion and microbial community analysis. *Science of the Total Environment*, 739, 139943. <https://doi.org/10.1016/j.scitotenv.2020.139943>
- Irvan, I., Trisakti, B., Wongistani, V., & Tomiuchi, Y. (2012). Methane Emission from Digestion of Palm Oil Mill Effluent (POME) in a Thermophilic Anaerobic Reactor. *International Journal of Science and Engineering*, 3(1), 32–35. <https://doi.org/10.12777/ijse.3.1.32-35>
- Jeong, J. Y., Son, S. M., Pyon, J. H., & Park, J. Y. (2014). Performance comparison between mesophilic and thermophilic anaerobic reactors for treatment of palm oil mill effluent. *Bioresource Technology*, 165(C), 122–128. <https://doi.org/10.1016/j.biortech.2014.04.007>
- Jijai, S., Muleng, S., & Siripatana, C. (2017). Effect of dilution and ash supplement on the bio-methane potential of palm oil mill effluent (POME). *AIP Conference Proceedings*, 1868(August 2017). <https://doi.org/10.1063/1.4995099>
- Kallistova, A. Y., Goel, G., & Nozhevnikova, A. N. (2014). Microbial diversity of methanogenic communities in the systems for anaerobic treatment of organic waste. *Microbiology (Russian Federation)*, 83(5), 462–483. <https://doi.org/10.1134/S0026261714050142>
- Kallscheuer, N., Polen, T., Bott, M., & Marienhagen, J. (2017). Reversal of  $\beta$ -oxidative pathways for the microbial production of chemicals and polymer building blocks. *Metabolic Engineering*, 42(April), 33–42. <https://doi.org/10.1016/j.ymben.2017.05.004>
- Kang, A. J., & Yuan, Q. (2017). Enhanced anaerobic digestion of organic waste. In *Solid Waste Management in Rural Areas*. IntechOpen.
- Khadaroo, S. N. B. A., Grassia, P., Gouwanda, D., He, J., & Poh, P. E. (2021). Enhancing the biogas production and the treated effluent quality via an alternative Palm Oil Mill Effluent (POME) treatment process: Integration of thermal pretreatment and dewatering. *Biomass and Bioenergy*, 151(December 2020), 106167. <https://doi.org/10.1016/j.biombioe.2021.106167>
- Khadaroo, S. N. B. A., Grassia, P., Gouwanda, D., & Poh, P. E. (2020). The impact of thermal pretreatment on various solid-liquid ratios of palm oil mill effluent (POME) for enhanced thermophilic anaerobic digestion performance. *Journal of Cleaner Production*, 261, 121159. <https://doi.org/10.1016/j.jclepro.2020.121159>
- Khalid, N. A., Rajandas, H., Parimannan, S., Croft, L. J., Loke, S., Chong, C. S., Bruce, N. C., & Yahya, A. (2019). Insights into microbial community structure and diversity in oil palm waste compost. *3 Biotech*, 9(10), 1–11.

<https://doi.org/10.1007/s13205-019-1892-4>

- Khalil, M., Berawi, M. A., Heryanto, R., & Rizalie, A. (2019). Waste to energy technology: The potential of sustainable biogas production from animal waste in Indonesia. *Renewable and Sustainable Energy Reviews*, 105(February), 323–331. <https://doi.org/10.1016/j.rser.2019.02.011>
- Khemkhao, M., Nuntakumjorn, B., Techkarnjanaruk, S., & Phalakornkule, C. (2012). Comparative mesophilic and thermophilic anaerobic digestion of palm oil mill effluent using upflow anaerobic sludge blanket. *Water Environment Research*, 84(7), 577–587. <https://doi.org/10.2175/106143012x13378023685637>
- Kong, D., Zhang, K., Liang, J., Gao, W., & Du, L. (2019). Methanogenic community during the anaerobic digestion of different substrates and organic loading rates. *MicrobiologyOpen*, 8(5), 1–10. <https://doi.org/10.1002/mbo3.709>
- Kosaka, T., Kato, S., Shimoyama, T., Ishii, S., Abe, T., & Watanabe, K. (2008). The genome of *Pelotomaculum thermopropionicum* reveals niche-associated evolution in anaerobic microbiota. *Genome Research*, 18(3), 442–448. <https://doi.org/10.1101/gr.7136508>
- Kouzuma, A., Tsutsumi, M., Ishii, S., Ueno, Y., Abe, T., & Watanabe, K. (2017). Non-autotrophic methanogens dominate in anaerobic digesters. *Scientific Reports*, 7(1), 1–13. <https://doi.org/10.1038/s41598-017-01752-x>
- Lenntech. (2021). *bsCOD - biodegradable soluble Chemical Oxygen Demand*. Lenntech.Com. <https://www.lenntech.com/wwtp/bscod.htm>
- Liang, J., Chen, C., Yoza, B. A., Liang, Y., Li, J., Ke, M., & Wang, Q. (2019). Hydrolysis and acidification of activated sludge from a petroleum refinery. *Petroleum Science*, 16(2), 428–438. <https://doi.org/10.1007/s12182-019-0301-2>
- Lin, C., Wan, J., Lu, Y., Zhang, H., Chen, X., Su, Y., & Zhu, W. (2019). Active bacterial communities of pig fecal microbiota transplantation suspension prepared and preserved under different conditions. *AMB Express*, 9(1). <https://doi.org/10.1186/s13568-019-0787-4>
- Liu, Y., Qiao, J. T., Yuan, X. Z., Guo, R. B., & Qiu, Y. L. (2014). *Hydrogenispora ethanolica* gen. nov., sp. nov., an anaerobic carbohydrate-fermenting bacterium from anaerobic sludge. *International Journal of Systematic and Evolutionary Microbiology*, 64(PART 5), 1756–1762. <https://doi.org/10.1099/ijs.0.060186-0>
- Luz Calle, M. (2019). Statistical analysis of metagenomics data. *Genomics and Informatics*, 17(1). <https://doi.org/10.5808/GI.2019.17.1.e6>
- Mahajoeno, E., Lay, B. W., & Sutjahjo, S. H. (2008). Potensi Limbah Cair Pabrik Minyak Kelapa Sawit untuk Produksi Biogas. *Biodiversitas*, 9, 48–52. <https://doi.org/10.13057/biodiv/d090112>
- Mahmod, S. S., Azahar, A. M., Luthfi, A. A. M., Abdul, P. M., Mastar, M. S., Anuar, N., Takriff, M. S., & Jahim, J. M. D. (2020). Potential Utilisation of Dark-Fermented Palm Oil Mill Effluent in Continuous Production of Biomethane by Self-Granulated Mixed Culture. *Scientific Reports*, 10(1), 1–12. <https://doi.org/10.1038/s41598-020-65702-w>



- Mao, C., Xi, J., Feng, Y., Wang, X., & Ren, G. (2019). Biogas production and synergistic correlations of systematic parameters during batch anaerobic digestion of corn straw. *Renewable Energy*, 132, 1271–1279. <https://doi.org/10.1016/j.renene.2018.09.009>
- Maulina, S., Irvan, Trisakti, B., & Daimon, H. (2018). Development of anaerobic digestion of palm oil mill effluent with heated recycle sludge. *Rasayan Journal of Chemistry*, 11(3), 1151–1158. <https://doi.org/10.31788/RJC.2018.1132096>
- McInerney, M. J., Bryant, M. P., Hespell, R. B., & Costerton, J. W. (1981). *Syntrophomonas wolfei* gen. nov. sp. nov., an Anaerobic, Syntrophic, Fatty-Acid Oxidizing Bacterium. *Applied and Environmental Microbiology*, 41(4), 1029–1039.
- Meesap, K., Boonapatcharoen, N., Techkarnjanaruk, S., & Chaiprasert, P. (2012). Microbial communities and their performances in anaerobic hybrid sludge bed-fixed film reactor for treatment of palm oil mill effluent under various organic pollutant concentrations. *Journal of Biomedicine and Biotechnology*, 2012. <https://doi.org/10.1155/2012/902707>
- Obi, L. U., Atagana, H. I., & Adeleke, R. A. (2016). Isolation and characterisation of crude oil sludge degrading bacteria. *SpringerPlus*, 5(1). <https://doi.org/10.1186/s40064-016-3617-z>
- Odum, E. . (1993). *Fundamentals of Ecology* (3rd ed.). Saunders.
- Ogg, C. D., & Patel, B. K. C. (2009). *Caloramator australicus* sp. nov., a thermophilic, anaerobic bacterium from the Great Artesian Basin of Australia. *International Journal of Systematic and Evolutionary Microbiology*, 59(1), 95–101. <https://doi.org/10.1099/ijs.0.000802-0>
- Ohimain, E. I., & Izah, S. C. (2017). A review of biogas production from palm oil mill effluents using different configurations of bioreactors. *Renewable and Sustainable Energy Reviews*, 70(December 2014), 242–253. <https://doi.org/10.1016/j.rser.2016.11.221>
- Palatsi, J., Viñas, M., Guivernau, M., Fernandez, B., & Flotats, X. (2011). Anaerobic digestion of slaughterhouse waste: Main process limitations and microbial community interactions. *Bioresource Technology*, 102(3), 2219–2227. <https://doi.org/10.1016/j.biortech.2010.09.121>
- Park, J. ., Lee, B., Heo, T. Y., Cheon, A. I., & Jun, H. B. (2021). Metagenomics approach and canonical correspondence analysis of novel nitrifiers and ammonia-oxidizing archaea in full scale anaerobic-anoxic-oxic (A2/O) and oxidation ditch processes. *Bioresource Technology*, 319(September 2020). <https://doi.org/10.1016/j.biortech.2020.124205>
- Pramanik, S. K., Suja, F. B., & Pramanik, B. K. (2020). Effects of hydraulic retention time on the process performance and microbial community structure of an anaerobic single-stage semi-pilot scale reactor for the treatment of food waste. *International Biodeterioration and Biodegradation*, 152(February), 104999. <https://doi.org/10.1016/j.ibiod.2020.104999>
- Prasertsan, P., O-Thong, S., & Birkeland, N. K. (2009). Optimization and microbial community analysis for production of biohydrogen from palm oil mill effluent by thermophilic fermentative process. *International Journal of*

- Hydrogen Energy*, 34(17), 7448–7459.  
<https://doi.org/10.1016/j.ijhydene.2009.04.075>
- Rahayu, A. S., Karsiwulan, D., Yuwono, H., Trisnawati, I., Mulyasari, S., Raharjo, S., Hokerman, S., & Paramita, V. (2015). Handbook POME-to-Biogas Project Development in Indonesia. *Winrock International*, 98.  
<http://winrock-indo.org/4732.html>
- Rajani, A., Kusnadi, Santosa, A., Saepudin, A., Gobikrishnan, S., & Andriani, D. (2019). Review on biogas from palm oil mill effluent (POME): Challenges and opportunities in Indonesia. *IOP Conference Series: Earth and Environmental Science*, 293(1). <https://doi.org/10.1088/1755-1315/293/1/012004>
- Ravi, P. P., Lindner, J., Oechsner, H., & Lemmer, A. (2018). Effects of target pH-value on organic acids and methane production in two-stage anaerobic digestion of vegetable waste. *Bioresource Technology*, 247(July 2017), 96–102. <https://doi.org/10.1016/j.biortech.2017.09.068>
- Residuales, A., La, P. D. E., & Palmera, I. (2013). Biogas production by anaerobic digestion of wastewater from palm oil mill industry. *Ciencia Tecnologia y Futuro*, 5(2), 73–84.
- Scarlat, N., Dallemand, J. F., & Fahl, F. (2018). Biogas: Developments and perspectives in Europe. *Renewable Energy*, 129, 457–472.  
<https://doi.org/10.1016/j.renene.2018.03.006>
- Shin, J., Cho, S. K., Lee, J., Hwang, K., Chung, J. W., Jang, H. N., & Shin, S. G. (2019). Performance and microbial community dynamics in anaerobic digestion of waste activated sludge: Impact of immigration. *Energies*, 12(3), 1–15. <https://doi.org/10.3390/en12030573>
- Sirait, M., Rahmatia, F., & Pattullo, P. (2018). Comparison Of Diversity Index And Dominant Index of Phytoplankton at Ciliwung River Jakarta. *Jurnal Kelautan: Indonesian Journal of Marine Science and Technology*, 11(1), 75.  
<https://doi.org/10.21107/jk.v11i1.3338>
- Sun, L., Toyonaga, M., Ohashi, A., Tournalousse, D. M., Matsuura, N., Meng, X. Y., Tamaki, H., Hanada, S., Cruz, R., Yamaguchi, T., & Sekiguchi, Y. (2016). *Lentimicrobium saccharophilum* gen. nov., sp. nov., a strictly anaerobic bacterium representing a new family in the phylum bacteroidetes, and proposal of lentimicrobiaceae fam. nov. *International Journal of Systematic and Evolutionary Microbiology*, 66(7), 2635–2642.  
<https://doi.org/10.1099/ijsem.0.001103>
- Talaro, K. P., & Chess, B. (2018). *Foundations in Microbiology* (10th ed.). McGraw-Hill.
- Tanimu, M. I., Idaty, T., Ghazi, M., Harun, M. R., & Idris, A. (2014). Effect of feed loading on biogas methane production in batch mesophilic anaerobic digesters treating food waste. *International Journal of Chemical and Environmental Engineering*, 5(1), 1–6.
- Ter Braak, C. J. F., & Verdonschot, P. F. M. (1995). Canonical correspondence analysis and related multivariate methods in aquatic ecology. *Aquatic Sciences*, 57(3), 255–289.  
[https://www.researchgate.net/profile/Piet\\_Verdonschot/publication/2263181](https://www.researchgate.net/profile/Piet_Verdonschot/publication/2263181)

77\_Canonical\_correspondence\_analysis\_and\_related\_multivariate\_methods\_in\_aquatic\_ecology/links/02e7e5200df9cb6563000000/Canonical-correspondence-analysis-and-related-multivariate-met

- Trisakti, B., Irvan, M., Taslim, T., & Turmuzi, M. (2017). Effect of temperature on methanogenesis stage of two-stage anaerobic digestion of palm oil mill effluent (POME) into biogas. *IOP Conference Series: Materials Science and Engineering*, 206(1). <https://doi.org/10.1088/1757-899X/206/1/012027>
- Tsavkelova, E., Prokudina, L., Egorova, M., Leontieva, M., Malakhova, D., & Netrusov, A. (2018). The structure of the anaerobic thermophilic microbial community for the bioconversion of the cellulose-containing substrates into biogas. *Process Biochemistry*, 66, 183–196. <https://doi.org/10.1016/j.procbio.2017.12.006>
- Udaiyappan, A. F. ., Hasan, H. A., Takriff, M. S., Abdullah, S. R. S., Maeda, T., Mustapha, N. A., Yasin, N. H. M., & Hakimi, N. I. N. M. (2020). Microalgae-bacteria interaction in palm oil mill effluent treatment. *Journal of Water Process Engineering*, 35(October 2019). <https://doi.org/10.1016/j.jwpe.2020.101203>
- Vögel, Y., Riu, C., Gallardo, A., Diener, S., & Zurbrugg, C. (2014). Anaerobic Digestion of Biowaste in Developing Countries. In *Sandec: Department of Water and Sanitation in Developing Countries*. <http://www.eawag.ch/forschung/sandec/publikationen/swm/dl/biowaste.pdf>
- Wagner, A. O., Lins, P., Malin, C., Reitschuler, C., & Illmer, P. (2013). Impact of protein-, lipid- and cellulose-containing complex substrates on biogas production and microbial communities in batch experiments. *Science of the Total Environment*, 458–460, 256–266. <https://doi.org/10.1016/j.scitotenv.2013.04.034>
- Wang, B., Strömberg, S., Li, C., Nges, I. A., Nistor, M., Deng, L., & Liu, J. (2015). Effects of substrate concentration on methane potential and degradation kinetics in batch anaerobic digestion. *Bioresource Technology*, 194, 240–246. <https://doi.org/10.1016/j.biortech.2015.07.034>
- Wang, G., Li, Q., Gao, X., & Wang, X. C. (2019). Sawdust-derived biochar much mitigates VFAs accumulation and improves microbial activities to enhance methane production in thermophilic anaerobic digestion. *ACS Sustainable Chemistry and Engineering*, 7(2), 2141–2150. <https://doi.org/10.1021/acssuschemeng.8b04789>
- Wang, X., Yan, Y., & Gao, D. (2018). The threshold of influent ammonium concentration for nitrate over-accumulation in a one-stage deammonification system with granular sludge without aeration. *Science of the Total Environment*, 634, 843–852. <https://doi.org/10.1016/j.scitotenv.2018.04.053>
- Wardani, N. A., Afiqah, N., Azis, M. M., & Budhijanto, W. (2020). Comparison of biogas productivity in thermophilic and mesophilic anaerobic digestion of bioethanol liquid waste. *IOP Conference Series: Earth and Environmental Science*, 448(1). <https://doi.org/10.1088/1755-1315/448/1/012002>
- Wasimuddin, Schlaeppi, K., Ronchi, F., Leib, S. L., Erb, M., & Ramette, A. (2020). Evaluation of primer pairs for microbiome profiling from soils to humans within the One Health framework. *Molecular Ecology Resources*,



- 20(6), 1558–1571. <https://doi.org/10.1111/1755-0998.13215>
- Wasmund, K., Pelikan, C., Schintlmeister, A., Wagner, M., Watzka, M., Richter, A., Bhatnagar, S., Noel, A., Hubert, C. R. J., Rattei, T., Hofmann, T., Hausmann, B., Herbold, C. W., & Loy, A. (2021). Publisher Correction: Genomic insights into diverse bacterial taxa that degrade extracellular DNA in marine sediments (*Nature Microbiology*, (2021), 6, 7, (885–898), 10.1038/s41564-021-00917-9). *Nature Microbiology*, 6(8), 1102. <https://doi.org/10.1038/s41564-021-00936-6>
- Wei, J., Park, T., Wah, Y., & Yu, Z. (2020). The microbiome driving anaerobic digestion and microbial analysis. In *Advances in Bioenergy* (Vol. 5, Issue January, pp. 1–61). Elsevier B.V.
- Westerholm, M., Roos, S., & Schnürer, A. (2010). *Syntrophaceticus schinkii* nov., sp. nov., an anaerobic, syntrophic acetate-oxidizing bacterium isolated from a mesophilic anaerobic filter. *FEMS Microbiology Letters*, 309(1), 100–104. <https://doi.org/10.1111/j.1574-6968.2010.02023.x>
- Westerholm, M., & Schnürer, A. (2019). Microbial responses to different operating practices for biogas production systems. *Anaerobic Digestion*. <https://doi.org/10.5772/intechopen.82815>
- Woodard, F. (2006). *Industrial waste treatment handbook*. Elsevier. Oxford.
- Xu, J., Bu, F., Zhu, W., Luo, G., & Xie, L. (2020). Microbial consortiums of hydrogenotrophic methanogenic mixed cultures in lab-scale ex-situ biogas upgrading systems under different conditions of temperature, pH and CO<sub>2</sub>. *Microorganisms*, 8(5), 9–12. <https://doi.org/10.3390/microorganisms8050772>
- Xu, R., Yang, Z. H., Zheng, Y., Liu, J. B., Xiong, W. P., Zhang, Y. R., Lu, Y., Xue, W. J., & Fan, C. Z. (2018). Organic loading rate and hydraulic retention time shape distinct ecological networks of anaerobic digestion related microbiome. *Bioresource Technology*, 262(March), 184–193. <https://doi.org/10.1016/j.biortech.2018.04.083>
- Yue, Z. B., Ma, D., Wang, J., Tan, J., Peng, S. C., & Chen, T. H. (2015). Goethite promoted anaerobic digestion of algal biomass in continuous stirring-tank reactors. *Fuel*, 159, 883–886. <https://doi.org/10.1016/j.fuel.2015.07.059>
- Zamanzadeh, M., Heldal, L., Svensson, K., Linjordet, R., & Horn, S. . (2017). Biogas production from food waste via co-digestion and digestion- effects on performance and microbial ecology. *Scientific Reports*, 7(August), 1–12. <https://doi.org/10.1038/s41598-017-15784-w>
- Zhang, J., Mao, L., Zhang, L., Loh, K., Dai, Y., & Tong, Y. W. (2017). Metagenomic insight into the microbial networks and metabolic mechanism in anaerobic digesters for food waste by incorporating activated carbon. *Scientific Reports*, 7(1), 1–10. <https://doi.org/10.1038/s41598-017-11826-5>
- Zhang, L., Loh, K. C., Sarvanantharajah, S., Tong, Y. W., Wang, C. H., & Dai, Y. (2019). Mesophilic and thermophilic anaerobic digestion of soybean curd residue for methane production: Characterizing bacterial and methanogen communities and their correlations with organic loading rate and operating temperature. *Bioresource Technology*, 288(May), 121597. <https://doi.org/10.1016/j.biortech.2019.121597>

- Zhang, W., Lang, Q., Wu, S., Li, W., Bah, H., & Dong, R. (2014). Anaerobic digestion characteristics of pig manures depending on various growth stages and initial substrate concentrations in a scaled pig farm in Southern China. *Bioresource Technology*, 156, 63–69.  
<https://doi.org/10.1016/j.biortech.2014.01.013>
- Zhu, F. C., Lian, C. A., & He, L. S. (2020). Genomic characterization of a novel tenericutes bacterium from deep-sea holothurian intestine. *Microorganisms*, 8(12), 1–16. <https://doi.org/10.3390/microorganisms8121874>