

## DAFTAR PUSTAKA

- Abdelrahman, T.M., 2014. Prognostic value of T peak-to-end interval for risk stratification after acute myocardial infarction. *Egypt. J. Crit. Care Med.* 2: 19–27.
- Ainsworth, C.D., Skanes, A.C., Klein, G.J., Gula, L.J., Yee, R., Krahn, A.D., 2006. Differentiating arrhythmogenic right ventricular cardiomyopathy from right ventricular outflow tract ventricular tachycardia using multilead QRS duration and axis. *Heart Rhythm* 3: 416–423.
- Akar, F.G., Yan, G.X., Antzelevitch, C., Rosenbaum, D.S., 2002. Unique topographical distribution of M cells underlies reentrant mechanism of torsade de pointes in the long-QT syndrome. *Circulation* 105: 1247–1253.
- Akobeng, A.K., 2007. Understanding diagnostic tests 2: Rasio kemungkinans, pre- and post-test probabilities and their use in clinical practice. *Acta Paediatr. Int. J. Paediatr.* 96: 487–491.
- Al-Khatib, S.M., Stevenson, W.G., Ackerman, M.J., Bryant, W.J., Callans, D.J., Curtis, A.B., Deal, B.J., Dickfeld, T., Field, M.E., Fonarow, G.C., Gillis, A.M., Granger, C.B., Hammill, S.C., Hlatky, M.A., Joglar, J.A., Kay, G.N., Matlock, D.D., Myerburg, R.J., Page, R.L., 2018. 2017 AHA/ACC/HRS Guideline for Management of Patients With Ventricular Arrhythmias and the Prevention of Sudden Cardiac Death, *Circulation*.
- Alizade, E., Yesin, M., Yazicioğlu, M.V., Karaayvaz, E.B., Atici, A., Arslan, Ş., Avci, A., Acar, G., Tabakci, M., Izci, S., Pala, S., 2017. Evaluation of Tp-e Interval, Tp-e/QT Ratio, and Tp-e/QTc Ratio in Patients with Asymptomatic Arrhythmogenic Right Ventricular Cardiomyopathy. *Ann. Noninvasive Electrocardiol.* 22: 1–9.
- Andersen, M.P., Xue, J.Q., Graff, C., Kanters, J.K., Toft, E., Struijk, J.J., 2008. New descriptors of T-wave morphology are independent of heart rate. *J. Electrocardiol.* 41: 557–561.
- Anderson, E.L., 2006. Arrhythmogenic right ventricular dysplasia. *Am. Fam. Physician* 73.
- Antzelevitch, C., 2001. Transmural dispersion of repolarization and the T wave. *Cardiovasc. Res.* 50: 426–431.
- Antzelevitch, C. 2008. Drug induced spatial dispersion of repolarization. *Cardio J.* 15(2): 100-121. *J intern Med*: 48-58.
- Antzelevitch, C., Burashnikov, A., 2011. Overview of Basic Mechanisms of Cardiac Arrhythmia. *Card. Electrophysiol. Clin.* 3: 23–45.
- Antzelevitch, C., Oliva, A., 2006. Amplification of spatial dispersion of repolarization underlies sudden cardiac death associated with catecholaminergic polymorphic VT, long QT, short QT and Brugada syndromes. *J. Intern. Med.* 259: 48–58.
- Antzelevitch, C., Sicouri, S., Litovsky, S.H., Lukas, A., Krishnan, S.C., Diego, J.M. Di, Gintant, G.A., Liu, D., 1991. Heterogeneity Within the Ventricular Wall. *Circ. Res.* 69: 1427–1449.
- Antzelevitch, C., Yan, G.X., Shimizu, W., 1999. Transmural dispersion of

- repolarization and arrhythmogenicity: The Brugada syndrome versus the long QT syndrome. *J. Electrocardiol.* 32: 158–165.
- Aquaro, G.D., Barison, A., Todiere, G., Grigoratos, C., Ait Ali, L., Di Bella, G., Emdin, M., Festa, P., 2016. Usefulness of Combined Functional Assessment by Cardiac Magnetic Resonance and Tissue Characterization Versus Task Force Criteria for Diagnosis of Arrhythmogenic Right Ventricular Cardiomyopathy. *Am. J. Cardiol.* 118: 1730–1736.
- Arteyeva, N. V., 2020. Dispersion of ventricular repolarization: Temporal and spatial 12: 437–449.
- Badhwar, N., Scheinman, M.M., 2007. Idiopathic Ventricular Tachycardia: Diagnosis and Management. *Curr. Probl. Cardiol.* 32: 7–43.
- Barrios, V., Escobar, C., Calderon, A., 2009. Arrhythmogenic Right Ventricular Dysplasia. *J. Am. Coll. Cardiol.* 53: 295. doi:10.1016/j.jacc.2007.05.058
- Basso, C., Corrado, D., Marcus, F.I., Nava, A., Thiene, G., 2009. Arrhythmogenic right ventricular cardiomyopathy. *Lancet* 373: 1289–1300.
- Boulos, M., Lashevsky, I., Gepstein, L., 2004. Usefulness of Electroanatomical Mapping Ventricular Outflow Tract Tachycardia and Arrhythmogenic Right Ventricular Dysplasia 935–940.
- Brown, L., Fenning, A., Chan, V., Loch, D., Wilson, K., Anderson, B., Burstow, D., 2002. Echocardiographic assessment of cardiac structure and function in rats. *Heart Lung & Circulation*, 11, 167–173.
- Calo, L., Levato, M., Nazzaro, M.S., Benvissuto, F., Borzi, M., De Nardo, D., Cannata, D., 1996. The effects of a left bundle-branch block on ventricular repolarization. *Cardiologia*;41(11)1073–1077.
- Cekirdekci, E.I., Bugan, B., 2019. Can abnormal dispersion of ventricular repolarization be a predictor of mortality in arrhythmogenic right ventricular cardiomyopathy: The importance of Tp-e interval. *Ann. Noninvasive Electrocardiol.* 24: 1–7.
- Chellamuthu, S., Smith, A.M., Thomas, S.M., Hill, C., Brown, P.W.G., Chellamuthu, S., Thomas, S.M., Hill, C., 2014. World Journal of Cardiology 6: 675–681.
- Conti, G., Cipolletta, L., Marino, V., Zucchetti, M., Russo, E., Pizzamiglio, F., Al-Mohani, G., Pala, S., Catto, V., Biase, L. Di, Natale, A., Tondo, C., Carbucicchio, C., 2014. Right Ventricular outflow tract arrhythmias: Benign or early stage arrhythmogenic right ventricular cardiomyopathy/dysplasia? *J. Atr. Fibrillation* 7: 75–84.
- Coronel, R., 2002. Repolarization abnormalities in heart failure. *Cardiovasc. Res.* 54: 11–12.
- Corrado, D., Basso, C., Thiene, G., 2000. Cardiomyopathy Arrhythmogenic right ventricular cardiomyopathy : diagnosis, prognosis, and treatment. *Heart* 83: 588–595.
- Corrado, D., Basso, C., Thiene, G., 1997. Spectrum of Clinicopathologic Manifestations of Arrhythmogenic Right Ventricular Cardiomyopathy / Dysplasia : A Multicenter Study 30: 1512–1520.
- Corrado, D., Perazzolo Marra, M., Zorzi, A., Beffagna, G., Cipriani, A., Lazzari, M. De, Migliore, F., Pilichou, K., Rampazzo, A., Rigato, I., Rizzo, S., Thiene,

- G., Anastasakis, A., Asimaki, A., Bucciarelli-Ducci, C., Haugaa, K.H., Marchlinski, F.E., Mazzanti, A., McKenna, W.J., Pantazis, A., Pelliccia, A., Schmied, C., Sharma, S., Wichter, T., Bauce, B., Basso, C., 2020a. Diagnosis of arrhythmogenic cardiomyopathy: The Padua criteria. *Int. J. Cardiol.* 319: 106–114.
- Corrado, D., Tintelen, P.J. Van, McKenna, W.J., Hauer, R.N.W., Anastasakis, A., Asimaki, A., Basso, C., Bauce, B., Bruckhorst, C., Bucciarelli-ducci, C., Duru, F., Elliott, P., Hamilton, R.M., Haugaa, K.H., James, C.A., Judge, D., Link, M.S., Marchlinski, F.E., Mazzanti, A., Mestroni, L., Pantazis, A., Pelliccia, A., Marra, M.P., Pilichou, K., Platonov, P.G.A., Protonotarios, A., Rampazzo, A., Saffitz, J.E., Saguner, A.M., Schmied, C., Sharma, S., Tandri, H., Riele, A.S.J.M. Te, Thiene, G., Tsatsopoulou, A., Zareba, W., Zorzi, A., Wichter, T., Marcus, F.I., Calkins, H., Experts, I., Anastasakis, A., Asimaki, A., Basso, C., Bauce, B., Bruckhorst, C., Bucciarelli-ducci, C., Calkins, H., Corrado, D., Duru, F., Elliott, P., Hamilton, R.M., Hauer, R.N.W., Haugaa, K.H., James, C.A., Judge, D., Link, M.S., Marchlinski, F.E., Marcus, F.I., McKenna, W.J., Mazzanti, A., Mestroni, L., Pantazis, A., Pelliccia, A., Marra, M.P., Pilichou, K., Platonov, P.G.A., Protonotarios, A., Rampazzo, A., Saffitz, J.E., Saguner, A., Schmied, C., Sharma, S., Tandri, H., Riele, A.S.J.M. Te, Thiene, G., Tsatsopoulou, A., Tintelen, P.J. Van, Wichter, T., Zareba, W., Zorzi, A., 2020b. Arrhythmogenic right ventricular cardiomyopathy: evaluation of the current diagnostic criteria and differential diagnosis 1414–1427.
- Cronin, E.M., Bogun, F.M., Maury, P., Peichl, P., Chen, M., Namboodiri, N., Aguinaga, L., Leite, L.R., Al-Khatib, S.M., Anter, E., Berruezo, A., Callans, D.J., Chung, M.K., Cuculich, P., d'Avila, A., Deal, B.J., Della Bella, P., Deneke, T., Dickfeld, T.M., Hadid, C., Haqqani, H.M., Kay, G.N., Latchamsetty, R., Marchlinski, F., Miller, J.M., Nogami, A., Patel, A.R., Pathak, R.K., Saenz Morales, L.C., Santangeli, P., Sapp, J.L., Sarkozy, A., Soejima, K., Stevenson, W.G., Tedrow, U.B., Tzou, W.S., Varma, N., Zeppenfeld, K., 2020. 2019 HRS/EHRA/APHRS/LAHR expert consensus statement on catheter ablation of ventricular arrhythmias. *Heart Rhythm* 17: e2–e154.
- Dahlan, M.S., 2018. *Penelitian Diagnostik, Validitas & Reliabilitas Seri 5 Edisi 2*. Jakarta: Epidemiologi Indonesia.
- Diabetes, D.O.F., 2010. Diagnosis and classification of diabetes mellitus. *Diabetes Care* 33.
- Emkanjoo, Z., Mollazadeh, R., Alizadeh, A., Kheirkhah, J., Mohammadi, Z., Khalili, M., Azhari, A., Shahrzad, S., 2014. Electrocardiographic (ECG) clues to differentiate idiopathic right ventricular outflow tract tachycardia (RVOT) from arrhythmogenic right ventricular cardiomyopathy (ARVC). *Indian Heart J.* 66: 607–611.
- Erikssen, G., Liestøl, K., Gullestad, L., Haugaa, K.H., Bendz, B., Amlie, J.P., 2012. The terminal part of the QT interval (T peak to T end): A predictor of mortality after acute myocardial infarction. *Ann. Noninvasive Electrocardiol.* 17: 85–94.

- Firdaus, I., Rajahoe, A.U., Yahya, A.F., Lukito, A.A., Kuncoro, A.S., Lilyasari, O., 2016. Panduan praktik klinis dan clinical pathway penyakit jantung dan pembuluh darah edisi pertama. *Perhimpunan dokter spesialis kardiovaskular Indonesia* 4-6.
- Fontaine, G., Tonet, J., Gallais, Y., Lascault, G., Hidden-Lucet, F., Aouate, P., Halimi, F., Poulain, F., Johnson, N., Charfeddine, H., Frank, R., 2000. Ventricular tachycardia catheter ablation in arrhythmogenic right ventricular dysplasia: A 16-year experience. *Curr. Cardiol. Rep.* 2: 498–506.
- Gemayel, C., Pelliccia, A., Thompson, P.D., 2001. Arrhythmogenic right ventricular cardiomyopathy. *J. Am. Coll. Cardiol.* 38: 1773–1781.
- Golcuk, E., Yalin, K., Kaya Bilge, A., Elitok, A., Aksu, T., Akgun, T., Bilal Karaayvaz, E., Emet, S., Adalet, K., 2014. Usefulness of Tpeak-Tend interval to distinguish arrhythmogenic right ventricular cardiomyopathy from idiopathic right ventricular outflow tract tachycardia. *PACE - Pacing Clin. Electrophysiol.* 37: 1665–1670.
- Gupta, P., Patel, C., Patel, H., Narayanaswamy, S., Malhotra, B., 2008. T p-e / QT ratio as an index of arrhythmogenesis ☆ 41: 567–574.
- Haapalahti, P., Viitasalo, M., Kaartinen, M., Väänänen, H., Oikarinen, L., Heliö, T., Toivonen, L., 2008. Electrocardiographic ventricular repolarization during cardiovascular autonomic function testing in patients with arrhythmogenic right ventricular cardiomyopathy. *Scand. Cardiovasc. J.* 42: 375–382.
- Haarmark, C., Graff, C., Andersen, M.P., Hardahl, T., Struijk, J.J., Toft, E., Xue, J., Rowlandson, G.I., Hansen, P.R., Kanters, J.K., 2010. Reference values of electrocardiogram repolarization variables in a healthy population. *J. Electrocardiol.* 43: 31–39.
- Hauer, R.N.W., 2016. Men and Women in Arrhythmogenic Right Ventricular Cardiomyopathy. *JACC Clin. Electrophysiol.*
- Hoffmayer, K.S., Bhav, P.D., Marcus, G.M., James, C.A., Tichnell, C., Chopra, N., Moxey, L., Krahn, A.D., Dixit, S., Stevenson, W., Calkins, H., Badhwar, N., Gerstenfeld, E.P., Scheinman, M.M., 2013. An electrocardiographic scoring system for distinguishing right ventricular outflow tract arrhythmias in patients with arrhythmogenic right ventricular cardiomyopathy from idiopathic ventricular tachycardia. *Hear. Rhythm* 10: 477–482.
- Hoffmayer, K.S., Gerstenfeld, E.P., 2013. Diagnosis and Management of Idiopathic Ventricular Tachycardia. *Curr. Probl. Cardiol.* 38: 131–158.
- Icli, A., Kayrak, M., Akilli, H., Aribas, A., Coskun, M., Ozer, S.F., Ozdemir, K., 2015. Prognostic value of Tpeak-Tend interval in patients with acute pulmonary embolism. *BMC Cardiovasc. Disord.* 15: 1–8.
- James, C.A., Bhonsale, A., Tichnell, C., Murray, B., Russell, S.D., Tandri, H., Tedford, R.J., Judge, D.P., Calkins, H., 2013. Exercise increases age-related penetrance and arrhythmic risk in arrhythmogenic right ventricular dysplasia/cardiomyopathy-associated desmosomal mutation carriers. *J. Am. Coll. Cardiol.* 62: 1290–1297.
- James, C.A., Calkins, H., 2013. Update on arrhythmogenic right ventricular dysplasia/cardiomyopathy (ARVD/C). *Curr. Treat. Options Cardiovasc. Med.* 15: 476–487.

- Keen, J., Prisco, S.Z., Prins, K.W., 2021. Sex Differences in Right Ventricular Dysfunction: Insights From the Bench to Bedside. *Front. Physiol.* 11.
- Kubala, M., Pathak, R.K., Xie, S., Arroyo, R.S., Tscabrunn, C.M., Hayashi, T., Garcia, F.C., Supple, G.E., Santangeli, P., Frankel, D.S., Zado, E.S., Callans, D.J., Marchlinski, F.E., 2018. Electrocardiographic repolarization abnormalities and electroanatomic substrate in arrhythmogenic right ventricular cardiomyopathy. *Cirr Arrhythm Electrophysiol.* 11:1-12.
- Lang, R.M., Badano, L.P., Victor, M.A., Afilalo, J., Armstrong, A., Ernande, L., Flachskampf, F.A., Foster, E., Goldstein, S.A., Kuznetsova, T., Lancellotti, P., Muraru, D., Picard, M.H., Retzschel, E.R., Rudski, L., Spencer, K.T., Tsang, W., Voigt, J.U., 2015. Recommendations for cardiac chamber quantification by echocardiography in adults: An update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging. *J. Am. Soc. Echocardiogr.* 28: 1-39.e14.
- Lerman, B.B., 2015a. Mechanism, diagnosis, and treatment of outflow tract tachycardia. *Nat. Rev. Cardiol.* 12: 597–608.
- Lerman, B.B., 2015b. Outflow tract ventricular arrhythmias: An update. *Trends Cardiovasc. Med.* 25: 550–558.
- Li, K.H.C., Bazoukis, G., Liu, T., Li, G., Wu, W.K.K., Wong, S.H., Wong, W.T., Chan, Y.S., Wong, M.C.S., Wassilew, K., Vassiliou, V.S., Tse, G., 2018. Arrhythmogenic right ventricular cardiomyopathy/dysplasia (ARVC/D) in clinical practice. *J. Arrhythmia* 34: 11–22.
- Lilly, L.S. 2012. *Pathophysiology of heart disease: a collaborative project of medical students and faculty*, Lippincott Williams & Wilkins.
- Lux, R.L., 2017. Basis and ECG measurement of global ventricular repolarization. *J. Electrocardiol.* 50: 792–797.
- MARCUS, F.I., FONTAINE, G., 1995. Arrhythmogenic Right Ventricular Dysplasia/Cardiomyopathy: A Review. *Pacing Clin. Electrophysiol.* 18: 1298–1314.
- Marcus, F.I., Fontaine, G.H., Guiraudon, G., Frank, R., Laurenceau, J.L., Malergue, C., Grosgeat, Y., 1982. Right ventricular dysplasia: A report of 24 adult cases. *Ann. Noninvasive Electrocardiol.* 4: 97–111.
- Marcus, F.I., McKenna, W.J., Sherrill, D., Basso, C., Bauce, B., Bluemke, D.A., Calkins, H., Corrado, D., Cox, M.G.P.J., Daubert, J.P., Fontaine, G., Gear, K., Hauer, R., Nava, A., Picard, M.H., Protonotarios, N., Saffitz, J.E., Yoerger Sanborn, D.M., Steinberg, J.S., Tandri, H., Thiene, G., Towbin, J.A., Tsatsopoulou, A., Wichter, T., Zareba, W., 2010. Diagnosis of arrhythmogenic right ventricular cardiomyopathy/Dysplasia: Proposed modification of the task force criteria. *Circulation* 121: 1533–1541.
- Marcus, F.I., Zareba, W., 2009. The electrocardiogram in right ventricular cardiomyopathy/dysplasia. How can the electrocardiogram assist in understanding the pathologic and functional changes of the heart in this disease? *J. Electrocardiol.* 42: 136.e1-136.e5.
- McKenna, W.J., Thiene, G., Nava, A., Fontaliran, F., Blomstrom-Lundqvist, C., Fontaine, G., Camerini, F., 1994. Diagnosis of arrhythmogenic right ventricular dysplasia/cardiomyopathy. *Br. Heart J.* 71: 215–218.

- Morin, D.P., Mauer, A.C., Gear, K., Zareba, W., Markowitz, S.M., Marcus, F.I., Lerman, B.B., 2010. Usefulness of Precordial T-Wave Inversion to Distinguish Arrhythmogenic Right Ventricular Cardiomyopathy from Idiopathic Ventricular Tachycardia Arising from the Right Ventricular Outflow Tract. *Am. J. Cardiol.* 105: 1821–1824.
- Motevali, M., Siahi, Z., Mohammadzadeh, A., Sangi, A., 2018. medical sciences Cardiac Magnetic Resonance Imaging ( MRI ) Findings in Arrhythmogenic Right Ventricular Dysplasia ( ARVD ) Compared with Echocardiography 1–7.
- Mozos, I., Serban, C., 2011. The relation between QT interval and T-wave variables in hypertensive patients. *J. Pharm. Bioallied Sci.* 3: 339–344.
- Nasir, K., Bomma, C., Tandri, H., Roguin, A., Dalal, D., Prakasa, K., Tichnell, C., James, C., Jspevak, P., Marcus, F., Calkins, H., 2004. Electrocardiographic features of arrhythmogenic right ventricular dysplasia/cardiomyopathy according to disease severity: A need to broaden diagnostic criteria. *Circulation* 110: 1527–1534.
- Nava, A., Bauce, B., Basso, C., Muriago, M., Rampazzo, A., Villanova, C., D'Alto, L., Buja, G., Corrado, D., Danieli, G.A., Thiene, G., 2000. Clinical profile and long-term follow-up of 37 families with arrhythmogenic right ventricular cardiomyopathy. *J. Am. Coll. Cardiol.* 36: 2226–2233.
- Niroomand, F., Carbucicchio, C., Tondo, C., Riva, S., Fassini, G., Apostolo, A., Trevisi, N., Della Bella, P., 2002. Electrophysiological characteristics and outcome in patients with idiopathic right ventricular arrhythmia compared with arrhythmogenic right ventricular dysplasia. *Heart* 87: 41–47.
- Nishimura, R.A., Otto, C.M., Bonow, R.O., Carabello, B.A., Erwin, J.P., Guyton, R.A., O'Gara, P.T., Ruiz, C.E., Skubas, N.J., Sorajja, P., Sundt, T.M., Thomas, J.D., Anderson, J.L., Halperin, J.L., Albert, N.M., Bozkurt, B., Brindis, R.G., Creager, M.A., Curtis, L.H., DeMets, D., Hochman, J.S., Kovacs, R.J., Ohman, E.M., Pressler, S.J., Sellke, F.W., Shen, W.K., Stevenson, W.G., Yancy, C.W., 2014. 2014 AHA/ACC guideline for the management of patients with valvular heart disease: Executive summary :A report of the american college of cardiology/american heart association task force on practice guidelines, *Circulation*.
- O'Donnell, D., Cox, D., Bourke, J., Mitchell, L., Furniss, S., 2003. Clinical and electrophysiological differences between patients with arrhythmogenic right ventricular dysplasia and right ventricular outflow tract tachycardia. *Eur. Heart J.* 24: 801–810.
- Ophof, T., Janse, M.J., Meijborg, V.M.F., Cinca, J., Rosen, M.R., Coronel, R., 2016. Dispersion in ventricular repolarization in the human , canine and porcine heart. *Prog. Biophys. Mol. Biol.* 120: 222–235.
- Padmanabhan, S., Silvet, H., Amin, J., Pai, R.G., 2003. Prognostic value of QT interval and QT dispersion in patients with left ventricular systolic dysfunction: Results from a cohort of 2265 patients with an ejection fraction of  $\leq 40\%$ . *Am. Heart J.* 145: 132–138.
- Petersen, S.E., Khanji, M.Y., Plein, S., Lancellotti, P., Bucciarelli-Ducci, C., 2019. European Association of Cardiovascular Imaging expert consensus paper: A

- comprehensive review of cardiovascular magnetic resonance normal values of cardiac chamber size and aortic root in adults and recommendations for grading severity. *Eur. Heart J. Cardiovasc. Imaging* 20: 1321–1331.
- Prenner, S.B., Shah, S.J., Goldberger, J.J., Sauer, A.J., 2016. Repolarization Heterogeneity: Beyond the QT Interval. *J. Am. Heart Assoc.* 5.
- Pusponegoro, H.D., Wirya, I.G.N.W., Pudjiadi, A.H., Bisanto, J., Zulkarnain, S.Z., 2014, 'Uji Diagnostik', in Sastroasmoro, S. and Ismael, S., *Dasar-dasar Metodologi Penelitian Klinis, edisi ke-5*. Sagung Seto, pp 219-243.
- Rahajoe, A.U., Kurniawati, Y., Sakti, D.D.A., Roebiono, P.S., Harimurti, G.M., Siregar, A.A., 2020. Panduan tatalaksana penyakit jantung bawaan dewasa Edisi Pertama. *Perhimpunan dokter spesialis kardiovaskular Indonesia*. 1-2.
- Reviriego, S.M., Merino, J.L., 2009. Ventricular tachycardia in patients without apparent structural heart disease: Focus on ventricular outflow tract tachycardia.
- Roberts-Thomson, K.C., Lau, D.H., Sanders, P., 2011. The diagnosis and management of ventricular arrhythmias. *Nat. Rev. Cardiol.* 8: 311–321.
- Roche, B.M., Kijawornrat, A., Hamlin, R.L., Hamlin, D.M., 2005. Relationship between prolongation of QTc and prolongation of the peak of T (Tp) to the end of T (Te). *J. Pharmacol. Toxicol. Methods* 52: 178–181.
- Sen, F., Yılmaz, S., Özcan, F., Özeke, Ö., Çay, S., Topaloğlu, S., Aras, D., Aydoğdu, S., 2016. The relationship between tpeak-end interval duration and tpeak-end/QT ratio, and arrhythmias in patients with coronary slow flow. *Int. Cardiovasc. Res. J.* 10: 84–88.
- Shimizu, W., 2009. Arrhythmias originating from the right ventricular outflow tract: How to distinguish “malignant” from “benign”? *Hear. Rhythm* 6: 1507–1511.
- Sicouri, S., Antzelevitch, C., 1991. A subpopulation of cells with unique electrophysiological properties in the deep subepicardium of the canine ventricle. The M cell. *Circ. Res.* 68: 1729–1741.
- Steinmetz, M., Krause, U., Lauerer, P., Konietzschke, F., Aguayo, R., Ritter, C.O., Schuster, A., Lotz, J., Paul, T., Staab, W., 2018. Diagnosing ARVC in Pediatric Patients Applying the Revised Task Force Criteria: Importance of Imaging, 12-Lead ECG, and Genetics. *Pediatr. Cardiol.* 39: 1156–1164.
- Surawicz, B., Childers, R., Deal, B.J., Gettes, L.S., 2009. AHA/ACCF/HRS recommendations for the standardization and interpretation of the electrocardiogram: Part III: Intraventricular conduction disturbances: A scientific statement from the American Heart Association Electrocardiography and Arrhythmias Committee, Council on Clinical Cardiology; The American College of Cardiology Foundation; And the Heart Rhythm Society. *Circulation* 119.
- Tokatli, A., Kiliçaslan, F., Alis, M., Yiginer, O., Uzun, M., 2016. Prolonged Tp-e interval, Tp-e/QT ratio and Tp-e/QTc ratio in patients with type 2 diabetes mellitus. *Endocrinol. Metab.* 31: 105–112.
- Torbicki, A., Perrier, A., Konstantinides, S., Agnelli, G., Galie, N., Pruszczyk, P., Bengel, F., Brady, A.J., Frreira, D., Janssens, U. 2008. Guidelines on the diagnosis and management of acute pulmonary embolism : the Task Force for

- Diagnosis and Management of Acute Pulmonary Embolism of the European Society of Cardiology (ESC). *European heart journal*, 29, 2276-2315.
- Towbin, J.A., McKenna, W.J., Abrams, D.J., Ackerman, M.J., Calkins, H., Darrieux, F.C.C., Daubert, J.P., de Chillou, C., DePasquale, E.C., Desai, M.Y., Estes, N.A.M., Hua, W., Indik, J.H., Ingles, J., James, C.A., John, R.M., Judge, D.P., Keegan, R., Krahn, A.D., Link, M.S., Marcus, F.I., McLeod, C.J., Mestroni, L., Priori, S.G., Saffitz, J.E., Sanatani, S., Shimizu, W., van Tintelen, J.P., Wilde, A.A.M., Zareba, W., 2019. 2019 HRS expert consensus statement on evaluation, risk stratification, and management of arrhythmogenic cardiomyopathy. *Heart Rhythm* 16: e301–e372.
- Tse, G., Glasg, F., Gong, M., Wong, W.T., Georgopoulos, S., Letsas, K.P., Vassiliou, V.S., Chan, Y.S., Yan, B.P., Wong, S.H., Wu, W.K.K., Ciobanu, A., Li, G., Shenthar, J., Saguner, A.M., Ali-hasan-al-saegh, S., Bhardwaj, A., 2017. The T peak to T end interval as an electrocardiographic risk marker of arrhythmic and mortality outcomes : A systematic review and meta-analysis. *Heart Rhythm* 14: 1131–1137.
- Tse, G., Yan, B.P., 2017. Traditional and novel electrocardiographic conduction and repolarization markers of sudden cardiac death. *Europace* 19: 712–721.
- Turan, O.E., Ozturk, M., Ilter, A., Inc, M., Karaman, K., Kiris, G., Kutlu, M., 2015. Assessment of total cardiac repolarization's spatial distribution among patients with aortic sclerosis. *Int. J. Clin. Exp. Med.* 8: 4045–4051.
- Turrini, P., Basso, C., Daliento, L., Nava, A., Thiene, G., 2001. Is arrhythmogenic right ventricular cardiomyopathy a paediatric problem too? *Images Paediatr Cardiol* 3(1):18-37.
- Wall, T.S., Freedman, R.A., 2002. Ventricular tachycardia in structurally normal hearts. *Curr. Cardiol. Rep.* 4: 388–395.
- Wichter, T., Schäfers, M., Rhodes, C.G., Borggrefe, M., Lerch, H., Lammertsma, A.A., Hermansen, F., Schober, O., Breithardt, G., Camici, P.G., 2000. Abnormalities of Cardiac Sympathetic Innervation in Arrhythmogenic Right Ventricular Cardiomyopathy. *Circulation* 101: 1552–1558.
- Wong, A.R., AbdurRazak, N., Al-Hadlaq, S.M., Al-Jarallah, A.S., 2008. Arrhythmogenic right ventricular cardiomyopathy in an 11-year-old girl and typical echocardiographic features. *Pediatr. Cardiol.* 29: 427–430.
- Xia, Y., Liang, Y., Kongstad, O., Holm, M., Olsson, B., Yuan, S., 2005. Tpeak-Tend interval as an index of global dispersion of ventricular repolarization: Evaluations using monophasic action potential mapping of the epi- and endocardium in swine. *J. Interv. Card. Electrophysiol.* 14: 79–87.
- Yan, G.X., Lankipalli, R.S., Burke, J.F., Musco, S., Kowey, P.R., 2003. Ventricular repolarization components on the electrocardiogram: Cellular basis and clinical significance. *J. Am. Coll. Cardiol.* 42: 401–409.
- Yan, G.X., Martin, J., 2003. Electrocardiographic T wave: A symbol of transmural dispersion of repolarization in the ventricles. *J. Cardiovasc. Electrophysiol.* 14: 639–640.
- Yontar, O.C., Karaagac, K., Tenekecioglu, E., Tutuncu, A., Karakus, A., Melek, M., 2014. T wave peak to T wave end interval is prolonged in patients with atrioventricular nodal reentry. *Biomed. Res.* 25: 445–448.

- Zareba, W., McNitt, S., Polonsky, S., Couderc, J.P., 2017. JT interval: What does this interval mean? *J. Electrocardiol.* 50: 748–751.
- Zhang, L., Liu, L., Kowey, P., Fontaine, G., 2014. The Electrocardiographic Manifestations of Arrhythmogenic Right Ventricular Dysplasia. *Curr. Cardiol. Rev.* 10: 237–245.
- Zipes, D.P., Camm, A.J., Borggrefe, M., Buxton, A.E., Chaitman, B., Fromer, M., Gregoratos, G., Klein, G., Moss, A.J., Myerburg, R.J., Priori, S.G., Quinones, M.A., Roden, D.M., Silka, M.J., Tracy, C., 2006. ACC/AHA/ESC 2006 guidelines for management of patients with ventricular arrhythmias and the prevention of sudden cardiac death: A report of the American College of Cardiology/American Heart Association Task Force and the European Society of Cardiology Com, Circulation.
- Zorzi, A., Migliore, F., Ph, D., Elmaghawry, M., Silvano, M., Marra, M.P., Ph, D., Niero, A., Nguyen, K.I.M., Rigato, I., Ph, D., Bause, B., Ph, D., Basso, C., Ph, D., Thiene, G., Iliceto, S., Corrado, D., Ph, D., n.d. Electrocardiographic Predictors of Electroanatomic Scar Size in Arrhythmogenic Right Ventricular Cardiomyopathy : Implications for Arrhythmic Risk Stratification 1321–1327.