

DAFTAR PUSTAKA

- Al, K. A. O., Sahari, G. N. A., Zulfia, A., Siradj, E. S., Metalurgi, D., Teknik, F., Indonesia, U., Mesin, J., Kristen, U., Paulus, I., & Makasar, U. (2009). *PENGARUH Mg TERHADAP KEKERASAN KOMPOSIT MATRIKS*. 13(1), 39–44.
- Ankerfors, M. (2015). *Microfibrillated cellulose : Energy - efficient preparation techniques and applications in paper*.
- Aulin, C., Ahola, S., Hirose, Y., Josefsson, P., Osterberg, M., & Lars, W. (2009). *Nanoscale Cellulose Films with Different Crystallinities and Mesostructures ; Their Surface Properties and Interaction with Water*. 25(10), 7675–7685. <https://doi.org/10.1021/la900323n>
- Börjesson, M., & Westman, G. (2015). Crystalline Nanocellulose — Preparation, Modification, and Properties. *Cellulose - Fundamental Aspects and Current Trends*. <https://doi.org/10.5772/61899>
- Brinchi, L., Cotana, F., Fortunati, E., & Kenny, J. M. (2013). Production of nanocrystalline cellulose from lignocellulosic biomass: Technology and applications. *Carbohydrate Polymers*, 94(1), 154–169. <https://doi.org/10.1016/j.carbpol.2013.01.033>
- Diniardi, E., Mahmud, K. H., Basri, H., & Ramadhan, A. I. (2019). *Analysis of the Tensile Strength of Composite Material from Fiber Bags*.
- Fahma, F., Iwamoto, S., Hori, N., Iwata, T., & Takemura, A. (2010). Isolation, preparation, and characterization of nanofibers from oil palm empty-fruit-bunch (OPEFB). *Cellulose*, 17(5), 977–985. <https://doi.org/10.1007/s10570-010-9436-4>
- Habibi, Y., Lucia, L. A., & Rojas, O. J. (2010). CNC - Johnsy - habibi2010 [2].pdf. *Chemical Reviews*, 110, 3479–3500.
- Helbert, W., Cavaille, J. Y., Dufresne, A., & Fourier, U. J. (1996). Straw Cellulose Whiskers . Part I : Processing and mechanical behavior. *Polymer Composites*, 17(4), 604–611.
- Henriksson, M., Henriksson, G., Berglund, L. A., & Lindström, T. (2007). An environmentally friendly method for enzyme-assisted preparation of microfibrillated cellulose (MFC) nanofibers. *European Polymer Journal*, 43(8), 3434–3441. <https://doi.org/10.1016/j.eurpolymj.2007.05.038>
- Isogai, A., Saito, T., & Fukuzumi, H. (2011). TEMPO-oxidized cellulose nanofibers. *Nanoscale*, 3(1), 71–85. <https://doi.org/10.1039/c0nr00583e>
- Kalali, E. N., Hu, Y., Wang, X., Song, L., & Xing, W. (2019). Highly-aligned

- cellulose fibers reinforced epoksi composites derived from bulk natural bamboo. *Industrial Crops and Products*, 129(June 2018), 434–439. <https://doi.org/10.1016/j.indcrop.2018.11.063>
- Khan, A., Asiri, A. M., Jawaid, M., Saba, N., & Inamuddin. (2020). Effect of cellulose nano fibers and nano clays on the mechanical, morphological, thermal and dynamic mechanical performance of kenaf/epoksi composites. *Carbohydrate Polymers*, 239(March), 116248. <https://doi.org/10.1016/j.carbpol.2020.116248>
- Kim, H. J., Roy, S., & Rhim, J. W. (2021). Effects of various types of cellulose nanofibers on the physical properties of the CNF-based films. *Journal of Environmental Chemical Engineering*, 9(5), 106043. <https://doi.org/10.1016/j.jece.2021.106043>
- Klemm, D., Heublein, B., Fink, H. P., & Bohn, A. (2005). Cellulose: Fascinating biopolymer and sustainable raw material. *Angewandte Chemie - International Edition*, 44(22), 3358–3393. <https://doi.org/10.1002/anie.200460587>
- Kumar, S., Graninger, G., Hawkins, S. C., & Falzon, B. G. (2021). A nanostructured cellulose-based interphase layer to enhance the mechanical performance of glass fibre-reinforced polymer composites. *Composites Part A: Applied Science and Manufacturing*, 148(July 2020), 106475. <https://doi.org/10.1016/j.compositesa.2021.106475>
- Kurita, H., Ishigami, R., Wu, C., & Narita, F. (2021). Mechanical properties of mechanically-defibrated cellulose nanofiber reinforced epoksi resin matrix composites. *Journal of Composite Materials*, 55(4), 455–464. <https://doi.org/10.1177/0021998320967430>
- Nilsson, L. (2015). *Preparation Methods for Nanocrystalline Cellulose - Acid hydrolysis and various cellulose sources*. 49.
- Nissilä, T., Hietala, M., & Oksman, K. (2019). A method for preparing epoksi-cellulose nanofiber composites with an oriented structure. *Composites Part A: Applied Science and Manufacturing*, 125(July), 105515. <https://doi.org/10.1016/j.compositesa.2019.105515>
- Rees, D. C., Chan, M. K., & Kim, J. (1993). Structure and Function of Nitrogenase. *Advances in Inorganic Chemistry*, 40(C), 89–98. [https://doi.org/10.1016/S0898-8838\(08\)60182-8](https://doi.org/10.1016/S0898-8838(08)60182-8)
- Rosa, M. F., Medeiros, E. S., Malmonge, J. A., Gregorski, K. S., Wood, D. F., Mattoso, L. H. C., Glenn, G., Orts, W. J., & Imam, S. H. (2010). Cellulose nanowhiskers from coconut husk fibers: Effect of preparation conditions on their thermal and morphological behavior. *Carbohydrate Polymers*, 81(1), 83–92. <https://doi.org/10.1016/j.carbpol.2010.01.059>

- Roszowska-Jarosz, M., Masiewicz, J., Kostrzewa, M., Kucharczyk, W., Żurowski, W., Kucińska-Lipka, J., & Przybyłek, P. (2021). Mechanical properties of bio-composites based on epoksi resin and nanocellulose fibres. *Materials*, *14*(13). <https://doi.org/10.3390/ma14133576>
- Saba, N., Safwan, A., Sanyang, M. L., Mohammad, F., Pervaiz, M., Jawaid, M., Alothman, O. Y., & Sain, M. (2017). Thermal and dynamic mechanical properties of cellulose nanofibers reinforced epoksi composites. *International Journal of Biological Macromolecules*, *102*, 822–828. <https://doi.org/10.1016/j.ijbiomac.2017.04.074>
- Shilpa, K., Paleshwar, D. V, & Kasuba, S. (2018). Experimental evaluation of mechanical properties of stereolithography, selective laser sintering, fused deposition modeling and other additive manufacturing methods. *International Journal of Research in Engineering, Science and Management*, *1*(10), 289–293.
- Suarsana, K., & Sunu, P. W. (2015). Studi Eksperimen Pembuatan Komposit Metal Matrik Aluminium Penguat SiC Wisker dan Al₂O₃ Partikel sebagai Material Alternatif. *Proceeding Seminar Nasional Tahunan Teknik Mesin XIV (SNTTM XIV)*, *Snttm Xiv*, 7–8.
- Suhariadi, I., Shiratani, M., & Itagaki, N. (2018). Morphology Evolution of ZnO Thin Films Deposited by Nitrogen Mediated Crystallization Method. *MATEC Web of Conferences*, *159*(January). <https://doi.org/10.1051/mateconf/201815902031>
- Supian, M. A. F., Amin, K. N. M., Jamari, S. S., & Mohamad, S. (2020). Production of cellulose nanofiber (CNF) from empty fruit bunch (EFB) via mechanical method. *Journal of Environmental Chemical Engineering*, *8*(1), 103024. <https://doi.org/10.1016/j.jece.2019.103024>
- Suryanto, H. (2020). *Polimer Matrik Komposit*. February, 128.
- Tian, D., Chandra, R. P., Lee, J. S., Lu, C., & Saddler, J. N. (2017). Biotechnology for Biofuels A comparison of various lignin - extraction methods to enhance the accessibility and ease of enzymatic hydrolysis of the cellulosic component of steam - pretreated poplar. *Biotechnology for Biofuels*, 1–10. <https://doi.org/10.1186/s13068-017-0846-5>
- Tka, N., Jabli, M., Saleh, T. A., & Salman, G. A. (2018). Amines modified fibers obtained from natural Populus tremula and their rapid biosorption of Acid Blue 25. *Journal of Molecular Liquids*, *250*, 423–432. <https://doi.org/10.1016/j.molliq.2017.12.026>
- Trache, D., Hussin, M. H., Haafiz, M. K. M., & Thakur, V. K. (2017). Recent progress in cellulose nanocrystals: Sources and production. *Nanoscale*, *9*(5),

1763–1786. <https://doi.org/10.1039/c6nr09494e>

Tudorachi, N., & Mustata, F. (2020). Curing and thermal degradation of diglycidyl ether of bisphenol A epoksi resin crosslinked with natural hydroxy acids as environmentally friendly hardeners. *Arabian Journal of Chemistry*, *13*(1), 671–682. <https://doi.org/10.1016/j.arabjc.2017.07.008>

Wongjaiyen, T., Brostow, W., & Chonkaew, W. (2018). Tensile properties and wear resistance of epoksi nanocomposites reinforced with cellulose nanofibers. *Polymer Bulletin*, *75*(5), 2039–2051. <https://doi.org/10.1007/s00289-017-2142-8>

Yuhazri, M. Y., Zulfikar, A. J., & Ginting, A. (2020). Fiber Reinforced Polymer Composite as a Strengthening of Concrete Structures: A Review. *IOP Conference Series: Materials Science and Engineering*, *1003*(1). <https://doi.org/10.1088/1757-899X/1003/1/012135>