

DAFTAR PUSTAKA

- Ahmed, A.I., 2020. A new parameter free filled function for solving unconstrained global optimization problems. *International Journal of Computer Mathematics*, Volume 98, no. 1, hal. 106-119.
- An, L., Zhang, L. and Chen, M., 2004. A parameter-free filled function for unconstrained global optimization. *Journal of Shanghai University (English Edition)*, Volume 8, no. 2, hal. 117-123.
- Anton, H. and Rorres, C., 2014. *Aljabar Linear Elementer 11th Edition*. New York: John Wiley and Sons, Inc.
- Basso, P., 1982. Iterative methods for the localization of the global maximum. *SIAM Journal on Numerical Analysis*, Volume 19, hal. 781-792.
- Bazaraa, M. S., Sherali, H. D. and shetty, C. M., 1993. *Nonlinear Programming, Theory and Algorithms*. New York: John Wiley and Sons.
- Branin, F.H, 1972. Widely convergent methods for finding multiple solutions of simultaneous nonlinear equations. *IBM Journal of Research and Development*, Volume 16, hal. 504-522.
- Bronshtein, I. N., Semendyayev, K. A., Musiol, G. and Muehlig, H., 2004. *Handbook of Mathematics*. Frankfurt: Springer Verlag.
- Campana, E.F., Liuzzi, G., Lucidi, S., Peri, D., Piccialli, V. and Pinto, A., 2009. New global optimization methods for ship design problems. *Optimization and Engineering*, Volume 10, hal. 533-555.
- Chong, E. K. P. and Zak, S. H., 2001. *An Introduction to Optimization*. New York: John Wiley and Sons, Inc.
- Dang, C.Y., Ma, W. and Liang, J.Y., 2009. A deterministic annealing algorithm for approximating a solution of the min-bisection problem. *Neural Networks*, Volume 22, hal. 58-66.
- Dixon, L. C. W., Gomulka, J. and Herson, S. E., 1976. *Reflections on Global Optimization Problem*, dalam Dixon, L. C. W. *Optimization in Action*. New York: Academic Press.
- El-Gindy, T. M., Salim, M. S. and Ahmed, A. I., 2016. A new filled function method applied to unconstrained global optimization. *Applied Mathematics and Computation*, Volume 273, hal. 1246-1256.
- Feng, Z. G. and Teo, K. L., 2008. A discrete filled function method for the design of FIR filters with signed-powers-of-two coefficients. *IEEE Transactions on Signal Processing*, Volume 56, hal. 134-139.

- Feng, Z. G., Teo, K. L. and Rehbock, V., 2009. A discrete filled function method for the optimal control of switched systems in discrete time. *Optimal Control Applications and Method*, Volume 30, hal. 585-593.
- Gao, C., Yang, Y. and Han, B., 2011. New class of filled functions with one parameter for global optimization. *Computers and Mathematics with Applications*, volume 62, hal. 2393-2403.
- Gao, Y., Yang, Y. and You, M., 2015. A new filled function method for global optimization. *Applied Mathematics and Computation*, Volume 268, hal. 685-695.
- Ge, R. P., 1987. The theory of filled function method for finding global minimizers of nonlinearly constrained minimization problems. *Journal of Computational Mathematics*, Volume 5, no. 1, hal. 1-9.
- Ge, R., 1990. A filled function method for finding a global minimier of a function of several variables. *Mathematical Programming*, Volume 46, hal. 191-204.
- Ge, R. P. and Huang, C., 1989. A continuous approach to nonlinear integer programming. *Applied Mathematics and Computation*, Volume 34, hal. 39-60.
- Ge, R. P. and Qin, Y. F., 1987. A class of filled functions for finding global minimizers of a function of several variables. *Journal of Optimization Theory and Applications*, Volume 54, no. 2, hal. 241-252.
- Ge, R. and Qin, Y., 1990. The globally convexized filled functions for global optimization. *Applied Mathematics and Computation*, Volume 35, hal. 131-158.
- Gu, Y. H. and Wu, Z. Y., 2006. A new filled function method for nonlinear integer programming problem. *Applied Mathematics and Computation*, Volume 173, hal. 938-950.
- Hamidzadeh, J. and Moradi, M., 2018. Improved one-class classification using filled function. *Applied Intelligence*, Volume 48, hal. 3263-3279.
- Hedar, A., 2013. Test functions for unconstrained global optimization. <http://www-optimia.amp.i.kyoto-u.ac.jp>
- He, S., Chen, W. and Wang, H., 2011. A new filled function algorithm for constrained global optimization problems. *Applied Mathematics and Computation*, Volume 217, hal. 5853-5859.
- Ji, H., Tian, Z. and Gu, Y., 2017. A filter-filled function method for global optimization with box constraints. *IOP Conference Series: Materials Science and Engineering*, Volume 242, 012130.
- Lampariello, F. and Liuzzi, G., 2015. A filling function method for unconstrained global optimization. *Computational Optimization and Applications*, Volume 61, hal. 713-729.

- Leung, Y.W. and Wang, Y., 2000. Multiobjective programming using uniform design and genetic algorithm. *IEEE Transactions on systems, Man, and Cybernetics-Part C*, Volume 30, hal. 293-304.
- Leung, Y.W. and Wang, Y., 2001. An orthogonal genetic algorithm with quantization for global numerical optimization. *IEEE Transactions on Evolutionary Computation*, Volume 5, hal. 41-53.
- Levy, A. V. and Montalvo, A., 1985. The tunneling algorithm for the global minimization of functions. *SIAM Journal on Scientific and Statistical Computing*, Volume 6, no. 1, hal. 002-029.
- Li, G., Li, J., Xiao, H. and Ding, S., 2012. A weak filled function algorithm for unconstrained searching optimization, *2012 Eight International Conference on Computational Intelligent and Security*, China, November, 17-18, 2012, hal. 31-34.
- Li, M. M., Shang, Y. L. and Zhang, L. S., 2006. A new filled function method for integer programming, *Journal of Computational Mathematics*, Volume 24, hal. 25-32.
- Li, J. R., Shang, Y. L. and Han, P., 2017. New tunnel-filled function method for discrete global optimization, *Journal of the Operations Research Society of China*, Volume 5, hal. 291-300.
- Liang, Y. M., Zhang, L. S., Li, M. M. and Han, B. S., 2007. A filled function method for global optimization. *Journal of Computational and Applied Mathematics*, Volume 205, hal. 16-31.
- Li, X. and Yao, X., 2012. Cooperatively coevolving particle swarms for large scale optimization. *IEEE Transactions on Evolutionary Computation*, Volume 16, hal. 210-224.
- Lin, H., Gao, Y., Wang, X. and Su, S., 2019. A filled function which has the same local minimizer of the objective function. *Optimization Letters*, Volume 13, hal. 761-776.
- Lin, H., Gao, Y. and Wang, Y., 2014. A continuously differentiable filled function method for global optimization. *Numerical Algorithms*, Volume 66, hal. 511-523.
- Lin, H., Wang, Y., Gao, Y. and Wang, X., 2018. A filled function method for global optimization with inequality constraints. *Computational and Applied Mathematics*, Volume 37, hal. 1524-1536.
- Lin, H., Wang, Y. and Fan, L., 2011. A filled function method with one parameter for unconstrained global optimization. *Applied Mathematics and Computation*, Volume 218, hal. 3776-3785.

- Lin, H., Wang, Y., Wang, X. and Gao, Y., 2012. A new filled function method for global optimization with box constraint. *Journal of Information and Computational Science*, Volume 9, no. 10, hal. 2843-2853.
- Lin, Y., Yang, Y. and Mammadov, M., 2009. A new filled function method for nonlinear equations. *Applied Mathematics and Computation*, vol. 210, Hal. 411-421.
- Lin, Y., Yang, Y. and Zhang, L., 2010. A novel filled function method for global optimization. *Journal of The Korean Mathematical Society*, Volume 47, no. 6, hal. 1253-1267.
- Ling, B.W.K., Wu, C.Z., Teo, K.L. and Rehbock, V., 2013. Global optimal design of IIR filters via constraint transcription and filled function methods. *Circuits, Systems, and Signal Processing*, Volume 32, hal. 1313-1334.
- Ling, A. and Xu, C., 2012. A new discrete filled function method for solving large scale max-cut problems. *Numerical Algorithms*, Volume 60, hal. 435-461.
- Liu, J., Wang, Y., Wei, S., Sui, X and Tong, W., 2020. A filled flatten function method based on basin deepening and adaptive initial point for global optimization. *International Journal of Pattern Recognition and Artificial Intelligence*, Volume 34, hal. 1-26.
- Liu, X., 2001a. Finding global minima with a computable filled function. *Journal of Global Optimization*, Volume 19, hal. 151-161.
- Liu, X., 2001b. A class of generalized filled functions with improved computability. *Journal of Computational and Applied Mathematics*, Volume 137, hal. 61-69.
- Liu, X., 2002a. A computable filled function used for global minimization. *Applied Mathematics and Computation*, Volume 126, hal. 271-278.
- Liu, X., 2002b. Several filled functions with mitigators. *Applied Mathematics and Computation*, Volume 133, hal. 375-387.
- Liu, X., 2004a. Two new classes of filled functions. *Applied Mathematics and Computation*, Volume 149, hal. 577-588.
- Liu, X., 2004b. The impelling function method applied to global optimization. *Applied Mathematics and Computation*, Volume 151, hal. 745-754.
- Liu, X., 2004c. The barrier attribute of filled functions. *Applied Mathematics and Computation*, Volume 149, hal. 641-649.
- Liu, X., 2006. New class of augmented filled functions. *Computational Optimization and Applications*, Volume 33, hal. 333-347.
- Liu, X., 2008. A class of continuously differentiable filled functions for global optimization. *IEEE Transactions on Systems, Man, and Cybernetics-Part A: Systems and Human*, Volume 38, hal. 38-47.

- Liu, X., 2011. Application of filled function method to multimodal economic load dispatch problems. *Electronics Letters*, Volume 47, hal. 1042-1043.
- Liu, H., Wang, Y., Guan, S. and Liu, X., 2017. A new filled function method for unconstrained global optimization. *International Journal of Computer Mathematics*, Volume 94, hal. 2283-2296.
- Liu, X. and Xu, W., 2004. A new filled function applied to global optimization. *Computers and Operations Research*, Volume 31, hal. 61-80.
- Lucidi, S. and Piccialli, V., 2002. New classes of globally convexized filled functions for global optimization. *Journal of Global Optimization*, Volume 24, hal. 219-236.
- Luenberger, D. G. and Ye, Y., 2007. *Linear and Nonlinear Programming: Third Edition*. California: Springer.
- Ma, S., Yang, Y. and Liu, H., 2010. A parameter-free filled function for unconstrained global optimization. *Applied Mathematics and Computation*, Volume 215, hal. 3610-3619.
- Ming, Q. B., Le, G. and Fei, W., 2017. A new filled function method for the non-convex global optimization, *13th International Conference on Computational Intelligence and Security*, Hongkong, Desember, 15-18, 2017, hal. 219-223.
- Mishra, S. K. and Ram, B., 2019. *Introduction to Unconstrained Optimization with R*. Singapura: Springer Nature Singapore.
- Mladineo, R.H., 1986. An algorithm for finding the global maximum of a multimodal, multivariate function. *Mathematical Programming*, Volume 34, hal. 188-200.
- Moskowitz, M. A and Paliogiannis, F. C., 2010. *Functions Of Several Real Variables*. New York: World Scientific.
- Nemhauser, G. L., Rinnooy Kan, A. H. G. and Todd, M. J., 1989. *Handbooks in Operational Research and Management Science*. North-Holland: Elsevier.
- Ng, C. K., Zhang, L. S., Li, D. and Tian, W. W., 2005. Discrete filled function method for discrete global optimization. *Computational Optimization and Applications*, Volume 31, hal. 87-115.
- Ng, C. K., Li, D. and Zhang, L. S., 2007. Discrete global descent method for discrete global optimization and nonlinear integer programming. *Journal of Global Optimization*, Volume 37, hal. 357-379.
- Nocedal, J. and Wright, S. J., 1999. *Numerical Optimization*. New York: Springer-Verlag.
- Palagi, L., 2019. Global optimization issues in deep network regression: an overview. *Journal of Global Optimization*, Volume 73, 239-277.

- Pandiya, R., Widodo, W., Salmah, S. and Endrayanto, I., 2021a. Non parameter-filled function for global optimization. *Applied Mathematics and Computation*, Volume 391, 125642.
- Pandiya, R., Salmah, S., Widodo, W. and Endrayanto, I., 2021b. A novel parameter-free filled function applied to global optimization. *Engineering Letters*, Volume 29, hal. 191-200.
- Pardalos, P. M., Romeijn, H. E. and Tuy, H., 2000. Recent developments and trends in global optimization. *Journal of Computational and Applied Mathematics*, Volume 124, hal. 209-228.
- Peressini, A. L., Sullivan, F. E. and Uhl, J. J. Jr., 1988. *The Mathematics of Nonlinear Programming*. New York: Springer-Verlag.
- Polak, E., 1997. *Optimization: Algorithms and Consistent Approximations*. New York: Springer.
- Ming, Q. B., Le, G. and Fei, W., 2017, *13th International Conference on Computational Intelligence and Security*, Hongkong, Desember, 15-18, 2017, hal. 219-233
- Sahiner, A., Yilmaz, N. and Demirozer, O., 2014. Mathematical modeling and an application of the filled function method in entomology. *International Journal of Pest Management*, Volume 60, hal. 232-237.
- Sahiner, A., Gokkaya, H. and Yigit, T., 2012. A new filled function for nonsmooth global optimization. *AIP Conference Proceedings*, 1479, 972, doi:10.1063/1.4756304.
- Sahiner, A. and Ibrahim, S.A., 2019. A new global optimization technique by auxiliary function method in a directional search. *Optimization Letters*, Volume 13, hal. 309-232.
- Shang, Y.L., Wang, W.X. and Sun, Q.B., 2007a. A class of generalized filled functions for unconstrained global optimization. *Applied Mathematics E-Notes*, Volume 7, hal. 147-153.
- Shang, Y., Pu, D. and Jiang, A., 2007b. Finding global minimizer with one-parameter filled function on unconstrained global optimization. *Applied Mathematics and Computation*, Volume 191, hal. 176-182.
- Shang, Y., Li, P. and Xie, H., 2010. A new parameter-free filled function for unconstrained global optimization, *2010 Third International Joint Conference on Computational Science and Optimization*, China, Mei, 28-31, 2010, hal. 65-69.
- Shang, Y. and Zhang, L., 2005. A filled function method for finding a global minimizer on global integer optimization. *Journal of Computational and Applied Mathematics*, Volume 181, hal. 200-210.

- Shang, Y. and Zhang, L., 2008. Finding discrete global minima with a filled function for integer programming. *European Journal of Operational Research*, Volume 189, hal. 31-40.
- Snyman, J.A. and Fatti, L.P., 1987. A multi-start global minimization algorithm with dynamic search trajectories. *Journal of Optimization Theory and Applications*, Volume 54, hal. 121-141.
- Storn, R. and Price, K., 1997. Differential evolution: a simple and efficient heuristic for global optimization over continuous spaces. *Journal of Global Optimization*, Volume 11, hal. 341-359.
- Surjanovic, S. and Bingham, D., 2013. Virtual Library of Simulation Experiments: Test Functions and Datasets. <https://www.sfu.ca/ssurjano/index.html>.
- Wang, W. X., Shang, Y. L., Zhang, L. S. and Zhang, Y., 2013. Global minimization of non-smooth unconstrained problems with filled function. *Optimization Letters*, vol. 7, hal. 435-446.
- Wang, W. X., Shang, Y. L. and Zhang, Y., 2010. A filled function approach for nonsmooth constrained global optimization. *Mathematical Problems in Engineering*, ID 310391, hal. 1-8.
- Wang, W., Shang, Y. and Zhang, L., 2007. A filled function method with one parameter for box constrained global optimization. *Applied Mathematics and Computation*, vol. 194, hal. 54-66.
- Wang, W. and Xu, Y., 2008. Simple transformation functions for finding better minima. *Applied Mathematics Letters*, Volume 21, hal. 502-509.
- Wang, C., Yang, Y. and Li, J., 2009. A new filled function method for unconstrained global optimization. *Journal of Computational and Applied Mathematics*, Volume 225, hal. 68-79.
- Wan, Z., Yuan, L. and Chen, J., 2012. A filled function method for nonlinear systems of equalities and inequalities. *Computational and Applied Mathematics*, Volume 31, hal. 391-405.
- Wang, Y. J. and Zhang, J. S., 2008. A new constructing auxiliary function method for global optimization. *Mathematical and Computer Modelling*, Volume 47, hal. 1396-1410.
- Wang, X. and Zhou, G., 2006. A new filled function for unconstrained global optimization. *Applied Mathematics and Computation*, Volume 174, hal. 419-429.
- Wei, F. and Wang, Y., 2013. A new filled function method with one parameter for global optimization. *Mathematical Problems in Engineering*, Volume 2013, hal. 1-12.

- Wei, F., Wang, Y. and Huo, Y., 2013. Smoothing and auxiliary functions based cooperative coevolution for global optimization, *Evolutionary Computation (CEC), 2013 IEEE Congress*, hal. 2736-2741.
- Wei, F., Wang, Y. and Lin, H., 2014. A new filled function method with two parameters for global optimization. *Journal of Optimization Theory and Application*, Volume 163, hal. 510-527.
- Wu, Z. Y., Lee, H. W. J., Zhang, L. S. and Yang, X. M., 2005a. A novel filled function method and quasi-filled function method for global optimization. *Computational Optimization and Applications*, Volume 34, hal. 249-272.
- Wu, C.Z., Teo, K.L. and Rehbock, V., 2009. A filled function method for optimal discrete-valued control problems. *Journal of Global Optimization*, Volume 44, hal. 213-225.
- Wu, Z. Y., Bai, F.S., Yang, Y.J. and Mammadov, M., 2013. A new auxiliary function method for general constrained global optimization. *Optimization*, Volume 62, hal. 193-210.
- Wu, Q. and Yuan, L., 2011. A smooth clustering algorithm based on parameter free filled function. *Advanced Materials Research*, Volume 143-144, hal. 389-393.
- Wu, Q. and Yuan, L., 2012. A new filled function method for smooth clustering. *Journal of Computers*, Volume 7, hal. 491-498.
- Wu, Z.,Y., Lee, H.,W.,J., Zhang, L.,S. and Yang, X.,M., 2005b. A novel filled function method and quasi-filled function method for global optimization. *Computational Optimization and Applications*, Volume 34, hal. 249-272.
- Wu, Z. Y., Mammadov, M., Bai, F. S. and Yang, Y. J., 2007. A filled function method for nonlinear equations. *Applied Mathematics and Computation*, Volume 189, hal. 1196-1204.
- Wu, X., Zhang, K. and Sun, C., 2014. Constrained optimal control of switched systems based on modified BFGS algorithm and filled function method. *International Journal of Computer Mathematics*, Volume 91, hal. 1713-1729.
- Xiang, W. W., Lin, S. Y. and Sheng, Z. L., 2006. Two-parameters quasi-filled function algorithm for nonlinear integer programming. *Journal of Zhejiang University SCIENCE A*, Volume 2006, hal. 2083-2087.
- Xu, Z. and Xu, C., 2000. Filled functions for unconstrained global optimization. *Applied Mathematics-A Journal of Chinese Universities*, Volume 15, hal. 307-318.
- Xu, Z., Huang, H. X., Pardalos, P. M. and Xu, C. X., 2001. Filled functions for unconstrained global optimization. *Journal of Global Optimization*, Volume 20, hal. 49-65.

- Xu, C., Feng, A. and Huang, Z., 2012. A new parameter-free filled function for global optimization, *2012 Fifth International Joint Conference on Computational Science and Optimization*, China, Juni, 23-26, 2010, hal. 294-297.
- Yang, Y. and Bai, F., 2011. An integral function and vector sequence method for unconstrained global optimization. *Journal of Global Optimization*, Volume 50, hal. 293-311.
- Yang, X., Zhou, B. and Feng, J., 2017. A new filled function method with unconstrained global optimization, *13th International Conference on Computational Intelligence and Security*, Hongkong, Desember, 15-18, 2017, hal. 512-515.
- Yang, Y. and Gao, Y., 2015. A new filled function method for global optimization, *IEEE International Conference on Digital Signal Processing*, Singapur, Juli, 21-24, 2015, 54-58.
- Yang, Y. and Shang, Y., 2006. A new filled function method for unconstrained global optimization. *Applied Mathematics and Computation*, Volume 173, hal. 501-512.
- Yilmaz, N. and Sahiner, A., 2019. A new auxiliary function approach for inequality constrained global optimization problems. *An International Journal of Optimization and Control: Theories and Applications*, Volume 9, hal. 31-38.
- Yongjian, Y. and Yumei, L., 2007. A new discrete filled function algorithm for discrete global optimization. *Journal of Computational and Applied Mathematics*, Volume 202, hal. 280-291.
- Yuan, L. and Tang, Q., 2014. A novel filled function method for nonlinear equations. *Journal of Applied Mathematics*, ID 247519, hal. 1-7.
- Zhang, L. S., Gao, F. and Zhu, W. X., 1999. Nonlinear integer programming and global optimization. *Journal of Computational Mathematics*, Volume 17, hal. 179-190.
- Zhang, L. S., Ng, C. K., Li, D. and Tian, W. W., 2004. A new filled function method for global optimization. *Journal of Global Optimization*, Volume 28, hal. 17-43.
- Zhang, Y., Xu, Y. and Ding, G., 2008. License plate character recognition algorithm based on filled function method training BP neural network, *2008 Chinese Control and Decision Conference*, China, Juli, 2-4, 2008, hal. 3886-3891.
- Zhang, Y. and Xu, Y. T., 2009. A one-parameter filled function method applied to nonsmooth constrained global optimization. *Computers and Mathematics with Applications*, Volume 58, hal. 1230-1238.
- Zhang, Y., Zhang, L. and Xu, Y., 2009a. New filled functions for nonsmooth global optimization. *Applied Mathematical Modelling*, Volume 33, hal. 3114-3129.

- Zhang, Y., Xu, Y. and Zhang, L., 2009b. A filled function method applied to nonsmooth constrained global optimization. *Journal of Computational and Applied Mathematics*, Volume 232, hal. 415-426.
- Zhang, Y., Xu, Y., Qiu, Q. and He, X., 2017. A filled function method for minimizing control variation in constrained discrete-time optimal control problems. *Journal of Computational and Applied Mathematics*, Volume 326, hal. 126-137.
- Zhu, W., 1998. An approximate algorithm for nonlinear integer programming. *Applied Mathematics and Computation*, Volume 93, hal. 183-193.
- Zhu, W., 2005. A class of filled functions for box constrained continuous global optimization. *Applied Mathematics and Computation*, Volume 169, hal. 129-145.
- Zhu, W. X., 2008. Dynamic globally concavized filled function method for continuous global optimization. *Journal of Optimization Theory and Applications*, Volume 139, hal. 635-648.
- Zhu, W. and Ali, M.M, 2009. Solving nonlinearly constrained global optimization problem via an auxiliary function method. *Journal of Computational and Applied Mathematics*, Volume 230, hal. 491-503.