

DAFTAR PUSTAKA

- Abdullah, A.M., Al-Thani, N.J., Tawbi, K., Al-Kandari, H., 2016, Carbon/Nitrogen-doped TiO₂: New Synthesis Route, Characterization and Application for Phenol Degradation, *Arab. J. Chem.*, 9(2), 229-237.
- Aboulouard, A., Gultekin, B., Can, M., Erol, M., Jouaiti, A., Elhadadi, B., Zafer, C., Demic, S., 2020, Dye Sensitized Solar Cells based on Titanium Dioxide Nanoparticles Synthesized by Flame Spray Pyrolysis and Hydrothermal Sol-Gel Methods: A Comparative Study on Photovoltaic Performances, *J. Mater. Res. Technol.*, 9(2), 1569-1577.
- Ahmad, A., Mohd-Setapar, S.H., Chuong, C.S., Khatoon, A., Wani, W. A., Kumar, R., Rafatullah, M., 2015, Recent Advances in New Generation Dye Removal Technologies: Novel Search for Approaches to Reprocess Wastewater, *RSC Adv.*, 5(39), 30801-30818.
- Ahmad, R., Ahmad, Z., Khan, A.U., Mastoi, N.R., Aslam, M., Kim, J., 2016, Photocatalytic Systems as an Advanced Environmental Remediation: Recent Developments, Limitations and New Avenues for Applications, *J. Environ. Chem. Eng.*, 4(4), 4143-4164.
- Alaba, P.A., Oladoja, N.A., Sani, Y.M., Ayodele, O.B., Mohammed, I.Y., Olupinla, S.F., Daud, W.M.W., 2018, Insight into Wastewater Decontamination using Polymeric Adsorbents, *J. Environ. Chem. Eng.*, 6(2), 1651-1672.
- Al-Hajji, L.A., Ismail, A.A., Alseidi, M., Almutawa, F., Ahmad, S., Bumajdad, A., 2020, Green Approach and Ease Synthesis of C/N-Codoped TiO₂ Nanocrystals for Photodegradation of Endocrine, *J. Nanopart. Res.*, 22, 50.
- AL-Jawad, S.M.H., Taha, A.A., Salim, M.M., 2017, Synthesis and Characterization of Pure and Fe Doped TiO₂ Thin Films for Antimicrobial Activity, *Optik*, 142, 42-53.
- Ananpattarachai, J., Seraphin, S., Kajitvichyanukul, P., 2016, Formation of Hydroxyl Radicals and Kinetic Study of 2-Chlorophenol Photocatalytic Oxidation Using C-doped TiO₂, N-doped TiO₂, and C,N Co-doped TiO₂ Under Visible Light, *Environ. Sci. Pollut. Res.*, 23(4), 3884-3896.
- Ansari, S.A., Khan, M.M., Ansari, M.O., Cho, M.H., 2016, Nitrogen Doped Titanium Dioxide (N-Doped TiO₂) for Visible Light Photocatalysis, *New J. Chem.*, 40, 3000-3009.

- Asses, N., Ayed, L., Hkiri, N., Hamdi, M., 2018, Congo Red Decolorization and Detoxification by *Aspergillus Niger*: Removal Mechanisms and Dye Degradation Pathway, *BioMed. Res. Int.*, 3049686.
- Atkin, P., Daeneke, T., Wang, Y., Carey, B., Berean, K., Clark, R., Ou, J., Trinchi, A., Cole, I., Kalantar-Zadeh, K., 2016, 2D WS₂/Carbon Dot Hybrids with Enhanced Photocatalytic Activity, *J. Mater. Chem.*, 4(35), 13563-13571.
- Aupree, S., Narakaew, P., Thungprasert, S., Promanan, T., Chaisena, A., Narakaew, S., 2021, Enhanced Photocatalytic Activity of C-doped TiO₂ under Visible Light Irradiation: A Comparison of Corn Starch, Honey, and Polyethylene Glycol as a Carbon Sources, *Eng. J.*, 25(1), 54-64.
- Azami, M.S., Nawawi, W.I., Ishak, M.A.M., Ismail, K., Ahmad, Z., Jawad, A.H., 2016, Carbon Nitrogen Co-doped P25: Parameter Study on Photodegradation of Reactive Red 4, *MATEC Web. Conf.*, 47, 05018.
- Bahrudin, N.N. and Nawi, M.A., 2019, Mechanistic of Photocatalytic Decolorization and Mineralization of Methyl Orange Dye by Immobilized TiO₂/Chitosan-Montmorillonite, *J. Water Process Eng.*, 31, 100843.
- Bakar, S.A. and Ribeiro, C., 2016, Low Temperature Synthesis of N-doped TiO₂ with Rice-Like Morphology through Peroxo Assisted Hydrothermal Route: Materials Characterization and Photocatalytic Properties, *Appl. Surf. Sci.*, 377, 121-133.
- Basavarajappa, P.S., Patil, S.B., Ganganagappa, N., Reddy, K.R., Raghu, A.V., Reddy, Ch.V., 2019, Recent Progress in Metal-Doped TiO₂, Non-Metal Doped/Codoped TiO₂ and TiO₂ Nanostructured Hybrids for Enhanced Photocatalysis, *Int. J. Hydrog. Energy*, 45(13), 7764-7778.
- Bhat, S.A., Zafar, F., Mondal, A.H., Kareem, A., Mirza, A.U., Khan, S., Mohammad, A., Haq, Q.M.R., Nishat, N., 2020, Photocatalytic Degradation of Carcinogenic Congo Red Dye in Aqueous Solution, Antioxidant Activity and Bactericidal Effect of Nio Nanoparticles, *J. Iran Chem. Soc.*, 17, 215-227.
- Chakraborty, I., Sathe, S.M., Khuman, C.N., Ghangrekar, M.M., 2020, Bioelectrochemically Powered Remediation of Xenobiotic Compounds and Heavy Metal Toxicity using Microbial Fuel Cell and Microbial Electrolysis Cell, *Materials Science for Energy Technologies*, 3, 104-115.

- Chen, D., Jiang, Z., Geng, J., Wang, Q., Yang, D., 2007, Carbon and Nitrogen Co-doped TiO₂ with Enhanced Visible-Light Photocatalytic Activity, *Ind. Eng. Chem. Res.*, 46, 2741-2746.
- Dariani, R.S., Esmaili, A., Mortezaali, A., Dehghanpour, S., 2016, Photocatalytic Reaction and Degradation of Methylene Blue on TiO₂ Nano-Sized Particles, *Optik*, 127(18), 7143-7154.
- Djilani, C., Zaghdoudi, R., Djazi, F., 2015, Adsorption of Dyes on Activated Carbon Prepared from Apricot Stones and Commercial Activated Carbon, *J. Taiwan Inst. Chem. Eng.*, 53, 112-121.
- Dozzi, M.V. and Selli, E., 2013, Doping TiO₂ with p-Block Elements: Effects on Photocatalytic Activity, *J. Photochem. Photobiol. C*, 14, 13-28.
- El-Sheikh, S.M., Khedr, T.M., Hakki, A., Ismail, A.A., Badawy, W.A., Bahnemann, D.W., 2017, Visible Light Activated Carbon and Nitrogen Co-doped Mesoporous TiO₂ as Efficient Photocatalyst for Degradation of Ibuprofen, *Sep. Purif. Technol.*, 173, 258-268.
- Erdemoğlu, S., Aksu, S.K., Sayilkan, F., Izgi, B., Asiltürk, M., Sayilkan, H., Frimmel, F., Güçer, S., 2008, Photocatalytic Degradation of Congo Red by Hydrothermally Synthesized Nanocrystalline TiO₂ and Identification of Degradation Products by LC-MS, *J. Hazard Mater.*, 155(3), 469-476.
- Garvasis, J., Prasad, A.R., Shamseera, K.O., Jaseela, P.K., Joseph, A., 2020, Efficient Removal of Congo Red from Aqueous Solutions using Phytogenic Aluminium Sulfate Nano Coagulant, *Mater. Chem. Phys.*, 251, 123040.
- Ghosh, B.K., Hazra, S., Naik, B., Ghosh, N.N., 2015, Preparation of Cu Nanoparticle Loaded SBA15 and Their Excellent Catalytic Activity in Reduction of Variety of Dyes, *Powder Technol.*, 269, 371-378.
- Gomes, J., Lincho, J., Domingues, E., Quinta-Ferreira, R.M., Martins, R.C., 2019, N-TiO₂ Photocatalysts: A Review of Their Characteristics and Capacity for Emerging Contaminants Removal, *Water*, 11(2), 373.
- Hafeez, A., Javed, F., Fazal, T., Shezad, N., Amjad, U.S., Rehman, M.S., Rehman, F., 2021, Intensification of Ozone Generation and Degradation of Azo Dye in Non-Thermal Hybrid Corona-DBD Plasma Micro-Reactor, *Chem. Eng. Process.*, 159(1), 108205.

- Haider, A.J., Jameel, Z.N., Al-Hussaini, I.H.M., 2019, Review on: Titanium Dioxide Applications, *Energy Procedia*, 157, 17-29.
- Halimi, S.U., Hashib, S.Abd., Abu Bakar, N.F., Ismail, S.N., Naim, N.M., Abd Rahman, N., Krishnan, J., 2018, Formation of Sol Gel Dried Droplets of Carbon Doped Titanium Dioxide (TiO₂) at Low Temperature via Electrospaying, *IOP Conf. Ser.: Mater. Sci. Eng.*, 358, 012048.
- Hernández-Zamora, M., and Martínez-Jerónimo, F., 2019, Congo Red Dye Diversely Affects Organisms of Different Trophic Levels: A Comparative Study with Microalgae, Cladocerans, and Zebrafish Embryos, *Environ. Sci. Pollut. Res. Int.*, 26(12), 11743-11755.
- Hlekelele, L., Franklyn, P.J., Dziike, F., Durbach, S.H., 2018, TiO₂ Compositated with Carbon Nanofibers or Nitrogen-Doped Carbon Nanotubes Synthesized using Coal Fly Ash as a Catalyst: Bisphenol-A Photodegradation Efficiency Evaluation, *New J. Chem.*, 42(6), 4531–4542.
- Hoffmann, M.R., Martin, S.T., Choi, W., Bahnemann, D.W., 1995, Environmental Application of Semiconductor Photocatalyst, *Chem. Rev.*, 95, 69-96.
- Huang, X., Yang, W., Zhang, G., Yan, L., Zhang, Y., Jiang, A., Xu, H., Zhou, M., Liu, Z., Tang, H., Dionysiou, D.D., 2021, Alternative Synthesis of Nitrogen and Carbon Co-doped TiO₂ for Removing Fluoroquinolone Antibiotics in Water under Visible Light, *Catal. Today*, 361(1), 11-16.
- Huo, J., Ren, Y., Xue, Y., Liu, Y., Guo, S., 2021, Sulfur/Nitrogen Dual-Doped Three-Dimensional Reduced Graphene Oxide Modified with Mesoporous TiO₂ Nanoparticles for Promising Lithium-Ion Battery Anodes, *J. Alloys Compd.*, 868, 159183.
- Inchaurrendoa, N., Di Luca, C., Žerjav, G., Grau, J.M., Pintar, A., Haurea, P., 2021, Catalytic Ozonation of an Azo-Dye using a Natural Aluminosilicate, *Catal. Today*, 361, 24-29.
- Jamal, N., Radhakrishnan, A., Raghavan, R., Bhaskaran, B., 2020, Efficient Photocatalytic Degradation of Organic Dye from Aqueous Solutions Over Zinc Oxide Incorporated Nanocellulose under Visible Light Irradiation, *Main Group Met. Chem.*, 43(1), 84-91.
- Jethava, G. and Fegade, U., 2018, Design and Synthesis of Zn_{0.3}Fe_{0.45}O₃ Nanoparticle for Efficient Removal of Congo Red Dye and Its Kinetic and Isotherm Investigation, *Int. J. Ind. Chem.*, 9, 85-97.

- Kadam, A.N., Salunkhe, T.T., Kim, H., Lee, S.W., 2020, Biogenic Synthesis of Mesoporous N-S-C Tri-doped TiO₂ Photocatalyst Via Ultrasonic-Assisted Derivatization of Biotemplate from Expired Egg White Protein, *Appl. Surf. Sci.*, 518, 146194.
- Kamal, T., Khan, S.B., Asiri, A.M., 2016, Synthesis of Zero-Valent Cu Nanoparticles in the Chitosan Coating Layer on Cellulose Microfibers: Evaluation of Azo Dyes Catalytic Reduction, *Cellulose*, 23(3), 1911-1923.
- Khalilzadeh, A., Fatemi, S., 2014, Modification of Nano-TiO₂ by Doping with Nitrogen and Fluorine and Study Acetaldehyde Removal under Visible Light Irradiation, *Clean Techn. Environ. Policy*, 16, 629-636.
- Khan, T.T., Bari, G.A.K.M.R., Kang, H-J., Lee, T-G., Park, J-W., Hwang, H.J., Hossain, S.M., Mun, J.S., Suzuki, N., Fujishima, A., Kim, J-H., Shon, H.K., Jun, Y-S., 2021, Synthesis of N-Doped TiO₂ for Efficient Photocatalytic Degradation of Atmospheric NO_x, *Catalysts*, 11(1), 109.
- Konstantinou, K.I. and Triantafyllos, A.A., 2004, TiO₂-assisted Photocatalytic Degradation of Azo Dyes in Aqueous Solution: Kinetic and Mechanistic Investigations, *Appl. Catal. B: Env.*, 49, 1-14.
- Kormann, C., Bahnemann, D.W., Hoffman, M.R., 1988, Photocatalytic Production of H₂O₂ and Organic Peroxides in Aqueous Suspensions of TiO₂, ZnO and Desert Sand, *Environ. Sci. Technol.*, 22, 798-806.
- Kristianto, H., Rahman, H., Prasetyo, S., Sugih, A.K., 2019, Removal of Congo Red Aqueous Solution using *Leucaena Leucocephala* Seed's Extract as Natural Coagulant, *Appl. Water Sci.*, 9, 88.
- Kubiak, A., Siwińska-Ciesielczyk, K., Bielan, Z., Zielińska-Jurek, A., Jesionowski, T., 2019, Synthesis of Highly Crystalline Photocatalysts Based on TiO₂ and ZnO for the Degradation of Organic Impurities under Visible-Light Irradiation, *Adsorption*, 25, 309-325.
- Kulkarni, S., Gharpure, S., Sur, U.K., Ankamwar, B., 2020, Hydrothermal Biosynthesis of Chromium Sulphide Nanoparticles using Egg Yolk and its Catalytic Activity in Degradation of Dyes, *Nano Ex.*, 1, 010019.
- Lafi, R., Montasser, I., Hafiane, A., 2019, Adsorption of Congo Red Dye from Aqueous Solutions by Prepared Activated Carbon with Oxygen-Containing Functional Groups and Its Regeneration, *Adsorp. Sci. Technol.*, 37(1-2), 160-181.

- Lavanya, C., Soontarapa, K., Jyothi, M.S., Balakrishna, R.G., 2019, Environmental Friendly and Cost Effective Caramel for Congo Red Removal, High Flux and Fouling Resistance of Polysulfone Membranes, *Sep. Purif. Technol.*, 211, 348-358.
- Li, S., 2019, Combustion Synthesis of Porous MgO and Its Adsorption Properties, *Int. J. Ind. Chem.*, 10, 89-96.
- Lu, R., Yang, D., Cui, D., Wang, Z., Guo, L., 2012, Egg White-mediated Green Synthesis of Silver Nanoparticles with Excellent Biocompatibility and Enhanced Radiation Effects on Cancer Cells, *Int. J. Nanomedicine*, 7, 2101-2107.
- Ma, A., Ying, H., Cao, F., Wang, Q., Ai, N., 2020, Adsorption of Congo Red on Mesoporous Activated Carbon Prepared by CO₂ Physical Activation, *Chin. J. Chem. Eng.*, 28(4), 1069-1076.
- Ma, Y., Han, L., Ma, H., Wang, J., Liu, J., Cheng, L., Yang, J., Zhang, Q., 2017, Improving the Visible-Light Photocatalytic Activity of Interstitial Carbon-Doped TiO₂ with Electron Withdrawing Bidentate Carboxylate Ligands, *Catal. Commun.*, 95, 1-5.
- Madan, S., Shaw, R., Tiwari, S., Tiwari, S.K., 2019, Adsorption Dynamics of Congo Red Dye Removal using Zn Functionalized High Silica Zeolitic Particles, *Appl. Surf. Sci.*, 487, 907-917.
- Makropoulou, T., Panagiotopoulou, P., Venieri, D., 2018, N-doped TiO₂ Photocatalysts for Bacterial Inactivation in Water, *J. Chem. Technol. Biotechnol.*, 93, 2518-2526.
- Marques, J., Gomes, T.D., Forte, M.A., Silva, R.F., Tavares, C.J., 2018, A New Route for the Synthesis of Highly-active N-doped TiO₂ Nanoparticles for Visible Light Photocatalysis using Urea as Nitrogen Precursor, *Catal. Today*, 326, 36-45.
- Mekprasart, W. and Pecharap, W., 2011, Synthesis and Characterization of Nitrogen-doped TiO₂ and its Photocatalytic Activity Enhancement under Visible Light, *Energy Procedia*, 9, 509-514.
- Mirzaei, N., Wahvi, A.H., Hossini, H., 2018, Equilibrium and Kinetics Studies of Direct Blue 71 Adsorption from Aqueous Solutions using Modified Zeolite, *Adsorp. Sci. Technol.*, 36(1-2), 80-94.

- Morsella, M., d'Alessandro, N., Lanterna, A.E., Scaiano, J.C., 2016, Improving the Sunscreen Properties of TiO₂ through an Understanding of Its Catalytic Properties, *ACS Omega*, 1(3), 464-469.
- Moshafi, M.H., Ranjbar, M., Ilbeigi, G., 2019, Biotemplate of Egg White Albumen for Synthesized Iron Oxide Quantum Dots Nanoparticles (QDNPs) and Investigation of Antibacterial Effect Against Pathogenic Microbial Strains, *Int. J. Nanomedicine*, 14, 3273-3282.
- Moussa, D.T., El-Naas, M.H., Nasser, M., Al-Marri, M.J., 2017, A Comprehensive Review of Electrocoagulation for Water Treatment: Potentials and Challenges, *J. Environ. Manage.*, 186(1), 24-41.
- Muniyasamy, A., Sivaporul G., Gopinath A., Lakshmanan, R., Altaee, A., Achary, A., Chellam, P.V., 2020, Process Development for the Degradation of Textile Azo Dyes (mono-, di-, poly-) by Advanced Oxidation Process-Ozonation: Experimental and Partial Derivative Modelling Approach, *J. Environ. Manage.*, 265, 110397.
- Muruganandham, M. and Swaminathan, M., 2006, Photocatalytic Decolourisation and Degradation of Reactive Orange 4 by TiO₂-UV Process, *Dyes Pigm.*, 68, 133-142.
- Naciri, N., Farahi, A., Rafqah, S., Nasrellah, H., Mhammedi, M.A.E., Lancar, I.T., Bakasse, M., 2016, Effective Photocatalytic Decolorization of Indigo Carmine Dye in Moroccan Natural Phosphate-TiO₂ Aqueous Suspensions, *Opt. Mater.*, 52, 38-43.
- Nam, Y., Lim, J.H., Ko, K.C., Lee, J.Y., 2019, Photocatalytic Activity of TiO₂ Nanoparticles: A Theoretical Aspect, *J. Mater. Chem. A*, 7, 13833-13859.
- Narayan, H. and Alemu, H., 2017, Efficient and Rapid Degradation of Congo Red Dye with TiO₂ Based Nano-Photocatalysts, *J. Phys.*, 829, 012012.
- Naseem, K., Farooqi, Z.H., Begum, R., Irfan, A., 2018, Removal of Congo Red Dye from Aqueous Medium by Its Catalytic Reduction using Sodium Borohydride in the Presence of Various Inorganic Nano-Catalysts: A Review, *J. Cleaner. Prod.*, 187, 296-307.
- Nasikhudin, Ismaya, E.P., Diantoro, M., Kusumaatmaja, A., Triyana, K., 2017, Preparation of PVA/TiO₂ Composites Nanofibers by using Electrospinning Method for Photocatalytic Degradation, *IOP Conf. Ser.: Mater. Sci. Eng.*, 202, 012011.

- Nasrollahzadeh, M., Atarod, M., Sajadi, S.M., 2016, Green Synthesis of the Cu/Fe₃O₄ Nanoparticles using *Morinda Morindoides* Leaf Aqueous Extract: A Highly Efficient Magnetically Separable Catalyst for the Reduction of Organic Dyes in Aqueous Medium at Room Temperature, *Appl. Surf. Sci.*, 364, 636-644.
- Natarajan, S., Bajaj, H.C., Tayade, R.J., 2018, Recent Advances Based on the Synergetic Effect of Adsorption for Removal of Dyes from Waste Water using Photocatalytic Process, *J. Environ. Sci.*, 65, 201-222.
- Nawawi, W.I., Ani, A.Y., Ishak, M.A.M., Ramli, A., Azami, M.S., Zaid, F., Bakar, F., Zaharudin, R., 2018, Modification and Characterization of C-doped TiO₂ Photocatalyst for Photodegradation of Reactive Red (RR4), *Desalin. Water Treat.*, 113, 254-261.
- Ntozakhe, L., Taziwa, R.T., Mungondori, H.H., 2019, Influence of Nitrogen Doping on TiO₂ Nanoparticles Synthesized by Pneumatic Spray Pyrolysis Method, *Mater. Res. Express.*, 6, 0850a9.
- Osin, O.A., Yu, T., Cai, X., Jiang, Y., Peng, G., Cheng, X., Li, R., Qin, Y., Lin, S., 2018, Photocatalytic Degradation of 4-Nitrophenol by C,N-TiO₂: Degradation Efficiency vs. Embryonic Toxicity of the Resulting Compounds, *Front. Chem.*, 6.
- Pan, L., Zou, J.J., Zhang, X., Wang, L., 2010, Photoisomerization of Norbornadiene to Quadricyclane using Transition Metal Doped TiO₂, *J. Ind. Eng. Chem. Res.*, 49(18), 8526-8531.
- Pedroza-Herrera, G., Medina-Ramírez, I.E., Lozano-Álvarez, J.A., Rodil, S.E., 2020, Evaluation of the Photocatalytic Activity of Copper Doped TiO₂ Nanoparticles for the Purification and/or Disinfection of Industrial Effluents, *Catal. Today*, 341, 37-48.
- Petti, S. and Messano, G.A., 2016, Nano-TiO₂-Based Photocatalytic Disinfection of Environmental Surfaces Contaminated by Meticillin-Resistant *Staphylococcus Aureus*, *J. Hosp. Infect.*, 93(1), 78-82.
- Prajapati, K., Sorokhaibam, L.G., Bhandari, V.M., Killedar, D.J., Ranade, V.V., 2016, Differentiating Process Performance of Various Coagulants in Removal of Congo Red and Orange Dyes, *Int. J. Chem. React. Eng.*, 14(1), 195-211.

- Reda, S.M., Khairy, M., Mousa, M.A., 2020, Photocatalytic Activity of Nitrogen and Copper Doped TiO₂ Nanoparticles Prepared by Microwave-Assisted Sol-Gel Process, *Arab. J. Chem.*, 13(1), 86-95.
- Rehman, R., Raza, A., Noor, W., Batool, A., Maryem, H., 2021, Photocatalytic Degradation of Alizarin Red S, Amaranth, Congo Red, and Rhodamine B Dyes using UV Light Modified Reactor and ZnO, TiO₂, and SnO₂ as Catalyst, *J. Chem.*, 2021, 1-9.
- Reza, M.K., Kurny, A., Gulshan, F., 2017, Parameters Affecting the Photocatalytic Degradation of Dyes using TiO₂: A Review, *Appl. Water. Sci.*, 7, 1569-1578.
- Rossetto, E., Petkowicz, D.I., dos Santos, J.H., Pergher, S.B., Penha, F.G., 2010, Bentonites Impregnated with TiO₂ for Photodegradation of Methylene Blue, *J. Appl. Clay Sci.*, 48(4), 602-606.
- Saikumari, N., Dev, S.M., Dev, S.A., 2021, Effect of Calcination Temperature on the Properties and Applications of Bio Extract Mediated Titania Nano Particles, *Sci. Rep.*, 11, 1734.
- Samsami, S., Mohamadizani, M., Sarrafzadeh, M.H., Rene, E.R., Firoozbahr, M., 2020, Recent Advances in the Treatment of Dye-Containing Wastewater from Textile Industries: Overview and Perspectives, *Process Saf. Environ. Prot.*, 143, 138-163.
- Santos, L.M., Machado, W.A., Franca, M.D., Borges, K.A., Paniago, R.M., Patrocinio, A.O.T., Machado, A.E.H., 2015, Structural Characterization of Ag-Doped TiO₂ with Enhanced Photocatalytic Activity, *RSC Adv.*, 5, 103752-103759.
- Sarkar, S., Banerjee, A., Halder, U., Biswas, R., Bandopadhyay, R., 2017, Degradation of Synthetic Azo Dyes of Textile Industry: A Sustainable Approach using Microbial Enzymes, *Water Conserv. Sci. Eng.*, 2, 121-133.
- Sathishkumara, K., AlSalhi, M.S., Sanganyado, E., Devanesan, S., Arulprakash, A., Rajasekare, A., 2019, Sequential Electrochemical Oxidation and Bio-Treatment of the Azo Dye Congo Red and Textile Effluent, *J. Photochem. Photobiol. B, Biol.*, 200, 111655.
- Sboui, M., Nsib, M.F., Rayes, A., Ochiai, T., Houas, A., 2017, Application of Solar Light for Photocatalytic Degradation of Congo Red by a Floating Salicylic Acid-Modified TiO₂/Palm Trunk Photocatalyst, *C. R. Chim.*, 20(2), 181-189.

- Sboui, M., Nsib, M.F., Rayes, A., Swaminathan, M., Houas, A., 2017, TiO₂-PANI/Cork Composite: A New Floating Photocatalyst for the Treatment of Organic Pollutants under Sunlight Irradiation, *J. Environ. Sci.*, 60, 3-13.
- Sen, S.K., Raut, S., Bandyopadhyay, P., Raut, S., 2016, Fungal Decolouration and Degradation of Azo Dyes: A Review, *Fungal Biol. Rev.*, 30(3), 112-133.
- Shi, W., Yang, W., Li, Q., Gao, S., Shang, P., Shang J.K., 2012, The Synthesis of Nitrogen/Sulfur Co-doped TiO₂ Nanocrystals with a High Specific Surface Area and a High Percentage of {001} Facets and Their Enhanced Visible-Light Photocatalytic Performance, *Nanoscale Res. Lett.*, 7, 590.
- Sonwani, R.K., Swain, G., Giri, B.S., Singh, R.S., Rai, B.N., 2020, Biodegradation of Congo Red Dye in a Moving Bed Biofilm Reactor: Performance Evaluation and Kinetic Modeling, *Bioresour. Technol.*, 302, 122811.
- Thomas, M., Naikoo, G.A., Sheikh, M.U.D., Bano, M., Khan, F., 2016, Effective Photocatalytic Degradation of Congo Red Dye using Alginate/Carboxymethyl Cellulose/TiO₂ Nanocomposite Hydrogel under Direct Sunlight Irradiation, *J. Photochem. Photobiol. A*, 327, 33-43.
- Tian, X., Wen, J., Chen, Z., Liu, X., Peng, H., Ji, C., Li, J., Peng, Y., He, H., 2019, One-Pot Green Hydrothermal Synthesis and Visible-Light Photocatalytic Properties of Cu₂O/Cu Hybrid Composites using Egg Albumin as Structure Modifier, *Solid State Sci.*, 93, 70-78.
- Tran, V.A., Truong, T.T., Phan, T.A.P., Nguyen, T.N., Huynh, T.V., Agrsti, A., Pescetelli, S., Le, T.K., Carlo, A.D., Lund, T., Le, S.-N., Nguyen, P.T., 2017, Application of Nitrogen-Doped TiO₂ Nano-tubes in Dye-sensitized Solar Cells, *Appl. Surf. Sci.*, 399, 515-522.
- Trevisan, V., Olivo, A., Pinna, F., Signoretto, M., Vindigni, F., Cerrato, G., Bianchi, C.L., 2014, C-N/TiO₂ Photocatalysts: Effect of Co-doping on the Catalytic Performance under Visible Light, *Appl. Catal. Bl*, 160-161, 152-160.
- Ullah, I., Haider, A., Khalid, N., Ali, S., Ahmed, S., Khan, Y., Ahmed, N., Zubair, M., 2018, Turning the Band Gap of TiO₂ by Tungsten Doping for Efficient UV and Visible Photodegradation of Congo Red Dye, *Spectrochim. Acta A Mol. Biomol. Spectrosc.*, 204, 150-157.
- Venditti, F., Cuomo, F., Ceglie, A., Avino, P., Russo, M.V., Lopez, F., 2015, Visible Light Caffeic Acid Degradation by Carbon-doped Titanium Dioxide, *Langmuir*, 31(36), 24-34.

- Voros, J., 2004, The Density and Refractive Index of Adsorbing Protein Layers, *Biophys. J.*, 87, 553-561.
- Wafi, A., Szabó-Bárdos, E., Horváth, O., Pósfai, M., Makó, É., Juzsakova, T., Fónagy, O., 2020, The Photocatalytic and Antibacterial Performance of Nitrogen-Doped TiO₂: Surface-Structure Dependence and Silver-Deposition Effect, *Nanomaterials*, 10(11), 2261.
- Wahab, H.S. and Hadi, H.M., 2017, Visible Light N-TiO₂-induced Photodegradation of Congo Red: Characterization, Kinetics and Mechanistic Study, *Int. J. Environ. Sci. Technol.*, 14, 2135-2148.
- Wang, J., Wang, C.-F., Chen, S., 2012, Amphiphilic Egg-Derived Carbon Dots: Rapid Plasma Fabrication, Pyrolysis Process, and Multicolor Printing Patterns, *Angew. Chem. Int. Ed.*, 51, 9297-9301.
- Wang, M., Han, J., Hu, Y., Guo, R., 2017, Mesoporous C, N-codoped TiO₂ Hybrid Shells with Enhanced Visible Light Photocatalytic Performance, *RSC Adv.*, 7, 15513-15520.
- Wang, W., Xu, D., Cheng, B., Yu, J., Jiang, C., 2017, Hybrid Carbon@TiO₂ Hollow Spheres with Enhanced Photocatalytic CO₂ Reduction Activity, *J. Mater. Chem. A*, 5(10), 5020-5029.
- Wang, W.Y. and Ku, Y., 2007, Effect of Solution pH on the Adsorption and Photocatalytic Reaction Behaviors of Dyes using TiO₂ and Nafion-Coated TiO₂, *Colloids Surf. A Physicochem. Eng. Asp.*, 302, 261-268.
- Wang, Y., Chen, Y., Barakat, T., Wang, T., Krief, A., Zeng, Y., Laboureur, M., Fusaro, L., Liao, H., Su, B., 2021, Synergistic Effects of Carbon Doping and Coating of TiO₂ with Exceptional Photocurrent Enhancement for High Performance H₂ Production from Water Splitting. *J. Energy Chem.*, 56, 141-151.
- Wu, C., Lin, S., Wu, J., 2012, Effects of Nitrogen Concentration on N-doped Anatase TiO₂: Density Functional Theory and Hubbard U Analysis, *J. Alloys Compd.s*, 522, 46-50.
- Wu, M., Ge, S., Jiao, C., Yan, Z., Jiang, H., Zhu, Y., Dong, B., Dong, M., Zhanhu, G., Improving Electrical, Mechanical, Thermal and Hydrophobic Properties of Waterbone Acrylic Resin- Glycidyl Methacrylate (GMA) by Adding Multi-walled Carbon Nanotubes, *Polymer*, 200, 122547.

- Xu, J., Dai, W., Li, J., Cao, Y., Li, H., He, H., Fan, K., 2008, Simple Fabrication of Thermally Stable Apertured N-doped TiO₂ Microtubes as a Highly Efficient Photocatalyst under Visible Light Irradiation, *Catal. Commun.*, 9, 146-152.
- Yan, J., Wu, G., Li, L., Yu, A., Sun, X., Guan, N., 2010, Synthesis of Uniform TiO₂ Nanoparticles with Egg Albumen Proteins as Novel Biotemplate, *J. Nanosci. Nanotechnol.*, 10, 5767-5775.
- Yang, G., Jiang, Z., Shi, H., Xiao, T., Yan, Z., 2010, Preparation of Highly Visible-light Active N-doped TiO₂ Photocatalyst, *J. Mater. Chem.*, 20, 5301-5309.
- Yang, K., Li, Y., Zheng, H., Luan, X., Li, H., Wang, Y., Du, Q., Sui, K., Li, H., Xia, Y., 2019, Adsorption of Congo Red with Hydrothermal Treated Shiitake Mushroom, *Mater. Res. Express*, 7(1), 015103.
- Zhang, H. and Banfield, J.F., 2014, Structure Characteristics and Mechanical and Thermodynamic Properties of Nanocrystalline TiO₂, *Chem. Rev.*, 114, 9613-9644.
- Zhang, L., Han, M., Tan, O.K., Tse, M.S., Wang, Y.X., Sze, C.C., 2013, Facile Fabrication of Ag/C-TiO₂ Nanoparticles with Enhanced Visible Light Photocatalytic Activity for Disinfection of *Escherichia coli* and *Enterococcus faecalis*, *J. Mater. Chem. B*, 1(4), 564-570.
- Zhang, W., Luo, N., Huang, S., Wu, N.L., Wei, M., 2019, Sulfur-Doped Anatase TiO₂ as an Anode for High-Performance Sodium-Ion Batteries, *ACS Appl. Energy Mater.*, 2(5), 3791-3797.
- Zhang, Z., Sun, W., Wu, P., 2015, Highly Photoluminescent Carbon Dots Derived from Egg White: Facile and Green Synthesis, Photoluminescence Properties and Multiple Applications, *ACS Sustain. Chem. Eng.*, 3(7), 1412-1418.
- Zhao, H., Pan, F., Li, Y., 2017, A Review on the Effects of TiO₂ Surface Point Defects on CO₂ Photoreduction with H₂O, *J. Materiomics*, 3(1), 17-32.
- Zhou, J., Li, F., Du, C., Liu, J., Wang, Y., Li, W., He, G., He, Q., 2016, Photodegradation Performance and Recyclability of a Porous Nitrogen and Carbon Co-doped TiO₂/Activated Carbon Composite Prepared by an Extremely Fast One-Step Microwave Method, *RSC Adv.*, 6, 84457-84463.
- Ziental, D., Czarczynska-Goslinska, B., Mlynarczyk, D.T., Glowacka-Sobotta, A., Stanis, B., Goslinski, T., Sobotta, L., 2020, Titanium Dioxide Nanoparticles: Prospects and Applications in Medicine, *Nanomaterials*, 10(2), 387.