

## DAFTAR PUSTAKA

- Abd El-Monem, A.M., Gharieb, M.M., Hussian, A.E. M., & Doman, K.M. (2018). Effect of pH on phytochemical and antibacterial activities of *Spirulina platensis*. *International Journal of Applied Environmental Sciences*, 13(4): 339–351.
- Alara, O.R., Abdurahman, N.H., & Ukaegbu, C.I. (2018). Soxhlet extraction of phenolic compounds from *Vernonia cinerea* leaves and its antioxidant activity. *Journal of Applied Research on Medicinal and Aromatic Plants*, 11: 12–17.
- Asthary, P.B., Setiawan, Y., Surachman, A., & Saepulloh. (2016). Pertumbuhan Mikroalga *Spirulina platensis* dalam Efluen Industri Kertas. *Jurnal Selulosa*, 3(2): 97-102.
- Babu, M., Ashok, K., Senthil, J., & Kalaiyarasu, T. (2020). Effect of pH on *Arthrospira platensis* Production. *Alochana Chakra Journal*, 9(5): 2297-2305.
- Belay, A. (2008). *Spirulina (Arthrospira): Production and Quality Assurance*. In *Spirulina in Human Nutrition and Health*, Gershwin, M.E., & Belay, A. (Eds.). CRC Press, pp: 1-25.
- Benelhadj, S., Gharsallaoui, A., Degraeve, P., Attia, H., & Ghorbel, D. (2016). Effect of pH on the Functional Properties of *Arthrospira (Spirulina) platensis* Protein Isolate. *Food Chemistry*, 194: 1056-1063.
- Borowitzka, M.A. (2018). Biology of Microalgae. In *Microalgae in Health and Disease Prevention*. Elsevier Inc.
- Boukouvalas, D.T., Prates, R.A., Leal, C.R.L., & de Araújo, S.A. (2019). Automatic segmentation method for CFU counting in single plate-serial dilution. *Chemometrics and Intelligent Laboratory Systems*, 195: 1-14.
- Cardoso, L.G., Lombardi, A.T., de Jesus Silva, J.S., Lemos, P.V.F., Costa, J.A.V., de Souza, C.O., Druzian, J.I., & Chinalia, F.A. (2021). Scaling-up production of *Spirulina* sp. LEB18 grown in aquaculture wastewater. *Aquaculture*, 544: 737045.
- Carney, L.T., & Lane, T.W. (2014). Parasites in Algae Mass Culture. *Frontiers in Aquatic Microbiology*, 5: 1-20.
- Chen, W., Xu, J., Yu, Q., Yuan, Z., Kong, X., Sun, Y., Wang, Z., Zhuang, X., Zhang, Y., & Guo, Y. (2020). Structural insights reveal the effective *Spirulina platensis* cell wall dissociation methods for multi-output recovery. *Bioresource Technology*, 300: 122628.
- Chew, K.W., Chia, S.R., Show, P.L., Yap, Y.J., Ling, T.C., & Chang, J.S. (2018). Effects of water culture medium, cultivation systems and growth modes for microalgae cultivation: A review. *Journal of the Taiwan Institute of Chemical Engineers*, 91: 332–344.
- Chopra, K., & Bishnoi, M. (2008). Antioxidant Profile of *Spirulina*: a Blue-Green

- Microalgae. In *Spirulina in Human Nutrition and Health*, Gershwin, M.E., & Belay, A. (Eds.). CRC Press, pp: 101-118.
- Chronakis, I.S., Galatani, A.N., Nylander, T., & Lindman, B. (2000). The Behaviour of Protein Preparations from Blue-Green Algae (*Spirulina platensis* strain Pacifica) at the Air/Water Interface. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 173(1-3): 181-192.
- Ciferri, O. (1983). *Spirulina*, the Edible Microorganism. *Microbiological Reviews*, 47(4): 55-578.
- Day, J.G., Thomas, N.J., Achilles-Day, U.E.M., & Leakey, R.J.G. (2012). Early Detection of Protozoan Grazers in Algal Biofuel Cultures. *Bioresources Technology*, 114: 715-719.
- De Jesus, S.S., Ferreira, G.F., Moreira, L.S., Maciel, M.R.W., & Filho, R.M. (2019). Comparison of Several Methods for Effective Lipid Extraction from Wet Microalgae using Green Solvents. *Renewable Energy*, 143: 130-141.
- De Morais, M.G., Da Fontoura Prates, D., Moreira, J.B., Duarte, J.H., & Costa, J.A.V. (2018). Phycocyanin from Microalgae: Properties, Extraction, and Purifications, with Some Recent Applications. *Industrial Biotechnology*, 14(1): 30-37.
- Di Caprio, F. (2020). Methods to quantify biological contaminants in microalgae cultures. *Algal Research*, 49: 1-21.
- Dryden, R.C., & Wright, S.J.L. (1987). Predation of Cyanobacteria by Protozoa. *Canadian Journal of Microbiology*, 33: 471-482.
- Eldiehy, K.S.H., Fawzy, M.A., Rawway, M., & Abdul, U.M. (2020). Optimization of biomass and some metabolites productivity of *Merismopedia tenuissima* and *Spirulina (Arthrospira) platensis* grown under stress conditions. *Zanco Journal of Pure and Applied Sciences*, 32(5).
- El-Sayed, A.E.K., & El-Sheekh, M. (2018). Outdoor Cultivation of *Spirulina platensis* for Mass Production. *Notulae Scientia Biologicae*, 10(1): 38-44.
- Forehead, H.I., & O'Kelly, C.J. (2013). Small Doses, Big Troubles: Modeling Growth Dynamics of Organisms Affecting Microalgal Production Cultures in Closed Photobioreactors. *Bioresources Technology*, 129: 329-334.
- Frederiksen, M., Edwards, M., Reichardson, A.J., Halliday, N.C., & Wanless, S. (2006). From Plankton to Top Predators: Bottom-Up Control of a Marine Food Web Across Four Trophic Levels. *Journal of Animal Ecology*, 75(6): 1259-1268.
- Garcia, J.L., De Vicente, M., & Galan, B. (2017). Microalgae, Old Sustainable Food and Fashion Nutraceuticals. *Microbial Biotechnology*, 10(5): 1017-1024.
- Giordano, M., & Wang, Q. (2017). Microalgae for Industrial Purpose. In *Biomass and Green Chemistry: Building a Renewable Pathway*, pp: 133-167.
- Gomez-Gil, B., Thompson, F.L., Thompson, C.C., Garcia-Gasca, A., Roque, A., &

Swings, J. (2004). *Vibrio hipanicus* sp. Nov., Isolated from *Artemia* sp. And Sea Water in Spain. *International Journal of Systematic and Evolutionary Microbiology*, 54(1): 261-265.

GPS Safety Summary. (2011). Sodium Hydroxide (NaOH). *Evonik Industries AG*, 1–6. [https://corporate.evonik.com/downloads/corporate/gps-summaries/gps-summary-sodium-hydroxide-\(naoh\).pdf](https://corporate.evonik.com/downloads/corporate/gps-summaries/gps-summary-sodium-hydroxide-(naoh).pdf)

Guillard, R.R.L., & Sieracki, M.S. (2005). Counting Cells in Cultures with the Light Microscope. In *Algal Culturing Techniques*, Andersen, R.A. (Eds.). Elsevier Academic Press, pp: 239-252.

Habib, M.A.B., Parvin, M., Huntington, T.C., & Hasan, M.R. (2008). A Review on Culture, Production and Use of *Spirulina* as Food for Humans and Feeds for Domestic Animals and Fish. *FAO Fisheries and Aquaculture Circular*, 1034: 1-44.

Hewavitharana, G.G., Perera, D.N., Navaratne, S.B., & Wickramasinghe, I. (2020). Extraction methods of fat from food samples and preparation of fatty acid methyl esters for gas chromatography: A review. *Arabian Journal of Chemistry*, 13(8): 6865–6875.

Hongsthong, A., Sirijuntarut, M., Prommeenate, P., Thammathorn, S., Bunnag, B., Cheevadhanarak, S., & Tanticharoen, M. (2007). Revealing Differentially Expressed Proteins in Two Morphological Forms of *Spirulina platensis* by Proteomic Analysis. *Molecular Biotechnology*, 36(2): 123-130.

Ismail, M.M.S., El-Ayouty, Y.M., & Piercey-Normore, M. (2016). Role of pH on Antioxidants Production by *Spirulina (Arthrospira) platensis*. *Brazilian Journal of Microbiology*, 47(2): 298–304.

Jangir, M.M., Chowdhury, S., & Bhagavatula, V. (2021). Differential response of photosynthetic apparatus towards alkalie pH treatment in NIES-39 and PCC 7345 strains of *Arthrospira platensis*. *International Microbiology*, 24(2): 219–231.

Jung, F., Krüger-Genge, A., Waldeck, P., & Küpper, J.H. (2019). *Spirulina platensis*, a Super Food? *Journal of Cellular Biotechnology*, 5(1): 43–54.

Jung, J. Y., Yang, J. W., Kim, K., Hwang, K. T., Jung, S. M. G., & Kwon, J. H. (2015). Cost-efficient cultivation of *Spirulina platensis* by chemical absorption of CO<sub>2</sub> into medium containing NaOH. *Korean Journal of Chemical Engineering*, 32(11): 2285–2289.

Kan, Y., & Pan, J. (2010). A One-Shot Solution to Bacterial and Fungal Contamination in the Green Algae *Chlamydomonas reinhardtii* Culture by Using an Antibiotic Cocktail. *Journal of Phycology*, 46(6): 1356–1358.

Kawaroe, M., Prartono, T., Sunuddin, A., Sari, D.W., & Augustine, D. (2010). *Mikroalga Potensi dan Pemanfaatannya untuk Produksi Bio Bahan Bakar*. PT Penerbit IPB Press.

- Khalil, Z.I., Asker, M.M.S., El-Sayed, S., & Kobbia, I.A. (2010). Effect of pH on growth and biochemical responses of *Dunaliella bardawil* and *Chlorella ellipsoidea*. *World Journal of Microbiology and Biotechnology*, 26(7): 1225–1231.
- Lam, T.P., Lee, T.M., Chen, C.Y., & Chang, J.S. (2018). Strategies to control biological contaminants during microalgal cultivation in open ponds. *Bioresource Technology*, 252: 180–187.
- Lichtenthaler, H.K., & Buschmann, C. (2001). Chlorophylls and Carotenoids Measurement and UV-VIS Characterization Lichtenthaler 2001. *Current Protocols in Food Analytical Chemistry*, F4.3.1-F4.(Supplement 1): 1-8.
- Liu, W., Wang, J., & Liu, T. (2019). Low pH rather than high CO<sub>2</sub> concentration itself inhibits growth of *Arthrospira*. *Science of the Total Environment*, 666: 572–580.
- Ma, A.T., Daniels, E.F., Gulizia, N., & Brahamsha, B. (2016). Isolation of Diverse Amoebal Grazers of Freshwater Cyanobacteria for the Development of Model Systems to Study Predator-Prey Interactions. *Algal Research*, 13(1): 85–93.
- Madigan, M.T., Martinko, J.M., & Brock, T.D. (2006). *Brock Biology of Microorganisms*. NJ: Pearson Prentice Hall.
- Madkour, F.F., Kamil, A.E.W., & Nasr, H.S. (2012). Production and Nutritive Value of *Spirulina platensis* in Reduced Cost Media. *Egyptian Journal of Aquatic Research*, 38(1): 51–57.
- Martín, J., Sarria, L.F., & Asuero, A.G. (2017). The Kjeldahl Titrimetric Finish: On the Ammonia Titration Trapping in Boric Acid. *Advances in Titration Techniques*, 23-58.
- McBride, R.C., Lopez, S., Meenach, C., Burnett, M., Lee, P.A., Nohilly, F., & Behnke, C. (2014). Contamination Management in Low Cost Open Algae Ponds for Biofuels Production. *Industrial Biotechnology*, 10(3): 221–227.
- Mehar, J., Shekh, A., Nethravathy, M.U., Sarada, R., Chauhan, V.S., & Mudliar, S. (2019). Automation of Pilot-Scale Open Raceway Pond: A Case Study of CO<sub>2</sub>-fed pH Control on *Spirulina* Biomass, Protein, and Phycocyanin Production. *Journal of CO<sub>2</sub> Utilization*, 33: 384–393.
- Meseck, S.L. (2007). Controlling the Growth of a Cyanobacterial Contaminant, *Synechococcus* sp., in a Culture of *Tetraselmis chui* (PLY429) by Varying pH: Implications for Outdoor Aquaculture Production. *Aquaculture*, 273(4): 566–572.
- Moheimani, N.R., Borowitzka, M.A., Isdepsky, A., & Sing, S.F. (2013). Standart Methods for Measuring Growth of Algae and Their Composition. In *Algae for Biofuels and Energy (Developments in Applied Phycology Book 5) (2013<sup>th</sup> ed.)*, Borowitzka, M.A., & Moheimani, N.R. (Eds.). Springer, pp: 265-284.
- Molina, D., De Carvalho, J.C., Júnior, A.I.M., Faulds, C., Bertrand, E., & Soccol, C.R. (2019). Biological Contamination and Its Chemical Control in Microalgal

- Mass Cultures. *Applied Microbiology and Biotechnology*, 103(23–24): 9345–9358.
- Morales, M., Sánchez, L., & Revah, S. (2018). The impact of environmental factors on carbon dioxide fixation by microalgae. *FEMS Microbiology Letters*, 365(3): 1–11.
- Moreno-Garrido, I., & Cañavate, J.P. (2001). Assessing Chemical Compounds for Controlling Predator Ciliates in Outdoor Mass Cultures of the Green Algae *Dunaliella salina*. *Aquacultural Engineering*, 24(2): 107–114.
- Munawaroh, H. S. H., Fathur, R. M., Gumilar, G., Aisyah, S., Yuliani, G., Mudzakir, A., & Wulandari, A. P. (2019). Characterization and physicochemical properties of chlorophyll extract from *Spirulina* sp. *Journal of Physics: Conference Series*, 1280(2): 1-6.
- Oncel, S., & Sukan, F.V. (2008). Comparison of two different pneumatically mixed column photobioreactors for the cultivation of *Arthrospira platensis* (*Spirulina platensis*). *Bioresource Technology*, 99(11): 4755–4760.
- Pandey, J.P., Pathak, N., & Tiwari, A. (2010). Standardization of pH and Light Intensity for the Biomass Production of *Spirulina platensis*. *Journal of Algal Biomass Utilization*, 1(2): 93-102.
- Park, S., Van Ginkel, S.W., Pradeep, P., Igou, T., Yi, C., Snell, T., & Chen, Y. (2016). The Selective Use of Hypochlorite to Prevent Pond Crashes for Algae-Biofuel Production. *Water Environment Research*, 88(1): 70–78.
- Peng, L., Lan, C.Q., Zhang, Z., Sarch, C., & Laporte, M. (2015). Control of Protozoa Contamination and Lipid Accumulation in *Neochloris oleoabundans* Culture: Effects of pH and Dissolved Inorganic Carbon. *Bioresource Technology*, 197: 143–151.
- Phang, S.M., Miah, M.S., Yeoh, B.G., & Hashim, M.A. (2000). *Spirulina* Cultivation in Digested Sago Starch Factory Wastewater. *Journal of Applied Phycology*, 12(3–5): 395–400.
- Pleissner, D., Lindner, A.V., & Ambati, R.R. (2020). Techniques to Control Microbial Contaminants in Nonsterile Microalgae Cultivation. *Applied Biochemistry and Biotechnology*, 192(4): 1376–1385.
- Ramanna, L., Rawat, I., Zerrouki, D., & Bux, F. (2018). A Novel Organic Dye-Based Approach to Increase Photon Flux Density for Enhanced Microalgal Pigment Production. *Journal of Cleaner Production*, 198: 187–194.
- Rangel-yagui, C.D.O., Dalva, E., Danesi, G., Monteiro, C., & Sato, S. (2004). Chlorophyll Production from *Spirulina platensis*: Cultivation with Urea Addition by Fed-Batch Process. *Bioresource Technology*, 92: 133–141.
- Raven, J.A., Cockell, C.S., & De La Rocha, C.L. (2008). The Evolution of Inorganic Carbon Concentrating Mechanisms in Photosynthesis. *Philosophical Transactions of the Royal Society B: Biological Sciences*,

363(1504): 2641–2650.

- Richmond, A., & Hu, Q. (2013). *Handbook of Microalgal Culture*. Wiley Blackwell.
- Rosaini, H., Rasyid, R., & Hagramida, V. (2015). Penetapan Kadar Protein Secara Kjeldahl Beberapa Makanan Olahan Kerang Remis (*Corbiculla moltkiana* Prime.) dari Danau Singkarak. *Jurnal Farmasi Higea*, 7(2): 120–127.
- Sakarika, M., & Kornaros, M. (2016). Effect of pH on growth and lipid accumulation kinetics of the microalga *Chlorella vulgaris* grown heterotrophically under sulfur limitation. *Bioresource Technology*, 219: 694–701.
- Salvesen, I., Reitan, K.I., Skjermo, J., & Oie, G. (2000). Microbial Environments in Marine Larviculture: Impacts of Algal Growth Rates on the Bacterial Load in Six Microalgae. *Aquaculture International*, 8(4): 275–287.
- Sanchez, M., Castillo, J.B., Rozo, C., & Rodriguez, I. (2003). *Spirulina* (*Arthrospira*): An Edible Microorganism: A Review. *Universitas Scientiarum*, 8(1): 7–24.
- Sharma, G., Kumar, M., Ali, M.I., & Jasuja, N.D. (2014). Effect of carbon content, salinity and pH on *Spirulina platensis* for phycocyanin, allophycocyanin and phycoerythrin accumulation. *Journal of Microbial and Biochemical Technology*, 6(4): 202–206.
- Shimamatsu, H. (2004). Mass Production of *Spirulina*, an Edible Microalga. *Hydrobiologia*, 512: 39–44.
- Singh, G., Marimuthu, P., De Heluani, C.S., & Catalan, C.A.N. (2006). Antioxidant and Biocidal Activities of *Carum nigrum* (Seed) Essential Oil, Oleoresin, and Their Selected Components. *Journal of Agricultural and Food Chemistry*, 54(1): 174–181.
- Soni, R.A., Sudhakar, K., & Rana, R.S. (2017). *Spirulina* – From Growth to Nutritional Product: A Review. *Trends in Food Science and Technology*, 69: 157–171.
- Soni, R.A., Sudhakar, K., & Rana, R.S. (2019). Comparative Study on the Growth Performance of *Spirulina platensis* on Modifying Culture Media. *Energy Reports*, 5: 327–336.
- Sun, X. M., Ren, L. J., Zhao, Q. Y., Ji, X. J., & Huang, H. (2018). Microalgae for the production of lipid and carotenoids: A review with focus on stress regulation and adaptation. *Biotechnology for Biofuels*, 11(1), 1–16. <https://doi.org/10.1186/s13068-018-1275-9>
- Susilo, B., Damayanti, R., & Izza, N. (2017). *Teknik Bioenergi*. Tim UB Press.
- Suyono, E.A., Haryadi, W., Zusron, M., Nuhamunada, M., Rahayu, S., & Nugroho, A.P. (2015). The Effect of Salinity on Growth, Dry Weight and Lipid Content of the Mixed Microalgae Culture Isolated from Glagah as Biodiesel Substrate.

*Journal of Life Sciences*, 10(5): 229–233.

- Twiner, M.J., Chidiac, P., Dixon, S.J., & Trick, C.G. (2005). Extracellular Organic Compounds from the Ichthyotoxic Red Tide Alga *Heterosigma akashiwo* Elevate Cytosolic Calcium and Induce Apoptosis in Sf9 Cells. *Harmful Algae*, 4(4): 789–800.
- Usharani, G., Saranraj, P., & Kanchana, D. (2012). *Spirulina* Cultivation: A Review. *International Journal of Pharmaceutical & Biological Archives*, 3(6): 1327–1341.
- Vadlamani, A., Viamajala, S., Pendyala, B., & Varanasi, S. (2017). Cultivation of Microalgae at Extreme Alkaline pH Conditions: A Novel Approach for Biofuel Production. *ACS Sustainable Chemistry and Engineering*, 5(8): 7284–7294.
- Vonshak, A. (1997). *Spirulina platensis (Arthrospira): Physiology, Cell-Biology, and Biotechnology*. PA: Taylor & Francis.
- Wang, H., Pampati, N., McCormick, W.M., & Bhattacharyya, L. (2016). Protein Nitrogen Determination by Kjeldahl Digestion and Ion Chromatography. *Journal of Pharmaceutical Sciences*, 105(6): 1851–1857.
- Wang, H., Zhang, W., Chen, L., Wang, J., & Liu, T. (2013). The Contamination and Control of Biological Pollutants in Mass Cultivation of Microalgae. *Bioresource Technology*, 128: 745–750.
- Wicaksono, H.A., Satyantini, W.H., & Masithah, E.D. (2019). The Spectrum of Light and Nutrients Required to Increase the Production of Phycocyanin *Spirulina platensis*. *IOP Conference Series: Earth and Environmental Science*, 236(1): 1-7.
- Wolf-Gladrow, D.A., Zeebe, R.E., Klaas, C., Körtzinger, A., & Dickson, A.G. (2007). Total Alkalinity: The Explicit Conservative Expression and Its Application to Biogeochemical Processes. *Marine Chemistry*, 106(1-2 SPEC. ISS.): 287–300.
- Yin, D., Wang, Z., Wen, X., Ding, Y., Hou, X., Geng, Y., & Li, Y. (2019). Effects of carbon concentration, pH, and bubbling depth on carbon dioxide absorption ratio in microalgae medium. *Environmental Science and Pollution Research*, 26(32): 32902–32910.
- Zhai, J., Li, X., Li, W., Rahaman, M.H., Zhao, Y., Wei, B., & Wei, H. (2017). Optimization of Biomass Production and Nutrients Removal by *Spirulina platensis* from Municipal Wastewater. *Ecological Engineering*, 108: 83–92.
- Zhou, W., Li, Y., Gao, Y., & Zhao, H. (2017). Nutrients Removal and Recovery From Saline Wastewater by *Spirulina platensis*. *Bioresource Technology*, 245(August): 10–17.