

DAFTAR PUSTAKA

- Adel, A.M., Wahab Z.A., Ibrahim A.A., Shemy M. 2011. Characteristic Of Microcrystalline Cellulose Prepared From Lignocellulosic Material. Part II:Phsycochemical Properties. *Carbohydrate Polymers*. 83: 675-687
- Agarwal C., Ilindra A., Karadhajne V. 2012. Carboxymethyl Cellulose Versus Microcrystalline Cellulose In The Manufacturing Of Liquid Detergent. *Indian Journal Of Chemical Technology*. 19: 149-151
- Ansari, K.B., Gaikar, V.G., 2014. Green Hidrotropic Extraction Technology For Delignification Of Sugarcane Bagasse By Using Alkybenzene Sulfonates As Hidrotropes. *Chemical Engineering Science*. 115. 157–166.
- Artati EK, Effendi A, Haryanto T. 2009. Pengaruh Konsentrasi Larutan Pemasak Pada Proses Delignifikasi Eceng Gondok Dengan Proses Organosolv. *Equilibrium*. 8(1):25-27.
- Asadi, N., Zilouei, H. 2017. Optimization Of Organosolv Pretreatment Of Rice Straw For Enhanced Biohydrogen Production Using Enterobacter Aerogenes. *Bioresource Technology*. 227. 335–344
- Awa K., Shinzawa H., Ozaki Y. 2015. Hydrophilic Property Of Tablets And The Hydrolysis Of Acetylsalicylic Acid As Active Pharmaceutical Ingredient Inside Tablets. *AAPS Pharmscitech*. 16(4): 865–870.
- Azhar., S. 2005. Extraction Of Polymeric Hemicelluloses From Spruce Wood. Doctoral Thesis Wallenberg Wood Science Center Department Of Fiber And Polymer Technology School Of Chemical Science And Engineering KTH Royal Institute Of Technology
- Barahona PP., Mayorga BB., Martin Gill J., Martin Ramos P. 2020. Cellulosic Ethanol: Improving Cost Efficiency By Coupling Semi-Continuous Fermentation And Simultaneous Saccharification Strategies. *Processes*. 8, 1459; Doi:10.3390/Pr8111459
- Belmares, M., Blanco, M., Goddard, W A., Ross, R B., Caldwell, G., Chou, S., Pham, J., Olofson, P M. 2004. Molecular Dynamics With Applications To Electronic Nose Polymer Sensors. *Journal Of Computational Chemistry*. Vol. 25, No. 15.

- BPPT, 2020. Outlook Teknologi Kesehatan 2020: Inisiatif Penguatan Rantai Pasok Bahan Baku Obat. Pusat Pengkajian Industri Proses Dan Energi (PPIPE) Badan Pengkajian Dan Penerapan Teknologi (BPPT).
- BPS, 2020. Statistik Perdagangan Luar Negeri Impor 2020.
- Chaerunissa, A.Y., Sriwidodo., Abdassah, M. 2019. Microcrystalline Cellulose As Pharmaceutical Excipient. *Pharmaceutical Formulation Design - Recent Practices*. Intechopen.
- Cai J, Zhang L. 2005. Rapid Dissolution Of Cellulose In Lioh/ Urea And Naoh/Urea Aqueous Solutions. *Macromol Biosci* 5(6):539–548. Doi:10.1002/Mabi.200400222
- Cai J, Liu YT, Zhang LN. 2006. Dilute Solution Properties Of Cellulose In Lioh/Urea Aqueous System. *J Polym Sci Polym Phys* 44(21):3093–3101. Doi:10.1002/Polb.20938
- Cai J, Zhang LN, Chang CY, Cheng GZ, Chen XM, Chu B. 2007. Hydrogen-Bond-Induced Inclusion Complex In Aqueous Cellulose/Lioh/Urea Solution At Low Temperature. *Chemphyschem* 8(10):1572–1579. Doi:10.1002/Cphc. 200700229
- Cai L, Liu Y, Liang H. 2012. Impact Of Hydrogen Bonding On Inclusion Layer Of Urea To Cellulose: Study Of Molecular Dynamics Simulation. *Polymer* 53(5):1124–1130
- Chaudary, SP., Dan Patil, PS. 2012. Pharmaceutical Excipients: A Review. *International Journal Of Advances In Pharmacy, Biology And Chemistry*. Vol. 1. No 1.
- Chen L., Dou J., Maq. 2017. Rapid And Near-Complete Dissolution Of Wood Lignin At $\leq 80^{\circ}\text{C}$ By A Recyclable Acid Hydrotrope. *Sci. Adv.* 2017;3 : E1701735
- Chimentao RJ, Lorente F, Gispert Guirado F, Lopez MF. 2014. Hydrolysis Of Dillute Acid Pretreated Cellulose Under Mild Hydrothermal Conditions. *Carbohydrate Polymers*.
- Dandekar, D., Gaikar, V., 2003,” Hidrotropic Extraction Of Curcuminoids From Turmeric”, *Separation Science And Technology*, 38, 1185-1215

- Dandekar, D., Jayaprakasha, G.K., Patil, B., 2008, “ Hidrotropic Extraction Of Bioactive Limonin From Sour Orange Seed”, *Food Chemistry*, 109, 515-520
- Dang VQ., Nguyen KL. 2007. A Universal Kinetic Equation For Characterising The Fractal Nature Of Delignification Of Lignocellulosic Materials. *Cellulose* . 14:153 –160
- Daniyanto, Sutidjan, Deendarlianto And Budiman A. 2015. Torrefaction Of Indonesian Sugar-Cane Bagasse To Improve Bio-Syngas Quality For Gasification Process. *Energy Procedia* 68:157–166 (2015).
- Das S. Mukhopadhyay AK. Basu D. 2009. Prospect Of Microwave Processing:An Overview. *Bulletin Of Material Science*. 32(1):1-13.
- Denisova M. N., Kukhlenko A.A., Orlov S E., Sakovich G.V. 2015. The Characteristics Of The Hydrotropic Miscanthus Pulp. *Russian Chemical Bulletin, International Edition*, Vol. 64, No. 9, Pp. 2182—2188
- Devendra L.P., A. Pandey. 2016. Hidrotropic *Pre-Treatment* On Rice Straw For Bioethanol Production, *Renewable Energi*.
- Dhapte V, Mehta P. 2015 . Advances In Hydrotropic Solutions: An Updated Review. *St.Petersburg Polytechnical University Journal: Physics And Mathematics*. 424–435
- Diedericks, D., Van Rensburg, E., Gorgens, J.F.. 2012. Fractionation Of Sugarcane Bagasse Using A Combined Process Of Dilute Acid And Ionic Liquid Treatments. *Appl. Biochem. Biotechnol*. 167 (7), 1921–1937.
- Doherty B, Rainey, T. 2006. Bagasse Fractionation By The Soda Process. In Hogarth, D (Ed.) *Proceedings Of The Australian Society Of Sugar Cane Technologists* 2006, 2-5 May 2006, Australia, Queensland, Mackay.
- Domínguez-Robles J, Sarah A. Stewart, Andreas Rendl, Zoilo González, Ryan F. Donnelly And Eneko Larrañeta. 2019. Lignin And Cellulose Blends As Pharmaceutical Excipient For Tablet Manufacturing Via Direct Compression. *Biomolecules*. 9, 423; Doi:10.3390/Biom9090423

- Dong L. Cao G., Zhao L. 2018. Alkali/Urea Pretreatment Of Rice Straw At Low Temperature For Enhanced Biological Hydrogen Production. *Bioresource Technology* 267 (2018) 71–76
- Duan Q., Shuai X., Yang D. 2020. Kinetic Analysis Of Pulping Of Rice Straw With P-Toluene Sulfonic Acid. *ACS Omega*. DOI: /10.1021/Acsomega.9b03622
- Epelde IG., Lindgren CT. 2015. Kinetics Of Wheat Straw Delignification In Soda And Kraft Pulping. *Journal Of Wood Chemistry And Technology*. 18:1, 69-82
- Fatriasari, W., Masruchin, N., Hermiati, E. 2019. Selulosa Karakteristik Dan Pemanfaatannya. LIPI Press.
- Ferrer A. Vega A. Rodriguez A. Jimenez L. 2013. Acetosolv Delignifikasi For The Fractionation Of Empty Fruit Bunches From Palm Oil Industri. *Bioresource Technology*. 132: 115-120
- Gabov K, Fadim P, Da Silva Junior FG. 2013. Hidrotropic Fractionation Of Birch Wood Into Cellulose And Lignin: A New Step Towards Green Biorefinery. *Bioresources* 8(3)
- Gabov, K. 2018. Hidrotropic Process For Green Biorefinery Applications. Doctor Of Science (Technology) Thesis, Abo Akademi University, Faculty Of Science And Engineering, Laboratory Of Fibre And Cellulose Technology
- Ganstrom M. 2009. Cellulose Derivatives: Synthesis, Properties And Applications. Dissertation. Faculty Of Science Of The University Of Helsinki.
- Garcia-Fuentevilla L., Martin-Sampedro R., Domínguez P., Villar JC. 2013. Refining And Urea Pretreatments To Enhance Biobleaching Of Eucalyptus Kraft Pulp. *Bioresources*. 8(4), 4849-4863
- Eugenio, María Edkk., 2013 Refining And Urea Pretreatments To Enhance Biobleaching Of Eucalyptus Kraft Pulp
- Grenmann H., Warna J., Mikkola JP., Sifontes V., Fardim P., Murzin DY., Salmi T. 2010. Modeling The Influence Of Wood Anisotropy And Internal

- Diffusion On Delignification Kinetics. *Ind. Eng. Chem. Res.* 2010, 49, 9703–9711
- Gromov, V. S. 1963. The Mechanism Of Hydrotropic Pulping. *Tr. Inst. Lesokhoz. Probl. Khim. Drev. Akad. Nauk Latv. SSR* 25, 3-27.
- Hartati I. Kurniasari L. Anas Y. Aniq N. 2014. The Application Of Hidrotropes As Medium In The Microwave Assisted Extraction Of Andrographolide. *Indonesian Journal Of Pharmacy*. Vol25 (4): 269-274
- Hartati I. Kurniasari L. Anas Y. 2015. Mathematical Model Of Hidrotropic Microwave Assisted Extraction Of Anti Malarial Agent Form A *Paniculata*. *Procedia Chemistry*. 14. 186-192.
- Hassan ML., El-Sahkawy M. 2005. Physical And Mechanical Properties Of Microcrystalline Cellulose Prepared From Local Agricultural Residus. *8th Arab International Conference On Polymer Science & Technology*.
- Hindi S.S.Z. 2017. Microcrystalline Cellulose: The Inexhaustible Treasure For Pharmaceutical Industri. *Nanoscience And Nanotechnology Research*. Vol. 4. No. 1. 17-24
- Ho,CL., Wang, E I C., Su, Y C. 2009. Tetrahydrofurfuryl Alcohol (THFA) Pulping Of Rice Straw. *Journal Ofwood Chemistry And Technology*, 29: 101–118.
- Hoareau, W., Trindade,WG., Siegmund, B., Castellan, A., Frollini, E. 2004. Sugar Cane Bagasse And Curaua Lignins Oxidized By Chlorine Dioxide And Reacted With Furfuryl Alcohol: Characterization And Stability. *Polymer Degradation And Stability*. 86.567-576
- Huang, G.; Shi, J. X.; Langrish, T. A. G. NH₄OH-KOH Pulping Mechanisms And Kinetics Of Rice Straw. *Bioresour. Technol.* 2007, 98, 1218–1223
- ITC. 2005. Supply And Demand Survey On Pharmaceuticals And Natural Products. Indonesia.
- Ilindra A. Dhake JD. 2008. Microcrystalline Cellulose From Bagasse And Rice Straw. *Indian Journal Of Chemical Technology*. 15:497-499.
- Jahan, SM., 2006. Formic Acid Delignifikasi Of Bagasse. *Bangladesh J.Sci.Ind. Res.* 41: 245-250

- Jain, P., Goel, A., Parmar, M., 2010, Solubility Enhancement Techniques With Special Emphasis On Hidrotropy”, *International Journal Of Pharma Proffessional’s Research*, 1, 34-45
- Korpinen, R., Fardim, P., 2009. Lignin Extraction From Wood Biomass By A Hidrotropic Solution. O Papel 70, 69–82.
- Kementrian Kesehatan. 2020. Peraturan Menteri Kesehatan Republik Indonesia No 87 Tahun 2013 Tentang Peta Jalan Pengembangan Bahan Baku Obat.
- Kumar, A. K., Parikh, B. S., & Pravakar, M. 2016. Natural Deep Eutectic Solvent Mediated Pretreatment Of Rice Straw: Bioanalytical Characterization Of Lignin Extract And En- Zymatic Hydrolysis Of Pretreated Biomass Residue. *Environmental Science And Pollution Research*. 23(10), 9265–9275.
- Landín M, Martínez-Pacheco R, Gómez-Amoza JL, Souto C, Concheiro A, Rowe RC. Influence Of Microcrystalline Cellulose Source And Batch Variation On The Tableting Behaviour And Stability Of Prednisone Formulations. *International Journal Of Pharmaceutics*. 26 April 1993;91(2-3):143-149
- Li M, Jiang H, Zhang L, Yu X, Liu H, Yagoub AEA, Zhou C. 2020. Synthesis Of 5-HMF From An Ultrasound-Ionic Liquid Pretreated Sugarcane Bagasse By Using A Microwave-Solid Acid/Ionic Liquid System. *Ind Crops Prod*.
- Lindman, B., Karlström, G., Stigsson, L. (2010) On The Mechanism Of Dissolution Of Cellulose. *Mol. Liq*. 156:76–81.
- Lund M. 2015. The mechanism of cellulose solubilization by urea studied by molecular simulation. *Cellulose*. DOI 10.1007/s10570-015-0548-8
- Machado, A. D. S., And Ferraz, A. (2017). Biological Pretreatment Of Sugarcane Bagasse With Basidiomycetes Producing Varied Patterns Of Biodegradation. *Bioresour. Technol*. 225, 17–22. Doi: 10.1016/J.Biortech.2016.11.053
- Mamaye, M., Kiflie, Z., Feleke, S., Yimam, A. 2020. Evaluation And Optimization Of Kraft Delignification And Single Stage Hydrogen Peroxide Bleaching For Ethiopian Sugarcane Bagasse. *Journal Of Natural Fiber*. DOI: 10.1080/15440478.2020.1764447.

- Maryana, R., Ma, D., Wheni, AI., Satriyo, KW., Rizal, WA. 2014. Alkaline Pretreatment On Sugarcane Bagasse For Bioethanol Production Alkaline Pretreatment On Sugarcane Bagasse For Bioethanol Production. *Energy Procedia*. 47. 250 – 254
- Menandro LMS., Cantarella, H., Franco, HCC. 2017. Comprehensive Assessment Of Sugarcane Straw: Implications For Biomass And Bioenergy Production. *Biofuels, Bioproducts And Biorefining*. DOI: 10.1002/Bbb.1760
- Mikulski, D., Klosowski, G. 2020. Microwave-Assisted Hydrotropic Pretreatment As A New And Highly Efficient Way To Cellulosic Ethanol Production From Maize Distillery Stillage. *Research Square*. DOI: <https://doi.org/10.21203/rs.3.rs-36466/v1>
- Moubarik, A., Grimi, N., Boussetta, N., Pizzi, A. 2013. Isolation And Characterization Of Lignin From Moroccan Sugar Cane Bagasse : Production Of Lignin – Phenol-Formaldehyde Wood Adhesive. *Industrial Crops And Products* 45. 296– 302.
- Mishra, S., Gailar, V., 2009, “ Hydrotropic Extraction Process For Recovery Of Forskolin From Coleus Forskohlii Roots”, *Indian Engineering Chemical Research*, 48, 8083-8090
- Moniz P., Lino J., Duarte LC., 2005. Fractionation Of Hemicelluloses And Lignin From Rice Straw By Combining Autohydrolysis And Optimised Mild Organosolv Delignification. *Bioresources* 10(2), 2626-2641.
- Mou H, Fardim P, WU S. 2016. A Novel Green Biomass Fractionation Technology: Hydrotropic *Pre-Treatment*. Biomass Fractionation Technologies For A Lignocellulosic Feedstock Based Biorefinery. Edit By Musatto SI
- Musatto SI, Dragone GM. 2016. Biomass *Pre-Treatment*, Biorefineries, And Potential Products For A Bioeconomy Development. Biomass Fractionation Technologies For A Lignocellulosic Feedstock Based Biorefinery. Edit By Musatto SI.

- Nazir MS. Wahjoedi BA. Yussof AW. Abdullah MA. 2013. Eco Friendly Extraction And Characterization Of Cellulose From Oil Palm Empty Fruit Bunches. *Bioresources*. 8(2):2161-2172.
- Nazzal S. Zahgoul AA. Khan MA. 2002. Effect Of Extragranular Microcrystalline Cellulose On Compaction, Surface Roughness And In Vitro Dissolution Of An Self Nanoemulsified Solid Dosage Form Of Ubiquinone. *Pharmaceutical Technology*.
- Nikolakakis I. Tsarvouli K. Malamastris S. 2006. Water Retention And Drainage In Different Brands Of Microcrystalline Cellulose: Effect Of Measuring Conditions. *European Journal Of Pharmaceutics And Biopharmaceutics*. 63:278-287.
- Novo, L.P., Gurgel, L.V.A., Marabezi, K., Curvelo, A.A. Da Silva, 2011. Delignification Of Sugarcane Bagasse Using Glycerol-Water Mixtures To Produce Pulps For Saccharification. *Bioresour. Technol*. 102, 10040–10046.
- Obumne OO. 2013. The Effect Of Delignifikasi Concentration Treatment On The Properties Of Microcrystalline Cellulose Powder Obtained From Waste Paper. *Carbohydrate Polymer*. 98:721-725
- Oyeni YJ. Itiola OA. 2012. The Physicochemical Characteristic Of Microcrystalline Cellulose Derived From Sawdust Agricultural Waste Product. *International Journal Of Pharmacy And Pharmaceutical Sciences*. 4(1).
- Özdenkçi K. De Blasio C. Muddassar HR. Melin K. Oinas P. Koskinen J. Sarwar G. Mika Järvinen M. 2017. Novel Biorefinery Integration Concept For Lignocellulosic Biomass. *Energi Conversion And Management*. 149. 974–987.
- Pan, M., Zhao, G., Ding, C. 2017. Physicochemical Transformation Of Rice Straw After Pretreatment With A Deep Eutectic Solvent Of Choline Chloride/Urea. *Carbohydrate Polymers*. 176. 307–314
- Pardo LMF., Mendoza JGS. Galan JEL. 2019. Influence Of Pretreatments On Crystallinity And Enzymatic Hydrolysis In Sugar Cane Residues.

- Raman, G., Gaikar, V., 2002, “ Extraction Of Piperine From Piper Nigrum (Blac Pepper) By Hidrotropic Solubilization” *Ind. Eng. Chem. Res.*, 41, 2966-2976
- Ramli R. Junadi N., Beg MDH., Yunus RM. 2015. Microcrystalline Cellulose (MCC) From Oil Palm Empty Fruit Bunch (EFB) Fiber Via Simultaneous Ultrasonic And Alkali Treatment. *World Academy Of Science, Engineering And Technology International Journal Of Materials And Metallurgical Engineering* Vol:9, No:1.
- Rodriguez dos Santos Rocha MS., Pratto B., De Sausa Junior R. 2017. A kinetic model for hydrothermal pretreatment of sugarcane straw. *Bioresource Technology* 228 (2017) 176–185
- Rodriguez, A.; Moral, A.; Serrano, L.; Labidi, J.; Jimenez, L. 2008. Rice Straw Pulp Obtained By Using Various Methods. *Bioresource Technol.* 99, 2881–2886
- Rowe, RC., Sheskey, PJ., Owen, SC. 2009. Handbook Of Pharmaceutical Excipients. Pharmaceutical Pres. Great Britain.
- Salman, K., Salih, JM. 2017. A New Approach To Estimate Hansen Solubility Parameters Using Maple A New Approach To Estimate Hansen Solubility Parameters Using Maple Software. *International Journal Of Applied Engineering Research*. Volume 12, No 15. 4858-4863
- Sarkanen, Simo, Teller, David C., Stevens, Clyde R., Mccarthy, Joseph L., 1984. Lignin. 20. Associative Interactions Between Kraft Lignin Components. *Macromolecules* 17 (12), 2588e2597
- Schenzel K., Fischer S., Brendler E. 2005. New Method For Determining The Degree Of Cellulose I Crystallinity By Means Of FT Raman Spectroscopy. DOI. 10.1007/S10570-004-3885-6
- Setu NI. 2014. Preparation Of Microcrystalline Cellulose From Cotton And Its Evaluation As Direct Compressible Excipient In The Formulation Of Naproxen Tablets. *Dhaka Univ. J. Pharm. Sci.* 13(2): 187-192

- Shao X., Wang J. 2020. Preparation And Characterization Of Porous Microcrystalline Cellulose From Corncob. *Industrial Crops & Products*. DOI 10.1016/J.Indcrop.2020.112457
- Sindhu, R., Binod, P., Satyanagalakshmi, K. 2010. Formic Acid As A Potential Pretreatment Agent For The Conversion Of Sugarcane Bagasse To Bioethanol. *Appl Biochem Biotechnol*. 162:2313–2323
- Song Y., Chandra RP., Zhang X. 2019. Comparing Deep Eutectic Solvent (DES) to Hydrotropes for their Ability to Enhance the Fractionation and Enzymatic Hydrolysis of Willow and Corn Stove. *Sustanaineble Energy and Fuels*. 2020
- Sumada, K., Tamara, PE., Afani, F. 2011. Kajian Proses Isolasi A Selulosa Dari Limbah Batang Tanaman Manihot Esculenta Crantz Yang Efisien. *Jurnal Teknik Kimia* Vol.5, No.2.
- Terinte, N., Ibbett, R., Schuster, K.C., 2011. Overview On Native Cellulose And Microcrystalline Cellulose I Structure Studied By X-Ray Diffraction (Waxd): Comparison Between Measurement Techniques. *Lenzinger Berichte* 89, 118– 131.
- Thoorens G, Krier F, Leclerrq B, Carlin B, Evrard B. 2014. Microcrystalline Cellulose, A Direct Compression Binder In Quality By Design Environment-A Review. *International Journal Of Pharmaceutics*. 473
- Tolber A. Akinosho H. 2014. Characterization and analysis of the molecular weight of lignin for biorefi ning studies. *Biofuels, Bioprod. Bioref.* DOI: 10.1002/bbb.1500
- Trache D, Donnot A, Khimeche K, Benelmir R, Brosse N. 2014. Physico Chemical Properties And Thermal Stability Of MCC Isolated From Alfa Fibres. *Carbohydrate Polymer*.104
- Vebber GC. 2013. Calculating Hansen Solubility Parameters of Polymers with Genetic Algorithms. *J. Appl. Polym. Sci.* 2013, DOI: 10.1002/APP.39696
- Vemula, V.R., Lagishetty, V., Lingala, S., 2010, “ Solubility Enhancement Techniques”, *International Journal Of Pharmaceutical Sciences Review And Research*, 5,41-51

- Vinicius L., Gurgel A. Mababezi K. 2012. Characterization Of Depolymerized Residues From Extremely Low Acid Hydrolysis (ELA) Of Sugarcane Bagasse Cellulose : Effects Of Degree Of Polymerization , Crystallinity And Crystallite Size On Thermal Decomposition. 10.1016/J.Indcrop.2011.11.009
- Volmer, M. 2004. Physics Of The Microwave Oven. *Physics Education*. Vol 39. No 1
- Walters MG. 2020. The role of urea in the solubility of cellulose in aqueous quaternary ammonium hydroxide. Royal Society of Chemistry. 10,5919–5929 |
- Wang Z. Sun XX, Lian ZX. Wang XX. Zhou J. Ma ZS. 2013. The Effects Of Ultrasonic/Microwave Assisted Treatment On The Properties Of Soy Protein Isolate/Microcrystalline Wheat Bran Cellulose Film. *Journal Of Food Engineering*. 114:183-191.
- Wang, L., Zhang, K., Xu, Y., Zhang, M., Wang, D., 2018. High-Solid Pre-Treatment Of Corn Stover Using Urea For Enzymatic Saccharification. *Bioresour. Technol.* 259 (1), 83–90.
- Wernerson Erik., 2015. The Mechanism of Cellulose Solubilization by Urea Studied by Molecular Simulation. *Cellulose*
- Wunna K. Nakasaki K. 2017. Effect Of Alkali Pretreatment On Removal Of Lignin From Sugarcane Bagasse. *Chemical engineering transactions* VOL. 56, 2017
- Xiong B. Zhao P., 2014. Dissolution Of Cellulose In Aqueous Naoh/Urea Solution: Role Of Urea. *Cellulose* (2014) 21:1183–1192
- Zhang X. Hayward DO. 2006. Applications Of Microwave Dielectric Heating In Environmental Related Heterogeneous Gas-Phase Catalytic Systems. *Inorganika Chimica Acta*. 359:3421-1433.
- Zuo HF. Guo YR. Li SJ. Pan QJ. 2012. Application Of Microcrystalline Cellulose To Fabricate Zno With Enhanced Photocatalytic Activity. *Journal Of Alloys And Compounds*. 617:823-827