

DAFTAR PUSTAKA

- Adeyemi, K.D., M. Ebrahimi., A.A. Samsudin., A.A. Alimon., R. Karim., A.A. Karsani., and A.Q. Sazili. 2015. Influence of carotino oil on in vitro rumen fermentation, metabolism and apparent biohydrogenation of fatty acids. *Anim. Sci. J.* 86: 270-278.
- Adriani, R. Asra, S. Novianti and Fatati, 2019. The effect of *Coleus amboinicus* L. supplementation on In vitro digestibility. *Pak. J. Nutr.*, 18: 241-246.
- Agarwal, N., C. Shekhar., R. Kumar., L.C. Chaudhary., and D.N. Kamra. 2009. Effect of peppermint (*Mentha piperita*) oil on in vitro methanogenesis and fermentation of feed with buffalo rumen liquor. *Anim Feed Sci Technol.* 148: 321–327.
- Alu'datt, M.H., T. Rababah., M.N. Alhamad., G.J. Al-Rabadi., C.C. Tranchant., A. Almajwal., S. Kubow., and I. Alli. 2018. Critical Reviews: Occurrence, types, properties and interactions of phenolic compounds with other food constituents in oil-bearing plants. *J. Food Sci n Nutr*, 58:18, 3209-3218, DOI: 10.1080/10408398.2017.1391169.
- Andriani, L.D., S. Hartini., dan Y. Martono. 2012. Analisis protein dan identifikasi asam amino pada tepung galek terfortifikasi tepung kedelai (*Glycine max* (l)). Seminar Nasional Kimia Dan Pendidikan Kimia IV.
- Angreni, B., B. Liunokas., dan F.K. Karwur. 2020. Isolasi dan identifikasi komponen kimia daging buah dan biji berdasarkan umur buah pala (*Myristica fragrans* Houtt.). *J. Bio Trop.* 20(1): 69-77. doi: 10.29303/jbt.v20i1.1651.
- Ansory, H.M., P.K.K. Putri., N.A. Hidayah., and A. Nilawati. 2018. The Analysis of Nutmeg Mace Essential Oil Compound Using GC-MS and Antibacterial Activity Test Toward *Ecscherichia coli* and *Staphylococcus aureus*. *J Farmaceutik.* 13(2): 56-64. doi: 10.22146/farmaseutik.v13i2.40915.
- AOAC. 2005. Official Method of Analysis of the Association of Official Analytical Chemist. 18th ed. Maryland: AOAC International. William Harwitz (ed). United States of America.
- Ardian, A.A., L.M. Yusiati., C. Hanim., dan M.A. Anas. 2021. *Unpublished manuscript*. Departement of Biochemistry Nutrition. Gadjah Mada University. Yogyakarta.
- Arrijani. 2005. Review: Biologi dan konservasi marga *Myristica* di Indonesia. *Biodiversitas.* 6 (2): 147-151. doi: 10.13057/biodiv/d060216.

- Astuti, M. 2007. Pengantar Ilmu Statistik untuk Peternakan dan Kesehatan Hewan. Binasti Publisher. Bogor.
- Astuti, R. 2019. Pengaruh waktu distilasi minyak biji pala (*Myristica fragrans*) dengan metode distilasi uap dan identifikasi komponen kimiawi. Ind J. Lab. 1 (2): 36-40.
- Bach, A., S. Calsamiglia., and M. D. Stern. 2005. Nitrogen metabolism in the rumen. J. Dairy Sci 88(1):9-21. doi: 10.3168/jds.S0022-0302(05)73133-7.
- Badan Pusat Statistik (BPS) diakses dari <http://www.bps.go.id/>, diakses pada tanggal 10 Juni 2021 pada pukul 13.00 WIB.
- Bakkali, F., S. Averbeck., D. Averbeck., and M. Idaomar. Biological effects of essential oils-A review. Food Chem. Toxicol. 46: 446–475. doi: 10.1016/j.fct.2007.09.106.
- Baratta, M.T., H.J.D. Dorman., S.G. Deans., A.C. Figueiredo., J.G. Barroso., and G. Ruberto. 1998. Antimicrobial and antioxidant properties of some commercial essential oils. Flavour and Fragrance Journal, 13(4), 235–244. doi:10.1002/(sici)1099-1026(1998070)13:4<235::aid-ffj733>3.0.co;2-t.
- Beauchemin, K.A., and S.M. McGinn. 2006. Methane emissions form beef cattle: Effect of fumaric acid, essential oil and canola oil. J. Anim Sci. 84: 1489-1496.
- Benchaar, C. 2016. Diet supplementation with cinnamon oil, cinnamaldehyde, or monensin does not reduce enteric methane production of dairy cows. Animal. 10(3):418-425.
- Benchaar, C. 2020. Feeding oregano oil and its main component carvacrol does not affect ruminal fermentation, nutrient utilization, methane emissions, milk production or milk fatty acid composition of dairy cows. J Dairy Sci. 103:1516-1527. doi: <http://dx.doi.org/10.3168/jds.2019-17230>.
- Benchaar, C., and H. Greathead. 2011. Essential oils and opportunities to mitigate enteric methane emissions from ruminants. J. Anim. Feed Sci. Technol. 166-167:338–355. doi:10.1016/j.anifeedsci.2011.04.024.
- Benchaar, C., S. Calsamiglia., A.V. Chaves., G.R. Fraser., D. Colombatto., T.A. McAllister., and K.A. Beauchemin. 2008. A review of plant-derived essential oils in ruminant nutrition and production. J. Anim Feed Sci and Tech. 145: 209-228. doi: 10.1016/j.anifeedsci.2007.04.014.
- Bergen, W.G., and D.B. Bates. 1984. Ionophores: Their effect on production efficiency and mode of action. J. Anim. Sci. 58: 1465-1483. doi: 10.2527/jas1984.5861465x.

- Bodas, R., N. Prieto., R. García-González., S. Andrés., F.J. Giráldez., and S. López. 2012. Manipulation of rumen fermentation and methane production with plant secondary metabolites. *J Anim. Feed Sci. Tech.* 176:78–93. doi:10.1016/j.anifeedsci.2012.07.010.
- Budiarsana, I. (2017). Penggunaan fungsi "solver" dalam formulasi pakan termurah untuk peternak sapi perah skala kecil. *Informatika Pertanian.* 25(2): 231-240. doi: 10.21082/ip.v25n2.2016.p231-240.
- Burt, S. 2004. Essential oils: Their antibacterial properties and potential applications in foods-a review. *Int. J. Food Microb.* 94: 223–253. doi: 10.1016/j.ijfoodmicro.2004.03.022.
- Busquet, M., S. Calsamiglia, A. Ferret, and C. Kamel. 2006. Plant extracts affect in vitro rumen microbial fermentation. *J. Dairy Sci.* 89:761-771.
- Busquet, M., S. Calsamiglia, A. Ferret, P. W. Cardozo, dan C. Kamel. 2005. Effects of cinnamaldehyde and garlic oil on rumen microbial fermentation in a dual flow continuous culture. *J. Dairy Sci.* 88(7):2508-2516.
- Bustaman, S. 2008. Prospek pengembangan minyak pala Banda sebagai komoditas ekspor Maluku. *Jurnal Litbang Pertanian.* 27 (3): 93-98. doi: <http://203.190.37.42/publikasi/p3273083>.
- Caballero, B., L.C. Trugo., and P.M. Finglas. 2003. *Encyclopedia of Food Science and Nutrition* vol 1-10 ed 2. Academic Press. p. 66.
- Calsamiglia, S., M. Busquet., P.W. Cardozo., L. Castillejos., and A. Ferret. 2007. Invited review: Essential oils as modifiers of rumen microbial fermentation. *J. Dairy Sci.* 9 (6): 2580-2595. Doi: 10.3168/jds.2006-644.
- Cao GY, Xu W, Yang XW, Gonzalez FJ, Li F. New neolignans from the seeds of *Myristica fragrans* that inhibit nitric oxide production. *Food Chem.* 2015; 173:231–237. Doi: PubMed: 25466017.
- Castillejos, L., S. Calsamiglia, and A. Ferret. 2006. Effect of essential oils active compounds on rumen microbial fermentation and nutrient flow in in vitro systems. *J. Dairy Sci.* 89:2649–2658.
- Cherian, G. 2009. *A Guide to the Principles of Animal Nutrition.* Oregon State University.
- Choudhury, P.K., A.Z.M. Salem., R. Jena., S. Kumar., R. Sign., and A.K. Puniya. 2015. Rumen Microbiology: An Overview. In: A.K. Puniya, R. Singh., and D.N. Kamra, editors. *Rumen Microbiology: From Evolution to Revolution.* Springer India. pp. 3-16. doi: 10.1007/978-81-322-2401-3_1.
- Clauss, M. and Hofmann, R. 2014. The digestive system of ruminants, and peculiarities of (wild) cattle. An Overview. In: M. Melletti., and J.

- Burton, editors. Ecology, Evolution and Behaviour of Wild Cattle: Implications for Conservation. Cambridge University Press. pp. 57-62. doi: 10.5167/uzh-100814.
- Cobellis, G., A. Petrozzi, C. Forte, G. Acuti, M. Orrù, M. Marcotullio, A. Aquino, A. Nicolini, V. Mazza, and M. Marinucci. 2015. Evaluation of the Effects of Mitigation on Methane and Ammonia Production by Using *Origanum vulgare* L. and *Rosmarinus officinalis* L. Essential Oils on in Vitro Rumen Fermentation Systems. Sustainability. 7:12856–12869. doi:10.3390/su70912856.
- Cobellis, G., M. Trabalza-Marinucci., and Z. Yu. 2016. A review: Critical evaluation of essential oils as rumen modifiers in ruminant nutrition. *Sci of the Env.* 545. 556-569. <http://dx.doi.org/10.1016/j.scitotenv.2015.12.103>
- Commission on Antimicrobial Feed Additives. 1997. Antimicrobial Feed Additives. Stockholm: Ministry of Agriculture.
- Daning, D.A.R., C. Hanim., B.P. Widyobroto., dan L.M. Yusiati. 2020. Pemanfaatan sebagai rumen *modifier* pada sapi perah. *Wartazoa.* 13(4): 189-200. doi: 10.14334/wartazoa.v30i4.2524.
- Daning, D.A.R., C. Hanim., B.P. Widyobroto., dan L.M. Yusiati. 2020. *Unpublished manuscript.* Departement of Biochemistry Nutrition. Gadjah Mada University. Yogyakarta.
- Davidson, P. M., and A. S. Naidu. 2000. Phyto-phenols. Pages 265-293 in *Natural Food Antimicrobial Systems.* A. S. Naidu, ed. CRC Press, Boca Raton, FL.
- Di Pasqua, R., G. Betts., N. Hoskins., M. Edwards., D. Ercolini., and G. Mauriello. 2007. Membrane toxicity of antimicrobial compounds from essential oils. *J. Agric. Food Chem.* 55. 4863–4870.
- Di Pasqua, R., N. Hoskins., G. Betts., and G. Mauriello. 2006. Changes in membrane fatty acids composition of microbial cells induced by addition of thymol, carvacrol, limonene, cinnamaldehyde, and eugenol in the growing media. *J. Agric. Food Chem.* 54. 2745–2749.
- Direktorat Jendral Perkebunan Indonesia. 2020. <https://www.pertanian.go.id/home/?show=page&act=view&id=61> diakses pada hari Sabtu 10 Juni 2021 pukul 17.00 WIB.
- Dorman, H.J.D., and S.G. Deans. 2000. Antimicrobial agents from plants: antibacterial activity of plant volatile oils. *J. Appl. Microbiol.* 88: 308-316. doi: 10.1046/j.1365-2672.2000.00969.x.
- Erickson, D.L., V.L. Nsereko., D.P. Morgavi., L.B. Selinger., L.M. Rode., and K.A. Beauchemin. 2002. Evidence of quorum sensing in the rumen ecosystem: detection of N-acyl homoserine lactone autoinducers in

- ruminal contents. *Can. J. Microbiology*. 48(4):374–378. <https://doi.org/10.1139/w02-022>
- Eschenlauer, S.C.P., N. McKain., N.D. Walker., N.R. McEwan., C.J. Newbold., and R.J. Wallace. 2002. Ammonia production by ruminal microorganisms and enumeration, isolation, and characterization of bacteria capable of growth on peptides and amino acids from the sheep rumen. *Appl. Environ. Microb.* 68. 4925–4931.
- Filho, E.S.C., L.C.R. Junior., J.M.B. Ezequiel., M.S.V. Salles., M.T.C.Almeida., H.L. Perez , E. Suguino., and E.H.C. Branco van Cleef. 2020. Effect of thyme essential oil supplementation on feed intake, apparent digestibility, rumen fermentation, blood parameters and in vitro methane yield of Nellore cattle. *Livestock Sci.* S1871-1413(20)30076-7. Doi: <https://doi.org/10.1016/j.livsci.2020.104349>
- Flour-Paneri, P., and E.C. Giannenas. 2019. Feed additives (aromatic plants and herbs in animal nutrition and health) 1st edition. London wall. London (UK): Academic Press. Elsevier.
- Fraser, G. R., A. V. Chaves, Y. Wang, T. A. McAllister, K. A. Beauchemin, and C. Benchaar. 2007. Assessment of the effects of cinnamon leaf oil on rumen microbial fermentation using two continuous culture systems. *J. Dairy Sci.* 90(5):2315– 2328.
- Fujisawa, H., K. Watanabe., K. Suma., K. Origuchi., H. Matsufuji., T. Seki., and T. Ariga. 2009. Antibacterial potential of garlic-derived allicin and its cancellation by sulfhydryl compounds. *Biosci. Biotechnol. Biochem.* 73. 1948–1955.
- Gill, A.O., and R.A. Holley. 2004. Mechanisms of bactericidal action of cinnamaldehyde against *Listeria monocytogenes* and of eugenol against *L-monoctyogenes* and *Lactobacillus sakei*. *Appl. Environ. Microbiol.* 70. 5750–5755.
- Gill, A.O., and R.A. Holley. 2006. Inhibition of membrane bound ATPases of *Escherichia coli* and *Listeria monocytogenes* by plant oil aromatics. *Int. J. Food Microbiol.* 111: 170–174.
- Gonzalez, A. R. C., M. E. B. Barraza, J. D. Viveros, and A. C. Martinez. 2014. Rumen microorganisms and fermentation. *Arch. Med. Vet.* 46(3): 349-361. doi: 10.4067/S0301-732X2014000300003.
- Greathead, H. 2003. Plant and plant extracts for improving animal productivity. *Proc. Nutr. Soc.* 62:279–290. doi: 10.1079/pns2002197.
- Griffin, S.G., S.G. Wyllie., J.L. Marham., and D.N. Leach. 1999. The role of structure and molecular properties of terpenoids in determining their antimicrobial activity. *J. Flavour n Fragrance.* 14: 322-332.

- Grünberg, W., and P.D. Constable. 2009. Function and Dysfunction of the Ruminant Forestomach. In: D.E. Anderson, and D.M. Rings, editors. Food Animal Practice 5th edition. Saunders. pp. 12-19. doi: 10.1016/B978-141603591-6.10006-5.
- Guenther, E. 1987. Minyak Atsiri Jilid I. Penerjemah Ketaren S. Universitas Indonesia Press. Jakarta.
- Gunal, M., A. Ishlak, A. A. AbuGhazaleh, dan W. Khattab. 2014. Essential oils effect on rumen fermentation and biohydrogenation under in vitro conditions. Czech J Anim Sci. 59:450–459.
- Hackmann, T.J., and J.L Firkins. 2015. Maximizing efficiency of rumen microbial protein production. Front. Microbiol. 6(465): 1-16.
- Hadad, E.A. 1992. Pala. Edisi khusus penelitian tanaman rempah dan obat. 8(2): 26-37.
- Hadianto, I. 2019. Kajian Penggunaan Sinamaldehyd Kulit Kayu Mani (*Cinnamomum burmanni* Ness ex. Bl.) untuk Proteksi Protein Pakan Secara In Vitro. Tesis. Fakultas Peternakan Unversitas Gadjah Mada. Yogyakarta.
- Hapsoh, dan H. Yaya. 2011. Budidaya Tanaman Obat Dan Rempah. USU Press. Medan.
- Hart, K.J., D.R. Yanez-Ruiz, S.M. Duval, N.R. McEwan and C.J. Newbold, 2008. Plant extracts to manipulate rumen fermentation. Anim. Feed Sci. Technol., 147: 8-35.
- Hartadi, H., S. Reksohadiprojo, dan A. D. Tilman. 1997. Tabel Komposisi Pakan untuk Indonesia. Cetakan Keempat. Universitas Gadjah Mada Press. Yogyakarta.
- Hartanto, E.S., dan R.F. Silitonga. 2018. Ekstraksi asam miristat asal biji pala (*Myristica Fragrans* Houtt) dan limbah industri olahannya. J.Agro-based Industry. 35(1): 38-45.
- Helander, I.M., H. Alakomi., K. Latva-Kala., T. Mattila-Sandholm., I. Pol., E.J. Smid., L.G.M. Gorris., and A. Wright. 1998. Characterization of the action of selected essential oil components on gram negative bacteria. J. Agric. Food Chem. 46:3590-3595.
- Hemaiswarya, S., and M. Doble. 2009. Synergistic interaction of eugenol with antibiotics against Gram negative bacteria. J. Phytomedicine. 16: 997-1005.
- Hidayati, N., H. Ilmawati., dan E. Sara. 2015. Penyulingan minyak biji pala: pengaruh ukuran bahan, waktu dan tekanan penyulingan terhadap kualitas dan rendemen minyak. Simposium Nasional Rapi XVI.

- Ismiyarto., Ngadiwiyana., dan R. Mustika. 2009. Isolasi, identifikasi fuli pala (*Myristica fragrans*) dan uji aktivitas sebagai larvasida. *Jurnal Sains dan Aplikasi*. 12 (1): 23-30.
- Jakobek, L. 2015. Interactions of polyphenols with carbohydrates, lipids and proteins. *Food Chem*. 175: 556–567.
- Jensen, B.B. 1998. The impact of feed additives on the microbial ecology of young pigs. *J. Anim and Feed Sci*. 7: 45-64. <https://doi.org/10.22358/jafs/69955/1998>.
- Jouany, J.P., and D.P. Morgavi. 2007. Use of natural product as alternatives to antibiotic feed additives in ruminant production. *Animal*. 1: 1443-1466.
- Kalembe, D., and A. Kunicka. 2003. Antibacterial and antifungal properties of essential oils. *Curr. Med. Chem*. 10:813–829. doi:10.2174/0929867033457719.
- Kalembe, D., M. Matla, and A. Mętek. 2012. Antimicrobial activities of essential oils. In: A. K. Patra, editor. *Dietary Phytochemicals and Microbes*. Springer Dordrecht Heidelberg. New York. pp. 153–184.
- Kapoor, I.P.S., B. Singh., G. Singh., C.S. De Heluani., M. P. De Lampasona., and A.N. Cesar. 2013. Chemical Composition and Antioxidant Activity of Essential Oil and Oleoresins of Nutmeg (*Myristica fragrans* Houtt.) *Fruits Int. J. Food Properties*, 16:5, 1059-1070, DOI: 10.1080/10942912.2011.576357.
- Kearl, L.C. 1982. Nutrient Requirements of Ruminant. Pages 82 in *Developing Countries*. International Feedstuff Institute. Utah State University. Logan. Utah.
- Keidane, D., and E. Birgele. 2003. The efficacy of feed on the intra ruminal and intra abomasal pH dynamics in goats. *Veterinarija IR Zootechnika*. 22(44): 58-61.
- Ketaren dan Djatmiko, B., 1978. Minyak Atsiri bersumber dari bunga dan buah. Departemen Teknologi Hasil Pertanian. FATEMETA. IPB. Bogor.
- Khiaosa-ard, R., Q. Zebeli, K. R., and Z. Q. 2013. Meta-analisy of the effect of essential oils and their bioactive compounds on rumen fermentation characteristics and feed efficiency in ruminants. *J. Anim. Sci*. 91: 1819-1830.
- Kiran, and S. Deswal. 2020. Role of feed additives in ruminants's production: A Review. *J. Pharma Inv*. 9(2): 394-397.
- Klevenhusen, F., K. Deckardt, Sizmaz, S. Wimmer, A. Muro-Reyes, R. KhiaosaArd, R. Chizzola, and Q. Zebeli. 2015. Effects of black seed oil and *Ferula elaeochytris* supplementation on ruminal

- fermentation as tested in vitro with the rumen simulation technique (Rusitec). *Anim. Prod. Sci.* 55:736–744. doi:10.1071/AN13332.
- Kroll, J., H.M. Rawel., and S. Rohn. 2003. Review: Reactions of plant phenolics with food proteins and enzymes special consideration of covalent bonds. *J. Food Sci Technol.* 9 (3): 205-218.
- Kurade, N. P., V. Jaitak, V. K. Kaul, and O. P. Sharma. 2010. Chemical composition and antibacterial activity of essential oils of *Lantana camara*, *Ageratum houstonianum* and *Eupatorium adenophorum*. *Pharm. Biol.* 48:539–544. doi:10.3109/13880200903193336.
- Kurniawati, A., D.N. Wigati., C. Hasanah., and L.M. Yusiati. 2019. Improvement of ruminal feed fermentation by addition of eucalyptus based mix essential oil. *IOP Conf. Series: Earth and Environmental Science* 425 (2020) 012086. doi:10.1088/1755-1315/425/1/012086.
- Kurniawati, A., Widodo., W.T. Artama., and L.M. Yusiati. 2019. Effect on ruminal feed fermentation by in vitro analysis. *Biotropia.* 26(3): 1-14.
- Lambert, R.J.W., P.N. Skandamis., P. Coote., G.-JE Nychas. 2001. A study of the minimum inhibitory concentration and mode of action of oregano essential oil, thymol and carvacrol. *J. Appl. Microbiol.* 91. 453–462.
- Le Bourvellec, C., and C.M.G.C. Renard. 2012. Interactions between polyphenols and macromolecules: Quantification methods and mechanisms. *Crit Rev Food Sci Nutr.* 52: 213–248.
- Li, M.M., E.C. Titgemeyer., and M.D. Hanigan. 2019. A revised representation of urea and ammonia nitrogen recycling and use in the Molly cow model. *J. Dairy Sci.* 102(6):67-88. <https://doi.org/10.3168/jds.2018-15947>
- Mahmud, L. E. 1994. Antifungal action and antitoxenic properties of some essential oil constituents. *Lett. Appl. Microbiol.* 19:110–113.
- Makkar, H.P.S., M. Bluemmel, N. K. Borowy, and K. Becker. 1993. Gravimetric determination of tannins and their correlations with chemical and protein precipitation methods, *J. Sci. Food Agric.* 61: 161–165.
- Matloup, O. H., A.M. Abd El-Tawaba., A.A. Hassanb., F.I. Hadhouda., M.S.A. Khattaba., M.S. Khalelb., S.M. Sallam., A.E. Kholif. (2017). Performance of lactating Friesian cows fed a diet supplemented with coriander oil: Feed intake, nutrient digestibility, ruminal fermentation, blood chemistry, and milk production. *Animal Feed Science and Technology*, 226, 88–97. doi:10.1016/j.anifeedsci.2017.02.012

- McDonald, P., R. A. Edwards, J. F. D. Greenhalgh, C. A. Morgan, L. A. Sinclair, dan R. G. Wilkinson. 2011. *Animal Nutrition*. 7th ed. Pearson, UK. pp. 171-189.
- McDonald, P., R.A. Edwards., and S.F.D. Greenhalgh. 2002. *Animal Nutrition* 4th edition. Longman. London.
- McIntosh, F.M., P. Williams., R. Losa., R.J. Wallace., D.A. Beever., and C.J. Newbold. 2003. Effects of Essential Oils on Ruminant Microorganisms and Their Protein Metabolism. *Environ Microbiol*. 69 (8): 5011-5014. DOI: 10.1128/AEM.69.8.5011–5014.
- Membrive, C.M.B. 2016. Anatomy and Physiology of the Rumen. In: D.D.M. Millen, M.D.B. Arrigoni, and R.D. Pacheco, editors. *Rumenology* Springer International Publishing, Switzerland. p. 1-138.
- Modi, C.M., S.K. Mody., H.B. Patel., G.B. Dudhatra., A.Kumar., and T.J. Sheikh. 2011. Growth promoting use of antimicrobial agents in animal. *J. App Pharmaceutical Sci*. 1(8): 33-36.
- Moran, J. 2005. How the rumen works. In: *Tropical Dairy Farming: Feeding Management for Small Holder Dairy Farmers in the Humid Tropics*. Landlinks Press pp 41-49. p. 41–49.
- Morgavi, D.P., W.J. Kelly., P.H. Janssen., and G.T. Attwood. 2013. Rumen microbial (meta)genomics and its application to ruminant production. *Animal*. 7(1): 184-201.
- Muchtaridi., A. Subarnas., A. Apriyanto., and E. Mustarichie. 2010. Identification of compounds in the essential oil of nutmeg seeds (*Myristica fragrans* Houtt.) that inhibit locomotor activity in mice. *Int. J. Mol. Sci*. 11: 4771-4781.
- Münchberg, U., A. Anwar., S. Mecklenburg., and C. Jacob. 2007. Polysulfides as biologically active ingredients of garlic. *Org. Biomol. Chem*. 5. 1505–1518.
- Muniroh, A., I. Suja'i., A. Wibowo., H.K.H. Saputra., E. Yunita., dan C. Sriherwanto. 2021. Perubahan kandungan asam fitat dan asam amino esensial bahan-bahan organik pakan yang difermentasi ragi tempe. *J. Biotek n Biosains Ind*. 8 (1): 42-56. Doi: <http://ejournal.bppt.go.id/index.php/JBBI>
- Muslić, D.R., M.P. Petrović., M.M. Petrović., Z. Bijelić., V. Petrović., N. Maksimović., and V. Mandić. 2014. Protein source in diets for ruminant nutrition. *Biotechnology in Animal Husbandry*. 30 (2): 175-184.
- Nagaraja, T.G. 2016. Microbiology of The Rumen. Pages 42-43. In: *Rumenology*. Millen, D., D. Beni, M. Arrigoni, Lauritano, R. Pacheco. Springer, Cham.

- Nagy, J.G., H.W. Steinhoff., and G.M. Ward,. 1964. Effects of essential oils of sagebrush on deerrumen microbial function. *J. Wildlife Manage.* 785-790.
- Newbold, C.J., F.M. McIntosh., P. Williams., R. Losa., and R.J. Wallace. 2004. Effects of a specific blend of essential oil compounds on rumen fermentation. *J. Anim Feed Sci n Tech.* 114: 105-112.
- Niehaus, A. 2009. Rumenotomy and Rumenostomy. In: D.E. Anderson, and D.M. Rings, editors. *Food Animal Practice* 5th edition. Saunders. pp. 27-20.
- Nikaido, H. 1994. Prevention of drug access to bacterial targets: Permeability barriers and active efflux. *Science* 264:382-388.
- Nolan, J.V., and R.C. Dobos. 2005. Nitrogen transactions in ruminants. In: J. Dijkstra, J.M. Forbes, and J. France, editors. *Quantitative Aspects of Ruminants Digestion and Metabolism* 2nd edition. pp. 177-206.
- NRC. 1996. *Nutrient Requirements of Beef Cattle: Seventh Revised Edition.* National Academy of Sciences.
- Nurdjannah, N. 2007. *Teknologi Pengolahan Pala.* Balai Penelitian dan Pengembangan Pertanian. Balai Besar Penelitian dan Pengembangan Pascapanen Pertanian.
- Oh, H.K., M.B. Jones., and W.M. Longhurst. 1968. Comparison of rumen microbial inhibition resulting from various essential oils isolated from relatively unpalatable plant species. *Appl. Microbiol.* 16. 39-44.
- Olajide, O.A., F.F. Ajayi., A.I. Ekhelar., S.O. Awe., J.M. Makinde., and A.R. Alada. 1999. Biological effects of *Myristica fragrans* (nutmeg) extract. *Phytother Res.*13: 344-345.
- Ornaghi, M.G., R.A.C. Passetti., J.A. Torrecilhas., C. Mottin., A.C.P. Vital., A. Guerrero., C. Sañudo., M. del Mar Campo., and I.N. Prado. 2017. Essential oils in the diet of young bulls: Effect on animal performance, digestibility, temperament, feeding behaviour and carcass characteristics. *Anim Feed Sci n Technol.* 234 : 274-283.
- Ouattara, B., R.E. Simard., R A. Holley., G.J.P. Piette., and A. Be´gin. 1997. Antibacterial activity of selected fatty acids and essential oils against six meat spoilage organisms. *Int. J. Food Microbiol.* 37: 155-162.
- Owens, F. N., dan M. Basalan. 2016. *Ruminal Fermentation.* Pages 63-102 in *Rumenology.* Millen, D., D. Beni, M. Arrigoni, Lauritano, R. Pacheco. Springer, Cham.
- Ozidal, T., E. Capanoglu., and F. Altay F. 2013. A review on protein-phenolic interactions and associated changes. *Food Res Int.* 51: 954-970.

- Paparella, A., L. Taccogna., I. Aguzzi., C. Chaves-Lopez., A. Serio., D. Marsilio., and G. Suzzi. 2008. Flow cytometric assessment of the antimicrobial activity of essential oils against *Listeria monocytogenes*. *Food Control* 19. 1174–1182.
- Patra, A. 2015. *Rumen Microbiology: From Evolution to Revolution*. Springer India. India.
- Patra, A.K. 2012. Enteric methane mitigation technologies for ruminant livestock: a synthesis of current research and future directions. *Environ. Monit. Assess.* 184. 1929–1952.
- Patra, A.K., and Z. Yu, Z., 2015. Essential oils affect populations of some rumen bacteria in vitro as revealed by microarray (RumenBactArray) analysis. *Front. Microbiol.* 6. 297.
- Patra, A.K., and Z. Yu. 2012. Effects of essential oils on methane production and fermentation by, and abundance and diversity of, rumen microbial populations. *Appl. Environ. Microb.* 78. 4271–4280.
- Patra, A.K., D.N. Kamra., and N. Agarwal. 2009. Effects of extracts of spices on rumen methanogenesis, enzyme activities and fermentation of feeds in vitro. *J. Sci of Food n Agri.* doi:10.1002/jsfa.3849.
- Patra, A.K., D.N. Kamra., N. Agarwal. 2010. Effects of extracts of spices on rumen methanogenesis, enzyme activities and fermentation of feeds in vitro. *J. Sci. Food Agric.* 90: 511–520.
- Pavela, R., M. Žabka, J. Bednář, J. Tříška, and N. Vrchotová. 2016. New knowledge for yield, composition and insecticidal activity of essential oils obtained from the aerial parts or seeds of fennel (*Foeniculum vulgare* Mill.). *Ind. Crops Prod.* 83:275–282. doi:10.1016/j.indcrop.2015.11.090.
- Peter, K.V. 2001. *Handbook of herb and spices*. CRC Press New York pp. 45-62.
- Prescott, J. F., and J.D. Baggot. 1993. *Antimicrobial Therapy in Veterinary Medicine* 2nd edition. Ames. IA: Iowa State University Press. 564-565.
- Quy, D.D., A.E. Angkawijaya., P.L. Tran-Nguyen., L.H. Huynh., F.E. Soetaredjo., and S. Ismadji. 2014. Effect of extraction solvent on total phenol content, total flavonoid content, and antioxidant activity of *Limnophila aromatica*. *J. Food n Drug Anal.* 22: 296-302.
- Ramawat, K.G., S. Dass., and M. Mathur. 2009. *The Chemical Diversity of Bioactive Molecules and Therapeutic Potential of Medicinal Plants*. In Ramawat. K.G., M.L. Sukhaida. 2009. *Herbal Drugs: Ethnomedicine to Modern Medicine*. Springer. India. DOI 10.1007/978-3-540-79116-4 2.

- Rawel, H., and S. Rohn. 2010. Nature of hydroxycinnamate–protein interactions. *Phytochem Rev.* 9: 93-109.
- Rosochacki, S.J., E.W. Dzieciolowska., M. Zimowska., T. Sokowski., J. Polozynomicz., E.J. Kubiak., and M. Gajewska. 2005. Skeletal muscle and liver protein degradation in mice divergently selected for low and high body weight over 109 generation. *Arch. Tierz Dummerstof.* 48(5): 505-517.
- Rusel, J.B. 2009. Rumen. In: M. Schaechter, editors. *Encyclopedia of Microbiology 3rd edition.* Academic Press. pp. 163-174.
- Russell, J. B., R. Onodera and T. Hino. 1991. Ruminant protein fermentation: new perspectives on previous contradictions. In: *Physiological Aspects of Digestion and Metabolism in Ruminants* (Ed. T. Tsuda, Y. Sasaki and R. Kawashima). Academic Press. San Diego. pp. 681-697.
- Russell, J.B., R. Onodera., and T. Hino. 1991. Ruminant protein fermentation: new perspectives on previous contradictions. In: Tsuda, T., Y. Sasaki., R. Kawashima. (Eds.), *Physiological Aspects of Digestion and Metabolism in Ruminants.* Academic Press Limited. London. pp. 691–697.
- Sakamoto, M., Y. Huang., M. Umeda., I. Ishikawa., and Y. Benno. 2005. *Prevotella multiformis* sp. Nov., isolated from human subgingival plaque. *Int. J. Syst. Evol. Microbiol.* 55(2): 815-819.
- Sarah, D., L.M. Yusiati., Muhlisin., C. Hanim., dan M.A. Anas. 2021. *Unpublished manuscript.* Departement of Biochemistry Nutrition. Gadjah Mada University. Yogyakarta.
- Saricicek B. 2000. Protected (by pass) protein and feed value of hazelnut kernel oil meal. *Asian-Aus J Anim Sci.* 13(3): 317-322.
- Schmidt, J., and E. Zsedely. 2011. *Nutrition of Ruminants.* Agricultural and Food Science Non-profit Ltd. Kaposvar Unoversity. Hungaria. Sciences and Nutrition. Amsterdam: Academic Press.
- Shahidi F, Yeo JD (2016) Insoluble-bound phenolics in food. *Molecules* 21. <https://doi.org/10.3390/molecules21091216>.
- Shahidi, F., and M. Naczki. 2004. Phenolic in Food and Nutraceutical. CRC Press. Boca Raton. FL. pp 349-350.
- Shwerab, A.M., M.S. Khalel., and A.A.K. Hassan. 2014. The act of eucalyptus leaves as source of essential oils on dairy cows performance. *Egypt J Nutr Feed.* 17:207-224.
- Sikkema, J., J. A. M. Bont, and B. Poolman. 1994. Interactions of cyclic hydrocarbons with biological membranes. *J. Biol. Chem.* 269: 8022-8028.

- Silva, R.B da., M.N. Pereira., R.C. de Araujo., W.R. de Silva., R.A.N. Pereira. 2020. A blend of essential oils improved feed efficiency and affected ruminal and systemic variables of dairy cows. *Transl Anim Sci.* 4:182–193.
- Silverman, R.B, 2002. *The Organik Chemistry of Enzyme-Catalyzed Reactions.* Academic Press. Austin.
- Śliwiński, B. J., C.R. Soliva., A. Machmüller., and M. Kreuzer. 2002. Efficacy of plant extracts rich in secondary constituents to modify rumen fermentation. *J Anim Feed Sci and Tech.* 101: 101–114. doi:10.1016/s0377-8401(02)00139-6.
- Soliva, C.R., L. Meile, I.K. Hindrichsen, M. Kreuzer, A. Machmuller. 2004. Myristic acid supports the immediate inhibitory effect of lauric acid on ruminal methanogens and methane release. *Anaerobe.* 10: 269-76.
- Soliva, C.R., S.L.S.L. Amelchanka., S.M. Duval, and M. Kruzer. 2011. Ruminal methane inhibition potential of various pure compounds in comparison with garlic oil as determined with a rumensimulation technique (Rusitec). *Br. J. Nutr.* 106:114–122.
- Stevanović, Z. D., J. Bošnjak-Neumüller., I. Pajić-Lijaković., J. Raj., and M. Vasiljević. 2018. Essential Oils as Feed Additives-Future Perspectives. *Molecules (Basel, Switzerland).* 23(7): 1717. <https://doi.org/10.3390/molecules23071717>.
- Stewart, C. S., H. J. Flint and M. P. Bryant. 1997. The rumen bacteria. In: *The Rumen Microbial Ecosystem* (Ed. P. N. Hobson and C. S. Stewart). Chapman & Hall, London, pp. 10-72.
- Tager, L. R., dan K. M. Krause. 2011. Effects of essential oils on rumen fermentation, milk production, and feeding behavior in lactating dairy cows. *J Dairy Sci.* 94(5):2455-2464.
- Teklebrhan, T., R. Wang., M. Wang., M.W. Wen., L.W. Tan., X.M. Zhang., Z.Y. Ma., and Z.L Tan. 2020. Effect of dietary corn gluten inclusion on rumen fermentation, microbiota and methane emissions in goats. *J. Anim Feed Sci.* 259(1):114-122. <https://doi.org/10.1016/j.anifeedsci.2019.114314>.
- Tilley, J., M. A., and R. A. Terry. 1963. A two stage technique for the in vitro digestion of forage crops. *Grass Forage Sci.*18(2):104-111.
- Torres-Barajas, L., J. Rojas-Vera, A. Morales-Méndez, L. Rojas-Fermín, M. Lucena, and A. Buitrago. 2013. Chemical composition and evaluation of antibacterial activity of essential oils of *Ageratina jahnii* and *Ageratina pichinchensis* collected in Mérida, Venezuela. *Boletín Latinoam. y del Caribe Plantas Med. y Aromáticas.* 12:92–98.

- Tsai, M.L., C.T. Wu., T.F. Lin., W.C. Lin., Y.C. Huang., C.H. Yang. 2013. Chemical composition and biological properties of essential oils of two mint species. *Trop. J. Pharm Res.* 12: 577-582.
- Ultee, A., M. H. J. Bennik, and R. Moezelaar. 2002. The phenolic hydroxyl group of carvacrol is essential for action against the food-borne pathogen *Bacillus cereus*. *Appl. Environ. Microbiol.* 68:1561–1568.
- Van Maanen, R.W., J.H. Herbein., A.D. McGiliard., and J.W. Young. 1978. Effect of monensin on in vivo rumen propionate and blood glucose kinetics in cattle. *J. Nutrition.* 108: 1002-1007.
- Van Soest, P. 1983. *Nutrition Ecology of the Ruminant*. Corvallis. OR: O&B Books. Inc.
- Van Soest, P.J. 2006. Rice straw the role of silica and treatment to improve quality. *J. Anim. Feed. Sci n Tech.* 130: 137-171.
- Vargas, J.E, S. Andrés., T.J. Snelling., L. López-Ferreras., D.R. Yáñez-Ruíz., C. García-Estrada., and S. López. 2017. Effect of Sunflower and Marine Oils on Ruminal Microbiota, In vitro Fermentation and Digesta Fatty Acid Profile. *Front. Microbiol.* 8:1124. doi: 10.3389/fmicb.2017.01124
- Vasta, V., M. Daghio., A. Cappucci., A. Buccioni., A. Serra., C. Viti., and M. Mele. 2019. Invited review: Plant polyphenols and rumen microbiota responsible for fatty acid biohydrogenation, fiber digestion, and methane emission: Experimental evidence and methodological approaches *J. Dairy Sci.* 102: 3781-3804.
- Wallace, R.J., N.R. McEwan., F.M. McIntosh., B. Teferedegne., and C.J. Newbold. 2002. Natural products as manipulators of rumen fermentation. *Asian Aus J Anim Sci.* Doi: 15. 10.5713/ajas.2002.1458.
- Wallace, R.J., T.J. Snelling., C.A. McCartney., I. Tapio., and F. Strozzi. 2017. Application of meta-omics techniques to understand greenhouse gas emissions originating from ruminal metabolism. *Genet. Sel. Evol.* 49(9) : 3-14. <https://doi.org/10.1186/s12711-017-0285-6>
- Wallace., R.J. 1996. The proteolytic systems of ruminal microorganisms. *Annales de zootechnie. INRA/EDP Sciences.* 45(1): 301-308.
- Walsh, S.E., J.Y. Maillard. A.D. Russell. C.E. Catrenich., D.L. Charbonneau., and R.G. Bartolo. 2003. Activity and mechanisms of action of selected biocidal agents on gram-positive and -negative bacteria. *J. Appl. Microbiol.* 94. 240–427.
- Wang, H.T., and J.T. Hsu. 2005. Optimal protease production condition for *prevotella ruminicola* 23 and characterzation of its extacellular crude prottease. *Anaerobe.* 11(3): 155-162.

- Wegener, H.C., F.M. Aarestrup., L.B. Jensen., A.M. Hammerum., and F. Bager. 1999. Use of Antimicrobial Growth Promoters in Food Animals and Enterococcus faecium Resistance to Therapeutic Antimicrobial Drugs in Europe. *Emerging Infectious Diseases*. 5(3): 329-335 <https://doi.org/10.3201/eid0503.990303>.
- Wendakoon, C. N., and M. Sakaguchi. 1995. Inhibition of amino acid decarboxylase activity of *Enterobacter aerogenes* by active components in spices. *J. Food Prot.* 58:280-283.
- Wierup, M. 2001. The Swedish experience of the 1986 year ban antimicrobial growth promoters, with special reference to animal health, disease prevention, productivity, and usage of antimicrobials. *Microb. Drug Resist.* 7: 183-90.
- Wright, A.D.G. 2015. Rumen Protozoa. In: A.K. Puniya., R. Singh., and D.N. Kamra, editors. *Rumen Microbiology: From Evolution to Revolution*. Springer India. pp. 113-150.
- Xiao, J., F. Mao., F. Yang., Y. Zhao., C. Zhang., and K. Yamamoto. 2011. Interaction of dietary polyphenols with bovine milk proteins: Molecular structure-affinity relationship and influencing bioactivity aspects. *Mol Nutr Food Res.* 55: 1637–1645.
- Yang, W.Z., B.N. Ametaj., C. Benchaar., and K.A. Beauchemin. 2010. Dose response to cinnamaldehyde supplementation in growing beef heifers: Ruminant and intestinal digestion. *J. Anim Sci.* 88: 680-688.
- Yatno. 2011. Fraksniasi dan sifat fisiko-kimia bungkil inti sawit. *Agrinak.* 1 (1): 11-16.
- Young, G. 2019. *Essential oils pocket references 8th edition*. China: Life Science Publishing.
- Zulfa, I.H., Z. Bachruddin., and A. Kurniawati, 2019. Effects of lemongrass leaves as essential oil sources on rumen microbial ecology and nutrient digestibility in an *In vitro* system. *Pak. J. Nutr.*, 18: 254-259.