



## DAFTAR PUSTAKA

- Adiyanto, B. 2013. *Perbandingan Angka Keberhasilan Pemasangan Laryngeal Mask Airway (LMA) Klasik Pada Usaha Pertama Antara Teknik Standar Dengan Modifikasi Teknik Menggunakan Rigid Stylet*. Universitas Gadjah Mada Yogyakarta.
- Ahmad, S., Sharma, S.K., Malviya, D., Nadeem, S.A. & Raghu, K.C. 2012. Removal of sewing needle in upper oesophagus: An innovative role of magill forceps. *Indian Journal of Anaesthesia*. [Online] 56 (1), 92–94. Available from: doi:10.4103/0019-5049.93360.
- Ali, Q.E. 2013. Comparison of the Flexi laryngeal mask airway vs. endotracheal intubation for paediatric ophthalmic surgery. *IOSR Journal of Dental and Medical Sciences*. [Online] 4 (4), 1–6. Available from: doi:10.9790/0853-0440106.
- Brimacombe, J. & Keller, C. 1999. Comparison of the flexible and standard laryngeal mask airways. *Canadian Journal of Anaesthesia*. [Online] 46 (6), 558–563. Available from: doi:10.1007/BF03013546.
- Butterworth, J.F., Mackey, D.C. & Wasnick, J.D. 2013. *Morgan and Mikhail's Clinical Anesthesiology*. [Online]. Available from: doi:10.4103/1658-354X.109819.
- Dutt, A., Joad, A.K. & Sharma, M. 2012. Induction for classic laryngeal mask airway insertion: Does low-dose fentanyl work. *Journal of Anaesthesiology Clinical Pharmacology*. [Online] 28 (2), 210–213. Available from: doi:10.4103/0970-9185.94877.
- Fang, Z.T. 2012. *Anesthesia Management of Ophthalmic Surgery in Geriatric Patients Overview of Ophthalmic Surgery and Anesthesia*. 1 (2), 34–38.
- Flynn, P., Ahmed, F.B., Mitchell, V., Patel, A. & Clarke, S. 2007. A randomised comparison of the single use LMA Flexible™ with the reusable LMA Flexible™ in paediatric dental day-case patients. *Anaesthesia*. [Online]. 62 (12) pp.1281–1284. Available from: doi:10.1111/j.1365-2044.2007.05234.x.
- Gulati, M., Mohta, M., Ahuja, S. & Gupta, V.P. 2004. Comparison of laryngeal mask airway with tracheal tube for ophthalmic surgery in paediatric patients. *Anaesthesia and Intensive Care*. [Online] 32 (3), 383–389. Available from: doi:10.1177/0310057x0403200314.
- Hagberg, C. & Benumof, J. 2013. *Benumof and Hagberg's Airway Management*. [Online]. Available from: doi:10.1055/s-0034-1387247.
- Jaffe, R.A. & Brock-Utne, J.G. 2002. A modification of the Yodfat Laryngeal Mask Airway insertion technique. *Journal of Clinical Anesthesia*. [Online] 14 (6), 462–463. Available from: doi:10.1016/S0952-8180(02)00378-1.
- Jarineshin, H., Kashani, S., Vatankhah, M., Baghaee, A.A., Sattari, S. & Fekrat, F. 2015. Better hemodynamic profile of laryngeal mask airway insertion compared



to laryngoscopy and tracheal intubation. *Iranian Red Crescent Medical Journal*. [Online]. 17 (8). Available from: [http://europepmc.org/search?query=\(DOI:10.5812/ircmj.28615\)%0Ahttp://cdn.ncbi.nlm.nih.gov/cdn/serve/313ea/4d41eed1ac0c9461710c5e17e0921363316d6c48/16710-pdf.pdf](http://europepmc.org/search?query=(DOI:10.5812/ircmj.28615)%0Ahttp://cdn.ncbi.nlm.nih.gov/cdn/serve/313ea/4d41eed1ac0c9461710c5e17e0921363316d6c48/16710-pdf.pdf).

Jeong, M.A. 2009. Use of a stylet for insertion of a Classic LMA. *Resuscitation*. [Online] 80 (8), 964. Available from: doi:10.1016/j.resuscitation.2009.05.009.

Koo, B.W., Oh, A.Y., Hwang, J.W., Na, H.S. & Min, S.W. 2019. Comparison of standard versus 90° rotation technique for LMA Flexible™ insertion: A randomized controlled trial. *BMC Anesthesiology*. [Online]. 19 (1). Available from: doi:10.1186/s12871-019-0773-z.

Koul, A., Jain, R. & Sood, J. 2011. A critical incident report: Propofol triggered anaphylaxis. *Indian Journal of Anaesthesia*. [Online] 55 (5), 530–533. Available from: doi:10.4103/0019-5049.89898.

Martin-Castro, C. & Montero, A. 2008. Flexible laryngeal mask as an alternative to reinforced tracheal tube for upper chest, head and neck oncoplastic surgery. *European Journal of Anaesthesiology*. [Online] 25 (4), 261–266. Available from: doi:10.1017/S0265021507002980.

Mete, A. & Akbudak, İ.H. 2018. Functional Anatomy and Physiology of Airway. *Tracheal Intubation*. [Online] 3–22. Available from: doi:10.5772/intechopen.77037.

Michalek, P., Donaldson, W., Vobrubova, E. & Hakl, M. 2015. Complications associated with the use of supraglottic airway devices in perioperative medicine. *BioMed Research International*. [Online]. 2015. Available from: doi:10.1155/2015/746560.

Monem, A. & Khan, F.A. 2007. Laryngeal mask airway insertion anaesthesia and insertion techniques. *Journal of the Pakistan Medical Association*. 57 (12), 607–611.

Musizza, B. & Ribaric, S. 2010. Monitoring the depth of anaesthesia. *Sensors*. [Online] 10 (12), 10896–10935. Available from: doi:10.3390/s101210896.

Nicholson, A., Tim M, C., Andrew F, S., Sharon R, L. & Stephanie S, R. 2013. *Cochrane Database of Systematic Reviews Supraglottic airway devices versus tracheal intubation for airway management during general anaesthesia in obese patients (Review) Supraglottic airway devices versus tracheal intubation for airway management during*. [Online] (9). Available from: doi:10.1002/14651858.CD010105.pub2.www.cochranelibrary.com.

Nurhadiyat, U. 2008. *Laryngeal Mask Dengan Teknik Baku Antara Ambu LM Dengan LMA Unique di RSUPN DR Cipto Mangunkusumo Jakarta* 2008.

Ostermayer, D.G. & Gausche-Hill, M. 2014. Supraglottic airways: The history and current state of prehospital airway adjuncts. *Prehospital Emergency Care*. [Online] 18 (1), 106–115. Available from: doi:10.3109/10903127.2013.825351.



Ozmete, O., Sener, M., Caliskan, E., Kipri, M. & Aribogan, A. 2017. The use of flexible laryngeal mask airway for adenoidectomies: An experience of 814 paediatric patients. *Pakistan Journal of Medical Sciences*. [Online]. 33 (4) pp.823–828. Available from: doi:10.12669/pjms.334.12432.

Pritchard, N.C.B. 2014. General anaesthesia for ophthalmic surgery. *Anaesthesia and Intensive Care Medicine*. [Online] 15 (1), 26–29. Available from: doi:10.1016/j.mpaic.2013.11.006.

Raghavan, P., Raju, M. & Plazid, A. 2017. Comparison of two insertion techniques of classic laryngeal mask airway: standard versus 90-degree rotation. *International Journal of Research in Medical Sciences*. [Online]. 5 (2) p.420. Available from: doi:10.18203/2320-6012.ijrms20170015.

Saini, S., Bala, R., Kumar, R. & Chhabra, S. 2015. Comparison of ProSeal laryngeal mask airway placement techniques using digital, introducer tool and gum elastic bougie in anaesthetized paralyzed patients. *International Journal of Research in Medical Sciences*. [Online] 3 (12), 3703–3707. Available from: doi:10.18203/2320-6012.ijrms20151426.

Sanuki, T., Son, H., Sugioka, S., Komi, N., Hirokane, M., Kishimoto, N., et al. 2011. Comparison of metal stylet, small tracheal tube and combined introducer-aided insertions of the flexible reinforced laryngeal mask airway with the conventional method: A manikin study. *Journal of Anesthesia and Clinical Research*. [Online] 2 (7), 10–12. Available from: doi:10.4172/2155-6148.1000147.

Sastroasmoro, S., Ismael, S. 2011. *Dasar-Dasar Metodologi Penelitian Klinis*. Edisi ke-4. Sagung Seto

Sip, M., Dabrowska, A., Prucnal, K., Puslecki, M. & Klosiewicz, T. 2017. Supraglottic devices — future or everyday life \_ \_ Sip \_ Disaster and Emergency Medicine Journal. *Disaster Emergency Medicine Journals*. 2 (2), 74–83.

The laryngeal mask Company Limited 2013. *Instructions For Use LMA Classic<sup>TM</sup>, LMA Flexible<sup>TM</sup>, LMA Flexible<sup>TM</sup> Single Use & LMA Unique<sup>TM</sup>*. 1–3.

Townsend, R., Brimacombe, J., Keller, C., Wenzel, V. & Herff, H. 2009. Jaw thrust as a predictor of insertion conditions for the proseal laryngeal mask airway. *Middle East Journal of Anesthesiology*. 20 (1), 59–62.

Van Zundert, T.C.R.V., Brimacombe, J.R., Ferson, D.Z., Bacon, D.R. & Wilkinson, D.J. 2012. Archie Brain: Celebrating 30 years of development in laryngeal mask airways. *Anaesthesia*. [Online] 67 (12), 1375–1385. Available from: doi:10.1111/anae.12003.x.

Wong, D.T., Yang, J.J. & Jagannathan, N. 2012. Brief review: The LMA Supreme<sup>TM</sup> supraglottic airway Article de synthèse court: Le dispositif supraglottique LMA Supreme<sup>TM</sup>. *Canadian Journal of Anesthesia*. [Online] 59 (5), 483–493. Available from: doi:10.1007/s12630-012-9673-0.