

DAFTAR PUSTAKA

- Adams MH. 1949. The stability of bacterial viruses in solutions of salts. *J Gen Physiol.* 32:579–594.
- Addy, H.S., Askora, A., Kawasaki, T., Fujie, M. & Yamada, T. 2012. Utilization of filamentous bacteriophage RSM3 to control bacterial wilt caused by *Ralstonia solanacearum*. *Plant disease.* 96(8):1204 –1208.
- Aeny, T.N. 2006. Pengaruh perlakuan bibit terhadap perkembangan penyakit layu bakteri (*Pseudomonas solanacearum*) pada jahe (*Zingiber officinale*). <http://digilib.itb.ac.id/gdl>. Diakses tanggal 29 Oktober 2017.
- Agrios, G.N. 2005. *Plant pathology*. Fifth Edition. Elsevier Academic Press. New York.
- Alam, M. 2018. On plant growth promoting rhizobacteria (PGPR): Current & future prospective for sustainable agriculture course Title: seminar course code: SSC 598 Term: summer, 2018 submitted to: course instructors major.
- Alam, S., Khalil, S., Ayub, N. & Rashid, M. 2002. In vitro solubilization of inorganic phosphate by phosphate solubilizing microorganism (PSM) from maize rizosfir. *Intl. J. agric. biol.*4: 454- 458.
- Albuquerque, GMR., Fernando C.A, Leonardo SB., Rafaela C.F.B., Robert N.G.M., Carlos A.L, Elineide B.S, & Maria E.N.F. 2021. Stability analysis of reference genes for RT-qPCR assays involving compatible and incompatible *Ralstonia solanacearum*-tomato ‘Hawaii 7996’ interactions. *Scientific Reports.* 11:18719. <https://doi.org/10.1038/s41598-021-97854-8>.
- Alvarez, B., Maria M.L. & Elena G.B. 2008. Survival strategies and pathogenicity of *Ralstonia solanacearum* phylotype II subjected to prolonged starvation in environmental water microcosms. *Microbiology.* 154:3590-3598. Doi: 10.109/mic.0.2008/019448-0.
- Arwiyanto, T., M. Goto, S. Tsuyumu & Y. Takikawa. 1994. Biological control of tomato bacterial wilt with the use of avirulent strain of *Pseudomonas solanacearum* isolated from *Strelitzia reginae*. *Ann. Phytopath. Soc. Japan.* 60:421-430.
- Arwiyanto, T, Sudarmadi, dan Hartana. 1996. Deteksi strain *Pseudomonas solanacearum* penghasil bakteriosin. *Jurnal perlindungan tanaman Indonesia.* 2(2):60-65. Doi: <https://doi.org/10.22146/jpti.12890>.
- Arwiyanto, T & Hartana. 1999. Pengendalian hayati penyakit layu bakteri tembakau: 2. Percobaan di rumah kaca. *Jurnal perlindungan tanaman Indonesia.* 5(1):50-59. Doi: <https://doi.org/10.22146/jpti.9967>.
- Arwiyanto, T, H. Semangun, & B.N. Hidayah. 2011. Reduction of *Ralstonia solanacearum* population in soil with the use of susceptible cultivar of tomato. *Proc. IIIrd IS on Tomato disease. Act. hort.* 914:303-306.
- Arwiyanto, T., 2014. *Ralstonia solanacearum*. *Biology, penyakit yang ditimbulkan dan pengelolaannya*. Gadjah Mada University Press. Yogyakarta.
- Arwiyanto, T, S.D. Nurcahyanti, D. Indradewa, & J. Widada. 2015. Grafting local commercial tomato cultivar with H7996 and Eg 203 to suppress bacterial wilt (*Ralstonia solanacearum*) in Indonesia. *Proc.IVth IS on Tomato Disease. Act. hort.* 1069:173-178.

- Arwiyanto, T, S.D. Nurcahyanti, D Indradewa, & J Widada. 2020. Antagonistic activity of bacterial rhizosphere from rootstock of tomato and eggplant against *Ralstonia solanacearum*. *Acta hortic.* 1270: 321-325.doi 10.17660/ActaHortic.2020.1270.39.
- Asian Vegetable Research and Development Centre (AVRDC). 2013. An impact assessment of AVRDC's tomato grafting in Vietnam. AVRDC Publication. 13:773. ISBN 92-9058-203-0.
- Askora A, Kawasaki T, Fujie M, and Yamada T. 2017. Lysogenic Conversion of the Pytopathogen *Ralstonia solanacearum* by the P2virus ϕRSY1. *Front microbiol.* 8:2212
- Bais, H.P. Weir T.L., Perry L.G., Gilroy S., and Vivanco J.M. 2006. The role of root exudates in rhizosphere interactions with plants and other organisms. *Annu. rev. plant biol.* 57:233–266.
- Badan Pusat Statistik (BPS). 2019. Produktifitas tanaman tomat tahun 2019. Jakarta. Diakses 2 Februari 2021.
- Bakker, P.H.M., Roeldan L.B., Rogier F.D., Paul C.A.W., & Corne M.J.P. 2013. The rizosphere revisited: root microbiomics. *Plant sci.* 4:1-7.
- Balogh, B.I., Canteros, B.I., Stall, R.E. & Jones, J.B. 2008. Control of citrus canker and citrus bacterial spot with bacteriophages. *Plant disease.* 9(2):48-52.
- Barbara, M., Tomasz O & Zuzanna D.K. 2018. Applications of bacteriophages versus phage enzymes to combat and cure bacterial infections: an abitious and also a realistic application? *Applied microbiology and biotechnology.* 102 (6): 2563-2581.
- Batinovic, Steven, Wassef, Nowler, Sarah, Rice, Stanton, Rose, *et al.* 2019. Bacteriophages in natural and artificial environments. *Pathogens.* 8. 100. 10.3390/pathogens8030100.
- Berendsen, R.L, Corne M.J.P., & Peter A.H.M. 2012. The rizosphere microbiome and plant health. *Trends in plant science.* 17(8):478-486. <https://doi.org/10.1016/j.tplants.2012.04.001>.
- Bhatti, A.A., Shamsul H & Rouf A.B. 2017. Actinomycetes benefaction role in soil and plant health. *Microbial pathogenesis.* 111:458-467.
- Bilgin, D.D., Jorge A.Z., Jin Z., Steven J.C. Donald R.O., & Evan H. 2010. Biotic Stress globally down regulates photosynthesis genes. *Plant, cell, and environment.* 33:1597-1613.
- Black, L.L, Wu, D, L, Wang, J, F, Kalb, T, Abbas, D, & Chen J, H. 2003. International cooperatior guide grafting tomatoes for production in the hot-wet season. AVRDC pub#03-551.
- Bowman JP, Sly Li, Hayward AC, Spiegel Y, & Stackebrdant E. 1993. *Telluria mixta* (*Pseudomonas mixta* Bowman, Sly, and Hayward 1988) gen, Nov., and *Telluria chitinolyca* sp. Nov., soil-dweling organism which actively degrade polysaccharides. *International journal of systematic bacteriology.* 43(1):120-124.
- Braga, R.M., Manuella N.D., & Welington L.A. 2016. Microbial interactions: ecology in a molecular perspective. *Brazilian Journal of Microbiology.* 47 (1): 86-98. <https://doi.org/10.1016/j.bjm.2016.10.005>.

- Brajesh, K.S., Peter M, Danrew S.W. & Colin M. 2004. Unraveling rizosphere–microbial interactions: opportunities and limitations. *Trends in microbiology*. 12(8):386-393. <https://doi.org/10.1016/j.tim.2004.06.008>.
- Bulgarelli. D., Schlaeppi K., Spaepen S, van Themaat E.V.L. & Schulze–Lefer P. 2013. Structure and functions of the bacterial microbiota of plants. *Annu. rev. plant biol.* 64:807–838.
- Caldwel, D., Bong-Suk K., & Anjali S.I. 2017. *Ralstonia solanacearum* differentially colonizes roots of resistant and susceptible tomato plant. *Phytopathology*. 107:528-536. <http://dx.doi.org/10.1094/PHYTO-09-16-0353-R>.
- Caporaso JG, Kuczynski J, Stombaugh J, *et al.* 2010. QIIME allows analysis of high-throughput community sequencing data. *Nature methods*. 7:335.
- Castilo, A.J., & Agathos, S.N. 2019. A genome-wide scan for genes under balancing selection in the plant pathogen *Ralstonia solanacearum*. *BMC evolutionary biology*. 19:123. <https://doi.org/10.1186/s12862-019-1456-6>.
- Chandrasekaran, M., Dharaneedharan, S, Ee Yoon, Taehoon K, & Se-Chul C. 2016. Meta-analysis reveals that the genus *Pseudomonas* can be a better choice of biological control agents against bacterial wilt disease caused by *Ralstonia solanacearum*. *Plant pathol j.* 32(93):216-227. Doi: 10.5423/PPJ.OA.11.2015.0235.
- Chaparro, J.M., Sheflin, A.M., Manter D.K. & Vivanco, J.M. 2012. Manipulating the soil microbiome to increase soil health and plant fertility. *Biol. fert. soils*. 48:489–499.
- Cheng, Z., Shaonan L., Ye li, Wei H., Rongqin M., Juan X., Ting Z., Lingyue J., Hafeex H., Xiaohong Xu, & Baoyu T. 2020. Revealing the variation and stability of bacterial communities in tomato rizosphere microbiota. *Microorganisms*. 8:170. doi: 10.3390/microorganisms8020170.
- Choudhary, D.K., B.N. Johri, & A Prakash. 2009. Volatiles as priming agent that initiate plant growth and defense responses. *Curr. sci.* 94 595-604.
- Ciampi, L. & Sequeira. 1980. Influence of temperature on virulence of race 3 strains of *Pseudomonas solanacearum*. *Am. Potato J.* 57:307-317.
- Costa, K.D.S., Dos Santos P.R., Dos Santos A.M.M, Silvia A.M.F., Chagas J.T.B., De Carvalho Filho, J. L. S., de L. Pereira, J. W., Silva, M. de O., Da Silva, J. R. & Menezes, D. 2019. Genetic control of tomato resistance to *Ralstonia solanacearum*. *Euphytica*. 215 (136):1-11.
- Dalsing, B.L., Alicia N.T., Enid T., Annet S.M., Caitilyn A. 2015. *Ralstonia solanacearum* uses inorganic nitrogen metabolism for virulence, ATP production, and detoxification in the oxygen-limited host xylem environment. *ASM* 6(2):1-13.
- Davis, A.R., Perkins-Veazie P., Hassell R., Levi A., King S.R., & Zhang X. 2008. Grafting Effects on Vegetable Quality. *Hort. science*. 43(6):1670-1672.
- Denny, T.P., Carney B.F., & Schell M.A. 1990. Inactivation of multiple virulence genes reduces the ability of *Pseudomonas solanacearum* to cause wilt symptoms. *Mol. plant microbe interact.* 3:293–300. Doi: 10.1094/MPMI-3-293.
- Denny, T.P. & Hayward A.C. 2001. Gram negative bacteria. Di dalam: Schaad NW, Jones JB, Chun W, editor. *Laboratory guide for identification of plant pathogenic bacteria*. Third Edition. Minnesota. APS Press.

- Djidonou, D, Xin Zhao, Karen E.K. & Lincoln Z. 2019. Nitrogen accumulation and root distribution of grafted tomato plants as affected by nitrogen fertilization. *Hortscienc.* 54(11):1904-1914.
- Doornbos, R., Van Loon L.C., & Bakker P.A.H.M. 2012. Impact of root exudates and plant defense signaling on bacterial communities in the rizosphere. A review. *agron. sustain.* 32:227–240.
- Drulis-Kawa Z., Majkowska-Skrobek G., Maciejewska B., & Delattre A.S. 2012. Learning from bacteriophages advantages and limitation of bacteriophage and bacteriophage-encoded protein application. *Curr prot pept sci.* 13:699-722.
- Edgar, R.C., Haas B.J., Clemente J.C., Quince C, & Knight R. 2011. UCHIME improves sensitivity and speed of chimera detection. *Bioinformatics.* 27(2):194-200.
- Egamberdieva, D. Faina K. & Ben Lugtenberg. 2008. High incidence of plant growth stimulating bacteria associated with the rizosphere of wheat grown on salinated soil in Uzbekistan. *Environ. microbiol.* 10:1–9.
- Egamberdieva, D, Wirth S.J., Alqarawi A.A., Abd. A.E.F. & Hashem A. 2017. Phytohormones and beneficial microbes: essential components for plants to balance stress and fitness. *Frontiers in microbiology.* 8:2104. URL=<https://www.frontiersin.org/article/10.3389/fmicb.2017.02104>. doi=10.3389/fmicb.2017.02104.
- Elhalag, Mohamed N.E., Ahmed H. & Abdelmonim A. 2018. Potential use of soil borne lytic Podoviridae bacteriophages as a biocontrol agent against *Ralstonia solanacearum*. *Journal of basic microbiology.* 58:658-669.
- Elphinstone, J.G., Hennessy J, Wilson J.K., & Stead D. 1996. Sensitivity of different methods for the detection of *Ralstonia solanacearum* in potato tuber extracts. *Bull OEPP/EPPO.* 26:663-678.
- El-Tarabily K.A. 2008. Promotion of tomato (*Lycopersicon esculentum* Mill) plant growth by rizosphere competent 1-aminocyclopropane-1-carboxylic acid deaminase-producing *Streptomyces actinomycetes*. *Plant soil.* 308:161–174
- Fahy, P.C. & G.J. Persley. 1983. *Plant bacterial disease: A diagnostic guide*, Academic Press. Australia. 393p
- Food Agriculture Organization (FAO). 2019. Production tomato. www.fao.org/faostat/en/#data. Diakses tanggal 20 Januari 2021.
- Fegan, M & Prior, P. 2005. Recent developments in the phylogeny and classification of *Ralstonia solanacearum*. *Acta hort.* 695:127-136.
- Fegan M & Prior P. 2006. Diverse members of the *Ralstonia solanacearum* species complex cause bacterial wilt of banana Australia's. *Plant pathol.* 35:93–101.
- Fikri A.S.I., Irman A.R., Norefrina S, & Ainon H. 2018. Isolation and Identification of local bacteria endophyte and Screening of Its antimicrobial property against pathogenic bacteria and fungi. *AIP conf Proc.* 1940(1):020072.
- Florez, Z & Allen C. 2009. *Ralstonia solanacearum* encounters an oxidative environment during tomato infection. *MPMI.* 22 (7):773-782. Doi: 10.1094/MPMI-22-7-0773.

- Fujiwara, A., Mariko, F. Ryosuke H., Takeru K., Makoto F., & Takashi Y. 2012. Biocontrol of *Ralstonia solanacearum* by treatment with lytic bacteriophages. *Applied and environmental microbiology*. 77(12):4155–4162. doi:10.1128/AEM.02847-10.
- Genin, S & Denny T.P. 2012. Pathogenomics of the *Ralstonia solanacearum* species complex. *Annual review of phytopathology*. 50: 67-89.
- Ghareeb, H., Bozsó, Z., Ott, P. G. & Wydra, K. 2011. Silicon and *Ralstonia solanacearum*, modulate expression stability of housekeeping genes in tomato. *Physiol. Mol. Plant Pathol.* 75:176–179. <https://doi.org/10.1016/j.pmpp.2011.02.003>.
- Gill J & Stephen T.A. 2003. Bacteriophage's ecology and plants. *APSnet Feature*. 1-17.
- Gilardi, G., Gullino M.L. & Garibaldi A. 2013. Critical aspects of grafting as a possible strategy to manage soil borne pathogen. *Scientia hort.* 149:19-21.
- Glickman, E & Dessaux. 1995. A critical examination of specificity of the salkowski reagent for indolic compounds produced by phytopathogenic bacteria. *App environ microbiology*. 61:793-796.
- Gonzales, E.T. & Allen C. 2003. Characterization of a *Ralstonia solanacearum* operon required for polygalacturonate degradation and uptake of galacturonic acid. *Mol plant phytopathol interact*.16(6):36-44.
- Greer G.G. 2005. Bacteriophage's control of foodborne bacteria. *J. food prot.* 68:1102–1111.
- Guo, M., Zongqiang G., Renhui M., Dan Su, Xiaojun L, Chunyun J, & Jie Z. 2016. The influence of root exudates of maize and soybean on polycyclic aromatic hydrocarbons degradation and soil bacterial community structure. *Ecological engineering*. 99:22-30. <https://doi.org/10.1016/j.ecoleng.2016.11.018>
- Gupta K & Yin J. 1995. Metal recognition by in-vitro selection. *Biotechnol bioeng.* 45:458.
- Haas, B.J., Gevers D., Earl A.M., *et al.* 2011. Chimeric 16S rRNA sequence formation and detection in Sanger and 454-pyrosequenced PCR amplicons. *Genome research*. 21:494-504.
- Hacquard S. 2016. Disentangling the factors shaping microbiota composition across the plant holobiont. *New phytologist*. 209:454-457.
- Handayani T. 2005. Penampilan ketahanan penyakit layu bakteri pada hibrida seksual dan somatik *Solanum khasianum* clarke dan *Solanum capsicoides*. *Zuriat* 16(2):181-191 [journal on-line]. <http://www.google.com/layubakteri>. Daises tanggal 29 Oktober 2017.
- Hanson, P. M., Wang J.F., Licardo O., Mah S.Y, Hartman GL, Lin Y.C, *et al.* 1996. Variable reaction of tomato line to bacterial wilt evaluated at several location in Southeast Asia. *HortSciene*. 31:143-146.
- Hasan, S., M. Inam-Ul-Haq, Farah, N, M. Ibrahim, T., & Zahid A. 2016. In vitro investigations on host specificity of *Ralstonia solanacearum* among solanaceous crops and its biological control in tomato. *Pak. J. Bot.*, 48(3):1279-1287.
- Hayward, A.C. 1964. Characteristic of *Pseudomonas solanacearum*. *J.App.Bact.* 27:265-217.

- Hayward, A.C. 1991. Biology and epidemiology of bacterial wilt caused by *Pseudomonas solanacearum*. *Annu.rev.phytopathol.* 29:65–87.
- Hernández, M., Dumont M.G., Yuan Q., & Conrad R. 2015. Different bacterial populations associated with the roots and rizosphere of rice incorporate plant-derived carbon. *Applied and environmental microbiology.* 81(6):2244-2253.
- Hu, C.M., Zhu Y.L., Yang L.F., Chen S.T., & Huang Y.M. 2006. Comparison of photosynthetic characteristics of grafted and own-root seedlings of cucumber under low temperature circumstances. *Acta bol. boreat-occident.sin.* 26:247-253.
- Huang, Y., Kong, Q.S., Chen, F., & Bie Z.L. 2014. The history, currents status and future prospects of vegetable grafting in China. *Act. hort.* 1:31-38.
- Ignatius, K. 2018. Evaluation of grafting technology for management of bacteria wilt (*Ralstonia solanacearum*) of Tomato (*Solanum lycopersicum* L). Thesis. Kenyatta University.
- Ishihara T, Mitsuhara I, Takahashi H, Nakaho K. 2012. Transcriptome analysis of quantitative resistance-specific response upon *Ralstonia solanacearum* infection in tomato. *PLoS ONE* 7: e46763.
- Jeung, Y., Kim J, & Kang Y. 2007. Genetic diversity and distribution of Korean isolates of *Ralstonia solanacearum*. *Plant disease.* 91(10):1277-1287.
- Joko T, Koentjoro M.P., Somowiyarjo S., Rohman M.S., Liana A., & Ogawa N. 2012. Response of rizobakteril communities in watermelon to infection with cucumber green mottle mosaic virus as revealed by cultivation-dependent RISA. *Archives of phytopathology and plant protection.* 45:1810–1818.
- Jones Jr., J.B. 2007. *Tomato plant culture: in the field, greenhouse, and home garden, second edition (2nd ed).* CRC Pres. <https://doi.org/10.1201/9781420007398>.
- Jones, J.B., Jackson Le., Balogh B., Obradovic, Iriarte F.B., & Momol M.T. 2007. Bacteriophages for disease control. *Annu.rev. phytopathol.* 45:245-262.
- Kalpage, M.D. & Costa, D.M. 2014. Isolation of Bacteriophages and determination of their efficiency in controlling *Ralstonia solanacearum* causing bacterial wilt of tomato. *Tropical agricultural research.* 26(1):140-151.
- Kawasaki, T, Shimizu M, Satsuma H, & Fujiwara A. 2009. Genomic characterization of *Ralstonia solanacearum* bacteriophages φRSBI, aT7-like wide host range bacteriophage. *J. bacteriol.* 191:422-427.
- Kelman, A. 1954. The relationship of pathogenicity in *Pseudomonas solanacearum* to colony appearance on a tetrazolium medium. *Phytopathol.* 44:693–695.
- Keen, E.C. 2015. A century of bacteriophages research: bacteriophages and the shaping modern biology. *Bioassay.* 37:6-9.
- Khah, EM, E. Kakava, A. Mavromatis, D. Chachalis & C. Goulas. 2006. Effect of grafting on growth and yield of tomato (*Lycopersicon esculentum* Mill.) in greenhouse and open field. *Journal of applied horticulture.* 8(1):3-7.
- King, S.R., Davis A.R., Zhang X., & Crosby, K. 2010. Genetics, breeding, and selection of rootstock for solanaceae and curcubitaceae. *Scientia Hort.* 127:106-111.

- Kumar, S., Kedarnath, Hamsavani, Ramanjini G., Rohini, Rangaswamy, & Raghavendra A. 2017. Isolation and characterization of *Ralstonia solanacearum* causing bacterial wilt of solanaceae crops. *Int.J.curr.microbiol.app.Sci.* 6(5):1173-1190. <http://www.ijcmas.com>.
- Kutter E. 1997. Bacteriophages Therapy: Bacteriophages as Antibiotics. <http://www.evergreen.edu/bacteriophages/bacteriophagestherapy/bacteriophagestherapy.htm>.
- Laeshita, P & Arwiyanto, T. 2017. Resistance test of several tomato varieties to bacterial wilt diseases caused by *Ralstonia solanacearum*. *Jurnal perlindungan tanaman Indonesia.* 21(1):51–53. doi: 10.22146/jpti.23171.
- Lamb, C & Dixon, R. A. 1997. The oxidative burst in plant disease resistance. *Annual review of plant physiology and plant molecular biology.* 48:251–275.
- Lee, J.M. 1994. Cultivation of grafted vegetables I. current status, grafting methods and benefits. *Hort science.* 29(4):235-239.
- Lee, J.M., Kubota, C., Tsao, S.J. Bie, Z. Echevaria, P.H., Morra, L. & Oda, M. 2010. Current status of vegetable grafting: diffusion, grafting techniques, automation. *Scientia hort.* 127:93-105.
- Legget, M.J., McDonnell G., Denyer S.P., Setlow P., & Maillard J.Y. 2012. Bacterial spore structures and their protective role in biocide resistance. *J appl microbiol.* 113:485-498.
- Li, H., Wang, F., Chen X.J., Shi K., Xia X.J., Conside M.G., Yu G.Q., & Zhou, Y.H. 2014. The sub/supra optimal temperature induced inhibitor of photosynthesis and oxidative damage in cucumber leaves are alleviated by grafting onto fig leaf gourd/lutfa rootstock. *Physiol. plant.* 152:571-584.
- Liu, H.Y., Zhu Z. J., & Lu.G. 2004. Effect of low temperature stress on chilling tolerance and protective system against active oxygen of grafted watermelon. *J. applied ecol.* 15:659-662.
- Louws, F.J. Rivard, C.L. & Kubota, C. 2010. Grafting fruiting vegetables to manage soilborne pathogen, foliar pathogen, arthropoda and weeds. *Scientia hort.* 127:127-146.
- Lu, T.K. & Collins, J.J. 2007. Dispersing biofilms with engineered enzymatic bacteriophages *Proc. natl. acad. sci.* 104:11197-11202.
- Marschner, P., Crowley D., & Hong Yang, C. 2004. Development of specific rizosphere bacterial communities in relation to plant species, Nutrition and soil type. *Plant soil.* 26:199–208.
- McMilan, S. 2007. Promoting growth with PGPR. *The canadian organic grower.* soil foodweb Canada Ltd. Soil biology Lab. & learning centre. 32-34p.
- Mendes, R., Kruijt, M., de Bruijn, I., Dekkers, E., van der Voort, M., Schneider, J.H.M., Piceno, Y.M., DeSantis, T.Z., Danersen, G.L., Bakker, P., & Raaijmakers, J. 2011. Deciphering the rizosphere microbiome for disease-suppressive bacteria. *Science.* 33(2):1097–1100.
- Mendes, R., Garbeva P., & Raaijmakers J.M. 2013. The rizosphere microbiome: significance of plant beneficial, plant pathogenic, and human pathogenic microorganisms. *FEMS microbiol rev.* 37:634-663.

- Mendes, R., Raaijmakers J.M., Mattias H., Mendes L.W., & Tsai S, M. 2018. Influence of resistance breeding in common bean on rizosphere microbiome composition and function. *The ISME journal*. 12:212–224.
- Mhamdi, A., Noctor, G., & Baker, A. 2012. Plant catalases: peroxisomal redox guardians. *Archives of biochemistry and biophysics*. 525(2):181–194.
- Mohamed, F., El-Hamed K., Elwan M., & Hussien, M. 2012. Impact of grafting on watermelon growth, Fruit yield and quality. 76:99.
- Naeve C.W., Buck G.A., Niece R.L., *et al.* 1995. Accuracy of automated DNA sequencing: a multi-laboratory comparison of sequencing results. *Biotechniques*.19(3):448-453.
- Nakaho K, Hibino H, Miyagawa H. 2000. Possible mechanisms limiting movement of *Ralstonia solanacearum* in resistant tomato tissues. *J Phytopathol* 148:181–190.
- Nakaho K, Inoue H, Takayama T, Miyagawa H. 2004. Distribution and multiplication of *Ralstonia solanacearum* in tomato plants with resistance derived from diferent origins. *J Gen Plant Pathol* 70:115–119.
- Nakaho, K., & Allen C. 2009. A pectinase deficient *Ralstonia solanacearum* strain induces reduced and delayed structural defenses in tomato xylem. *J phytopathol*. 157:228–234.
- Nakaho, K. 2021. Mechanisms of resistance to *Ralstonia solanacearum* in tomato rootstocks and integrated management of bacterial wilt using high grafting. *Journal of General Plant Pathology*. <https://doi.org/10.1007/s10327-021-01033-6>.
- Nelson, D.C., M. Schmelcher, L. Rodriguez-Rubio, J. Klumpp, D.G. Pritchard, S. dong, & D.M. Donovan. 2012. Endolysin as antimicrobials. *Adv. virus res*. 83:299-365.
- Nie L, Chen H, Zhang X, & Di B. 2010. Photosynthetic ability and mineral concentrations in xylem exudate of grafted and non-grafted watermelon seedlings. *Acta horticulturae*. 319.
- Ostrowski, M, & Jakubowska, 2007. Identification of enzyme activity that conjugates indole 3 acetic acid to aspartate in immature seed of Pea (*Pisum sativum*). *J. plant physiol*. 165:564-569.
- Ozawa, H., Tanaka H., Ichinose Y., Shiraishi T., and Yamada T. 2001. Bacteriophages P4282, a parasite of *Ralstonia solanacearum*, encode a bacteriolytic protein important for lytic infection of its host. *Mol. genet. genom*. 265:95-101.
- Palada, M.C., & Ali M. 2006. Evaluation of technologies for improving year-round production of safe vegetables in peri-urban agriculture of southeast asia. Paper presented at the XXVII International Horticultural Congress-IHC2006: International Symposium on Horticultural Plants in Urban and PeriUrban. 762p.
- Pandey A, Shukla A, & Majumdar S.K. 2005. Utilization of carbon and nitrogen sources by *Streptomyces kanamyceticus* M27 for the production of an anti-bacterial antibiotic. *Afr. j. biotechnol*. 4:909-910.
- Patel, H.M., Rajesh P., Rastogim U.T, & Datta M. 2018. Structural characterization and antioxidant potential of phycocyanin from the cyanobacterium *Geitlerinema* sp. H8DM. *Alga res*. 32:372-383.

- Paudel, S., Shefali D., Alvarez, A.M., & Mohammad A. 2020. Taxonomy and phylogenetic research on *Ralstonia solanacearum* species complex: A complex pathogen with extraordinary economic consequences. *Pathogens*. 9(886);2-26. Doi:10.3390/pathogens9110886. www.mdpi.com/journal/pathogens.
- Pearson, J.P., Gray K.M., Passador L., Tucker K.D., Eberhard A., Iglewski B.H., & Greenberg E.P. 1994. Structure of auto inducer required for the expression of *Pseudomonas aeruginosa* virulence gene. *Proc natl acad sci USA*. 91:197–201.
- Perez-Alfocea, F. 2014. Why should we investigate vegetable grafting? *Acta horticultura*. 21-29.
- Perez-Alfocea, F., Ghanem, M.E., Gomez-Cadenas, A., & Dodd, I.C. 2011. Omics of root to shoot signaling under salt stress and water deficit. *OMICS A journal of interagative biology*. 15:893-901.
- Peiffer, J.A., Spor, A., Koren, O., Jin, Z., Tringe, S.G., Dangl, J.L., Buckler, E.S., & Ley, R.E. 2013. Diversity and heritability of the maize rizosphere microbiome under field conditions. *Proc. natl. acad. sci. USA*. 110:6548–6553.
- Pengfa Li, Ming Li, Guilong Li, Kai Liu, Tianshun Liy, Meng Wu, Mahammed S, & Zhongpei L. 2020. Soil phosphorus availability determines the invasion of rhizospheric microbial networks and peanut infection by *Ralstonia*. *Europe PMC*. 1-50. doi:10.21203/rs.3.rs-113334/v1.
- Poudel, R., Jumpponen A., Kennelly M.M., Rivard C.L., Gomez-Montano L., & Garrett K.A. 2019. Rootstocks shape the rhizobiome: rizosphere and endosphere bacterial communities in the grafted tomato system. *Appl Environ Microbiol*. 85.
- Prior, P & Grimault V. 1994. Grafting tomato cultivars resistant or susceptible to bacterial wilt: analysis of resistance mechanisms. *Journal of phytopathology*. 141(3):330-334. <https://doi.org/10.1111/j.1439-0434.1994.tb01477.x>.
- Prior, P., Florent A., Beth L.D., Benoit R, Borja S., & Caitilyn A. 2016. Genomic and proteomic evidence supporting the division of the plant pathogen *Ralstonia solanacearum* into three species. *BMC genomics*. 17(90): 1-11.doi: 10.1186/s12864-016-2413-z.
- Qaryouti, M., Qawasmi W., Hamdan H., & Edwan, M. 2007. Tomato fruit yield and quality as affected by grafting and growing system. *Acta horticulturae*. p199.
- Quast, C., Pruesse E., Yilmaz P., *et al.* 2012. The SILVA ribosomal RNA gene database project: improved data processing and web-based tools. *Nucleic acids research*. 41: D590-D600.
- Raaijmakers, J.M. & Mark M. 2012. Diversity and natural functions of antibiotics produced by beneficial and plant pathogenic bacteria. *Annu. rev. phytopathol*. 50:403-424.
- Ramsay, B.A., Ilie S, Juliana A. R., & Robert H.M. 1992. Effect of nitrogen limitation on long-side-chain poly-3- hydroxyalkanoate synthesis by *Pseudomonas resinovorans*. *Applied and environmental microbiology*. 58(2):744-746.

- Remenant, B., de Cambiaire J.C., Cellier G., Jacobs J.M., Mangenot S., *et al.* 2011. *Ralstonia syzygii*, the blood disease bacterium and some Asian. *Solanacearum* strains form a single genomic species despite divergent lifestyles. *PLoS ONE*. 6: e24356.
- Richard, M.C. 1999. Bacteriophage therapy: past history and future prospects. *Arch. immunol. ther. exp.* 47:267-274.
- Rivard, C.L & Louws. 2008. Grafting to manage soilborne disease in heirloom Tomato Production. *Hort science*. 43:2104-2111.
- Romero, F.M., Maria M., & Ferndano L.P. 2014. The communities of tomato (*Solanum lycopersicum* L.) leaf endophytic bacteria, analyzed by 16S-ribosomal RNA gene pyrosequencing. *FEMS microbiology letters*. 351(2):187-194. <https://doi.org/10.1111/1574-6968.12377>
- Ruhana, A. 2015. Sebaran *Ralstonia solanacearum* pada tomat berdasarkan keragaman genetic di wilayah Daerah Istimewa Yogyakarta dan propinsi Jawa Tengah. Tesis. Fakultas Pertanian Universitas Gadjah Mada, Yogyakarta.
- Ruiz, J.M. & Romero L. 1999. Nitrogen efficiency and metabolism in grafted melon plants. *Scientia horticulturae*. 81(2):113-123. [https://doi.org/10.1016/S0304-4238\(98\)00200-3](https://doi.org/10.1016/S0304-4238(98)00200-3).
- Sadeghi, A., Karimi, E., Dahaji P.A., Javid M.G., Dalvdan Y., & Askari H. 2012. Plant growth promoting activity of and auxin and siderophore producing isolate of *Streptomyces* under saline soil conditions. *World j. microb. biot.* 28 (4):1503–1509.
- Safni, I, ~~be~~C, Paul De Vos, Mark F, Lindsay S, and Ulrike K. 2014. Polyphasic taxonomic revision of the *Ralstonia solanacearum* species complex: proposal to emend the descriptions of *Ralstonia solanacearum* and *Ralstonia syzygii* and reclassify current *R. syzygii* strains as *Ralstonia syzygii* subsp. *syzygii* subsp. Nov., *R. solanacearum* phylotype IV strains as *Ralstonia syzygii* subsp. *indonesiensis* subsp. nov., banana blood disease bacterium strains as *Ralstonia syzygii* subsp. *celebesensis* subsp. Nov. and *R. solanacearum* phylotype I and III strains as *Ralstonia pseudosolanacearum* sp. nov. *International journal of systematic and evolutionary microbiology*. 64:3087–3103. doi: 10.1099/ijs.0.066712-0.
- Saharan, B.S & Nehra V. 2011. Plant growth promoting rizobacteria: A critical review. *Life sciences and medicine research*. 21:1-11.
- Sanz, M, Mateo S, & Mark J. 2021. Structure and function of bacteriophages. *Springer nature*. 19-73. <https://doi.org/10.1007/978-3-319-41986-2-1>.
- Schaad, N.W., Jones J.B., & Chun W. 2001. Laboratory guide for identification of plant pathogenic bacteria. 3rd. Ed. APS Press. St. Paul, MN, USA.
- Schuch, R., D. Nelson, V.A. & Fischetti. 2002. A bacteriolytic agent that detects and kill *Bacillus anthracis*. *Nature*. 418: 884-889.
- Schwarz, D., Daniella B., Giuseppa C., Youssef R., Mariateresa C., & Elvira R. 2012. Effect of Nitrogen form and nutrient solution pH on growth and mineral composition of self-grafted and grafted tomatoes. *Scientia horticulturae*. 149:61-69.
- Semangun, H. 2004. Penyakit-penyakit tanaman hortikultura di Indonesia. UGM Press. Yogyakarta.

- Sharma, S., Soumya C., Sibnarayan D., Rishika P., Dharmendra D., Rajesh K.P., & Mohan G.V. 2017. Bacteriophages and its applications: an overview. *Folia microbiol.* 62:17-55. Doi: 10.1007/s12223-016-0471-x.
- Simanungkalit, R.D.M., Didi A.S., Rasti S., Diah S., & Wiwik H. 2006. Pupuk organik dan pupuk hayati. Balai Besar Litbang Sumberdaya Lahan Pertanian Badan Penelitian dan Pengembangan Pertanian. Jawa Barat.
- Singh, B.K., Peter M., Danrew S.W., & Colin M. 2004. Unraveling rizosphere–microbial interactions: opportunities and limitations. Elsevier. *TRENDS in microbiology.* 12(8):386-393. doi: 10.1016/j.tim.2004.06.008. www.sciencedirect.com.
- Suhartiningsih, D.N. 2015. Kajian Pengendalian Penyakit Layu Bakteri *Ralstonia solanacearum* pada tomat dengan penyambungan. Disertasi. Universitas Gadjah Mada. Yogyakarta.
- Tan, G.H., Nordin M.S. & Tony P.S.H. 2015. Characterization and identification of bacteriophages isolated from sewage and infected tomato soil. *Global science research journal.* 3(2):127-133.
- Thaler, J.S., Owen, B. & Higgins, V.J. 2004. The role of the jasmonate response in plant susceptibility to diverse pathogens with a range of lifestyles. *Plant Physiol.* 135:530–538.
- Trudil, D. 2015. Bacteriophages lytic enzymes: a history. *Viol.sin.* 30:26-32.
- Ueki, A., Nobuo K., & Katsuji U. 2018. Role of anaerobic bacteria in biological soil disinfestation for elimination of soil borne pathogens in agriculture. *Applied microbiology and biotechnology.* 102:6309-6318.
- Uroz, S., Yves D. & Phil O. 2009. Quorum sensing and quorum quenching: the yin and yang of bacterial communication. *Chembiochem.* 10(2):205-216. <https://doi.org/10.1002/cbic.200800521>.
- Valerio, N., Cristiana O., Vania J., Tatiana B., Carla P., Catarina M., Dana & Adeliade A. 2017. Effect of single and combined use of bacteriophages and antibiotics to inactivate *Escherichia coli*. *Virus research.* 240:8-17.
- Van der Ent, S., Van H.M., Pozo M.J., Czechowski T, Udvardi M.K., Pieterse C.M., & Ton J. 2009. Priming of plant innate immunity by rizobacteria and b-amino butyric acid: differences and similarities in regulation. *New phytol.* 183:419–431.
- Van Loon. 2007. Plant responses to plant growth-promoting rizobacteria. In. *New perspectives and approaches in plant growth-promoting rhizobacteria research.* Springer. 243-254.
- Vasavada S.H., Thumar J.T., & Singh S.P. 2006. Secretion of a potent antibiotic by salt-tolerant and alkaliphilic actinomycete *Streptomyces sannanensis* strain RJT-1. *Curr. Sci.* 91: 1393-1397.
- Wang, X., Wei, Z, Yang, K. *et al.* 2019. Phage combination therapies for bacterial wilt diseases in tomato. *Nat. Biotechnol.* 37:1513-1520.
- Wei, Z., Huang J., Yang T., Jousset A., Xu Y., Shen Q., & Friman V.P. 2017. Seasonal variation in the bio control efficiency of bacterial wilt is driven by temperature mediated changes in bacterial competitive interactions. *J appl ecol.* 54:1440-1448.

- Weinert, N., Piceno Y., Ding G.C., Meincke R., Heuer H., Berq G., Schloter M., Danersen G., & Smalla K. 2011. Phylo Chip hybridization uncovered an enormous bacterial diversity in the rhizosphere of different potato cultivars: many common and few cultivar-dependent taxa. *FEMS microbiol. ecol.* 75:497–506.
- Yamada, T., Kawasaki T., Nagata S., Akiko F., Shoji U., & Makoto F. 2007. New bacteriophages that infect the phytopathogen *Ralstonia solanacearum*. *Microbiology.* 153:2630:2639.
- Yamada, T. 2012. Bacteriophages of *Ralstonia solanacearum*: Their diversity and Utilization as biocontrol agents in agriculture. <https://www.researchgate.net/publication/22192863>.
- Yang Yi, Na Wang, Xinyan Guo, Yi Zhang, & Boping Ye. 2017. Comparative analysis of bacterial community structure in the rizosphere of maize by high throughput pyrosequencing. *PLoS ONE.* 12(5):1-11. <https://doi.org/10.1371/journal>.
- Zao, X, Defeng X, Na Fu, Bingfeng L, Nanqi R. 2011. Hydrogen production by the newly isolated *Clostridium beijerinckii* RZF-1108. *Bioresources technology.* 102(18):8432-8436.
- Zhu, S., Jorge M.V. & Daniel K.M. 2016. Nitrogen fertilizer rate affects root exudation, the rizosphere microbiome and nitrogen-use-efficiency of maize. *Applied soil ecology.* 107:324-333. <https://doi.org/10.1016/j.apsoil.2016.07.009>.