

## DAFTAR PUSTAKA

- Aderibigbe, B.A., Neuse, E.W., Sadiku, E.R., Ray, S.S., and Smith, P.J., 2014. Synthesis, characterization, and antiplasmodial activity of polymer-incorporated aminoquinolines. *J. Biomed. Mater. Res. A*, 102, 1941–1949.
- Alen, S., Sajan, D., Joseph, L., Chaitanya, K., Shettigar, V., and Jothy, V.B., 2015. Synthesis, growth, vibrational spectral investigations and structure–property relationship of an organic NLO crystal: 3,4-Dimethoxy chalcone, *Chem. Phys. Lett.*, 636, 208-215.
- Alidmat, M.M., Khairuddean, M., Norman, N.M., Asri, A.N.M., Suhaimi, M.H.M., and Sharma, G., 2021. Synthesis, characterization, docking study and biological evaluation of new chalcone, pyrazoline, and pyrimidine derivatives as potent antimalarial compounds, *Arab. J. Chem.*, 14, 103304/1-15.
- Aminu, B.M., and Mukhtar, M.D., 2017. Comparison of *in vivo* and *in vitro* tests of resistance in *Plasmodium falciparum* positive patients treated with artemisinin based combination therapy in Northwestern Nigeria, *SAJ Biotechnol.*, 4, 101-106.
- Anonim, 2018, *World malaria report 2018*, World Health Organization, Geneva.
- Antony, H.A., and Parija, S.C., 2016. Antimalarial drug resistance: An overview, *Trop. Parasitol.*, 6, 30-41.
- Anwar, C., Prasetyo, Y.D., Matsjeh, S., Haryadi, W., Sholikhah, E.N., and Nendrowati, 2018. Synthesis of chalcone derivatives and their *in vitro* anticancer test against breast (T47D) and colon (WiDr) cancer cell line, *Indones. J. Chem.*, 1, 102-107.
- Aguar, A.C.C., Murce, E., Cortopassi, W.A., Pimentel, A.S., Almeida, M.M.F.S., Barros, D.C.S., Guedes, J.S., Meneghetti, M.R., and Krettli, A.U., 2018. Chloroquin analogs as antimalarial candidates with potent *in vitro* and *in vivo* activity, *Int. J. Parasitol-Drug.*, 8, 459-464.
- Aguar, A.C.C., Santos, R.M., Figueiredo, F.J.B., Cortopassi, W.A., Pimentel, A.S., Franca, T.C.C., Meneghetti, M.R., and Krettli, A.U., 2012. Antimalarial activity and mechanisms of action of two novel 4-aminoquinolines against chloroquine-resistant parasites, *PloS ONE*, 7, 1-8.
- Batista, R., Junior, A.J.S., and Oliveira, A.B., 2009. Plant-derived antimalarial agents: new leads and efficient phytomedicines. part ii. non-alkaloidal natural products, *Molecules*, 15, 3037-3072.

- Bukhari, S.N.A., Jasmani, M., Jantan, I., and Ahmad, W., 2013, Review of methods and various catalysts used for chalcone synthesis, *Mini. Rev. Org. Chem.*, 10, 73-83.
- Casertano, M., Menna, M., Fattorusso, C., Basilico, N., Parapini, S., Persico, M., and Imperatore, C., 2020, Antiplasmodial activity of p-substituted benzyl thiazinoquinone derivatives and their potential against parasitic infections, *Molecules*, 25, 1-8.
- Congpoung, K., Sirtichaisinthop, J., Tippawangkosol, P., Suprakrob., K., Bangchan, K., and Ariya, P.T., 1998, Incidence of antimalarial pretreatment and drug sensitivity *in vitro* in multidrugresistant *Plasmodium falciparum* infection in Thailand, *Trans. R. Soc.*, 92, 84-86.
- Conrad, M.D., and Rosenthal, P.J., 2019, Antimalarial drug resistance in Africa: The calm before storm?, *Lancet Infect. Dis.*, 19, 338-351.
- Cui, L., Mharakurwa, S., Ndiaye, D., Rathod, P.K., and Rosenthal, P.J., 2015, Antimalarial drug resistance: Literature review and activities and finding of the ICEMR network, *Am. J. Trop. Med. Hyg.*, 93, 57-68 .
- Elshemy, H.A.H., Zaki, M.A., Mohamed, E.I., Khan, S.I., and Lamie, P.F., 2020, A multicomponent reaction to design antimalarial pyridyl-indole derivatives: Synthesis, biological activities and molecular docking, *Bioorg. Chem.*, 97, 1-11.
- Fischer, J., and Rotella, D.P., 2015, *Successful Drug Discovery*, Willey-VCH, Berlin.
- Hans, R.H., Guantai, E.M., Lategan, C., Smith, P.J., Wan, B., Franzbalu, S.G., Gut, J., Rosenthal, P.J., and Chibale, K., 2010, Synthesis, antimalarial and antitubercular activity of acetylenic chalcones, *Bioorg. Med. Chem. Lett.*, 20, 942-944.
- Heinrich, M., 2018, Book review from *Artemisia annua L.* to artemisinins: the discovery and development of artemisinins and antimalarial agents, *J. Ethnopharmacol.*, 224, 553.
- Ibrahim, Z.Y., Uzairu, A., Shallangwa, G., and Abechi, S., 2020, Theoretical design of novel antimalarial agents against *P. falciparum* strain, Dd<sub>2</sub> through the QSAR modeling of synthesized 2'-substituted triclosan derivatives, *Heliyon*, 6, 1-11.
- Jankovic, T., Turkovic, N., Stevulijevic, J.K., Vujic, Z., and Ivkovic, B., 2020. Differences in antioxidant potential of chalcones in human serum: *In vitro* study, *Chem. Biol. Interact.*, 324, 1-7.

- Kane, N.F., Kyama, M.C., Nganga, J.K., Hassanali, A., Diallo, M., and Kimani, F.T., 2019, Comparison of phytochemical profiles and antimalarial activities of *Artemisia afra* plant collected from five countries in Africa, *S. Afr. J. Bot.* 125, 126-133.
- Karaca, H., and Kazanci, S., 2021, The metal sensing applications of chalcones: The synthesis, characterization and theoretical calculations, *J. Mol. Struct.* 1248, 1-9.
- Kim, S.I., Tak, H.J., Seo, J.K., Park, S.R., Kim, J., and Boo, K.H., 2021, Repellency of veratraldehyde (3,4-dimethoxy benzaldehyde) against mosquito females and tick nymphs, *Appl. Sci.*, 11, 1-12.
- Kumar, A., Rout, L., Achary, L.S.K., Mohanty, S.K., Nayak, P.S., Barik, B., and Dash, P., 2021, Solvent free synthesis of chalcones over graphene oxide-supported MnO<sub>2</sub> catalysts synthesized via combustion route, *Mater. Chem. Phys.*, 259, 1-16.
- Kumar, R., Mohanakrishnan, D., Sharma, A., Kaushik, N.K., Kalia, K., Sinha, A.K., and Sahal, D., 2010, Reinvestigation of structure activity relationship of methoxylated chalcones as antimalarials: Synthesis and evaluation of 2,4,5-trimethoxy substituted patterns as lead candidates derived from abundantly available natural b-asarone, *Eur. J. Med. Chem.*, 45, 5292-5301.
- McMurry, J., 2007, *Organic chemistry*, Cengage Learning, Inc, California.
- Molleti, J., and Yadav, D.G., 2017, Green synthesis of veratraldehyde using potassium promoted lanthanum–magnesium mixed oxide catalyst, *Org. Process Res. Dev.*, 21, 1012-1020.
- Naing, C., Whittaker, W.A., Htet, N.H., Aye, S.N., and Mak, J.W., 2019, Efficacy of antimalarial drugs for treatment of uncomplicated *falciparum* malaria in Asian region: A network meta-analysis, *PLoS ONE*, 14, 1-16.
- Nascimento, M.F.A., Borgati, T.F., Souza, L.C.R., Tagliati, C.A., and Oliveira, A.B., 2020, *In silico*, *in vitro*, and *in vivo*, Evaluation of natural *Bignoniaceae* *naphthoquinones* in comparasion with atovaquone targeting the selection of potential antimalarial candidates, *Toxicol. Appl. Pharmacol.*, 401, 1-9.
- Opdike, D.L.J., 1979, *Veratraldehyde in monographs on fragrance raw materials*, Pergamon Press, New York.
- Perrin, A.J., Patel, A., Flueck, C., Blackman, M.J., and Baker, D.A., 2020, cAMP signalling and its role in host cell invasion by malaria parasites, *Microbiology*, 58, 69-74.

- Qin, H.L., Zhang, Z.W., Lekkala, R., Alsulami, H., and Rakesh, K.P., 2020, Chalcone hybrids as privileged scaffolds in antimalarial drug discovery: A key review, *Eur. J. Med. Chem.*, 193, 1-17.
- Reeta, Rajendran, V., Rangarajan, T.M., Ayushee, Singh, R.P., and Singh, M., 2019, Synthesis of novel chalcones through palladium-catalyzed C-O crosscoupling reaction of bromo-chalcones with ethyl acetohydroxamate and their antiplasmodial evaluation against *Plasmodium falciparum* in vitro, *Bioorg. Chem.*, 86, 631-640.
- Rocha, J.E., Freitas, T.S., Xavier, J.C., Pereira, R.L.S., Junior, F.N.P., Nogueira, C.E.S., Marinho, M.M., Bandeira, P.N., Oliveira, M.R., Marinho, E.S., Teixeira, A.M.R., Santos, H.S., and Coutinho, H.D.M., 2021, Antibacterial and antibiotic modifying activity, ADMET study and molecular docking of synthetic chalcone (E)-1-(2-hydroxyphenyl)-3-(2,4-dimethoxy-3-methylphenyl) prop-2-en-1-one in strains of *Staphylococcus aureus* carrying NorA and MepA efflux pumps, *Biomed. Pharmacother.*, 140, 1-10.
- Rioux, B., Pinon, A., Gamond, A., Martin, F., Laurent, A., Champavier, Y., Barette, C., Liagre, B., Fagnere, C., Sol, V., and Pouget, C., 2021, Synthesis and biological evaluation of chalcone-polyamine conjugates as novel vectorized agents in colorectal and prostate cancer chemotherapy, *Eur. J. Med. Chem.*, 222, 1-14.
- Sahoo, S.K., Rani, B., Gaikwad, N.B., Ahmad, M.N., Grace, K., Shukla, M., Nanduri, Dasgupta, A., Chopra, S., and Yaddanapudi, V.M., 2021, Synthesis and structure-activity relationship of new chalcone linked 5-phenyl-3-isoxazolecarboxylic acid methyl esters potentially active against drug resistant *Mycobacterium tuberculosis*, *Eur. J. Med. Chem.*, 222, 1-17.
- Santalova, E.A., and Danisenko, V.A., 2017, Analysis of the configuration of an isolated double bond in some lipids by selective homonuclear decoupling, *Nat. Prod. Commun.*, 12, 1913-1916.
- Sattar, E.A., Abdallah, H.M., Mekkawy, S., Ichino, C., Kiyohara, H., and Yamada, H., 2020, Antimalarial alkaloid from *Hypoestes forskolii*, *Exp. Parasitol.*, 211, 1-5.
- Schatz, P.F., 1996, Bromination of acetanilide, *J. Chem. Educ.*, 73, 267.
- Setyawati, A., Wahyuningsih, T.D., and Purwono, B., 2017, Syntheses of novel pyrazolines as antibacterial agents from natural product vanillin, *Asian. J. Chem.*, 29, 454-456.
- Silva, P.T., Xavier, J.C., Freitas, T.S., Oliveira, M.M., Coutinho, H.D.M., Leal, A.L.A.B., Baretto, H.M., Bandeira, P.N., Nogueira, C.E.S., Sena, D.M., Neto,

- F.W.Q.A., Marinho, E.S., Santos, H.S., and Teixeira, A.M.R., 2021, Synthesis, spectroscopic characterization and antibacterial evaluation by chalcones derived of acetophenone isolated from *Croton anisodontus* Müll.Arg., *J. Mol. Struct.*, 1226, 1-12.
- Singh, N., Kumar, N., Rathee, G., Damini, S., Singh, A., Tomar, V., Das, S.K., and Chandra, R., 2020, Privileged scaffold chalcone: synthesis, characterization and its mechanistic interaction studies with BSA employing spectroscopic and chemoinformatics approaches, *ACS Omega.*, 5, 2267-2279.
- Sinha, S., Batovska, D.I., Medhi, B., Radotra, B.D., Bhalla, A., Markova, N., and Sehgal, R., 2019, *In vitro* anti-malarial efficacy of chalcones: cytotoxicity profile, mechanism of action and their effect on erythrocytes, *Malar. J.*, 18, 1-11.
- Sinha, S., Sharma, P., Sehgal, R., and Medhi, B., 2017, Development in assay methods for *in vitro* antimalarial drug efficacy testing: A systematic review, *Front. Pharmacol.*, 8, 1-14.
- Soderberg, T., 2019, *Organic chemistry with a biological emphasis*, University of Minnesota Morris Digital Well, Minneapolis.
- Suwito, H., Jumina, Mustofa, Pudjiastuti, P., Fanani, M.Z., Ariga, Y.K., Katahira, R., Kawakami, T., Fujiwara, T., Hase, T., Sirat, H.M., and Puspaningsih, N.N.T., 2014, *Molecules*, 19, 21473-21488.
- Syahri, J., Yuanita, E., Nurohmah, B.A., Armunanto, R., and Purwono, B., 2017, Chalcone analogue as potent anti-malarial compounds against *Plasmodium falciparum*: Synthesis, biological evaluation, and docking simulation study, *Asian. Pac. J. Trop. Biomed.*, 8, 675-679.
- Sykes, P., 1986, *A guidebook of organic reaction mechanism*, John Wiley & Sons, Cambridge.
- Tadigoppula, N., Korthikunta, V., Gupta, S., Kancharla, P., Khaliq, T., Soni, A., Srivastava, K., Puri, S.K., Raju, K.S.R., Wahajuddin, Sijwali, P.S.S., Kumar, V., and Mohammad, I.S., 2012, Synthesis and insight into the structure–activity relationships of chalcones as antimalarial agents, *J. Med. Chem.* 56, 31-45.
- Thapa, P., Upadhyay, S.P., Suo, W.Z., Singh, V., Gurung, P., Lee, E.S., Sharma, R., and Sharma, M., 2021, Chalcone and its analogs: Therapeutic and diagnostic applications in Alzheimer's disease, *Bioorg. Chem.*, 108, 1-24.

- Tomar, N., Singh, S.V., Jain, C.L., Verma, G., Pal, A., and Singh, V., 2015, Synthesis and antiplasmodial activity of some novel chalcone derivatives, *Asian. J. Pharm. Clin. Res.*, 8, 47-50.
- Tomar, V., Bhattacharjee, G., Kamaluddin, Rajakumar, S., Srivastava, K., and Puri, S.K., 2010, Synthesis of new chalcone derivatives containing acridinyl moiety with potential antimalarial activity, *Eur. J. Med. Chem.*, 45, 745-751.
- Tyson, F.T., 1938, The preparation of m-bromobenzaldehyde, *J. Am. Chem. Soc.*, 11, 2821.
- Wahyuningsih, T., Suma, A.A.T., and Astuti, E., 2019, Synthesis, anticancer activity, and docking study of N-acetyl pyrazolines from veratraldehyde, *J. App. Pharm. Sci.*, 03, 14-20.
- Wilhelm, A., Kendrekar, P., Noreljaleel, A.E.M., Abay, E.T., Bonnet, S.L., Lubber, W., Kock, C., Swart, K.J., and Westhuizen, J.H., 2015, Syntheses and *in vitro* antiplasmodial activity of aminoalkylated chalcones and analogues, *J. Nat. Prod.*, 78, 1848-1858.
- White, N.J., 2004, Antimalarial drug resistance, *J. Clin. Investig.*, 113, 1084-1092.
- Yadav, N., Dixit, S.K., Bhattaharya, A., Mishra, L.C., Sharma, M., Awasthi, S.K., and Bhasin, V.K., 2012, Antimalarial activity of newly synthesized chalcone derivatives *in vitro*, *Chem Biol Drug Des.*, 80, 340-347.