

DAFTAR PUSTAKA

Abel, R. M., Buckley, M. J., Austen, W. G., Barnett, G. O., Beck, C. H. Jr., Fischer, J. E. (1976). Etiology, incidence and prognosis of renal failure following cardiac operations. Results of a prospective analysis of 500 consecutive patients. *J Thorac Cardiovasc Surg* 71: 323-333.

Abraham, V. S., Swain, J. A. Cardiopulmonary bypass and the kidney. (2000). In: *Cardiopulmonary Bypass: Principles and Practice, 2nd Ed.*, edited by Gravlee GP, Davis RF, Kurusz M, Utley JR, Philadelphia, Lippincott Williams & Wilkins, pp 382-391.

Abramov, D., Tamariz, M., Serrick, C. I., Sharp, E., Noel, D., Harwood, S., Christakis, G. T., Goldman, B. S. (2003). The influence of cardiopulmonary bypass flow characteristics on the clinical outcome of 1820 coronary bypass patients. *Can J Cardiol* 19: 237-243.

Asimakopoulos, G., Taylor, K. M. (1998). Effects of cardiopulmonary bypass on leukocyte and endothelial adhesion molecules. *Ann Thorac Surg* 66: 2135-2144.

Axtell Andrea, L., Fiedler Amy, G., Melnitchouk Serguei, D'Alessandro, D. A., Villavicencio Mauricio, A., Jassa Arminder, S., Sundt Thoralf, M. (2019). Correlation of Cardiopulmonary Bypass duration with acute renal failure after cardiac surgery. *The Journal of Thoracic and Cardiovascular Surgery* 2019 vol 1: 1-9.

Baliga, R., Ueda, N., Waler, P. D., Shah, S. V. (1997). Oxidant mechanisms in toxic acute renal failure. *Am J Kidney Dis* 29: 465-477.

Barbut, D., Hinton, R. B., Szatrowski, T. P., Hartman, G. S., Bruefach, M., Williams-Russo, P., Charlson, M. E., Gold, J. P. (1994). Cerebral emboli detected during bypass surgery are associated with clamp removal. *Stroke* 25: 2398-2402.

Bellomo, R., Ronco, C., Kellum, J. A., Mehta, R. L., Palevsky, P. (2004). Acute renal failure-definition, outcome measures, animal models, fluid therapy and information technology needs: The Second International Consensus Conference of the Acute Dialysis Quality Initiative (ADQI) Group. *Crit Care* 2004; 8: R204-12.

Bennett-Guerrero, E., Ayuso, L., Hamilton-Davies, C., White, W. D., Barclay, G. R., Smith, P. K., King, S. A., Muhlbaier, L. H., Newman, M. F., Mythen, M. G. (1997). Relationship of pre-operatif antiendotoxin core antibodies and adverse outcomes following cardiac surgery. *JAMA* 277: 646-650.

Bidstrup, B. P., Royston, D., Sapsford, R. N., Taylor, K. M. (1989). Reduction in blood loss and blood use after cardiopulmonary bypass with high-dose aprotinin. *J Thorac Cardiovasc Surg* 97: 364-372.

Blauth, J. (1995). Macroemboli and microemboli during cardiopulmonary bypass. *Ann Thorac Surg* 59: 1300-1303.

Boonstra, P. W., Gu, Y. J., Akkerman, C., Haan, J., Huyzen, R., Van Oeveren, W., *et al.* (1994). Heparin coating of an extracorporeal circuit partly improves hemostasis after cardiopulmonary bypass. *J Thorac Cardiovasc Surg* 1994;107: 289-92.

Burne-Taney, M. J., Rabb, H. (2003). The role of adhesion molecules and T cells in ischemic renal injury. *Curr Opin Nephrol Hypertens* 12: 85-90.

Butterworth, J., James, R. L., Lin, Y., Prielipp, R. C., Hudspeth, A. S. (1999). Pharmacokinetics of epsilon-aminocaproic acid in

patients undergoing aortocoronary bypass surgery. *Anesthesiology* 1999; 90: 1624-35.

Caramelo, C., Espinoza, G., Manzarbeitia, F., Cernadas, M. R., Perez Tejerizo, G., Tan, D., Mosquera, J. R., Digiuni, E., Monton, M., Millas, I., Hernando, L., Casado, S., Lopez-Farre, A. (1996). Role of endothelium-related mechanisms in the pathophysiology of renal ischemia/reperfusion in normal rabbits. *Circ Res* 79: 1031-1038.

Chan YH. Biostatistics 104: correlational analysis. *Singap Med J.* 2003; 44 (12): 614–619.

Chertow, G. M., Lazarus, J. M., Christiansen, C. L., Cook, E. F., Hammermeister, K. E., Grover, F., Daley, J. (1997). Preoperatif renal risk stratification. *Circulation* 95: 878-884.

Chertow, G. M., Levy, E. M., Hammermeister, K. E., Grover, F., Daley, J. (1998). Independent association between acute renal failure and mortality following cardiac surgery. *Am J Med* 104: 343-348.

Conger, J. D. (2001). Vascular alterations in acute renal failure : Roles in initiation and maintenance. In: *Acute Renal Failure—A Companion to Brenner and Rector's The Kidney*, edited by Molitoris BA, Finn WF, Philadelphia, Saunders, 2001, pp 13-29.

Conlon, P. J., Stafford-Smith, M., White, W. D., Newman, M. F., King, S., Winn, M. P., Landolfo, K. (1999). Acute renal failure following cardiac surgery. *Nephrol Dial Transplant* 14: 1158-1162.

Cook, D. J. (1999). Changing temperatur management for cardiopulmonary bypass. *Anesth Alalg* 88: 1254-1271.

Cremer, J., Martin, M., Redl, H., Bahrami, S., Abraham, C., Graeter, T., Haverich, A., Schlag, G., Borst, H. G. (1996). Systemic inflammatory response after cardiac operations. *Ann Thorac Surg* 61: 1714-1720.

Czerny, M., Baumer, H., Kilo, J., Lassnigg, A., Hamwi, A., Vukovich, T., Wolner, E., Grimm, M. (2000). Inflammatory response and myocardial injury following coronary artery bypass grafting with or without cardiopulmonary bypass. *Eur J Cardiothorac Surg* 17: 737-742.

Davis, C. L., Kausz, A. T., Zager, R. A., Kharasch, E. D., Cochran, R. P. (1999). Acute renal failure after cardiopulmonary bypass is related to decreased serum ferritin levels. *J Am Soc Nephrol* 10: 2396-2402.

Donnahoo, K. K., Meng, X., Ayala, A., Cain, M. P., Harken, A. H., Meldrum, D. R. (1999). Early kidney TNF-expression mediates neutrophil infiltration and injury after renal ischemia-reperfusion. *Am J Physiol* 277: R922-R929.

Duebener, L. F., Hagino, I., Sakamoto, T., Mime, L. B., Stamm, C., Zurakowski, D., *et al.* (2002). Effects of pH management during deep hypothermic bypass on cerebral microcirculation: Alpha-stat versus pH-stat. *Circulation* 2002;106: I103-8.

England, M. R., Gordon, G., Salem, M., Chernow, B. (1992). Magnesium administration and dysrhythmias after cardiac surgery. A placebo-controlled, double-blind, randomized trial. *JAMA* 1992; 268: 2395-402.

Eriksen, B. O., Hoff, K. R. S., Solberg, S. (2003). Prediction of acute renal failure after cardiac surgery: Retrospective cross-validation of a clinical algorithm. *Nephrol Dial Transplant* 18: 77-81.

Faymonville, M. E., Pincemail, J., Duchateau, J., Paulus, J. M., Adam, A., Deby-Dupont, G., Deby, C., Albert, A., Larbuisson, R., Limet, R., *et al.* (1991). Myeloperoxidase and elastase as markers of leukocyte activation during cardiopulmonary bypass. *J Thorac Cardiovasc Surg* 102: 309-317.

Ferraris, V. A., Brown, J. R., Despotis, G. J., Hammon, J. W., Brett, R. T., Saha, S. P., *et al.* (2011). Update to the Society of Thoracic Surgeons and the Society of Cardiovascular Anesthesiologists blood conservation clinical practice guidelines. *Ann Thorac Surg* 2011; 91: 944-82.

Finley, A., Greenberg, C. (2013). Review article: Heparin sensitivity and resistance: Management during cardiopulmonary bypass. *Anesth Analg* 2013; 116: 1210-22.

Fischer, U. M., Weissenberger, W. K., Warters, R. D., Geissler, H. J., Allen, S. J., Mehlhorn, U. (2002). Impact of cardiopulmonary bypass management on postcardiac surgery renal function. *Perfusion* 17: 401-406.

Flaherty, J. T., Weisfeldt, M. L. (1988). Reperfusion injury. *Free Radic Biol Med* 5: 409-419.

Fortescue, E. B., Bates, D. W., Chertow, G. M. (2000). Predicting acute renal failure after coronary bypass surgery: Cross-validation of two risk-stratification algorithms. *Kidney Int* 57: 2594-2602.

Fransen, E., Maessen, J., Dentener, M., Senden, N., Geskes, G., Buurman, W. (1998). Systemic inflammation present in patients undergoing CABG without extracorporeal circulation. *Chest* 113: 1290-1295.

Frering, B., Philip, I., Dehous, M., Rolland, C., Langlois, J. M., Desmouts, J. M. (1994). Circulating cytokines in patients undergoing normothermic cardiopulmonary bypass. *J Thorac Cardiovasc Surg* 108: 642-647.

Frost, L., Pedersen, R. S., Lund, O., Hansen, O. K., Hansen, H. E. (1991). Prognosis and risk factors in acute, dialysis-requiring renal failure after open-heart surgery. *Scand J Thorac Cardiovasc Surg* 25: 161-166.

Galinanes, M., Watson, C., Trivedi, U., Chambers, D. J., Young, C. P., Venn, G. E. (1996). Differential patterns of neutrophil adhesion molecules during cardiopulmonary bypass in humans. *Circulation* 94 [Suppl 2]: 364-369.

Gaudino, M., Luciani, G. S., Caradonna, E., Nasso, G., Schiavello, R., *et al.* (2005). Different profiles of patients who require dialysis after cardiac surgery. *Ann Thor Surg*. 2005; 79: 825-9.

Gibbs, N. M., Larach, D. R. (2003). Anesthetic Management during Cardiopulmonary Bypass. In: Hensley FA, Martin DE, editors. *A Practical Approach to Cardiac Anesthesia*. 5th ed. Philadelphia: Lippincott Williams & Wilkins; 2003. p. 223.

Gold, J. P., Charlson, M. E., Williams-Russo, P., Szatrowski, T. P., Peterson, J. C., Pirraglia, P. A., Hartman, G. S., Yao, F. S., Hollenberg, J. P., Barbut, D., *et al.* (1995). Improvement of outcomes after coronary artery bypass; a randomized trial comparing intraoperatif high versus low mean arterial pressure. *J Thorac Cardiovasc Surg* 110: 1302-1314.

Goldberg, J. B., Shann, K. G., Fitzgerald, D., Fuller, J., Paugh, T. A., Dickinson, T. A., Paone, G., Prager, R. L., & Likosky, D. S. (2016). The Relationship between Intra-Operative Transfusions and Nadir Hematocrit on Post-Operative

Outcomes after Cardiac Surgery. *The journal of extra-corporeal technology*, 48 (4), 188–193.

Goligorsky, M. S., Noiri, E., Tsukahara, H., Budzikowski, A. S., Li, H. (2000). A pivotal role of nitric oxide in endothelial cell dysfunction. *Acta Physiol Scand* 168: 33-40.

Gómez, O. A., Suárez, G. M. L., Calvo, R. G., Lecumberri, R., Rocha, E., Pozo-Hernández, *et al.* (2012). Discovery of anticoagulant drugs: a historical perspective. *Curr Drug Discov Technolog.* 2012; 9 (2): 83-104.

Gourlay, T., Samartzis, I., Stefanou, D., Taylor, K. (2003). Inflammatory response of rat and human neutrophils exposed to di-(2-ethyl-hexyl)-phthalate-plasticized polyvinyl chloride. *Artif Organs* 2003; 27: 256-60.

Gravlee, G. P., Davis, R. F., Kurusz, M., Utley, J. R. (2000) Historical Development of Cardiopulmonary Bypass: *Cardiopulmonary Bypass Principles and Practice 2nd ed.* Philadelphia: Lippincott Williams & Wilkins; 2000.p. 5.

Grayson, A. D., Khater, M., Jackson, M., Fox, M. A. (2003). Valvular heart operation is an independent risk factor for acute renal failure. *Ann Thorac Surg* 75: 1829-1835.

Grigore, A. M., Grocott, H. P., Mathew, J. P., Phillips-Bute, B., Stanley, T. O., Butler, A., *et al.* (2002). The rewarming rate and increased peak temperatur alter neurocognitive outcome after cardiac surgery. *Anesth Analg* 2002; 94: 4-10.

Grocott, H. P., Mackensen, G. B., Grigore, A. M., Mathew, J., Reves, J. G., Phillips-Bute, B., *et al.* (2002). Postoperatif hyperthermia is associated with cognitive dysfunction after coronary artery bypass graft surgery. *Stroke* 2002; 33: 537-41.

Groom, R. C., Froebe, S., Martin, J., Manfra, M. J., Cormack, J. E., Morse, C., *et al.* (2005). Update on pediatric perfusion practice in North America: 2005 survey. *J Extra Corpor Technol* 2005; 37: 343-50.

Gutteridge, J. M. C. (1986). Iron promoters of the Fenton reaction and lipid peroxidation can be released from hemoglobin by peroxides. *Fed Eur Biochem Soc Lett* 201: 291-295.

Gutteridge, J. M. C., Quinlan, G. J. (1992). Antioxidant protection against organic and inorganic oxygen radicals by normal human plasma: The important primary role for iron-binding and iron-oxidizing proteins. *Biochim Biophys Acta* 1159: 248-254.

Haase, M., Bellomo, R., Matalanis, G., Calzavacca, P., Dragun, D., Haase-Fielitz, A. (2009). A comparison of the *RIFLE* and Acute Kidney Injury Network classifications for cardiac surgery-associated acute kidney injury: A prospective cohort study. *J Thorac Cardiovasc Surg* 2009; 138: 1370-6.

Haga, Y., Hatori, N., Yoshizu, H., Okuda, E., Uriuda, Y., Tanaka, S. (1993). Granulocyte superoxide anion and elastase release during cardiopulmonary bypass. *Artif Organs* 17: 837-842.

Harris, E. A., Seelye, E. R., Barratt-Boyes, B. G. (1974). On the availability of oxygen to the body during cardiopulmonary bypass in man. *Br J Anaesth* 46: 425-431.

Heinzelmann, M., Mercer-Jones, M. A., Passmore, J. C. (1999). Neutrophils and renal failure. *Am J Kidney Dis* 34: 384-399.

Hornick, P., Taylor, K. (1997). Pulsatile and non-pulsatile perfusion: The continuing controversy. *J Cardiothorac Vasc Anesth* 11: 310-315.

Hornick, P., Taylor, K. M. (2000). Immune and inflammatory responses after cardiopulmonary bypass In: *Cardiopulmonary Bypass: Principles and Practice*, edited by Gravlee GP, Davis RF, Kurusz M, Utley JR, Philadelphia, Lippincott Williams & Wilkins, 2000, pp 303-320.

Horrow, J. C., Hlavacek, J., Strong, M. D., Collier, W., Brodsky, I., Goldman, S. M., *et al.* (1990). Prophylactic tranexamic acid decreases bleeding after cardiac operations. *J Thorac Cardiovasc Surg* 1990; 99: 70-4.

Jansen, D., Noyez, L., Van Druuten, J. A., Skotnicki, S. H., LacQuet, L. K. (2002). Predictor of nephrological morbidity after coronary artery bypass surgery. *Cardiovasc Surg*. 2002; 10: 222-7.

Jansen, N. J., Van-Oeveren, W., Gu, Y. J., Van, V. M. H., Eijnsman, L., Wildevuur, C. R. (1992). Endotoxin release and tumor necrosis factor formation during cardiopulmonary bypass. *Ann Thorac Surg* 54: 744-747.

Karim, H. M. R., Yunus, M., Mahuj, K. S., Jyoti. P. K., Mrina, M. (2017). Incidence and Progression of Cardiac Surgery-associated Acute Kidney Injury and its Relationship with Bypass and Cross Clamp Time. *Annals of Cardiac Anaesthesia*.

Karkouti, K., Beattie, W. S., Wijesundera, D. N., Rao, V., Chan, C., Dattilo, K. M., Djaiani, G., Ivanov, J., Karski, J., David, T. E. (2005). Hemodilution during cardiopulmonary bypass is an independent risk factor for acute renal failure in adult cardiac surgery. *J Thorac Cardiovasc Surg* 129: 391-400.

Kelleher, S. P., Robinette, J. B., Conger, J. D. (1984). Sympathetic nervous sistem in the loss of autoregulation in acute renal failure. *Am J Physiol* 246: F379-F386.

Kirklin, J. K., Blackstone, E. H., Kirklin, J. W. (1987). Cardiopulmonary bypass: Studies on its damaging effects. *Blood Purif* 5: 168-178.

Kirklin, J. K., Westaby, S., Blackstone, E. H., Kirklin, J. W., Chenoweth, D. E., Pacifico, A. D. (1983). Complement and the damaging effects of cardiopulmonary bypass. *J Thorac Cardiovasc Surg* 86: 845-857.

Kirklin, J. W., Barratt-Boyes, B. G. (1993). *Cardiac Surgery, 2nd Ed.*, New York, Churchill Livingstone, 1993, pp 80.

Kohan, D. E. (1993). Endothelins in the kidney: Physiology and pathophysiology. *Am J Kidney Dis* 22: 493-510.

Kramer, H. J., Moch, T., Von Sicherer, L., Dusing, R. (1979). Effects of aprotinin on renal function and urinary prostaglandin excretion in conscious rats after acute salt loading. *Clin Sci (Colch)* 56: 547-555.

Kumar, A. B., & Suneja, M. (2011). Cardiopulmonary Bypass associated Acute Kidney Injury. *Anesthesiology* 2011; 114: 964-70.

Kurusz, M., Davis, R. F., Conti, V. R. (2000). Conduct of cardiopulmonary bypass. In: *Cardiopulmonary Bypass: Principles and Practice*, edited by Gravlee GP, Davis RF, Kurusz M, Utley JR, Philadelphia, Lippincott Williams & Wilkins, 2000, pp 549-578.

Landoni, G., Biondi-Zoccai, G., Greco, M., Greco, T., Bignami, E., Morelli, A., *et al.* (2012). Effects of levosimendan on mortality and hospitalization. A meta-analysis of randomized controlled studies. *Crit Care Med* 2012; 40: 634-46.

Lassnigg, A., Schmidlin, D., Mouhieddine, M., Bachmann, L. M., Druml, W., Bauer, P., Hiesmayr, M. (2004). Minimal changes of serum creatinine predict

prognosis in patients after cardiothoracic surgery: A prospective cohort study. *J Am Soc Nephrol* 15: 1597-1605.

Laussen, P. C. (2002). Optimal blood gas management during deep hypothermic paediatric cardiac surgery: Alpha-stat is easy, but pH-stat may be preferable. *Paediatr Anaesth* 2002; 12: 199-204.

Lazar, H. L., McDonnell, M., Chipkin, S. R., Furnary, A. P., Engelman, R. M., Sadhu, A. R., *et al.* (2009). The society of thoracic surgeons practice guideline series: Blood glucose management during adult cardiac surgery. *Ann Thorac Surg* 2009; 87: 663-9.

Leacche, M., Rawn, J. D., Mihaljevic, T., Lin, J., Karavas, A. N., Paul, S., Byrne, J. G. (2004). Outcomes in patients with normal serum creatinine and with artificial renal support for acute renal failure developing after coronary artery bypass grafting. *Am J Cardiol* 2004; 93: 353-56.

Lemeshow, S., & Lwanga, S. K. (1991). *Sample Size Determination In Health Studies: A Practical Manual*. World Heart Organization.

Lequier, L. L., Nikaidoh, H., Leonard, S. R., Bokovoy, J. L., White, M. L., Scannon, P. J., Giroir, B. P. (2000). Preoperatif and postoperatif endotoxemia in children with congenital heart disease. *Chest* 117: 1706-1712.

Lesserson, L. S., Enriquez, L. J. (2017). Coagulation Monitoring. Kaplan J, Augoustides J, editors. *Kaplan's Cardiac Anesthesia. 7th ed.* Philadelphia: Elsevier; 2017. p. 699.

Liano, F., & Pascual, J. (1996). Epidemiology of acute renal failure: A prospective, multicenter, community-based study. Madrid Acute Renal Failure Study Group. *Kidney Int* 50: 811-818.

Loef, B. G., Epema, A. H., Smilde, T. B., Henning, R. H., Ebels, T., Navis, G., Stegeman, C. A. (2005). Immediate postoperatif renal function deterioration in cardiac surgical patients predicts in-hospital mortality and long-term survival. *J Am Soc Nephrol* 16: 195-200.

Lok, C. E., Austin, P. C., Wanh, H., Tu, J. V. (2004). Impact of renal insufficiency on short- and long-term outcomes after cardiac surgery. *Am Heart J* 148: 430-438.

Mahoney, C. B., & Lemole, G. M. (1999). Transfusion after coronary artery bypass surgery: The impact of heparin-bonded circuits. *Eur J Cardiothorac Surg* 1999; 16: 206-10.

McCoy, R. N., Hill, K. E., Ayon, M. A., Stein, J. H., Burk, R. F. (1988). Oxidant stress following renal ischemia: Changes in the glutathione redox ratio. *Kidney Int* 33: 812-817.

Mehta, A. R., & Romanoff, M. E. (2003). Anesthetic management in the precardiopulmonary bypass period. In: Hensley FA, Martin DE, editors. *A Practical Approach to Cardiac Anesthesia. 5th ed.* Philadelphia: Lippincott Williams & Wilkins; 2003. p. 209.

Mehta, R. L., Kellum, J. A., Shah, S. V., Molitoris, B. A., Ronco, C., Warnock, D. G., Levin, A. (2007). Acute Kidney Injury Network: Report of an initiative to improve outcomes in acute kidney injury. *Crit Care* 2007; 11: R31.

Menasche, P., Antebi, H., Alcindor, L. G., Teiger, E., Perez, G., Giudicelli, Y., Nordmann, R., Piwnica, A. (1990). Iron chelation by deferoxamine inhibits lipid peroxidation during cardiopulmonary bypass in humans. *Circulation* 82: IV390-IV396.

Messmer, K. (1975). Hemodilution. *Surg Clin North Am* 55: 659-678.

Moat, N. E., Evans, T. E., Quinlan, G. J., Gutteridge, J. M. (1993). Chelatable iron and copper can be released from extracorporeally circulated blood during cardiopulmonary bypass. *Fed Eur Biochem Soc* 328: 103-106.

Molenaar, I. Q., Begliomini, B., Grazi, G. L., Ringers, J., Terpstra, O. T., Porte, R. J. (2001). EMSALT Study Group: European Multicenter Study on the Use of Aprotinin in Liver Transplantation: The effect of aprotinin on renal function in orthotopic liver transplantation. *Transplantation* 71: 247-252.

Molitoris, B. A. (2003). Transitioning to therapy in ischemic acute renal failure. *J Am Soc Nephrol* 14: 265-267.

Mora, M. C. T., Neville, M. J., Hsu, P. H., Mignea, I., King, J., Miller, D. C. (2001). Aprotinin, blood loss and renal dysfunction in deep hypothermic circulatory arrest. *Circulation* 104 [Suppl]: I247-I255.

Moran, S. M., & Myers, B. D. (1985). Pathophysiology of protracted acute renal failure in man. *J Clin Invest* 76: 1440-1448.

Murkin, J. M., Falter, F., Granton, J., Young, B., Burt, C., Chu, M., *et al.* (2010). High-dose tranexamic acid is associated with nonischemic clinical seizures in cardiac surgical patients. *Anesth Analg* 2010; 110: 350-3.

Murkin, J. M., Martzke, J. S., Buchan, A. M., Bentley, C., Wong, C. J. (1995). A randomized study of the influence of perfusion technique and pH management strategy in 316 patients undergoing coronary artery bypass surgery. II. Neurologic and cognitive outcomes. *J Thorac Cardiovasc Surg* 1995; 110: 349-62.

Murphy, G. S., Hessel, E. A., Groom, R. C. (2009). Optimal perfusion during cardiopulmonary bypass: An evidence-based approach. *Anesth Analg* 2009; 108: 1394-417.

Musial, J., Niewiarowski, S., Hershock, D., Morinelli, T. A., Colman, R. W., Edmunds, L. H. Jr. (1985). Loss of fibrinogen receptors from the platelet surface during simulated extracorporeal circulation. *J Lab Clin Med* 105: 514-526.

Naik, S. K., Knight, A., Elliott, M. J. (1991). A successful modification of ultrafiltration for cardiopulmonary bypass in children. *Perfusion* 1991; 6: 41-50.

Neugarten J, Golestaneh L. Female sex reduces the risk of hospital-associated acute kidney injury: a meta-analysis. *BMC Nephrol*. 2018 Nov 8; 19 (1): 314. doi: 10.1186/s12882-018-1122-z. PMID: 30409132; PMCID: PMC6225636.

Nilsson, L., Kulander, L., Nystrom, S. O., Eriksson, O. (1990). Endotoxins in cardiopulmonary bypass. *J Thorac Cardiovasc Surg* 100: 777-780.

Nussmeier, N. A., Sarwar, M. F. (2015). Anesthesia for cardiac surgical procedures. In: Miller RD, editor. *Miller's Anesthesia*. 8th ed. Philadelphia: Elsevier; 2015. p. 2040.

Okusa, M. D. (2002). The inflammatory cascade in acute ischemic renal failure *Nephron* 90: 133-138.

Ottens, T. H., Dieleman, J. M., Sauër, A. M., Peelen, L. M., Nierich, A. P., De Groot, W. J., *et al.* (2014). Effects of dexamethasone on cognitive decline after cardiac surgery: A randomized clinical trial. *Anesthesiology* 2014; 121: 492-500.

Palmer, B. F. (2002). Renal dysfunction complicating the treatment of hypertension. *N Engl J Med* 347: 1256-1261.

Paparella, D., Yau, T. M., Young, E. (2002). Cardiopulmonary bypass induced inflammation: Pathophysiology and treatment. An update. *Eur J Cardiothorac Surg* 21: 232-244.

Parolari, A., Alamanni, F., Gherli, T., Bertera, A., Dainese, L., Costa, C., Schena, M., Sisillo, E., Spirito, R., Porqueddu, M., Rona, P., Biglioli, P. (1999). Cardiopulmonary bypass and oxygen consumption: Oxygen delivery and hemodynamics. *Ann Thorac Surg* 67: 1320-1327.

Pepper, J. R., Mumby, S., Gutteridge, J. M. C. (1994). Sequential oxidative damage and changes in iron-binding and iron-oxidizing plasma antioxidants during cardiopulmonary bypass surgery. *Free Radic Res* 21: 377-385.

Provenchere, S., Plantefevre, G., Hufnagel, G., Vicaut, E., De Vaumas, C., Lecharny, J. B., Depoix, J. P., Vrtovsniak, F., Desmots, J. M., Philip, I. (2003). Renal dysfunction after cardiac surgery with normothermic cardiopulmonary bypass: Incidence, risk factors and effect on clinical outcome. *Anesth Analg* 96: 1258-1264.

Ranucci, M., Mazzucco, A., Pessotto, R., Grillone, G., Casati, V., Porreca, L., *et al.* (1999). Heparin-coated circuits for high-risk patients: A multicenter, prospective, randomized trial. *Ann Thorac Surg* 1999; 67: 994-1000.

Ranucci M, Biagioli B, Scolletta S, *et al.* (2006). Lowest hematocrit on cardiopulmonary bypass impairs the outcome in coronary surgery: An Italian Multicenter Study from the National Cardioanesthesia Database. *Tex Heart Inst J.* 2006; 33 (3): 300-305.

Rees, K., Beranek-Stanley, M., Burke, M., Ebrahim, S. (2001). Hypothermia to reduce neurological damage following coronary artery bypass surgery. *Cochrane Database Syst Rev* 2001; Issue 1. Art. No.: CD002138.

Rosner, M., & Okusa, M. D. (2006). Acute Kidney Injury Associated with Cardiac Surgery. *Clin J Am Soc Nephrol* 1: 19-32.

Rudy, L. W., Heymann, M. A., Edmunds, H. (1973). Distribution of systemic blood flow during cardiopulmonary bypass. *J Appl Physiol* 34: 194-200.

Rustom, R., Grime, J. S., Maltby, P., Stockdale, H. R., Critchley, M., Bone, J. M. (1993). Observations on the early renal uptake and later tubular metabolism of radiolabeled aprotinin (Trasyolol) in man: Theoretical and practical considerations. *Clin Sci (Colch)* 84: 231-241.

Salis, S., Mazzanti, V. V., Merli, G., Salvi, L., Tedesco, C. C., Veglia, F., *et al.* (2008). Cardiopulmonary bypass duration as independent predictor of morbidity and mortality after cardiac surgery. *J Cardiothorac Vasc Anesth.* 2008; 22: 814-22.

Sarkar, M., & Vishal, P. (2017). Basic of Cardiopulmonary Bypass. *Indian J Anaesth* 2017; 61: 760-7.

Sauër, A. M., Slooter, A. J., Veldhuijzen, D. S., Van Eijk, M. M., Devlin, J. W., Van Dijk, D., *et al.* (2014). Intraoperatif dexamethasone and delirium after cardiac surgery: A randomized clinical trial. *Anesth Analg* 2014; 119: 1046-52.

Schmid, F. X., Philipp, A., Foltan, M., Jueckstock, H., Wiesenack, C., Birnbaum, D., *et al.* (2003). Adequacy of perfusion during hypothermia: Regional distribution of cardiopulmonary bypass flow, mixed venous and regional venous oxygen saturation – Hypothermia and distribution of flow and oxygen. *Thorac Cardiovasc Surg* 2003; 51: 306-11.

Shah, D., Corson, J., Karmody, A., Leather, R. (1986). Effects of isovolemic hemodilution on abdominal aortic aneurysmectomy in high risk patients. *Ann Vasc Surg 1*: 50-54.

Sheridan, A. M., & Bonventre, J. V. (2000). Cell biology and molecular mechanisms of injury in ischemic acute renal failure. *Curr Opin Nephrol Hypertens 9*: 427-434.

Slogoff, S., Reul, G. J., Keats, A. S., Curry, G. R., Crum, M. E., Elmquist, B. A., Giesecke, N. M., Jistel, J. R., Rogers, L. K., Soderberg, J. D., *et al.* (1990). Role of perfusion pressure and flow in major organ dysfunction after cardiopulmonary bypass. *Ann Thorac Surg 50*: 911-918.

Sreeram, G. M., Grocott, H. P., White, W. D., Newman, M. F., Stafford-Smith, M. (2004). Transcranial Doppler emboli count predicts rise in creatinine after coronary artery bypass graft surgery. *J Cardiovasc Vasc Anesth 18*: 548-551.

Sundt, T. M., Kouchoukos, N. T., Saffitz, J. E., Murphy, S. F., Wareing, T. H., Stahl, D. J. (1993). Renal dysfunction and intravaskular coagulation with aprotinin and hypothermic circulatory arrest. *Ann Thorac Surg 55*: 1418-1424.

Susak, S., Alexander, R., Milenko, R., Lazar, V., Bogdan, O. (2016). Development of Cardiopulmonary bypass: A historical review. *Srp Arh Celok Lek. 2016 Nov-Dec; 144 (11-12)*: 670-675.

Sutton, T. A., Fisher, C. J., Molitoris, B. A. (2002). Microvaskular endothelial injury and dysfunction during ischemic acute renal failure. *Kidney Int 62*: 1539-1549.

Swaminathan, M., Phillips-Bute, B. G., Conlon, P. J., Smith, P. K., Newman, M. F., Stafford-Smith, M. (2003). The association of lowest hematocrit during

cardiopulmonary bypass with acute renal injury after coronary artery bypass surgery. *Ann Thorac Surg* 76: 784-792.

Swaminathan, M., Shaw, A. D., Phillips-Bute, V. G., McGugan-Clark, P. L., Archer, L. E., Talbert, S., *et al.* (2007). Trends in acute renal failure associated with coronary artery bypass graft surgery in United States. *Crit Care Med.*2007; 35: 2286-91.

Taniguchi, F. P., Ademar, R. S., Antonio, S. M. (2007). Cardiopulmonary bypass time as a risk factor for acute renal failure. *Brazilian Journal of Cardiovascular Surgery.*

Tennenberg, S.. D., Clardy, C. W., Bailey, W. W., Solomkin, J. S. (1990). Complement activation and lung permeability during cardiopulmonary bypass. *Ann Thorac Surg* 50: 597-601.

Thakar, C. V., Arrigain, S., Worley, S., Yared, J. P., Paganini, E. P. (2005). A clinical score to predict acute renal failure after cardiac surgery. *J Am Soc Nephrol* 16: 162-168.

Thakar, C. V., Liangos, O., Yared, J. P., Nelson, D. A., Hariachar, S., Paganini, E. P. (2003). Predicting acute renal failure after cardiac surgery: Validation and re-definition of a risk stratification algorithm. *Hemodial Int* 7: 143-147.

Thakar, C. V., Worley, S., Arrigain, S., Yared, J. P., Paganini, E. P. (2005). Influence of renal dysfunction on mortality after cardiac surgery: Modifying effect of preoperatif renal function. *Kidney Int* 67: 1112-1119.

Urzua, J., Troncoso, S., Bugeo, G., Canessa, R., Munoz, H., Lema, G., Valdivieso, A., Irrazaval, M., Moran, S., Meneses, G. (1992). Renal function

and cardiopulmonary bypass: Effect of perfusion pressure. *J Cardiothorac Vasc Anesth* 6: 299-303.

Van der Linden, J., & Casimir-Ahn, H. (1991). When do cerebral emboli appear during open heart operations? A transcranial Doppler study. *Ann Thorac Surg* 51: 237-241.

Wheeldon, D. R., Bethune, D. W., Gill, R. D. (1990). Vortex pumping for routine cardiac surgery: A comparative study. *Perfusion* 1990; 5: 135-43.

Wright, G. (2001). Hemolysis during cardiopulmonary bypass: Update. *Perfusion* 16: 345-351.

Xu, S., Jie, L., Lei, L., Zining, W., Jiachen, L., Yongmin, L., Junming, Z., Lizhong, S., Xinliang, G., Ming, G., Hongjia, Z. (2019). Cardiopulmonary bypass time is an independent risk factor for acute kidney injury in emergent thoracic aortic surgery: a retrospective cohort study. *Journal of Cardiothoracic Surgery* (2019) 14: 90.

Yamauchi, T., Miyagawa, S., Yoshikawa, Y., Toda, K., Sawa, Y., Osaka. (2017). Cardiovascular Surgery Research (OSCAR) Group. Risk index for postoperative acute kidney injury after valvular surgery using cardiopulmonary bypass. *Ann Thorac Surg*. 2017; 104: 868-75.

Zangrillo, A., Garozzo, F. A., Biondi-Zoccai, G., Pappalardo, F., Monaco, F., Crivellari, M., *et al.* (2010). Miniaturized cardiopulmonary bypass improves short-term outcome in cardiac surgery: A meta-analysis of randomized controlled studies. *J Thorac Cardiovasc Surg* 2010; 139: 1162-9.



UNIVERSITAS
GADJAH MADA

**KORELASI DURASI SIRKULASI LUAR TUBUH DENGAN KEJADIAN CEDERA GINJAL AKUT
PASCABEDAH JANTUNG TERBUKA**

DI RS SARDJITO PERIODE JANUARI 2019 - JUNI 2020

NOTO SAPUTRO, Dr. dr. Supomo, Sp. B, Sp. BTKV (K)

Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zilla, P., Fasol, R., Groscurth, P., Klepetko, W., Reichenspurner, H., Wolner, E. (1989). Blood platelets in cardiopulmonary bypass operations. *J Thorac Cardiovasc Surg* 97: 379-388.