



DAFTAR PUSTAKA

- Abraham, A. *et al.* (2016) “Potential of rice straw for bio-refining: An overview,” *Bioresource Technology*, 215, pp. 29–36. doi:10.1016/j.biortech.2016.04.011.
- Åkerholm, M., Hinterstoisser, B. and Salmén, L. (2004) “Characterization of the crystalline structure of cellulose using static and dynamic FT-IR spectroscopy,” *Carbohydrate Research*, 339(3), pp. 569–578. doi:10.1016/J.CARRES.2003.11.012.
- Ansari, K.B. and Gaikar, V.G. (2014) “Green hydrotropic extraction technology for delignification of sugarcane bagasse by using alkybenzene sulfonates as hydrotropes,” *Chemical Engineering Science*, 115, pp. 157–166. doi:10.1016/j.ces.2013.10.042.
- Badan Pusat Statistik (2015) *Produksi Padi Menurut Provinsi (ton), 1993-2015*. doi:10.1143/JJAP.46.1736.
- Badan Pusat Statistik (2017) *STATISTIK PERDAGANGAN LUAR NEGERI Desember 2017*.
- Badan Pusat Statistik (2019a) *Luas Panen, Produksi, dan Produktivitas Padi Menurut Provinsi, 2018, Bps. Available at: <https://www.bps.go.id/dynamictable/2019/04/15/1608/luas-panen-produksi-dan-produktivitas-padi-menurut-provinsi-2018.html>*.
- Badan Pusat Statistik (2019b) *STATISTIK PERDAGANGAN LUAR NEGERI Desember 2019*.
- Balat, M., Balat, H. and Öz, C. (2008) “Progress in bioethanol processing,” *Progress in Energy and Combustion Science*, 34(5), pp. 551–573. doi:10.1016/j.pecs.2007.11.001.
- Balu, B. (2009) “PLASMA PROCESSING OF CELLULOSE SURFACES AND THEIR INTERACTIONS WITH FLUIDS,” *Material Science, Georgia Institute of Technology* [Preprint].
- Brinchi, L. *et al.* (2013) “Production of nanocrystalline cellulose from lignocellulosic biomass: Technology and applications,” *Carbohydrate Polymers*, 94(1), pp. 154–169. doi:10.1016/j.carbpol.2013.01.033.
- Carrillo, F. *et al.* (2004) “Structural FTIR analysis and thermal characterisation of lyocell and viscose-type fibres,” *European Polymer Journal*, 40(9), pp. 2229–2234. doi:10.1016/J.EURPOLYMJ.2004.05.003.



- Cho, H., Oh, D. and Kim, K. (2005) "A study on removal characteristics of heavy metals from aqueous solution by fly ash," *Journal of Hazardous Materials*, 127(1–3), pp. 187–195. doi:10.1016/J.JHAZMAT.2005.07.019.
- Chung, H. and Washburn, N.R. (2016) "Extraction and Types of Lignin," *Lignin in Polymer Composites*, pp. 13–25. doi:10.1016/B978-0-323-35565-0.00002-3.
- Council of Europe (2003) *European Pharmacopoeia 4th Ed.* 4th edn. European Pharmacopoeia.
- Denisova, N, M. and V.V.B. (2013) "Characteristics of Cellulose Produced Using a Hydrotropic Method in a Universal Thermobaric Unit," pp. 509–513.
- Edison, D. and Rahmi, I.D. (2010) "PENGARUH KONSENTRASI HCl DALAM PROSES HIDROLISIS α -SELULOSA DARI AMPAS TEBU (*Saccharum officinarum* , L .) TERHADAP KARAKTERISTIK MIKROKRISTALIN." Padang, pp. 1–10.
- Fan, G.-Z. *et al.* (2017) "Preparation of microcrystalline cellulose from rice straw under microwave irradiation," *Journal of Applied Polymer Science*, 134(22). doi:10.1002/APP.44901.
- Fuadi, A. *et al.* (2015) "PENGARUH SUHU DAN PH TERHADAP BANYAKNYA YIELD (KADAR GLUKOSA) YANG DIHASILKAN PADA PROSES HIDROLISIS ENZIMATIS DARI LIMBAH KERTAS," *Simposium Nasional RAPI XIV - 2015 FT UMS* [Preprint].
- Furqon (2002) *Statistik terapan untuk penelitian*. ALFABETA.
- Glen, S. (2020) *ANOVA Test: Definition, Types, Examples, SPSS - Statistics How To, StatisticsHowTo.com: Elementary Statistics for the rest of us!* . Available at: <https://www.statisticshowto.com/probability-and-statistics/hypothesis-testing/anova/> (Accessed: November 14, 2021).
- Halim, A., Ben, E.S. and Sulastri, E. (2002) "Pembuatan Mikrokrystalin Selulosa dari Jerami Padi (*Oryza sativa* Linn) dengan Variasi Waktu Hidrolisa," *sains and technology pharmacy*, 7(2), pp. 80–87.
- Hanna, M., Biby, G. and Miladinov, V. (2001) "Production of Microcrystalline Cellulose by Reactive Extrusion," *Industrial Agricultural products Center*, (May 2005), p. 5.



Harianja, J.W., Idiawati, N. and Rudiyanayah (2015) “Optimasi jenis dan konsentrasi asam pada hidrolisis selulosa dalam tongkol jagung,” *Jkk*, 4(4), pp. 66–71.

Hartati, I. and Kholisoh, I. (2017) “PROSES PULPING ORGANOSOLV BERBANTU GELOMBANG MIKRO AMPAS TEBU: Optimasi Parameter Proses dengan Response Surface Methodology,” 2, pp. 48–53.

Hospodarova, V., Singovszka, E. and Stevulova, N. (2018) “Characterization of Cellulosic Fibers by FTIR Spectroscopy for Their Further Implementation to Building Materials,” pp. 303–310. doi:10.4236/ajac.2018.96023.

Ilindra, A. and Dhake, J.D. (2008) “Microcrystalline cellulose from bagasse and rice straw,” *Indian Journal of Chemical Technology*, 15(5), pp. 497–499.

Klemm, D.J. *et al.* (1998) “Insulin Stimulates cAMP-response Element Binding Protein Activity in HepG2 and 3T3-L1 Cell Lines,” *Journal of Biological Chemistry*, 273(2), pp. 917–923. doi:10.1074/JBC.273.2.917.

Korpinen, R. and Fardim, P. (2009) “Lignin extraction from wood biomass by a hydrotropic solution,” *O Papel (Brazil)*, 70(5), pp. 69–82.

Kumar, V., De La Luz Reus-Medina, M. and Yang, D. (2002) “Preparation, characterization, and tableting properties of a new cellulose-based pharmaceutical aid,” *International Journal of Pharmaceutics*, 235(1–2), pp. 129–140. doi:10.1016/S0378-5173(01)00995-4.

Kurniaty, I. (2017) “Proses Delignifikasi Menggunakan Naoh Dan Amonia (Nh3) Pada Tempurung Kelapa,” *Jurnal Integrasi Proses*, 6(4), p. 197. doi:10.36055/jip.v6i4.2546.

Kusumattaqiin, F. and Chonkaew, W. (2015) “Preparation and characterization of microcrystalline cellulose (MCC) by acid hydrolysis using microwave assisted method from cotton wool,” *Macromolecular Symposia*, 354(1), pp. 35–41. doi:10.1002/masy.201400110.

Li, S. *et al.* (2019) “Intensifying soluble dietary fiber production and properties of soybean curd residue via autoclaving treatment,” *Bioresource Technology Reports*, 7(March), p. 100203. doi:10.1016/j.biteb.2019.100203.



Ma, X., Chang, P.R. and Yu, J. (2008) "Properties of biodegradable thermoplastic pea starch/carboxymethyl cellulose and pea starch/microcrystalline cellulose composites," *Carbohydrate Polymers*, 72(3), pp. 369–375. doi:10.1016/j.carbpol.2007.09.002.

Minelli, M. *et al.* (2010) "Investigation of mass transport properties of microfibrillated cellulose (MFC) films," *Journal of Membrane Science*, 358(1–2), pp. 67–75. doi:10.1016/J.MEMSCI.2010.04.030.

Mussatto, S.I. and Roberto, I.C. (2004) "Optimal Experimental Condition for Hemicellulosic Hydrolyzate Treatment with Activated Charcoal for Xylitol Production," *Biotechnology Progress*, 20(1), pp. 134–139. doi:10.1021/bp034207i.

Nawangsari, D. (2019) "Isolasi dan Karakterisasi Selulosa Mikrokrystal dari Ampas Tebu (*Saccharum officinarum* L.)," *Pharmacon: Jurnal Farmasi Indonesia*, 16(2), pp. 67–72. Available at: <https://journals.ums.ac.id/index.php/pharmacon/article/view/9150> (Accessed: October 31, 2021).

Noomrio, M.H. and Dahot, M. umar (1996) "Microbial production of cellulases by aspergillus fumigatus using wheat straw as a carbon source," *Sciences-New York*, (3), pp. 119–124.

Nsor-Atindana, J. *et al.* (2017) "Functionality and nutritional aspects of microcrystalline cellulose in food," *Carbohydrate Polymers*, pp. 159–174. doi:10.1016/j.carbpol.2017.04.021.

Perwitasari, D.S. and Cahyo, A. (2009) "PEMBUATAN DEKSTRIN SEBAGAI BAHAN PEREKAT DARI HIDROLISIS PATI UMBI TALAS DENGAN KATALISATOR HCl," *Waste Based Energy and Chemicals* [Preprint].

Philipp, B. (1984) "Degradation of cellulose - mechanisms and applications," *Pure and Applied Chemistry*, 56(3), pp. 391–402. doi:10.1351/pac198456030391.

Popescu, M. *et al.* (2009) "Crystalline–amorphous and amorphous–amorphous transitions in phase-change materials," *Journal of Non-Crystalline Solids*, 355(37–42), pp. 1820–1823. doi:10.1016/J.JNONCRY SOL.2009.04.053.

Praselia Jemmy A., I. *et al.* (2016) "Studi Karakteristik Farmasetis Mikrokrystalin Selulosa dari Jerami Padi Varietas Lokal Bali," *Indonesian Journal of Materials Science*, 17(3).



PRATOMO and ALFISYAH, L.L. (2017) “ANALISA PENGARUH PERBEDAAN KONSENTRASI TEPUNG UBI JALAR (*Ipomoea batatas* L) DENGAN BERBAGAI VARIAN DAN LAMA FERMENTASI TERHADAP PEMBUATAN YOGHURT (Analisis Effect Of Difference Concentration Of Sweet Potato (*Ipomoea batatas* L) Flour Variants and Long Ferme.”

Purnamaningsih Balai Besar Penelitian dan Pengembangan Bioteknologi dan Sumberdaya Genetik Pertanian, R. (2016) “Induksi Kalus dan Optimasi Regenerasi Empat Varietas Padi melalui Kultur In Vitro,” *Jurnal AgroBiogen*, 2(2), pp. 74–80. doi:10.21082/jbio.v2n2.2006.p74-80.

Ramaraj, R. and Dussadee, N. (2015) “International Journal of Sustainable and Green Energy :: Science Publishing Group,” *International Journal of Sustainable and Green Energy*, pp. 20–32. doi:10.11648/j.ijrse.s.2015040101.14.

Rivai, H. *et al.* (2019) “Preparation and Characterization of Microcrystalline Cellulose From Rice Straw Using Chemical and Enzymatic Techniques,” *International Research Journal of Pharmacy*, 10(7), pp. 27–32. doi:10.7897/2230-8407.1007213.

Saha, B.C. (2003) “Hemicellulose bioconversion,” *Journal of Industrial Microbiology and Biotechnology*, pp. 279–291. doi:10.1007/s10295-003-0049-x.

Sampath Kumar, V., Raja, C. and Jayakumar, C. (2014) “A review on solubility enhancement using hydrotropic phenomena,” *International Journal of Pharmacy and Pharmaceutical Sciences*, 6(6), pp. 1–7.

sanjaya (2001) “Pengaruh Anhidridasetat Terhadap Struktur Molekuler Kayu dalam Stabilisasi Dimensi Kayu Pinus merkusii Et. De Vr.*),” *FKIP Universitas Sriwijaya, JMS* Vol. 6, pp. 21–32.

Saraswati, S., Kumalaningsih, S. and Febrianto, A. (2014) “Optimasi Proses Bleaching Pada Pembuatan Pulp Kering Berbahan Dasar Serabut Kelapa Sawit (*Elais guineensis*) (KAJIAN KADAR H₂O₂ DAN LAMA WAKTU BLEACHING),” (March).

Scheller, H.V. and Ulvskov, P. (2010) “Hemicelluloses,” *Annual Review of Plant Biology*, 61, pp. 263–289. doi:10.1146.



Singh, G. (2015) *Analysis Of Variance (ANOVA) | Introduction, Types & Techniques*.

Available at: <https://www.analyticsvidhya.com/blog/2018/01/anova-analysis-of-variance/> (Accessed: November 14, 2021).

Site, T. (2016) *P-Value*. Available at: <http://iainkditandripatih.weebly.com/statistika/apasih-p-value-itu> (Accessed: November 14, 2021).

Sukadana, I. (2010) “AKTIVITAS ANTIBAKTERI SENYAWA FLAVONOID DARI KULIT AKAR AWAR-AWAR (*Ficus septica* Burm F),” *Jurnal Kimia*, 4(1), pp. 63–70.

Thoorens, G. *et al.* (2014) “Microcrystalline cellulose, a direct compression binder in a quality by design environment - A review,” *International Journal of Pharmaceutics*, pp. 64–72. doi:10.1016/j.ijpharm.2014.06.055.

Viora, L. and Harrizul Rivai, D. (2011) “Pembuatan Mikrokrystalin Selulosa dari Batang Rumput Gajah (*Pennisetum purpureum* Schumach),” *Jurnal Farmasi Higea*, 3(2), pp. 102–111.

Yulina, R. *et al.* (2020) “Preparation of Microcrystalline Cellulose from Cotton Yarn Spinning Mills Wastes: Effect of Pretreatment and Hydrolysis Reaction Condition on the Product Characteristics,” *E3S Web of Conferences*, 148, pp. 0–5. doi:10.1051/e3sconf/20.

Z Hindi, S.S. (2017) “Microcrystalline Cellulose: The Inexhaustible Treasure for Pharmaceutical Industry,” *Nanoscience and Nanotechnology Research*, 4(1), pp. 17–24. doi:10.12691/nnr-4-1-3.

Zhou, Y. *et al.* (2010) “The use of natural abundance stable isotopic ratios to indicate the presence of oxygen-containing chemical linkages between cellulose and lignin in plant cell walls,” *Phytochemistry*, 71(8–9), pp. 982–993. doi:10.1016/j.phytochem.2010.03.001.