

DAFTAR PUSTAKA

- Al-Samarai, F. R., & Al-Kazaz, A. A. (2015). Molecular Markers: an Introduction and Applications. *European Journal of Molecular Biotechnology*, 9(3), 118–130. <https://doi.org/10.13187/ejmb.2015.9.118>
- Appanah, S., & Turnbull, J. M. (1998). A review of dipterocarps: taxonomy, ecology and silviculture. In *A review of dipterocarps: taxonomy, ecology and silviculture*. <https://doi.org/10.17528/cifor/000463>
- Arteaga, M. C., Bello-Bedoy, R., De La Luz, J. L. L., Delgadillo, J., & Dominguez, R. (2015). Phenotypic variation of flowering and vegetative morphological traits along the distribution for the endemic species *Yucca capensis* (Agavaceae). *Botanical Sciences*, 93(4), 765–770. <https://doi.org/10.17129/botsci.214>
- Ashton, P. S. (1982). Dipterocarpaceae. *Dipterocarpaceae*, 9, 237–552.
- Buot Jr, I. E. (2020). Leaf Architecture as a Promising Tool in Confirming of Confusing Plant Taxa. *Journal of Natural Studies*, 19(1), 134–143. <http://mpoc.org.my/malaysian-palm-oil-industry/>
- Campbell, N. A., Reece, J. B., Urry, L. A., Cain, M. L., Wasserman, S. A., Minorsky, P. V., & Jackson, R. B. (2011). *Biology 9th Edition*.
- Campbell, N. A., Reece, J. B., Urry, L. A., Cain, M. L., Wasserman, S. A., Minorsky, P. V., & Jackson, R. B. (2009). *Biology, eight edition*.
- Celadiña, D. A., Buot, J. I. E., Madulid, D. A., Evangelista, T. T., & Tandang, D. N. (2012). Leaf Architecture of Selected Philippine Cinnamomum Schaeff. (Lauraceae) Species. *The Thailand Natural History Museum Journal*, 6(2), 89–111.
- Chidi B., E., Ebenezer I., M., & Kenneth U., E. (2015). Tree Crown Architecture : Approach to Tree Form , Structure and Performance: A Review. *International Journal of Scientific and Research Publications*, 5(9), 1–6.
- Clause, A. G., Solano-Zavaleta, I., Soto-Huerta, K. A., de la A. Pérez y Soto, R., & Hernández-Jiménez, C. A. (2018). Morphological similarity in a zone of sympatry between two *Abronia* (Squamata: Anguidae), with comments on ecology and conservation. *Herpetological Conservation and Biology*, 13(1), 183–193.
- Comission on Genetic Resources for Food and Agriculture. (2011). Draft Guidelines on Molecular Genetic Characterization of Animal Genetic Resources. In *Food and Agricultrure Organization* (Issue April).
- Commisiion on Genetic Resources for Food and Agriculture. (2011). Draft Guidelines on Phenotypic Characterization of Animal Genetic Resources. In *Food and Agricultrure Organization* (Issue April).
- Dewi, A. K. (2016). *Variasi Genetik Pertumbuhan dan Berat Jenis Kayu pada Uji Keturunan Shorea leprosula dan Shorea platyclados di PT. Sari Bumi Kusuma, Kalimantan Tengah*. Universitas Gadjah Mada.
- Dickinson, T. A., Parker, W. H., & Strauss, R. E. (1987). Another Approach to Leaf Shape Comparisons. *Taxon*, 36(1), 1. <https://doi.org/10.2307/1221345>
- Doyle, J. A. (2007). Systematic value and evolution of leaf architecture across the

- angiosperms in light of molecular phylogenetic analyses. *CFS Courier Forschungsinstitut Senckenberg*.
- Endress, P. K., Baas, P., & Gregory, M. (2000). Systematic plant morphology and anatomy - 50 Years of progress. *Taxon*, 49(3), 401–434. <https://doi.org/10.2307/1224342>
- Feng, X., Tang, B., Kodrul, T. M., & Jin, J. (2013). Winged fruits and associated leaves of *Shorea* (Dipterocarpaceae) from the late Eocene of South China and their phylogeographic and paleoclimatic implications. *American Journal of Botany*, 100(3), 574–581. <https://doi.org/10.3732/ajb.1200397>
- Gailing, O., Lind, J., & Lilleskov, E. (2012). Leaf morphological and genetic differentiation between *Quercus rubra* L. and *Q. ellipsoidalis* E.J. Hill populations in contrasting environments. *Plant Systematics and Evolution*, 298(8), 1533–1545. <https://doi.org/10.1007/s00606-012-0656-y>
- Ganopoulos, I., Tourvas, N., Xanthopoulou, A., Aravanopoulos, F. A., Avramidou, E., Zambounis, A., Tsaftaris, A., Madesis, P., Sotiropoulos, T., & Koutinas, N. (2018). Phenotypic and molecular characterization of apple (*Malus × domestica* borkh) genetic resources in Greece. *Scientia Agricola*, 75(6), 509–518. <https://doi.org/10.1590/1678-992x-2016-0499>
- Gilbert, J. J. (2018). Morphological Variation and Its Significance in a Polymorphic Rotifer: Environmental, Endogenous, and Genetic Controls. *BioScience*, 68(3), 169–181. <https://doi.org/10.1093/biosci/bix162>
- Hadi, M. N. (2018). *Keanekaragaman spesies dan hubungan kekerabatan fenetik Caesalpinia L. di Pulau Jawa Berdasarkan Anatomi dan Venasi Daun*. Universitas Gadjah Mada.
- Haebahan, K. (2017). *Evaluasi Uji Keturunan Shorea leprosula Miq. Populasi Bukit Baka dan Gunung Bunga di PT Sari Bumi Kusuma, Kalimantan Tengah*. Universitas Gadjah Mada.
- Harris, S. A., & Hoelzel, A. R. (1993). Molecular Genetic Analysis of Populations. A Practical Approach. *The Journal of Applied Ecology*. <https://doi.org/10.2307/2404283>
- Hernandez, J. O., Mardia, L. S., Pulan, D. E., Buot, I. E., & Park, B. B. (2020). Leaf architecture and petiole anatomy of Philippine Dipterocarpus species (Dipterocarpaceae). *Bangladesh Journal of Plant Taxonomy*, 27(1), 1–14. <https://doi.org/10.3329/bjpt.v27i1.47564>
- Hickey, L., Ash, A., Ellis, B., Johnson, K., Wilf, P., & Wing, S. (1999). *Manual of Leaf Architecture*.
- Hickey, L. J. (1973). Classification of the Architecture of Dicotyledonous Leaves. *American Journal of Botany*. <https://doi.org/10.2307/2441319>
- Inamdar, J. A., Shenoy, K. N., & Rao, N. V. (1983). Leaf architecture of some monocotyledons with reticulate venation. *Annals of Botany*, 52(5), 725–735. <https://doi.org/10.1093/oxfordjournals.aob.a086631>
- Izuno, A., Indrioko, S., Widiyatno, W., Prasetyo, E., Kasmujiono, K., & Isagi, Y. (2013). Current plantation practices have negligible genetic effects on planted dipterocarps in the tropical rainforest. *Silvae Genetica*, 62(1–6), 292–299. <https://doi.org/10.1515/sg-2013-0035>
- Jankowicz-Cieslak, J., Tai, T. H., Kumlehn, J., & Till, B. J. (2016).

- Biotechnologies for plant mutation breeding: Protocols. *Biotechnologies for Plant Mutation Breeding: Protocols*, 1–340. <https://doi.org/10.1007/978-3-319-45021-6>
- Jessica, B., & Buot Jr., I. E. (2014). *Leaf Architecture of Ten Species of Philippine Terminalia Linn . (Combretaceae)*. 3(3), 83–88.
- Kareem, A., Jaskani, M. J., Mehmood, A., Khan, I. A., Awan, F. S., & Sajid, M. W. (2018). Morpho-genetic profiling and phylogenetic relationship of guava (*Psidium guajava* L.) as genetic resources in Pakistan. *Revista Brasileira de Fruticultura*, 40(4). <https://doi.org/10.1590/0100-29452018069>
- Lee, K. J., Lee, J. R., Sebastin, R., Cho, G. T., & Hyun, D. Y. (2020). Molecular genetic diversity and population structure of ginseng germplasm in RDA-geneBank: Implications for breeding and conservation. *Agronomy*, 10(1). <https://doi.org/10.3390/agronomy10010068>
- Levinson, G., & Gutman, G. A. (1987). High frequencies of short frameshifts in poly-CA/TG tandem repeats borne by bacteriophage M13 in *Escherichia coli* K-12. *Nucleic Acids Research*. <https://doi.org/10.1093/nar/15.13.5323>
- Lillo, E., Buot Jr, I. E. B., Malaki, A. B., Alcazar, S. M. T., Rosales, R., Diaz, J. L. B., Redoblado, B. R., & Gealon, G. G. G. (2019). Short Communication: Leaf architectural characteristics of *Cinnamomum cebuense* Kosterm. (Lauraceae) distributed in different geographical locations, taxonomic identification and conservation concerns. *Biodiversitas Journal of Biological Diversity*, 21(1), 246–251. <https://doi.org/10.13057/biodiv/d210132>
- Liu, Z. J., & Cordes, J. F. (2004). DNA marker technologies and their applications in aquaculture genetics. *Aquaculture*, 238(1–4), 1–37. <https://doi.org/10.1016/j.aquaculture.2004.05.027>
- Liu, Z. J., Li, P., Argue, B. J., & Dunham, R. A. (1999). Random amplified polymorphic DNA markers: Usefulness for gene mapping and analysis of genetic variation of catfish. *Aquaculture*. [https://doi.org/10.1016/S0044-8486\(99\)00007-1](https://doi.org/10.1016/S0044-8486(99)00007-1)
- Masungsong, L. A., Belarmino, M. M., & Buot, I. E. (2019). Delineation of the selected *Cucumis* L. species and accessions using leaf architecture characters. *Biodiversitas*. <https://doi.org/10.13057/biodiv/d200303>
- Maxiselly, Y., Ruswandi, D., & Karuniawan, A. (2015). Penampilan Fenotipik, Variabilitas, dan Hubungan Kekerbatan 39 Genotip Genus *Vigna* dan *Phaseolus* berdasarkan Sifat Morfologi dan Komponen Hasil. *Zuriat*, 19(2), 179–196. <https://doi.org/10.24198/zuriat.v19i2.6660>
- Mayo, S., & Singh, G. (2001). Plant Systematics. *Kew Bulletin*. <https://doi.org/10.2307/4117689>
- Mishra, S. (2019). Principles of plant taxonomy. *New Perspectives in Indian Science and Civilization*, 122–134. <https://doi.org/10.4324/9780429244148-11>
- Nagamitsu, T., Ichikawa, S., Ozawa, M., Shimamura, R., Kachi, N., Tsumura, Y., & Muhammad, N. (2001). Microsatellite analysis of the breeding system and seed dispersal in *shorea leprosula* (Dipterocarpaceae). *International Journal of Plant Sciences*, 162(1), 155–159. <https://doi.org/10.1086/317902>
- Newman, M. F., Burgess, P. F., & Whitmore, T. C. (1996). *Manuals of*

- Dipterocarps for Foresters: Sumatra Medium and Heavy Hardwoods*. Edinburgh: Royal Botanic Garden.
- Newman, Mark F, Burgess, P. F., Whitmore, T. C., & others. (1998). *Manuals of dipterocarps for foresters: Java to New Guinea*. Royal Botanic Garden Edinburgh.
- Ng, F. S. P. (1977). Gregarious flowering of dipterocarps in Kepong. *Malays For*, 40, 126–137.
- Nuroniah, H. S., Gailing, O., & Finkeldey, R. (2017). Development of a diagnostic DNA marker for the geographic origin of *Shorea leprosula*. *Holzforschung*, 71(1), 1–10. <https://doi.org/10.1515/hf-2016-0086>
- O'Brien, S. J. (1991). Mammalian genome mapping: lessons and prospects. *Current Opinion in Genetics and Development*. [https://doi.org/10.1016/0959-437X\(91\)80050-V](https://doi.org/10.1016/0959-437X(91)80050-V)
- Oliveira, E. F., Bezerra, D. G., Santos, M. L., Rezende, M. H., & Paula, J. A. M. (2017). Leaf morphology and venation of psidium species from the Brazilian savanna. *Brazilian Journal of Pharmacognosy*, 27(4), 407–413. <https://doi.org/10.1016/j.bjp.2017.03.005>
- Pásztor, Z., Mohácsiné, I. R., Gorbacheva, G., & Börsök, Z. (2016). The utilization of tree bark. *BioResources*, 11(3), 7859–7888. <https://doi.org/10.15376/biores.11.3.Pasztor>
- Pérez-Pérez, J. M., Serrano-Cartagena, J., & Micol, J. L. (2002). Genetic analysis of natural variations in the architecture of *Arabidopsis thaliana* vegetative leaves. *Genetics*.
- Rolland-Lagan, A. G., Amin, M., & Pakulska, M. (2009). Quantifying leaf venation patterns: Two-dimensional maps. *Plant Journal*, 57(1), 195–205. <https://doi.org/10.1111/j.1365-313X.2008.03678.x>
- Roth-Nebelsick, A., Uhl, D., Mosbrugger, V., & Kerp, H. (2001a). Evolution and function of leaf venation architecture: A review. *Annals of Botany*. <https://doi.org/10.1006/anbo.2001.1391>
- Roth-Nebelsick, A., Uhl, D., Mosbrugger, V., & Kerp, H. (2001b). Evolution and function of leaf venation architecture: A review. *Annals of Botany*, 87(5), 553–566. <https://doi.org/10.1006/anbo.2001.1391>
- Schmid, R., & Ruzin, S. E. (1999). Plant Microtechnique and Microscopy. *Taxon*. <https://doi.org/10.2307/1224595>
- Sharma, B., Albert, S., & Dhaduk, H. (2016). Leaf venation studies of 30 varieties of *Mangifera indica* L. (Anacardiaceae). *Webbia*, 71(2), 253–263. <https://doi.org/10.1080/00837792.2016.1175092>
- Sneath, P. H. A., Sokal, R. R., & others. (1973). *Numerical taxonomy. The principles and practice of numerical classification*.
- Soekotjo. (2009). *Teknik Silvikultur Intensif*. Gadjah Mada University Press.
- Soerianegara, I., & Lemmens, R. H. M. J. (1993). Plant Resources of South-East Asia No 5(1) Timber trees: Major commercial timbe. In *Pudoc Scientific Publishers*.
- Solis-Montero, L., Terrazas, T., & Ishiki-Ishihara, M. (2013). Leaf architecture and anatomy of eleven species of *Mortoniiodendron* (Malvaceae s.l.). *Plant Systematics and Evolution*. <https://doi.org/10.1007/s00606-012-0742-1>

- Tautz, D. (1989). Hypervariability of simple sequences as a general source for polymorphic DNA markers. *Nucleic Acids Research*. <https://doi.org/10.1093/nar/17.16.6463>
- Thüs, H., Wolseley, P., Carpenter, D., Eggleton, P., Reynolds, G., Vairappan, C. S., Weerakoon, G., & Mrowicki, R. J. (2021). Key roles of dipterocarpaceae, bark type diversity and tree size in lowland rainforests of northeast borneo—using functional traits of lichens to distinguish plots of old growth and regenerating logged forests. *Microorganisms*, 9(3), 1–21. <https://doi.org/10.3390/microorganisms9030541>
- Wahyudi, I., & Sitanggang, J. J. (2016). Wood Quality of Cultivated Red Meranti (*Shorea leprosula* Miq.). *Jurnal Ilmu Pertanian Indonesia*, 21(2), 140–145. <https://doi.org/10.18343/jipi.21.2.140>
- Weber, J. L., & Wong, C. (1993). Mutation of human short tandem repeats. *Human Molecular Genetics*. <https://doi.org/10.1093/hmg/2.8.1123>
- Whitmore, T. C. (1962). Studies in Systematic Bark Morphology: I. Bark Morphology in Dipterocarpaceae. *New Phytologist*, 61(2), 191–207. <https://doi.org/10.1111/j.1469-8137.1962.tb06288.x>
- Widiyatno, Purnomo, S., Soekotjo, Naiem, M., Hardiwinoto, S., & Kasmujiono. (2013). The Growth of Selected *Shorea* Spp in Secondary Tropical Rain Forest: The Effect of Silviculture Treatment to Improve Growth Quality of *Shorea* Spp. *Procedia Environmental Sciences*, 17(May 2015), 160–166. <https://doi.org/10.1016/j.proenv.2013.02.024>
- Widjaja, E. A., Rahayuningsih, Y., Rahajoe, J. S., Ubaidillah, R., Maryanto, I., Walujo, E. B., & Semiadi, G. (2014). *Kekinian keanekaragaman hayati indonesia 2014*.
- Winsor, M. P. (2000). Species, demes, and the omega taxonomy: Gilmour and The New Systematics. *Biology and Philosophy*, 15(3), 349–388. <https://doi.org/10.1023/A:1006774217770>
- Wistara, N. J., Sukowati, M., & Pamoengkas, P. (2016). The properties of red meranti wood (*Shorea leprosula* Miq) from stand with thinning and shade free gap treatments. *Journal of the Indian Academy of Wood Science*, 13(1), 21–32. <https://doi.org/10.1007/s13196-016-0161-y>
- Yao, G., Cai, J., Wu, Y., Yang, X., Oo, T. N., Moe, A. Z., & Luo, S. (2018). Taxonomic studies of Glochidion (Phyllanthaceae) from the Indo-China Peninsula (I): *G. shanense*, a new species from Myanmar. *PhytoKeys*, 62(96), 57–62. <https://doi.org/10.3897/phytokeys.96.24497>
- Young, R. L., Sweeney, M. J., & Badyaev, A. V. (2010). Morphological diversity and ecological similarity: versatility of muscular and skeletal morphologies enables ecological convergence in shrews. *Functional Ecology*, 24(3), 556–565. <https://doi.org/10.1111/j.1365-2435.2009.01664.x>
- Yunus, M., & Iqbal, M. (1990). Systematic bark morphology of some tropical trees. *Botanical Journal of the Linnean Society*, 103(4), 367–377. <https://doi.org/10.1111/j.1095-8339.1990.tb00196.x>