

DAFTAR PUSTAKA

- A. Abdullahi, S. Amini-Nik, and M. . J. (2009) 'Animal models in burn research. NIH Public Access', *Cell Mol Life Sci.*, 49(18), pp. 1841–1850. doi: 10.1007/s00018-014-1612-5.Animal.
- Ahearn, C. (2009) 'Intermittent NPWT and lower negative pressures--exploring the disparity between science and current practice: a review.', *Ostomy/wound management*, 55(6), pp. 22–28.
- Ahmed, Z. *et al.* (2019) 'Efficacy of Vacuum-Assisted Closure (VAC) in Wound Healing', *Surgical Science*, 10(06), pp. 173–215. doi: 10.4236/ss.2019.106022.
- Al-aali, K. Y. (2016) 'Microbial Profile of Burn Wound Infections in Burn Patients , Taif , Saudi Arabia', *Archives of Clinical Microbiology*, 7(2), pp. 1–9.
- American Burn Association (2018) 'Burn Injury Fact Sheet', *National Burn Awareness Week*, 4–10, 2018, pp. 1–2. Available at: http://ameriburn.org/wp-content/uploads/2017/12/nbaw-factsheet_121417-1.pdf.
- Asada, M. *et al.* (2012) 'Novel models for bacterial colonization and infection of full-thickness wounds in rats', *Wound Repair and Regeneration*, 20(4), pp. 601–610. doi: 10.1111/j.1524-475X.2012.00800.x.
- Atiyeh, B. S. *et al.* (2007) 'Effect of silver on burn wound infection control and healing: Review of the literature', *Burns*, 33(2), pp. 139–148. doi: 10.1016/j.burns.2006.06.010.
- Australian and New Zealand Burn Association, A. (2016) *Emergency Management of Severe Burn 18th Edition 2016*. 18th Editi. Edited by E. Comittee. Albany Creek, Queensland: Australian and New Zealand Burn Association, 2006.
- Branski, L. K. *et al.* (2019) 'Topical Antimicrobials in Burn Care: Part I – Topical Antiseptics', *Annals of plastic surgery*, pp. 1–26.
- Cambiaso-Daniel, J. *et al.* (2018) 'Topical Antimicrobials in Burn Care: Part 1— Topical Antiseptics', *Annals of Plastic Surgery*, p. 1. doi: 10.1097/SAP.0000000000001297.
- Dahag, M. A. *et al.* (2018) 'SM Gr up Annals of Burns and Trauma Pattern of the Burn Wounds Infections in Bahrain Defence Force Military Hospital', 2(1), pp. 1–6.
- Fischer, S. *et al.* (2016) 'Extra-large negative pressure wound therapy dressings for burns - Initial experience with technique, fluid management, and outcomes', *Burns*. Elsevier Ltd and International Society of Burns Injuries, 42(2), pp. 457–465. doi: 10.1016/j.burns.2015.08.034.
- Glass, G. E., Murphy, G. R. F. and Nanchahal, J. (2017) 'Does negative-pressure wound therapy influence subjacent bacterial growth? A systematic review', *Journal of Plastic, Reconstructive and Aesthetic Surgery*, pp. 1028–1037. doi: 10.1016/j.bjps.2017.05.027.
- Greenhalgh, D. G. (2017) 'Sepsis in the burn patient: a different problem than sepsis in the general population', *Burns & Trauma*. Burns & Trauma, 5, pp. 1–10. doi: 10.1186/s41038-017-0089-5.
- Heggers, J. P. *et al.* (2002) 'Acticoat versus Silverlon: The Truth', *The Journal of Burn*

- Care & Rehabilitation*, 23(suppl_2), pp. S115–S115. doi: 10.1097/00004630-200203002-00146.
- Hoekstra, M. J. *et al.* (1993) ‘A comparative burn wound model in the New Yorkshire pig for the histopathological evaluation of local therapeutic regimens: silver sulfadiazine cream as a standard’, *British Journal of Plastic Surgery*, 46(7), pp. 585–589. doi: 10.1016/0007-1226(93)90111-N.
- Honnegowda, T. M. *et al.* (2016) ‘Superficial Burn Wound Healing with Intermittent Negative Pressure Wound Therapy Under Limited Access and Conventional Dressings.’, *World journal of plastic surgery*, 5(3), pp. 265–273.
- ISBI Practice Guideline (2018) ‘ISBI Practice Guidelines for Burn Care § ISBI Practice Guidelines for Burns Care’, 2. doi: 10.1016/j.burns.2016.05.013.
- Jeschke, M. G. *et al.* (2019) *Handbook of Burns, Handbook of Burns*. doi: 10.1007/978-3-030-18940-2.
- Jones, D. de A. *et al.* (2016) ‘The use of negative pressure wound therapy in the treatment of infected wounds. Case studies’, *Revista Brasileira de Ortopedia (English Edition)*. Sociedade Brasileira de Ortopedia e Traumatologia, 51(6), pp. 646–651. doi: 10.1016/j.rboe.2016.10.014.
- Kaddoura, I. *et al.* (2017) ‘Burn injury: review of pathophysiology and therapeutic modalities in major burns.’, *Annals of burns and fire disasters*, 30(2), pp. 95–102. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/29021720> <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC5627559>.
- Kamolz, L. P. *et al.* (2004) ‘Use of subatmospheric pressure therapy to prevent burn wound progression in human: First experiences’, *Burns*, 30(3), pp. 253–258. doi: 10.1016/j.burns.2003.12.003.
- Kantak, N. A. *et al.* (2017) ‘Negative Pressure Wound Therapy for Burns’, *Clinics in Plastic Surgery*. Elsevier Inc, 44(3), pp. 671–677. doi: 10.1016/j.cps.2017.02.023.
- Kantak, N. A., Mistry, R. and Halvorson, E. G. (2016) ‘A review of negative-pressure wound therapy in the management of burn wounds’, *Burns*. Elsevier Ltd and International Society of Burns Injuries, pp. 1623–1633. doi: 10.1016/j.burns.2016.06.011.
- Kolarsick, P. A. ., Kolarsick, M. . and Goodwin, C. (2011) ‘Anatomy and Physiology of the Skin’, *Journal of the Dermatology Nurses’ Association*, 3(4), pp. 203–213. doi: <https://doi.org/10.1097/JDN.0b013e3182274a98>.
- Kolarsick, P. A. J., Kolarsick, M. A. and Goodwin, C. (2011) ‘Anatomy and Physiology of the Skin’, *Journal of the Dermatology Nurses’ Association*, 3, pp. 203–213.
- Lalezari, S. *et al.* (2017) ‘Deconstructing negative pressure wound therapy’, *International Wound Journal*, 14(4), pp. 649–657. doi: 10.1111/iwj.12658.
- Li, J., Chen, J. and Kirsner, R. (2007) ‘Pathophysiology of acute wound healing’, *Clinics in Dermatology*, 25(1), pp. 9–18. doi: 10.1016/j.clindermatol.2006.09.007.
- Liu, Y. *et al.* (2014) ‘Negative pressure wound therapy decreases mortality in a murine model of burn-wound sepsis involving pseudomonas aeruginosa infection’, *PLoS*

- ONE, 9(2), pp. 1–7. doi: 10.1371/journal.pone.0090494.
- Malmsjö, M. *et al.* (2012) ‘The effects of variable, intermittent, and continuous negative pressure wound therapy, using foam or gauze, on wound contraction, granulation tissue formation, and ingrowth into the wound filler.’, *Eplasty*, 12, p. e5. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/22292101> <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC3266212>.
- Moore, K. L., Dalley, A. F. and Agur, A. M. R. (2014) *Clinically oriented anatomy*. 6th edn. Edited by I. A. M. R. A. Keith L Moore; Arthur F Dalley. Philadelphia: Philadelphia : Wolters Kluwer Health/Lippincott Williams & Wilkins, [2014].
- Nielson, C. B. *et al.* (2017) ‘Burns: Pathophysiology of Systemic Complications and Current Management’, *Journal of Burn Care and Research*, 38(1), pp. e469–e481. doi: 10.1097/BCR.0000000000000355.
- Poon, V. K. M. and Burd, A. (2004) ‘In vitro cytotoxicity of silver: Implication for clinical wound care’, *Burns*, 30(2), pp. 140–147. doi: 10.1016/j.burns.2003.09.030.
- Rosadi Seswandhana, M. *et al.* (2020) ‘A case series of negative pressure wound therapy as a promising treatment in patients with burn injury’, *International Journal of Surgery Case Reports*. Surgical Associates Ltd, 69, pp. 64–67. doi: 10.1016/j.ijscr.2020.03.034.
- Ross, J. A. *et al.* (2020) ‘Comparison of the efficacy of silver-based antimicrobial burn dressings in a porcine model of burn wounds’, *Burns*, 6, pp. 1–9. doi: 10.1016/j.burns.2020.04.004.
- Rowan, M. P. *et al.* (2015) ‘Burn wound healing and treatment: Review and advancements’, *Critical Care*. Critical Care, 19(1), pp. 1–12. doi: 10.1186/s13054-015-0961-2.
- Russell, A. D. and Hugo, W. B. (1994) ‘Antimicrobial activity and action of silver.’, *Progress in medicinal chemistry*. Netherlands, 31, pp. 351–370. doi: 10.1016/s0079-6468(08)70024-9.
- Saxena, V. *et al.* (2004) ‘Vacuum-assisted closure: Microdeformations of wounds and cell proliferation’, *Plastic and Reconstructive Surgery*, 114(5), pp. 1086–1096. doi: 10.1097/01.PRS.0000135330.51408.97.
- Seswandhana, R. *et al.* (2021) ‘A MODIFIED METHOD TO CREATE A PORCINE DEEP DERMAL BURN MODEL’, *annals of Burn and Fire Disasters*, XXXIV(1), pp. 187–191.
- Sundby, Ø. H. *et al.* (2018) ‘Intermittent negative pressure applied to the lower limb increases foot macrocirculatory and microcirculatory blood flow pulsatility in people with spinal cord injury’, *Spinal Cord*, 56(4), pp. 382–391. doi: 10.1038/s41393-017-0049-8.
- Wang, G. *et al.* (2018) ‘Negative-Pressure Wound Therapy in a Pseudomonas aeruginosa Infection Model’, *BioMed Research International*, 2018. doi: 10.1155/2018/9496183.
- Wang, Y. *et al.* (2018) ‘Burn injury: Challenges and advances in burn wound healing,

infection, pain and scarring', *Advanced Drug Delivery Reviews*. Elsevier B.V., 123, pp. 3–17. doi: 10.1016/j.addr.2017.09.018.

Warriner, R. and Burrell, R. (2005) 'Infection and the chronic wound: a focus on silver.', *Advances in skin & wound care*. United States, 18 Suppl 1, pp. 2–12. doi: 10.1097/00129334-200510001-00001.

Wright, J. B. (1998) 'The comparative efficacy of two antimicrobial barrier dressings: in-vitro examination of two controlled release silver dressings', *Wounds*, 10, pp. 179–188.

1.