



DAFTAR PUSTAKA

- Achigan-Dako E.G. 2008. Phylogenetic and genetic variation analyses in cucurbit species (*Cucurbitaceae*) from West Africa: definition of conservation strategies. Dissertation, Cuvillier Verlag Gottingen.
- Aprilyanto, V. dan L. Sembiring. 2016. Filogenetika Molekuler: Teori dan Aplikasi. Penerbit Innosain, Yogyakarta.
- Arifin, M. 2015. Mempercepat Penggemukan Domba. PT AgroMedia Pustaka, Jakarta.
- Beuzen, N.D., B.E. Stranger, and K.C. Chang. 2000. Molecular markers and their use in animal breeding. *Vet. J.* 160:42-52.
- Caliskan, M., G.C. Oz, I.H. Kavaklı, and B. Ozcan. 2015. Molecular Approaches to Genetic Diversity. InTech, Croatia.
- Castro, B.B.P, S.M. Gennari, H. Lorenzi, and C. Su. 2020. A simple method to generate PCR-RFLP typing profiles from DNA sequences in *Toxoplasma gondii*. *Infect. Genet. Evol.* 85:1-7.
- Dubern, B. 2015. MC4R and MC3R Mutations. Available at <https://ebook.ecog-obesity.eu/wp-content/uploads/2015/02/ECOG-Obesity-eBook-MC4R-and-MC3R-Mutations.pdf>. Diakses pada tanggal 27 Februari 2020.
- Ellegren, H. and N. Galtier. 2016. Determinants of genetic diversity. *Nature.* 17:422-433.
- FAO. 2011. Molecular genetic characterization of animal genetic resources. FAO Animal Production and Health Guidelines, Rome.
- Fatchiyah, E., L. Arumingtyas, S. Widayati dan S. Rahayu. 2009. Dasar-Dasar Analisa Biologi Molekuler. Brawijaya Press, Malang.
- Firman, A., L. Herlina, M. Paturochman, and M. M. Sulaeman. Determination of sheep agribusiness leading zone in West Java. *Jurnal Pemikiran Masyarakat Ilmiah Berwawasan Agribisnis.* 4:111-125.
- Fourie, P.J., F.W.C. Neser, J.J. Olivier, and C. van der Westhuizen. 2002. Relationship between production performance, visual appraisal, and body measurements of young Dorper rams. *S. Afr. J. Anim. Sci.* 32:256-262.
- Gavojdian, D., L.T. Cziszter, N. Pacala, and M. Sauer. 2013. Productive and reproductive performance of Dorper and its crossbreds under a Romanian semi-intensive management system. *S. Afr. J. Anim. Sci.* 43:219-228.
- Graur, U., M.S. Tantia, B. Mishra, S.T.B. Kumar, R.K. Vijh, and A. Chaudhury. 2000. Population structuring of land and coastal ducks (*Anas platyrhynchos*) using microsatellite markers. *Curr. Sci.* 110:1977-1983.
- Gunawan, A. dan R.R. Noor. 2005. Pendugaan nilai heritabilitas bobot lahir dan bobot sapih domba Garut tipe laga. *Media Peternakan.* 29:7-15.
- Handiwirawan, E., R.R. Noor, C. Sumantri, and Subandriyo. 2011. The differentiation of sheep breed based on the body measurements. *J. Indonesian. Trop. Anim. Agric.* 36:1-8.



- Handoyo, D. and A. Rudiretna. 2000. General principles and implementation of polymerase chain reaction. *Unitas*. 9:17-29.
- Hardjosubroto, W. 1994. Aplikasi Pemuliaan Ternak di Lapangan. Grasindo, Jakarta.
- Harris, S., A. Salam, dan M. Ismadi. 1994. Dasar-dasar genetika biokimia manusia. Gadjah Mada University Press. Yogyakarta.
- Hartatik, T. 2015. Analisis Genetika Molekuler Sapi Madura. Gadjah Mada University Press, Yogyakarta.
- Heriyadi, D. 2011. Pernak Pernik dan Senarai Domba Garut. UNPAD Press, Bandung.
- Hughes, A.R., B.D. Inouye, M.T.J. Johnson, N. Underwood, and M. Vellend. 2008. Ecological consequences of genetic diversity. *Ecol. Lett.* 11:609-623.
- Inounu, I., D. Mauluddin, R.R. Noor, dan Subandriyo. 2007. Analisis kurva pertumbuhan domba Garut dan persilangannya. *Indonesian Journal of Animal and Veterinary Sciences*. 12:286-299.
- Inounu, I., Erfan, and R.H. Mulyono. 2009. Characteristics of body measurement and shape of Garut sheep and its crosses with other breeds. *Indonesian Journal of Animal and Veterinary Sciences*. 14:295-306.
- Isik, F., J. Holland, and C. Maltecca. 2017. Genetic Data Analysis for Plant and Animal Breeding. Springer International Publishing, USA.
- Jamieson, I.G., C.E. Grueber, J.M. Waters, and D.M. Gleeson. 2008. Managing genetic diversity in threatened populations: a New Zealand perspective. *New. Zeal. J. Ecol.* 32:130-137.
- Kim, K. S., N. Larsen, T. Short, G. Plastow, and M. F. Rothschild. 2000. A missense variant of the porcine melanocortin-4 receptor (MC4R) gene is associated with fatness, growth and feed intake traits. *J. of Mamm. Genome* 11:131-135.
- Klug, W.S., M.R. Cummings, and C.A. Spencer. 2007. Essentials of Genetics. Pearson/Prentice Hall,
- Kuehn, L.A., G.A. Rohrer, D.J. Nonneman, R.M. Thallman and K.A. Leymaster. 2007. Detection of single nucleotide polymorphisms associated with ultrasonic backfat depth in segregating Meishan x White Composite population. *J Anim Sci.* 85:1111-1119.
- Rankinen T, Zuberi A, Chagnon YC, Weisnagel SJ, Argyropoulos G, Walts B, Pérusse L, and C. Bouchard . 2006. The human obesity gene map: the 2005 update. *Obesity* 14:529-644.
- Kurnianto, E. 2009. Pemuliaan Ternak. Graha Ilmu, Jakarta.
- Latifah, D. Maharani, Kustantinah, and T. Hartatik. 2018. Comparison study of melanocortin 4 receptor in cattle, buffalo, sheep and goat based on *GenBank* data. Proceeding of The 1st International Conference on Bioinformatics, Biotechnology, and Biomedical Engineering (BioMIC). Universitas Gadjah Mada, Yogyakarta.
- Lehninger, A.L. 1982. Dasar-dasar Biokimia. Penerbit Erlangga, Jakarta.



- Lopez-Carlos, M.A., R.G. Ramirez, J.I. Aguilera-Soto, C.F. Arechiga, and H.Rodriguez. 2010. Size and shape analyses in hair sheep ram lambs and its relationships with growth performance. *Livestock Science*. 131:203-211.
- Maharani, D. 2012. Candidate gene studies for fatty acid in livestock. Dissertation, Chungnam National University.
- Milne, C. The history of the Dorper sheep. *Small. Rumin. Res.* 36:99-102.
- Mills, L.S. 2013. Conservation of Wildlife Populations: Demography, Genetics, and Management. John Wiley and Sons, Ltd., UK.
- Minarovič, T., A. Trakovická, A. Rafayová, and Z. Lieskovská. 2010. Animal species identification by PCR-RFLP of cytochrome b. *Animal Science and Biotechnologies*. 43:296-299.
- Mittal, N. and A.K. Dubey. 2009. Microsatellite markers – A new practice of DNA based markers in molecular genetics. *Pharmacogn. Rev.* 3:235-246.
- Mondini, L., A. Noorani, and M.A. Pagnotta. 2009. Assessing plant genetic diversity by molecular tools. *Diversity*. 1:19-35.
- Mul, J.D., R. van Boxtel, D.J.M. Bergen, M.A.D. Brans, J.H. Brakkee, P.W. Toonen, K.M. Garner, R.A.H. Adan, and E. Cuppen. 2012. Melanocortin receptor 4 deficiency affects body weight regulation, grooming behavior, and substrate preference in the rat. *Obesity*. 20:612-621.
- Munshi, A. 2012. DNA Sequencing – Methods and Applications. InTech. Rijeka, Croatia.
- Mwenya, B., C. Wollny, M. Blummel, J. Banda, and J. Takahashi. 2003. A comparative study on digestive parameters in an indigenous fat-tailed and a conventional Dorper sheep fed on maize stover crop residue. *Asian-australas. J. Anim. Sci.* 16:529–533.
- NCBI. 2019. MC4R melanocortin 4 receptor *Ovis aries* (sheep). Available at <https://www.ncbi.nlm.nih.gov/gene/?term=MC4R%2C+sheep>. Diakses pada 20 December 2019.
- Nei, M. 1987. Molecular Evolutionary Genetics. Columbia University Press, New York.
- Nei, M. and S. Kumar. 2000. Molecular Evolution and Phylogenetics. Oxford University Press. Inc., New York.
- Norris, D.E., A.C. Shurtleff, Y.T. Toure, and G.C. Lanzaro. 2001. Microsatellite DNA polymorphism and heterozygosity among field and laboratory populations of *Anopheles gambiae* s.s. (*Diptera: Culicidae*). *J. Med. Entomol.* 38:336-340.
- Nurgiartiningsih, V.M.A. 2011. Evaluasi genetik pejantan Boer berdasarkan performansi hasil persilangannya dengan kambing lokal. *J. Ternak Tropika* 12:82-88.
- Ramdhani, M.F. 2017. Hubungan statistik vital dengan bobot badan domba Garut jantan di Peternakan Rakyat Kecamatan Caringin, Kabupaten Sukabumi. Skripsi. Fakultas Peternakan, Universitas Brawijaya.



- Rasmussen, H.B. 2012. Restriction Fragment Length Polymorphism Analysis of PCR-Amplified Fragments (PCR-RFLP) and Gel Electrophoresis Valuable Tool for *Genotyping* and Genetik Fingerprinting, *Gel Electrophoresis - Principles and Basics*. Available at <https://www.intechopen.com/books/gel-electrophoresis-principles-and-basics/restriction-fragment-length-polymorphism-analysis-of-pcr-amplified-fragments-pcr-rflp-and-related-te>. Diakses pada 27 Februari 2020.
- Sanz, A., C. Serrano, B. Renera, E. Dervishi, P. Zaragoza, J.H. Calvo, and C. Rodellar. 2015. Novel polymorphisms in the 5'UTR of FASN, GPAN, MC4R and PLIN1 ovine candidate gene: Relationship with gene expression and diet. *Small. Rumin. Res.* 123:70-74.
- Schoeman, S.J. 2000. A comparative assessment of Dorper sheep in different production environments and systems. *Small. Rumin. Res.* 36:137–146.
- Setiawan, B.S. 2011. Beternak Domba dan Kambing. PT AgroMedia Pustaka, Jakarta.
- Shete, S., H. Tiwari, and R.C. Elston. 2000. On estimating the heterozygosity and polymorphism information content value. *Theor. Popul. Biol.* 57:265-271.
- Shishay, G., G. Liu, X. Jiang, Y. Yu, W. Teketay, D. Du, H. Jing, and C. Liu. 2019. Variation in the promoter region of the MC4R gene elucidates the association of body measurement traits in Hu sheep. *Int. J. Mol. Sci.* 20:1-18.
- Snyman, M.A., and W. J. Olivier. 2002. Productive performance of hair and wool-type Dorper sheep under extensive conditions. *Small. Rumin. Res.* 45:17-23.
- Snyman, M.A. and M.J. Herselman. 2005. Comparison of productive and reproductive efficiency of Afrino, Dorper, and Merino sheep in the Fase Upper Karoo. *S. Afr. J. Anim. Sci.* 35:98-108.
- Sodiq, A., dan Z. Abidin. 2008. Sukses Menggemukan Domba. PT AgroMedia Pustaka, Jakarta.
- Song, X.M., J.F. Jiang, G.Z. Zhang, F.X. Shi, and Y.Q.Jiang. 2012. DNA polymorphisms of the Hu sheep melanocortin-4 receptor gene associated with birth weight and 45-day weaning weight. *Genet. Mol. Res.* 11:4432-4441.
- Spielmann, M., and E. Klopocki. 2013. CNVs of noncoding cis-regulatory elements in human disease. *Curr. Opin. Genet. Dev.* 23:249–256.
- Stansfield, W. D. 1983. Schaum's outline of theory and problems of genetics. Penerbit McGraw Hill, New York.
- Subandriyo. 2004. Strategi pemanfaatan plasma nutfah kambing lokal dan peningkatan mutu genetik kambing di Indonesia. Prosiding Lokakarya Nasional Kambing Potong. Puslitbang Peternakan.
- Sudarmono, A.S., dan Y.B. Sugeng. 2011. Beternak Domba. Penebar Swadaya, Jakarta.
- Sudoyo, H. 2004. Polimorfisme DNA Mitokondria dan Kedokteran Forensik dalam Mitochondrial Medicine. Lembaga Biologi Molekul Eijkman, Jakarta



- Sumantri, C., A. Einstiana, J.F. Salamena, and I. Inounu. 2007. Performances and phylogenetic relationships among local sheep in Indonesia by morphological analysis. Indonesian Journal of Animal and Veterinary Sciences. 12:42-54.
- Tao, Y.A. 2005. Molecular mechanisms of the neural melanocortin receptor dysfunction in severe early onset obesity. J. Of Mol Cell Endocrinol 239:1–14.
- Tao, Y.X. 2010. The melanocortin 4 receptor: physiology, pharmacology, and pathophysiology. Endocr. Rev. 31:506-543.
- Tasma, I.M. 2015. Utilization of genome sequencing technology to accelerate plant breeding program. J. Litbang. Pert. 34:159-168
- Templeton, A.R. 2006. Population Genetics and Microevolutionary Theory. John Wiley & Sons, Inc., New Jersey.
- Vellend, M. and M.A. Geber. 2005. Connections between species diversity and genetic diversity. Ecol. Lett. 8:767-781.
- Wang, C., D. Mao, S. Cao, J. Zhang, C. Meng, Y. Fang, and D. Zhu. 2014. CRS-PCR polymorphism of MC4R gene in six sheep herds and its relationship to growth traits in Hu sheep and East FriesianxHu crossbred sheep. Journal of Nanjing Agricultural University 37(1):121-126.
- Wang A., C. Wang, J. Zhang, C. Meng, X. Zhang, Z. Wang, Y. Fang, D. Mao, and S. Cao. 2015. Three novel MC4R SNPs associated with growth traits in Hu sheep and East Friesian x Hu crossbred sheep. Small. Rumin. Res. 125: 26-23.
- Warwick, E.J., J.M. Astuti., dan W. Hardjosubroto. 1990. Pemuliaan Ternak. Gadjah Mada University Press, Yogyakarta.
- Xiao, J., X. Xin, X. Luan, D. Wei, and S. Yang. 2006. A modified simple RFLP-PCR method for single nucleotide polymorphism (SNP) typing. Genet. Mol. Biol. 29:562-565.
- Yusuf, Z.H. 2010. Polymerase Chain Reaction (PCR). Saintek. 5:1-6.
- Zeng, X.C., H.Y. Chen, B. Jia, Z.S. Zhao, W.Q. Hui, W.X. Zhang, H.B. Wu, and Z.B. Wang. 2011. Effects of single and combined genotypes of MC4R and PROP1 genes on growth traits in Chinese Merino sheep. Acta Veterinaria et Zootechica Sinica. 42:1227-1232.
- Zhao, X.L., S.J. Cao., and J.Q. Wang. 2018. Association analysis of MC4R gene polymorphism and genotype combination with growth traits of Tibetan sheep (*Ovis aries*). Journal of Agricultural Biotechnology. 26:429-436.
- Zishiri, O.T., S.W.P. Cloete, J.J. Olivier, and K. Dzama. 2013. Genetic parameters for growth, reproduction, and fitness traits in the South African Dorper sheep breed. Small. Rumin. Res. 112:39-48.
- Zuo, B., G. Liu, Y. Peng, H. Qian, J. Liu, X. Jiang, and A. Mara. 2014. Melanocortin-4 receptor (MC4R) polymorphisms are associated with growth and meat quality traits in sheep. Mol. Biol. Rep. 41:6967-6974.