

DAFTAR PUSTAKA

- Abraham, S., Ghonmode, W.N., Saujanya, K.P., Jaju, N., Tambe, V.H. dan Yawalikar, P.P., (2013) Effect of grape seed extracts on bond strength of bleached enamel using fifth and seventh generation bonding agents. *Journal of international oral health: JIOH*. 5(6): 101-107.
- Adamez, J.D., Samino, E.G., Sanchez, E.V. dan Gonzalez-Gomez, D., (2012) In vitro estimation of the antibacterial activity and antioxidant capacity of aqueous extracts from grape-seeds (*Vitis vinifera* L.). *Food Control*. 24(1-2): 136-141.
- Alqahtani, M.Q., (2014) Tooth-bleaching procedures and their controversial effects: A literature review. *The Saudi dental journal*. 26(2): 33-46.
- Alabaş, A., Topçu, F.T. dan Oktay, E.A.E.A., (2017) Effect of Sodium Ascorbate Concentration after Bleaching on the Enamel Shear Bond Strength of Giomer Resin. *Glob. J. Med. Res.* 17: 27-31.
- Anil, M., Ponappa, K.C., Nitin, M., Ramesh, S., Sharanappa, K., Nishant, A., (2015) Effect of 10% sodium ascorbate on shear bond strength of bleached teeth - An in-vitro study. *Journal of Clinical and Diagnostic Research*, (7): ZC31–ZC33.
- Anusavice, K.J., Shen, C. dan Rawls, H.R., (2013) *Philips' Science Dental Materials*. 12th ed. St. Louis: Elsevier Saunders. pp 66, 100,101,102,103,104,259,260,268, 286,287,289,291.
- Arumugam, M.T., Nesamani, R., Kittappa, K., Sanjeev, K. dan Sekar, M., (2014) Effect of various antioxidants on the shear bond strength of composite resin to bleached enamel: An in vitro study. *Journal of conservative dentistry: JCD*, 17(1): 22-26.
- Banjarnahor, S. D. S. dan Artanti, N., (2014) Antioxidant properties of flavonoids. *Medical Journal of Indonesia*. 23(4): 239–244.
- Bansal, M., Kaur, P., Cyriac, A.R., Kadian, N., Jaiswal, P. dan Rathee, K., (2019) Impact of different antioxidants on the bond strength of resin-based composite on bleached enamel-an in vitro study. *J Contemp Dent Pract*. 20(1): 64-70.
- Barber, A.J. dan King, P.A., (2014) Management of the single discoloured tooth part 1: aetiology, prevention and minimally invasive restorative options. *Dental update*. 41(2): 98-110.
- Cardoso, S.M., (2019) The Antioxidant Capacities of Natural Products. *Molecules*. 25: 5676.
- Dabas, D., Patil, A.C. dan Uppin, V.M., (2011) Evaluation of the effect of concentration and duration of application of sodium ascorbate hydrogel on

the bond strength of composite resin to bleached enamel. *Journal of conservative dentistry: JCD*. 14(4): 356-360.

Demarco, F. F., Collares, K., Coelho-de-Souza, F.H., Correaa, M.B., Cencia, M.S., Moraesa, S.S., Opdam, N.J.M., (2013) Preferences on vital and nonvital tooth bleaching: A survey among dentists from a city of Southern Brazil. *Brazilian Dental Journal*, 24(5): 527–531.

Elawsya, M. E., El-shehawy, T. M. dan Zaghoul, N. M., (2021) Influence of various antioxidants on micro-shear bond strength of resin composite to bleached enamel. *Journal of Esthetic and Restorative Dentistry*. 33(2): 371–379.

Epple, M., Meyer, F. dan Enax, J., (2019) A critical review of modern concepts for teeth whitening. *Dentistry journal*. 7(3): 79.

Ferracane, J. L., (2011) Resin composite - State of the art. *Dental Materials*. 27(1): 29–38.

Preedy, V., (2014) *Processing and Impact on Antioxidants in Beverage*. Waltham: Elsevier. pp. 109, 110.

Gajewski, V. E. S., Pfeifer, C.S., Fróes-Salgado, N.R.G., Boaro, L.C.C., Braga, R.R., (2012) Monomers used in resin composites: Degree of conversion, mechanical properties and water sorption/solubility. *Brazilian Dental Journal*. 23(5): 508–514.

Garg, N. dan Garg A., (2014) *Textbook of Endodontics*. 3rd ed. New Delhi: Jaypee Brothers Medical Publishers (P) Ltd. pp 492, 493, 492, 495, 496, 497, 498.

Ghaleb, M., Orsini, G., Putignano, A., Dabbagh, S., Haber, G. dan Hardan, L., (2020) The effect of different bleaching protocols, used with and without sodium musascorbate, on bond strength between composite and enamel. *Materials*. 13(12): 2710.

Gil, E. S. and Couto, R. O., (2013) Flavonoid electrochemistry: A review on the electroanalytical applications. *Revista Brasileira de Farmacognosia*. 23(3): 542–558.

Gogia, H., Taneja, S., Kumar, M. dan Soi, S., (2018) Effect of different antioxidants on reversing compromised resin bond strength after enamel bleaching: An in vitro study. *Journal of conservative dentistry: JCD*. 21(1): 100-104.

Gulcin, I., (2012) Antioxidant activity of food constituents: an overview. *Archives of toxicology*, 86(3): 345-391.

Hargreaves, K. M. dan Berman, L. H., (2016) *Cohen's Pathways of the Pulp*. 7th ed. Missouri: Elsevier. pp 1011, 1013, 1020, 1021.

He, L. B., Shao, M.Y., Tan, K., Xu, Xin., Li, J., (2012) The effects of light on

- bleaching and tooth sensitivity during in-office vital bleaching: A systematic review and meta-analysis. *Journal of Dentistry*. 40(8): 644-653.
- Irianti, T. T., Sugiyanto, Nuramto, S., dan Kuswandi., (2017) *Antioksidan*. Yogyakarta: UGM Press. pp 4,29,30,31,37.
- Joshi, S., (2016) An overview of vital teeth bleaching, *Journal of Interdisciplinary Dentistry*. 6(1): 3-13.
- Kamizar, Suprastiwi, E. dan Heptorina, Y., (2014) Application of 10% Ascorbic Acid Improves Resin Shear Bond Stregth in Bleached Dentin. *Journal of Dentistry Indonesia*. 21(1):1-4.
- Karadas, M. dan Demirbuga, S., (2019) Influence of a short-time antioxidant application on the dentin bond strength after intracoronal bleaching. *Microscopy Research and Technique*. 82(10): 1720–1727.
- Khamverdi, Z., Khadem, P., Soltanian, A. and Azizi, M., (2016) In-vitro evaluation of the effect of herbal antioxidants on shear bond strength of composite resin to bleached enamel. *Journal of Dentistry (Tehran, Iran)*. 13(4): 244-251.
- Khoroushi, M. dan Aghelinejad, S., (2011) Effect of postbleaching application of an antioxidant on enamel bond strength of three different adhesives. *Oral Patol Oral Cir Bucal*. 16 (7): e990-6.
- Kiliç, H.I., Aslan, T., Kiliç, K., Er, O. dan Kurt, G., (2016) Effect of delayed bonding and antioxidant application on the bond strength to enamel after internal bleaching. *Journal of Prosthodontics*. 25(5): 386-391.
- Kunt, G.E., Yılmaz, N., Şen, S. and Dede, D.O., (2011) Effect of antioxidant treatment on the shear bond strength of composite resin to bleached enamel. *Acta odontologica Scandinavica*. 69(5): 287-291.
- Kwon, S.R. dan Wertz, P.W., (2015) Review of the mechanism of tooth whitening. *Journal of Esthetic and Restorative Dentistry*. 27(5): 240-257.
- Lawson, N. C., Robles, A., Fu, C., Lin, C.P., dan Burgess, J. O., (2016) Two-year clinical trial of a universal adhesive in total-etch and self-etch mode in non-carious cervical lesions. *Journal of Dentistry*. 43(10): 1229–1234.
- Li, Y. dan Greenwall, L., (2013) Safety issues of tooth whitening using peroxide based materials. *British dental journal*. 215(1): 29-34.
- Lima, F. V., Mendesa, C., Zanetti-Ramosc, B.G., Nandid, J.K., Cardoso, S.G., Bernardond, J.K., Silva, M.A.S., (2019) Carbamide peroxide nanoparticles for dental whitening application: Characterization, stability and in vivo/in situ evaluation. *Colloids and Surfaces B: Biointerfaces*. 179: 326–333.
- Machado, A. L., Nascimento, D., Coelho J., Paulo G. P., França, F. M., Gomes, Turssi, C. P., Basting, R.T., Do Amaral, F. L. B., (2021) Effect

antioxidants application on microshear bond strength of universal adhesive to bleached enamel. *Brazilian Dental Science*. 24(1): 1–7.

Majeed, A., Grober, S.R., Farooq, I., (2015) Tooth-bleaching: A review of the efficacy and adverse effects of various tooth whitening products. *Journal of the College of Physicians and Surgeons Pakistan*. 25(12): 891–896.

Malkondu, Ö., Yurdagüven, H., Kazazoglu, E.S.E., Soyman, M., (2011) Effect of bleaching on microhardness of esthetic restorative materials. *Operative Dentistry*, 36(2): 177–186.

Manappallil, J. J., (2016) *Basic Dental Materials*, 4th ed. New Delhi: Jaypee Brothers Medical Publishers (P) Ltd. pp. 44, 177.

Manoharan, M., Shashibhushan, K.K., Poornima, P., Naik, S.N., Patil, D. dan Shruthi, A.S., (2016) Effect of newer antioxidants on the bond strength of composite on bleached enamel. *Journal of Indian Society of Pedodontics and Preventive Dentistry*. 34(4): 391-396.

Mikhail, S. S., Schricker, S.R., Azer, S.S., Brantley, W.A., Johnston, W.M., (2013) Optical characteristics of contemporary dental composite resin materials. *Journal of Dentistry*. 41(9): 771–778.

Miletic, V., (2018) *Dental Composite Materials for Direct Restorations*. Springer: Serbia. pp 12,13,27,200.

Mortazavi, H., Baharvand, M. dan Khodadoust, A., (2014) Colors In Tooth Discoloration: A New Classification and Literature Review. *International Journal of Clinical Dentistry*. 7(1):17-28.

Namal Senanayake, S. P. J., (2013) Green tea extract: Chemistry, antioxidant properties and food applications - A review. *Journal of Functional Foods*. 5(4): 1529–1541.

Nari-Ratih, D., dan Widyastuti, A. (2019) Effect of antioxidants on the shear bond strength of composite resin to enamel following extra-coronal bleaching. *Journal of Clinical and Experimental Dentistry*. 11(2): 126–132.

Ohishi, T., Goto S., Monira P., Isemura M., dan Nakamura Y., (2016) Anti-inflammatory Action of Green Tea. *Allergy Agents in Medicinal Chemistry*. 15(II): 74–90.

Oliveira, J., Mateus, N., Freitas, V., (2013) Flavonols: Catechins and Proanthocyanidins dalam Ramawat, K.G., dan Merillon, J.M., ed., Natural products. Springer: New York. pp 1753.

Ozelin, A. A., Guiraldo, R.D., Carvalho, R.V., Lopes, M.B., Berger, S.B., (2014) Effects of green Tea application time on bond strength after Enamel Bleaching. *Brazilian Dental Journal*. 25(5): 399–403.

Perumalla, A.V.S., dan Hettiarachchy, N.S., (2011) Green tea and grape seed extracts—Potential applications in food safety and quality. *Food Research*

International. 44(4): 827-839.

- Pouyanfar, H., Tabaii, E. S., Aghazadeh S., Nobari, S. P. T. N., Imani, M. M., (2018) Microtensile bond strength of composite to enamel using universal adhesive with/without acid etching compared to etch and rinse and self-etch bonding agents. *Open Access Macedonian Journal of Medical Sciences*. 6(11): 2186–2192.
- Rahman, H., Ansari, M.I., Khangwal, M., Solanki, R. dan Mansoori, S., (2021) Comparative evaluation of 6% cranberry, 10% green tea, 50% aloe vera and 10% sodium ascorbate on reversing the immediate bond strength of bleached enamel: In vitro study. *Journal of Oral Biology and Craniofacial Research*. 11(2): 107-112.
- Rana, R., Kaushik M., Sharma R., Reddy P., Mehra N., (2019) Comparative evaluation of effects of natural antioxidants on the shear bond strength of composite resin to bleached enamel. *Indian Journal of Dental Research*. 30(1): 112–116.
- Rockenbach, I. I., Gonzaga, L. V., Rizelio, V. M., Gonçalves, A. E. D. S. S., Genovese, M. I., & Fett, R., (2011) Phenolic compounds and antioxidant activity of seed and skin extracts of red grape (*Vitis vinifera* and *Vitis labrusca*) pomace from Brazilian winemaking. *Food Research International*. 44(4): 897-901.
- Rodríguez-Martínez, J., Valiente, M., dan Sánchez-Martín, M. J., (2019) Tooth whitening: From the established treatments to novel approaches to prevent side effects. *Journal of Esthetic and Restorative Dentistry*, 31(5): 431-440.
- Sakaguchi, R.L. dan Powers, J.M., (2012) *Craig's Restorative Dental Materials*. 13th ed. London: Mosby. pp. 162, 170, 328.
- Sideridou, I. D., Karabela, M. M., dan Vouvoudi, E. C., (2011) Physical properties of current dental nanohybrid and nanofill light-cured resin composites. *Dental Materials*. 27(6): 598–607.
- Smeriglio, A., Barreca, D., Bellocco, E., Trombetta, D., (2017) Proanthocyanidins hydrolysable tannins: occurrence, dietary intake and pharmacological effects. *British Journal of Pharmacology*. 174(11): 1244–1262.
- Soeteman, G.D., Valkenburg, C., Van der Weijden, G.A., Van Loveren, C., Bakker, E.W.P. dan Slot, D.E., (2018) Whitening dentifrice and tooth surface discoloration—a systematic review and meta analysis. *International journal of dental hygiene*. 16(1): 24-35.
- Souza-Gabriel, A.E., Vitussi, L.O.C., Milani, C., Alfredo, E., Messias, D.C.F. dan Silva-Sousa, Y.T.C., (2011) Effect of bleaching protocols with 38% hydrogen peroxide and post-bleaching times on dentin bond strength. *Brazilian dental journal*. 22(4): 317-321.

- Subramonian, R., Mathai, V., Angelo, J.B.M.C. dan Ravi, J., (2015) Effect of three different antioxidants on the shear bond strength of composite resin to bleached enamel: An in vitro study. *Journal of conservative dentistry: JCD*, 18(2): 144-148.
- Suzuki, T., Pervin, M., Goto, S., Isemura, M. dan Nakamura, Y., (2016) Beneficial effects of tea and the green tea catechin epigallocatechin-3 gallate on obesity. *Molecules*. 21(10): 1305.
- Torabinejad, M., Fouad, A.F., Shabahang S., (2021) Endodontics Principle and Practice, 6th ed. Philadelphia: Elsevier. pp 374, 375.
- Torres, C.R., Crastechini, E., Feitosa, F.A., Pucci, C.R. dan Borges, A.B., (2014) Influence of pH on the effectiveness of hydrogen peroxide whitening. *Operative dentistry*, 39(6): E261-E268.
- Turkmen, C., Guleryuz, N. dan Atali, P.Y., (2016) Effect of sodium ascorbate and delayed treatment on the shear bond strength of composite resin to enamel following bleaching. *Nigerian journal of clinical practice*. 19(1): 91-98.
- Vidhya, S., Srinivasulu, S., Sujatha, M. dan Mahalaxmi, S., (2011) Effect of grape seed extract on the bond strength of bleached enamel. *Operative dentistry*, 36(4): 433-438.
- Wongpraparatana, I., Matangkasombut, O., Thanyasrisung, P., Panich, M., (2018) Effect of vital tooth bleaching on surface roughness and streptococcal biofilm formation on direct tooth-colored restorative materials. *Operative Dentistry*. 43(1): 51–59.
- Xu, B., Li, Q. dan Wang, Y. (2011) Effects of pH Values of Hydrogen Peroxide Bleaching Agents on Enamel Surface Properties. *Operative Dentistry*. 36(5): 554–562.
- Xu, Y., Zhao, H., Zhang, M., Li, C. J., Lin, X. Z., Sheng, J., dan Shi, W., (2011) Variations of antioxidant properties and NO scavenging abilities during fermentation of tea. *International journal of molecular sciences*. 12(7): 4574-4590.
- Xu, Y., Zhou, J. and Tan, J., (2018) Use of grape seed extract for improving the shear bond strength of total-etching adhesive to bleached enamel. *Dental materials journal*. 37(2): 325-331.
- Xu, Z., Du, M., Meiser, P., dan Jacob, C., (2012) Proanthocyanidins: Oligomeric structures with unique biochemical properties and great therapeutic promise. *Natural Product Communications*. 7(3): 381–388.
- Yang, L. Xian, D., Xiong, X., Lai, R., Song, J., dan Zhong, J., (2018) Proanthocyanidins against oxidative stress: From molecular mechanisms to clinical applications. *BioMed Research International*.
- Zanconato-Carvalho, E. M., Bruniera, J.F., Faria, N.S., Colucci, V., Messias,

D.C., (2014) Impact of intracoronal dentin treatment prior to bleaching on bond strength of restorative materials. *Brazilian Dental Journal*. 25(6): 519–523.