

DAFTAR PUSTAKA

- Adriani, M. & Wirjatmadi, B., 2012, *Pengantar Gizi Masyarakat*, edisi ke 1, Jakarta.
- Agarwal, M.B. & Pai, S., 2017, Reticulocyte Hemoglobin Content (Chr): The Gold Standard for Diagnosing Iron Deficiency, *J. Assoc. Physicians*, 65, 11–12.
- Alshwaiyat, N., Ahmad, A., Wan Hassan, W.M.R. & Al-jamal, H., 2021, Association Between Obesity and Iron Deficiency (Review), *Exp. Ther. Med.*, 22, 5, 1–7.
- Ambayya, A., Sasmita, A.O. & Sathar, J., 2019, Utilizing Extended Red Blood Cell Parameters to Distinguish Iron-Deficient Erythropoiesis - Related Disorders in Malaysian Female Population, *International Journal of Blood Research and Disorders*, 6, 1, 1–9.
- Andrews, N.C., 1999, Disorders of Iron Metabolism, *NEJM*, 341, 26, 1986–1995.
- Andriastuti, M., Imana, G., Nawangwulan, S.A. & Kosasih, K.A., 2020, Prevalence of anemia and iron profile among children and adolescent with low socio-economic status, *Int. J. Pediatr. Adolesc. Med.*, 7, 2, 1–5.
- Anonim, 2010, Mannual ADVIA 2120i Hematology System, , 1–480.
- Archer, N.M. & Brugnara, C., 2015, Diagnosis of iron-deficient states, *Crit Rev Clin Lab Sci.*, 52, 5, 1–17.
- Badan Penelitian dan Pengembangan Kesehatan, 2008, Laporan Nasional Riskesdas 2007, *Kementerian Kesehatan Republik Indonesia*, 1–384.
- Badan Penelitian dan Pengembangan Kesehatan, 2018, Laporan Nasional RISKESDAS 2018, *Kementerian Kesehatan Republik Indonesia*, 1–674.
- Badan Penelitian Dan Pengembangan Kesehatan Kementerian Kesehatan RI, 2013, Riset Kesehatan Dasar (Riskesdas) 2013, , 1–304.
- Bahrainwala, J. & Berns, J.S., 2016, Diagnosis of Iron-Deficiency Anemia in Chronic Kidney Disease, *Semin Nephrol.*, 36, 2, 94–98.
- Black, M.M., Hurley, K.M. & Pepper, M.R., 2011, Iron Deficiency and Iron-Deficiency Anemia In The Frst Two Years of Life: Strategies to Prevent Loss of Developmental Potential, *Nutr. Rev.*, 69, 1, 64–70.
- Brooks, C., Burke, S.P. & Persand, G., 2001, Benchmarks and The Accuracy of GARCH Model Estimation, *Int. J. Forecast.*, 17, 1, 45–56.
- Brugnara, C., 2000, Reticulocyte Cellular Indices: A New Approach in the Diagnosis of Anemias and Monitoring of Erythropoietic Function, *Crit Rev Clin Lab Sci.*, 37, 2, 93–130.
- Brugnara, C., Laufer, M.R., Friedman, A.J., Bridges, K. & Platt, O., 1994,

Reticulocyte Hemoglobin Content (CHr): Early Indicator of Iron Deficiency And Response to Therapy (letter), *Blood*, 83, 3100–3101.

Brugnara, C., Schiller, B. & Moran, J., 2006, Reticulocyte Hemoglobin Equivalent (Ret He) and Assessment of Iron-Deficient States, *Clin. Lab. Haem.*, 28, 303–308.

Buttarelo, M., Pajola, R., Novello, E., Rebeschini, M., Cantaro, S., Oliosio, F., Naso, A. & Plebani, M., 2010, Diagnosis of iron deficiency in patients undergoing hemodialysis, *American Journal of Clinical Pathology*, 133, 6, 949–954.

Buttarelo, M., Pajola, R., Novello, E., Mezzapelle, G. & Plebani, M., 2016, Evaluation of The Hypochromic Erythrocyte and Reticulocyte Hemoglobin Content Provided by The Sysmex XE-5000 Analyzer in Diagnosis of Iron Deficiency Erythropoiesis, *Clin. Chem. Lab. Med.*, 1–7.

Cacoub, P., Vandewalle, C. & Peoc'h, K., 2019, Using transferrin saturation as a diagnostic criterion for iron deficiency: A systematic review, *Crit Rev Cl Lab Sci*, 56, 8, 526–532.

Cai, J., Wu, M., Ren, J., Du, Y., Long, Z., Li, G., Han, B. & Yang, L., 2017, Evaluation of the Efficiency of the Reticulocyte Hemoglobin Content on Diagnosis for Iron Deficiency Anemia in Chinese Adults, *Nutrients*, 9, 5, 1–9.

Camaschella, C., Hoffbrand, A.V. & Hershko, C., 2016, Iron Metabolism, Iron Deficiency and Disorders of Haem Synthesis, In, A. V. Hoffbrand, D. Catovsky, & E. G. D. Tuddenham, eds. *Postgraduate Haematology*, Blackwell, London, pp. 21–39.,

Camashella, C., 2015, Iron Anemia, *NEJM*, 1832.

Capellini, M.D., Musallam, K.M. & Taher, A.T., 2020, Iron deficiency anaemia revisited, *J Intern Med*, 287, 153–170.

Choudhary, M., Sharma, D., Shekhawat, D.S. & Dabi, D., 2015, Significance of Red Cell Distribution Width in the Diagnosis of Iron Deficiency Anemia: An Observational Study from India, *J Pediatr Neonatal Care*, 2, 6, 1–5.

Chung, M., Chan, J., Moorthy, D., Hadar, N., Ratichek, S.J., Concannon, T.W. & Lau, J., 2013, Biomarkers for Assessing and Managing Iron Deficiency Anemia in Late-Stage Chronic Kidney Disease: Future Research Needs, *AHRQ*, 1–26, 33.

D'Onofrio, G., Chirillo, R., Zini, G., Caenaro, G., Tommasi, M. & Micciulli, G., 1995, Simultaneous Measurement of Reticulocyte and Red Blood Cell Indices in Healthy Subjects and Patients With Microcytic and Macrocytic Anemia, *Blood*, 85, 3, 818–823.

Dahlan, M.S., 2016, *Besar Sampel Dalam Penelitian Kedokteran Dan Kesehatan*, edisi ke 5, Jakarta.

Daru, J., Colman, K., Stanworth, S.J., De La Salle, B., Wood, E.M. & Pasricha, S.R., 2017, Serum Ferritin as an Indicator of Iron Status: What Do We Need to Know?, *Am. J. Clin. Nutr.*, 106, 1634–1639.

- Dev, S. & Babitt, J.L., 2017, Overview of Iron Metabolism in Health and Disease, *Hemodial Int.*, 21, 1, 1–21.
- Fishbane, S., Galgano, C., Langley, R.C., Canfield, W. & Maesaka, J.K., 1997, Reticulocyte Hemoglobin Content In The Evaluation of Iron Status of Hemodialysis Patients, *Kidney Int.*, 52, 217–222.
- De Franceschi, L., Iolascon, A., Taher, A. & Cappellini, M.D., 2017, Clinical Management of Iron Deficiency Anemia in Adults: Systemic Review on Advances in Diagnosis and Treatment, *Eur. J. Intern. Med.*, 42, 30, 1–8.
- Ganz, T., 2012, Macrophages and systemic iron homeostasis, *J Innate Immun.*, 4, 5–6, 446–453.
- Garzon, S., Cacciato, P.M., Certelli, C., Salvaggio, C., Magliarditi, M. & Rizzo, G., 2020, Iron Deficiency Anemia in Pregnancy: Novel Approaches for an Old Problem, *Oman Med. J.*, 35, 5, 1–9.
- Haas, J.D. & IV, T.B., 2001, Iron Deficiency and Reduced Work Capacity : A Critical Review of the Research to Determine a Causal Relationship, *J. Nutr.*, 131, 676–690.
- Harris, N., Kunicka, J. & Kratz, A., 2005, The ADVIA 2120 hematology system: Flow cytometry-based analysis of blood and body fluids in the routine hematology laboratory, *Lab Hematol.*, 11, 1, 47–61.
- Hassan, T.H., Badr, M.A., Karam, N.A., Zkaria, M., El Saadany, H.F., Rahman, D.M.A., Shahbah, D.A., Al Morshedy, S.M., Fathy, M., Hosni Esh, A.M. & Selim, A.M., 2016, Impact of iron deficiency anemia on the function of the immune system in children, *Medicine (United States)*, 95, 47, 1–5.
- Johnson Wimbley, T.D. & Graham, D.Y., 2011, Diagnosis and management of iron deficiency anemia in the 21st century, *Ther Adv Gastroenterol*, 4, 3, 177–184.
- Kadegasem, P., Songdej, D., Lertthammakiat, S., Chuansumrit, A., Paisooksantivatana, K., Mahaklan, L., Wongwerawattanakoon, P., Tangbubpha, N. & Sirachainan, N., 2019, Reticulocyte Hemoglobin Equivalent in a Thalassemia-Prevalent Area, *Pediatr Int.*, 61, 3, 240–245.
- Kanagasabapathy, A.S. & Kumari, S., 2000, Guidelines on Standard Operating Procedures for Clinical Chemistry, *WHO*, , September, 1–107.
- Karagülle, M., Gündüz, E., Mutlu, F.Ş. & Akay, M.O., 2013, Clinical Significance of Reticulocyte Hemoglobin Content in the Diagnosis of Iron Deficiency Anemia, *Turk J Hematol*, 30, 2, 153–156.
- Kemenkes RI, 2003, Pedoman Praktis Terapi Gizi Medis Departemen Kesehatan Republik Indonesia, www.p2ptm.kemkes.go.id.,.
- Keohane, E.M., Smith, L.J. & Walenga, J.M., 2016, Disorders of Iron Kinetics and Heme Metabolism, In, K. White, ed. *Rodak's Hematology Clinical Principles And Applications*, New York, pp. 219–310.,
- Khatun, T., Saleh, F., Hossain, M.M. & Hoque, A., 2013, Anemia among Garment

Factory Workers in Bangladesh, *Middle East J. Sci. Res.*, 16, 4, 502–507.

Kiudeliene, R., Griniute, R. & Labanauskas, L., 2008, Prognostic Value of Reticulocyte Hemoglobin Content to Diagnose Iron Deficiency in 6-24-month-old Children, *Medicina*, 44, 9, 673–677.

Koca, E., Cetiner, D.A., Buyukasik, Y., Uner, A., Sayinalp, N., Haznedaroglu, I.C., Goker, H., Aksu, S. & Ozcebe, O.I., 2013, Bone Marrow Iron Staining is a Reliable Test for Elimination of Iron Deficiency Anemia Rather than its Diagnosis, *Int. J. Hematol. Oncol.*, 23, 4, 260–263.

Kumari, R., Bharti, R.K., Singh, K., Sinha, A., Kumar, S., Saran, A. & Kumar, U., 2017, Prevalence of iron deficiency and iron deficiency anaemia in adolescent girls in a tertiary care hospital, *J. Clin. Diagn. Res.*, 11, 8, BC04–BC06.

Kurzawa, T., Owczarek, A., Strzelczyk, J.K., Golabek, K. & Wiczowski, A., 2016, The Content of Reticulocyte Hemoglobin and Serum Concentration of the Soluble Transferrin Receptor for Diagnostics of Anemia in Chronically Hemodialyzed Patients, *Adv Clin Exp Med.*, 25, 3, 425–431.

Levi, M., Rosselli, M., Simonetti, M., Brignoli, O., Cancian, M., Masotti, A., Pegoraro, V., Cataldo, N., Heiman, F., Chelo, M., Cricelli, I., Cricelli, C. & Lapi, F., 2016, Epidemiology of Iron Deficiency Anaemia in Four European Countries: A Population-Based Study in Primary Care, *Eur. J. Haematol.*, 97, 6, 583–593.

Levy, S. & Schapkaitz, E., 2018, The Clinical Utility of New Reticulocyte And Erythrocyte Parameters on the Sysmex XN 9000 for Iron Deficiency in Pregnant Patients, *Int. J. Lab. Hematol.*, 40, 6, 1–8.

Lopez, A., Cacoub, P., Macdougall, I.C. & Peyrin-Biroulet, L., 2016, Iron deficiency anaemia, *The Lancet*, 387, 10021, 907–916.

Luo, D., Ma, H., Lin, J., Quan, S., Feng, J., Ren, Q., Zhao, R. & Zhu, M., 2016, Percentage of hypochromic red cells: A better predictive marker than conventional hematological parameters in the diagnosis of latent iron deficiency in women with menometrorrhagia, *International Journal of Clinical and Experimental Medicine*, 9, 5, 8593–8598.

Maria De Souza, A., 2005, Iron Metabolism, *einstein.*, 3, 2, 123–126.

Mast, A.E., Blinder, M.A., Lu, Q., Flax, S. & Dietzen, D.J., 2002a, Clinical Utility of the Reticulocyte Hemoglobin Content in the Diagnosis of Iron Deficiency, *Blood*, 99, 4, 1489–1491.

Mast, A.E., Blinder, M.A., Lu, Q., Flax, S. & Dietzen, D.J., 2002b, Clinical Utility of the Reticulocyte Hemoglobin Content in the Diagnosis of Iron Deficiency, *Blood*, 99, 4, 1489–1491.

Mateos, M.E., De-La-Cruz, J., López-Laso, E., Valdés, M.D. & Nogales, A., 2008, Reticulocyte Hemoglobin Content for the Diagnosis of Iron Deficiency, *J Pediatr Hematol Oncol*, 30, 7, 539–542.

Mattiello, V., Schmutge, M., Hengartner, H., von der Weid, N. & Renella, R., 2020,

Diagnosis and Management of Iron Deficiency in Children With or Without Anemia: Consensus Recommendations of the SPOG Pediatric Hematology Working Group, *Eur. J. Pediatr.*, 179, 4, 527–545.

Mesías, M., Seiquer, I. & Navarro, M.P., 2013, Iron Nutrition in Adolescence, *Crit Rev Food Sci Nutr*, 53, 11, 1226–1237.

Miwa, N., Akiba, T., Kimata, N., Hamaguchi, Y., Arakawa, Y., Tamura, T., Nitta, K. & Tsuchiya, K., 2010, Usefulness of Measuring Reticulocyte Hemoglobin Equivalent in the Management of Haemodialysis Patients with Iron Deficiency, *Int. J. Lab. Hematol.*, 32, 2, 248–255.

Naigamwalla, D.Z., Webb, J.A. & Giger, U., 2009, Iron deficiency anemia, *Can. Vet. J.*, 53, 11, 250–256.

Nalado, A.M., Mahlangu, J.N., Duarte, R., Paget, G., Olorunfemi, G., Jacobson, B.F. & Naicker, S., 2018, Utility of Reticulocyte Haemoglobin Content and Percentage Hypochromic Red Cells as Markers of Iron Deficiency Anaemia Among Black CKD Patients in South Africa, *PLoS ONE*, 13, 10, 1–12.

Norton, P., Araújo, N., Pinho, P., Costa Gomes, J., Silva, C., Gama, C., Barbosa, M., Ferreira, P., Cunha, S., Moreira, S., Martins, S., Faria, S., Sousa, S., Figueiras Alves, N. & Lunet, N., 2020, Diagnosis, treatment, and work impact of iron deficiency anemia in a Portuguese urban community, *Porto Biomed. J.*, 5, 4, 1–7.

Ogawa, C., Tsuchiya, K. & Maeda, K., 2020, Reticulocyte Hemoglobin Content, *Clin. Chim. Acta*, 504, 138–145. <https://doi.org/10.1016/j.cca.2020.01.032>.

Osungbade, K.O. & Oladunjoye, A.O., 2012, Anaemia in Developing Countries: Burden and Prospects of Prevention and Control, *Anemia*, 3, 116–129.

Owaidah, T., Al-Numair, N., Al-Suliman, A., Zolaly, M., Hasanato, R., Al Zahrani, F., Albalawi, M., Bashawri, L., Siddiqui, K., Alalaf, F., Almomen, A. & Sajid, M.R., 2020, Iron Deficiency and Iron Deficiency Anemia Are Common Epidemiological Conditions in Saudi Arabia: Report of the National Epidemiological Survey, *Anemia*, 1–8.

Pfeiffer, C.M. & Looker, A.C., 2017, Laboratory methodologies for indicators of iron status: strengths, limitations, and analytical challenges, *Am. J. Clin. Nutr.*, 106, 1606S–1614S.

Piva, E., Brugnara, C., Spolaore, F. & Plebani, M., 2015, Clinical Utility of Reticulocyte Parameters, *Clin. Lab. Med.*, 35, 1, 133–163.

Punnonen, K., Irjala, K. & Rajama, A., 1997, Serum Transferrin Receptor and Its Ratio to Serum Ferritin in the Diagnosis of Iron Deficiency, *Blood*, 89, 3, 1052–1057.

Ringoringo, H.P., 2009, Insidens Defisiensi Besi dan Anemia Defisiensi Besi pada Bayi Berusia 0-12 Bulan di Banjarbaru Kalimantan Selatan: studi kohort prospektif, *Sari Pediatri*, 11, 1, 8–14.

Safari, S., Baratloo, A., Elfil, M. & Negida, A., 2016, Evidence Based Emergency

Medicine; Part 5 Receiver Operating Curve and Area under the Curve., *Emergency*, 4, 2, 111–3.

Sasangka, B. & Ratnaningsih, T., 2019, Reticulocyte Hemoglobin Content (CHr) Untuk Skrining Defisiensi Besi Pada Ibu Hamil, *JGKI*, 16, 1, 1–40.

Subramaniam, G. & Girish, M., 2015, Iron Deficiency Anemia in Children, *Indian J Pediatr*, 82, 6, 1–6.

Suega, K., Kandarini, Y. & Tubung, J., 2019, Role of Soluble Transferrin Receptor and Transferrin Receptor-Ferritin Index to Detect Iron Deficiency Anemia in Regular Hemodialysis Patients, *OAMJMS*, 7, 1, 97–102.

Sunkara, A. & Kotta, D.R., 2016, Evaluation of Red Cell Indices and Reticulocyte Maturity Indices Including Reticulocyte Haemoglobin Concentration in Iron Deficiency Anaemia in Adult Female Population, *JEBMH*, 3, 97, 5315–5318.

Tandara, L. & Salamunic, I., 2012, Iron Metabolism: Current Facts and Future Directions, *Biochem Med.*, 22, 3, 311–328.

Thuret, I., 2017, Diagnostic Biologique de la Carence Martiale Chez L'enfant, *Arch Pediatr.*, 24, 5, 1–13.

Tjptoherijanto, P., 2001, Proyeksi Penduduk, Angkatan Kerja, Tenaga Kerja, dan Peran Serikat Pekerja dalam Peningkatan Kesejahteraan, *Majalah Perencanaan Pembangunan*, 23, 1–10.

Urrechaga, E., Borque, L. & Escanero, J.F., 2013, Biomarkers of Hypochromia: The Contemporary Assessment of Iron Status and Erythropoiesis, *BioMed Res. Int.*, 1–8.

Urrechaga, E., Borque, L. & Escanero, J.F., 2016, Clinical Value of Hypochromia Markers in the Detection of Latent Iron Deficiency in Nonanemic Premenopausal Women, *Journal of Clinical Laboratory Analysis*, 30, 5, 623–627.

Urrechaga, E., Hoffmann, J.J.M.L., Izquierdo-Álvarez, S. & Escanero, J.F., 2017, Reticulocyte Hemoglobin Content (MCHr) in the Detection of Iron Deficiency, *J Trace Elem Med Biol.*, 43, 1–13.

Vazquez-Lopez, M.A., Lopez-Ruzafa, E., Ibanez-Alcalde, M., Martin-Gonzales, M., Bonillo-Perales, A. & Lendinez-Molinos, F., 2018, The Usefulness of Reticulocyte Haemoglobin Content, Serum Transferrin Receptor and the sTfR-Ferritin Index to Identify Iron Deficiency in Healthy Children Aged 1-16 Years, *Eur. J. Pediatr.*, 1–9.

Vis, J.Y. & Huisman, A., 2016, Verification and Quality Control of Routine Hematology Analyzers, *IJLH*, 38, 1, 100–109.

Viswanath, D., Hegde, R., Murthy, V., Nagashree, S. & Shah, R., 2001, Red Cell Distribution Width in the Diagnosis of Iron Deficiency Anemia, *Indian J. Pediatr.*, 68, 12, 1117–1119.

WHO, 2011a, Prevention of iron deficiency anaemia in adolescents, *World Health*

Organization, 1–50.

WHO, 2011b, Serum ferritin concentrations for the assessment of iron status and iron deficiency in population, *VMNIS*, 1–5.

Wirth, J.P., Rajabov, T., Petry, N., Woodruff, B.A., Shafique, N.B., Mustafa, R., Tyler, V.Q. & Rohner, F., 2018, Micronutrient deficiencies, over-and undernutrition, and their contribution to anemia in azerbaijani preschool children and non-pregnant women of reproductive age, *Nutrients*, 10, 10.

Wish, J.B., 2006, Assessing Iron Status: Beyond Serum Ferritin and Transferrin Saturation., *Clin J Am Soc Nephrol*, 1, 4–8.

Wu, A.C., Lesperance, L. & Bernstein, H., 2002a, Screening for Iron Deficiency., *Pediatr Rev*, 23, 5, 171–178.

Wu, A.C., Lesperance, L. & Bernstein, H., 2002b, Screening for Iron Deficiency, *Pediatr. Rev.*, 23, 5, 171–178.

Yiannikourides, A. & Latunde-Dada, G., 2019, A Short Review of Iron Metabolism and Pathophysiology of Iron Disorders, *Medicines*, 6, 3, 1–15.

Yokus, O., Yilmaz, B., Albayrak, M., Sahin Balcik, O., Helvaci, M.R. & Sennaroglu, E., 2011, The Significance of Serum Transferrin Receptor Levels in the Diagnosis of the Coexistence of Anemia of Chronic Disease and Iron Deficiency Anemia, *EAJM*, 43, 1, 9–12.

Zaman, S., Shah, S.A., Jehanzeb, K., Sabir, S., Rashid, H.U. & Haq, Z.U., 2020, Effect of Intravenous Iron Therapy on Serum Ferritin and Haemoglobin Levels in Children Reporting with Iron Defisiensi Anemia, *Pak Armed Forces Med J.*, 70, 5, 1344–1348.