

REFERENCES

- Abbas, H.K., Cartwright, R. D., Shier, W.T., Abouzied, M.M., Bird, C.B., Rice, L.G. *et al.*, 1998. Natural occurrence of fumonisins in rice with *Fusarium* sheath rot disease. *Plant Dis.* 82:22-25.
- Abbas, H.K., Cartwright, R.D., Xie, W., Mirocha, C.J., Richard, J.L., Dvorak, T.J. *et al.*, 1999. Mycotoxin production by *Fusarium proliferatum* isolates from rice with *Fusarium* sheath rot disease. *Mycopathologia*, 147: 97–104.
- Abdollahzadeh, J., Zolfaghari, S. 2014. Efficiency of rep-PCR fingerprinting as a useful technique for molecular typing of plant pathogenic fungal species: *Botryosphaeriaceae* species as a case study. *FEMS Microbio Letters* 361: 144-157.
- Agarwal, D.K., Sarbhoy, A.K. 1978. Physiological studies on four species of *Fusarium* pathogenic to soybean. *Indian Phytopathol.* 31:24-31.
- Aguilar-Hawod, K.G.I., de la Cueva, F.M., Cumagun, C.J.R., 2019. Genetic Diversity of *Fusarium oxysporum* f. sp. *cubense* Causing Panama Wilt of Banana in the Philippines. *Pathogens* 9(1):32.
- Afifah, K., Wiyono, S., Yuliani, T.S., Wibowo, B.S. 2020. History of sheath rot disease in Indonesia and disease severity in two rice production centres of West Java. *Jurnal Perlindungan Tanaman Indonesia* 24 (2): 201–208.
- Amin, K.S., Sharma, B.D., Das, C.R. 1974. Occurrence of sheath rot of rice in India caused by *Acrocyldrium*. *Plant Disease Reporter* 58: 358–360.
- Aoki, T., O'Donnell, K., Homma, Y., Lattanzi, A.R. 2003. Sudden-death syndrome of soybean is caused by two morphologically and phylogenetically distinct species within the *Fusarium solani* species complex--*F. virguliforme* in North America and *F. tucumaniae* in South America. *Mycologia.* 95:660-84.
- Ashworth, L.J. 1959. Environmental and inherent factors that influence sporulation of *Macrophomina phaseoli*. *Phytopathology* 49:533
- Ayyadurai, N., Kirubakaran, S.I., Srisha, S., Sakthivel, N. 2005. Biological and molecular variability of *Sarocladium oryzae*, the sheath rot pathogen of rice (*Oryza sativa* L.). *Curr. Microbiol.* 50: 319–323.
- Badan Penelitian dan Pengembangan Pertanian, 2007. Petunjuk Teknis Lapang. Pengelolaan Tanaman Terpadu (PTT) Padi Sawah Irigasi. Badan Penelitian dan Pengembangan Pertanian, Jakarta.

- Balakrishnan, B., Nair, M.C. 1981. Weed hosts of *Acrocyndrium oryzae* Saw. sheath rot pathogen of rice. International Rice Research Newsletter 6: 13-14.
- Balitpa. 2007. Varietas Unggul Padi Sawah 1943-2007. Informasi Ringkas Teknologi Padi. Balai Penelitian Tanaman Padi; 10 hlm.
- Bashyal, B.M., Aggarwal, R., Sharma, S., Gupta, S., Rawat, K., Singh, D. *et al.*, 2016. Occurrence, identification and pathogenicity of *Fusarium* species associated with bakanae disease of basmati rice in India. Eur J Plant Pathol 144:457-466.
- Bellotte, J.A.M., Rinaldo, K.C.D., Pereira, F.D. 2009. Acceleration of the decomposition of sicilian lemon leaves as an auxiliary measure in the control of citrus black spot. Trop Plant Pathol 34: 071-076.
- Bigirimana, V.P., Hua, G.K.H., Nyamangyoku, O.I., Höfte, M. 2015. Rice sheath rot: An emerging ubiquitous destructive disease complex. Front Plant Sci 6:1-16.
- Bills, G.F., Platas, G., Gams, W. 2004. Conspecificity of the cerulenin and helvolic acid producing "*Cephalosporium caerulens*", and the hypocrealean fungus *Sarocladium oryzae*. Mycol Res 108: 1291-1300.
- Bilung, L.M., Pui, C. F., Su'ut, L., Apun, K. 2018. Evaluation of BOX-PCR and ERIC-PCR as molecular typing tools for pathogenic *Leptospira*. Disease Markers 18: 1-9.
- Boa, E.R., Brady, B.L. 1987. *Sarocladium oryzae* associated with blight of *Bambusa* species in Bangladesh. Trans B Mycol Soc 89: 161-166.
- Bottalico, A., Logrieco, A., Ritieni, A., Moretti, A., Randazzo, G., Corda, P. 1995. Beauvericin and fumonisin B1 in preharvest *Fusarium moniliforme* maize ear rot in Sardinia. Food Addit Contam 12(4): 599-607.
- BPS. 2021. Impor Beras Menurut Negara Asal Utama, 2000-2020. <https://www.bps.go.id/statictable/2014/09/08/1043/impor-beras-menurut-negara-asal-utama-2000-2019.html>. Accessed August 1 2021.
- Brake, V.M., Pegg, K.G., Irwin, J.A.G., Chaseling, J. 1995. The influence of temperature, inoculum level and race of *Fusarium oxysporum* f.sp. *cubense* on the disease reaction of banana cv. Cavendish. Aust. J. Agric. Res. 46: 673-685.
- Bridge, P.D., Hawksworth, D.L., Kavishe. D.F., Farnell, P.A. 1989. A revision of the species concept in *Sarocladium*, the causal agent of sheath rot in rice and bamboo blight, based on biochemical and morphometric analyses. Plant Pathol 38: 239-245.

- Brownell, K.H., Schneider, R.W. 1985. Roles of matric and osmotic components of water potential and their interaction with temperature in the growth of *Fusarium oxysporum* in synthetic media and soil. *Phytopathology*, 75: 53-57.
- Bucheli, T.D., Wettstein, F.E., Hartmann, N., Erbs, M., Vogelgsang, S., Forrer, H.R., Schwarzenbach, R.P. 2008. *Fusarium* mycotoxins: Overlooked aquatic micropollutants? *J. Agric. Food Chem.* 56:1029–1034.
- Burgess, L.W., Summerell, B.A., Bullock, S., Gott, K.P., Backhouse, D. 1994. *Laboratory Manual for Fusarium Research*, 3rd ed. University of Sydney and Botanic Garden, Sydney, Australia.
- CABI. 2021. *Sarocladium oryzae* (rice sheath rot). <https://www.cabi.org/isc/datasheet/48393#REF-DDB-202162>. Accessed August 1 2021.
- Canessa, P., Schumacher, J., Hevia, M.A., Tudzynski, P., Larrondo, L.F. 2013. Assessing the effects of light on differentiation and virulence of the plant pathogen *Botrytis cinerea*: characterization of the White Collar Complex. *PLoS ONE* 8: e84223.
- Chandra, N.S., Shankar, U.A.C., Niranjana, A.C., Wulff, E.G., Mortensen, C.N., Prakash, H.S. 2010. Detection and quantification of fumonisins from *Fusarium verticillioides* in maize grown in southern India. *World J Microbiol Biotechnol* 26: 71–78.
- Chen, L.H., Huang, X.Q., Yang, X.M., Shen, Q.R. 2013. Modeling the effects of environmental factors on the population of *Fusarium oxysporum* in cucumber continuously cropped soil. *Commun. Soil Sci. Plant Anal.* 44:2219-2232.
- Choi, Y.W., Hyde, K.D., Ho, W.H. 1999. Single spore isolation of fungi. *Fungal Divers* 3:29-38
- Cochrane, V. 1958. Cultivation and growth. Pages 1-27 in: *Physiology of Fungi*. Wiley, New York, NY.
- Daradjat, A.A., Setyono, A., Makarim, A.K., Hasanuddin, A. 2008. *Padi Inovasi Teknologi Produksi*. Buku 2. LIPI Press, Jakarta.
- Darriba, D., Taboada, G.L., Doallo, R., Posada, D. 2012. jModelTest 2: more models, new heuristics and parallel computing. *Nat Methods* 9:772.
- Datta, S., Choudhary, R.G., Shamim, M., Dhar, V. 2011. Polymorphism in the internal transcribed spacer (ITS) region of the ribosomal DNA among different *Fusarium* species. *Arch Phytopath Plant Protect* 44:558–566.

- De-Bruijn, F.J. 1992. Use of repetitive (repetitive extragenic palindromic and enterobacterial repetitive intergeneric consensus) sequences and the polymerase chain reaction to fingerprint the genomes of *Rhizobium meliloti* isolates and other soil bacteria. *Appl env microbio* 58: 2180-2187.
- Devi, R.K.T., Singh, N.I. 1994. Effect of temperature and light on growth and sporulation of *Fusarium* rice sheath rot. *International Rice Research Notes* 19(3):28.
- Dhanti, K.R., Widiastuti, A., Joko, T. 2017. Detection of mycotoxin-encoding genes in *Fusarium* spp. isolated from maize kernels in Indonesia. *Proceeding of the 1st International Conference on Tropical Agriculture*. Springer International Publishing. Switzerland: 117 – 123.
- Diguta, C.F., Vincent, B., Guilloux-Benatier, M., Alexandre, H., Rousseaux, S. 2011. PCR ITS-RFLP: A useful method for identifying filamentous fungi isolates on grapes. *Food Microbiol* 28:1145-1154.
- Direktorat Perbenihan Tanaman Pangan, 2018. Laporan Tahunan Direktorat Perbenihan Tanaman Pangan Tahun 2018. Direktorat Jenderal Tanaman Pangan Kementerian Pertanian, Jakarta.
- Doehlert, D.C., Knutson, C.A., Vesonder, R.F. 1994. Phytotoxic effects of fumonisin B 1 on maize seedling growth. *Mycopathologia*. 127:117–121.
- Doohan, F. M. 1998. Molecular techniques for studying *Fusarium* ear blight of wheat. Ph.D. thesis, Open University, UK.
- Doohan, F.M., Weston, G., Rezanoor, H.N., Parry, D.W., Nicholson, P. 1999. Development and use of a reverse transcription-PCR assay to study expression of Tri5 by *Fusarium* species in vitro and in planta. *Appl Environ Microbiol* 65(9):3850-3854.
- Doyle, J.J., Doyle, J.L. 1990. Isolation of plant DNA from fresh tissue. *Focus* 2:13-15
- Duan, C.X., Du, Q., Tang, Z.L., Li, S.C., Wang, B.B. 2019. First report of maize ear rot caused by *Fusarium sacchari* in China. *Plant Dis* 103:2674.
- EC, European Commission. 1994. Mycotoxins in human nutrition and health. *Agro industrial research division of the European Commission Directorate-General XII for scientific research and development*, 36.
- Edel, V., Steinberg, C., Avelange, I., Alabouvette, C. 1995. Comparison of three methods for the characterization of *Fusarium oxysporum* strains. *Phytopathology* 85:579-585.

- Edgar, R.C. 2004. MUSCLE: multiple sequence alignment with high accuracy and high throughput. *Nucleic Acids Res* 32:1792-1797.
- Edwards, S.G., Callaghan, J., Dobson, A.W. 2002. PCR-based detection and quantification of mycotoxigenic fungi. *Mycol Res* 106: 1005-1025.
- Ekundayo, J.A., Haskins, R.H. 1969. Pycnidium production by *Botryodiplodia theobromae*. I. The relation of light to the induction of pycnidia. *Can J Bot* 47:1153–1156.
- European Food Safety Authority. 2004. Opinion of the Scientific Panel on contaminants in the food chain [CONTAM] related to Deoxynivalenol (DON) as undesirable substance in animal feed. *EFSA J.*, 73: 1–42.
- European Food Safety Authority. 2005. Opinion of the Scientific Panel on contaminants in the food chain [CONTAM] related to fumonisins as undesirable substances in animal feed. *EFSA J.*, 235, 1–32.
- European Food Safety Authority. 2014. Scientific opinion on the risks to human and animal health related to the presence of beauvericin and enniatins in food and feed. *EFSA J.*, 12.
- Fan, J., Yang, J., Wang, Y.Q., Li, G.B., Li, Y., Huang, F. *et al.*, 2016. Current understanding on *Villosiclava virens*, a unique flower-infecting fungus causing rice false smut disease. *Mol Plant Pathol* 17:1321–1330.
- Ferrigo, D., Raiola, A., Causindst, R. 2016. *Fusarium* toxins in cereals: occurrence, legislation, factors promoting the appearance and their management. *Molecules*, 21: 1-35.
- Frans, M., Aerts, R., Van Herck, L., Van Calenberge, B., Ceusters, J. 2016. Influence of floral morphology and fruit development on internal fruit rot in bell pepper (*Capsicum annuum*). *Acta Horticulturae*, 1144: 199–206.
- Freeman, S., Sharon, M., Maymon, M., Mendel, Z., Protasov, A., Aoki, T. *et al.*, 2013. *Fusarium euwallaceae* sp. nov.--a symbiotic fungus of *Euwallacea* sp., an invasive ambrosia beetle in Israel and California. *Mycologia* 105:1595-606.
- Fisher, P.J., Petrini, O. 1992. Fungal saprobes and pathogens as endophytes of rice (*Oryza sativa* L.). *New Phytol* 120:137–143.
- Gaire S.P., Zhou, X.G., Jo, Y.K., Shi, J. 2020. First report of *Rhizoctonia solani* AG-4 causing seedling disease in rice. *Plant Dis* 104:1546.

- Gams, W., Hawksworth, D.L. 1975. Identity of *Acrocyndrium oryzae* Sawada and a similar fungus causing sheath rot of rice. *Kavaka* 3: 57–61.
- Garbetta, A., Debellis, L., de Girolamo, A., Schena, R., Visconti, A., Minervini, F. 2015. Dose-dependent lipid peroxidation induction on ex vivo intestine tracts exposed to chyme samples from fumonisins contaminated corn samples. *Toxicol. In Vitro*, 29: 1140–1145.
- Garcia, D.M., Diaz, C.H., Artiles, Y.C., Ramos, R.A., Rubi, J.A. 2003. Characterization of the proteinases secreted by *Sarocladium oryzae*. *Biotechnología Aplicada* 20: 170-172.
- Gatch, E.W., du Toit, L.J. 2017. Limestone-mediated suppression of *Fusarium* wilt in spinach seed crops. *Plant Dis.* 101:81-94.
- Geiser, D.M., Jimenez-Gasco, M., Kang, S., Makalowska, Veeraraghavan, N., Ward, T.J. *et al.*, 2004. *Fusarium*: a DNA sequence database for identifying *Fusarium*. *Eur J Plant Pathol* 110: 473-479.
- Geiser, D.M., Al-Hatmi, A., Aoki, T., Arie, T., Balmas, V., Barnes, I. 2020. Phylogenomic analysis of a 55.1 kb 19-gene dataset resolves a monophyletic *Fusarium* that includes the *Fusarium solani* species complex. *Phytopathology*. Nov 17.
- George, M.L.C., Nelson, R.J., Zeigler, R.S., Leung, H. 1998. Rapid population analysis of *Magnaporthe grisea* by using rep-PCR and endogenous repetitive DNA sequence. *Phytopathology* 88:223-228.
- Gilson, Clément, E.J.M., Brutlag, D., Hofnung, M. 1984. A family of dispersed repetitive extragenic palindromic DNA sequences in *E. coli*. *Embo J* 3: 1417-1421.
- Giongo, A., Beneduzi, A., Gano, K., Kayser, L., Vargas. 2013. Characterization of plant growth-promoting bacteria inhabiting *Vriesea gigantea* Gaud. and *Tillandsia aeranthes* (Loiseleur) L.B. Smith (Bromeliaceae). *Biota Neotrop.* 13 (3): 80-85.
- Giraldo, A., Gené, J., Cano, J., De Hoog, S., Guarro, J. 2012- Two new species of *Acremonium* from Spanish soils. *Mycologia* 104: 1456-1465.
- Giraldo, A., Gene, J., Sutton, D.A., Madrid, H., de Hoog, G.S, Cano, J. *et al.*, 2015. Phylogeny of *Sarocladium* (Hypocreales). *Persoonia* 34: 10-24.
- Gnanamanickam, S.S., Mew, T.W. 1991. Interactions between *Sarocladium oryzae* and stem attacking fungal pathogens of rice. *Plant and Soil* 138: 213-219.

- Gopalakrishnan, C., Kamalakannan, A., Valluvaparidasan, V. 2010. Effect of seed-borne *Sarocladium oryzae*, the incitant of rice sheath rot on rice seed quality. J. Plant Prot. Res. 50, 98–102.
- GRiSP (Global Rice Science Partnership). 2013. Rice almanac, 4th edition. Los Baños (Philippines): International Rice Research Institute. 283 p
- Groenewald, S., van den Berg, N., Marasas, W.F.O., Viljoen, A. 2006. Biological, physiological and pathogenic variation in a genetically homogenous population of *Fusarium oxysporum* f.sp. *cubense*. Austral. Plant Pathol. 35: 401-409.
- Gupta, V.K., Misra, A.K., Gaur, R.K. 2010. Growth characteristics of *Fusarium* spp. causing wilt disease in *Psidium guajava* L. in India. J. Plant Prot. Res. 50:452-462.
- Hafez, H., Abdelmagid, A., Adam, L.R., Daayf, F. 2020. Specific detection and identification of *Fusarium graminearum* Sensu Stricto using a PCR-RFLP tool and specific primers targeting the translational elongation factor 1 α gene. Plant Dis 104:1076-1086.
- Harling, R., Taylor, G.S., Matthews, P., Arthur, A.E. 1988. The effect of temperature on symptom expression and colonization in resistant and susceptible carnation cultivars infected with *Fusarium oxysporum* f.sp. *dianthi*. J. Phytopathol, 121: 103-117.
- Higgins, C.F., Ames, G.F.L., Barnes, W.M, Clement, J.M., Hofnung, M. 1982. A novel intercistronic regulatory element of prokaryotic operons. Nature 298: 760-762.
- Hulton, C.S.J., Higgins, C.F., Sharp, P.M. 1991. ERIC Sequences: a novel family of repetitive elements in the genomes of *Escherichia coli*, *Salmonella typhimurium* and other enterobacteria. Mol Microbiol 5: 825 - 834.
- Ibrahim, N.F., Mohd, M.H., Nor, N.I.M., Zakaria, L. 2016. *Fusarium fujikuroi* causing fusariosis of pineapple in peninsular Malaysia. Australas Plant Dis Notes 11:21.
- Idnurm, A., Heitman, J. 2005. Light controls growth and development via a conserved pathway in the fungal kingdom. PLoS Biol 3(4): e95.
- Ilham, N. 2008. Profil teknologi pada usahatani padi dan implikasinya terhadap peran pemerintah. Analisis Kebijakan Pertanian 6 (4): 335 – 351.
- Imazaki, I., Kadota, I. 2015. Molecular phylogeny and diversity of *Fusarium* endophytes isolated from tomato stems. FEMS Microbiol Ecol 91:1-16.

- IRRI. 2013. Standard Evaluation System For Rice. 5th Edition. International Rice Research Institute, Manila.
- Ishii, S., Sadowsky, M.J. 2009. Applications of the rep-PCR DNA fingerprinting technique to study microbial diversity, ecology and evolution. *Env Microbio* 11: 733-740.
- Ivanovic, M., Dragicevic, O., Ivanovic, D. 1987. *Fusarium oxysporum* f.sp. *fabae* as cause of root rot on broad bean in Yugoslavia. *Zastita Bilja* 38:373-380.
- Jamil, A., Satoto, Sasmita, P., Yuliantoro, B., Guswara A., Suharna. 2016. Deskripsi varietas unggul baru padi. Balai Penelitian dan Pengembangan Pertanian. Kementerian Pertanian, Subang, Jawa Barat.
- Ji, F., He, D., Olaniran, A.O., Mokoena, M.P., Xu, J., Shi, J. 2019. Occurrence, toxicity, production and detection of *Fusarium* mycotoxin: a review. *Food Prod Process and Nutr.* 1: 6.
- Jiang, S.B., Lin, B.R., Shen, H.F., Yang, Q.Y., Zhang, J.X., Sun, D.Y. *et al.*, 2008. First report of *Fusarium fujikuroi* causing stem wilt on *Canna edulis* Ker in China. *Plant Dis* 102:1177.
- Jurado, M., Marín, P., Callejas, C., Moretti, A., Vázquez, C., González-Jaén, M.T. 2010 Genetic variability and fumonisin production by *Fusarium proliferatum*. *Food Microbiol* 27:50-57.
- Kang, Z., Buchenauer, H. 1999. Immunocytochemical localization of fusarium toxins in infected wheat spikes by *Fusarium culmorum*. *Physiol. Mol. Plant Pathol.* 55:275–288.
- Kasson, M.T., O'Donnell, K., Rooney, A.P., Sink, S., Ploetz, R.C., Ploetz, J.N. *et al.*, 2013. An inordinate fondness for *Fusarium*: Phylogenetic diversity of fusaria cultivated by ambrosia beetles in the genus *Euwallacea* on avocado and other plant hosts. *Fungal Genet. Biol.* 56:147-157.
- Kim, Y.K., Xiao, C.L., Rogers, J.D. 2005 Influence of culture media and environmental factors on mycelial growth and pycnidial production of *Sphaeropsis pyriputrescens*. *Mycologia* 97:25–32
- Kim, J.S., Kang, N.J., Kwak, Y.S., Lee, C. 2017 Investigation of genetic diversity of *Fusarium oxysporum* f. sp. *fragariae* using PCR-RFLP. *Plant Pathol J* 33:140-147.
- Kiyuna, T., An, K-D., Sano, R.K.C., Miura, S., Sugiyama, J. 2008. Mycobiota of the Takamatsuzuka and Kitora Tumuli in Japan, focusing on the molecular phylogenetic diversity of *Fusarium* and Trichoderma. *Mycoscience* 49:298–311.

- Knox-Davies, P.S. 1965. Pycnidium production by *Macrophomina phaseoli*. S Afr J Agric Sci 8:205–218.
- Konstantinova, M. 1991. Influence of genotype and light conditions on intensity of sporulation of *Trichoderma* spp. Mikologia Fitopatologia. 25 (5): 388-393.
- Konstantinova, P., Yli-Mattila, T. 2004. IGS-RFLP analysis and development of molecular markers for identification of *Fusarium poae*, *Fusarium langsethiae*, *Fusarium sporotrichioides* and *Fusarium kyushuense*. Int J Food Microbiol 95:321–331.
- Kolpin, D.W., Schenzel, J., Meyer, M.T., Phillips, P.J., Hubbard, L.E., Scott, T.M., Bucheli, T.D. 2014. Mycotoxins: Diffuse and point source contributions of natural contaminants of emerging concern to streams. Sci. Total Environ. 470–471:669–676.
- Kumar, S., Stecher, G., Li, M., Knyaz, C., Tamura, K. 2018. MEGA X: molecular evolutionary genetics analysis across computing platforms. Mol Biol Evol 35:1547–1549.
- Kushiro, M., Saitoh, H., Sugiura, Y., Aoki, T., Kawamoto, S., Sato, T. 2012. Experimental infection of *Fusarium proliferatum* in *Oryza sativa* plants; fumonisin B1 production and survival rate in grains. Int. J. Food Microbiol. 156, 204–208.
- Landa, B.B., Navas-Cortes, J.A., Jimenez-Gasco, M.D., Katan, J., Refig, B., Jimenez-Diaz, R.M. 2006. Temperature response of chickpea cultivars to races of *Fusarium oxysporum* f. sp. *ciceris*, causal agent of *Fusarium* wilt. Plant Dis. 90, 365-374.
- Laurence, M.H., Summerell, B.A., Burgess, L.W., Liew, E.C.Y. 2011. *Fusarium burgessii* sp. nov. representing a novel lineage in the genus *Fusarium*. Fungal Divers 49:101–12.
- Leach, C.M. 1962. Sporulation of diverse species of fungi under near ultraviolet radiation. Can J Bot 40:151–161.
- Lei, S., Ling, W., Lianmeng, L., Yuxuan, H., Yihua, X., Mengqi, L. *et al.*, 2019. Infection and colonization of pathogenic fungus *Fusarium proliferatum* in rice spikelet rot disease. Rice Sci 26:60-68.
- Leslie, J.F., Summerell, B.A. 2006. The *Fusarium* Laboratory Manual. Blackwell Publishing, Iowa, USA.

- Lewin, H.D., Vidhyasekaran, P. 1987. Controlling sheath rot (ShR) in rice. *International Rice Research Newsletter* 12: 17-18.
- Li, J., Jiang, G., Yang, B., Dong, X., Feng, L., Lin, S., *et al.*, 2012. A luminescent bacterium assay of fusaric acid produced by *Fusarium proliferatum* from banana. *Anal. Bioanal. Chem.* 402, 1347–1354.
- Liuzzi, V.C., Mirabelli, V., Cimmarusti, M.T., Haidukowski, M., Leslie, J.F., Logrieco, A.F., Caliandro, R., Fanelli, F., Mulè, G. 2017. Enniatin and beauvericin biosynthesis in *Fusarium* species: Production profiles and structural determinant prediction. *Toxins*. 9:45.
- Logrieco, A., Moretti, A., Ritieni, A., Caiaffa, M.F., Macchia, L. 2002. “Beauvericin: chemistry, biology and significance,” in *Advances in Microbial Toxin Research and Its Biotechnological Exploitation*, eds Upadhyay and K. Rajeev (Boston, MA: Springer Verlag), 23–30.
- Lombard, L., Sandoval-Denis, M., Lamprecht, S.C., Crous, P.W. 2019, Epitypification of *Fusarium oxysporum*-clearing the taxonomic chaos. *Persoonia* 43:1-47.
- Lupski, J.R., Weinstock, G.M. 1992. Short, interspersed repetitive DNA sequences in prokaryotic genomes. *J Bacteriolo* 174: 4525.
- Maier F.J., Miedaner, T., Hadel, B., Felk, A., Salomon, S., Lemmens, M., Kassner, H., Schaefer, W. 2006. Involvement of trichothecenes in fusarioses of wheat, barley and maize evaluated by gene disruption of the trichodiene synthase (Tri5) gene in three field isolates of different chemotype and virulence. *Mol. Plant Pathol.* 7:449–461.
- Mallebrera, B., Prosperini, A., Font, G., Ruiz, M.J. 2018. In vitro mechanisms of Beauvericin toxicity: A review. *Food Chem. Toxicol.* 111:537–545.
- Masanto, Hieno, A., Wibowo, A., Subandiyah, S., Shimizu, S., Suga, H., Kageyama, K. 2018. Genetic diversity of *Phytophthora palmivora* isolates from Indonesia and Japan using rep-PCR and microsatellite markers. *J. Gen. Plant Pathol* 1-15.
- Marasas W.F.O., Rheeder, J., Lamprecht, S., Zeller, K., Leslie, J. 2001. *Fusarium andiyazi* sp. nov., a new species from sorghum. *Mycologia* 93:1203-1210.
- Marin, S., Sanchis, V., Magan, N. 1995. Water activity, temperature, and pH effects on growth of *Fusarium moniliforme* and *Fusarium proliferatum* isolates from maize. *Can. J. Microbiol.*, 41: 1063-1070.
- Marin, S., Ramos, A. J., Cano-Sancho, G., Sanchis, V. 2013. Mycotoxins: occurrence, toxicology, and exposure assessment. *Food and Chemical Toxicology : an international journal published for the British Industrial Biological Research Association.*, 60: 218–237.

- Martin, B., Humbert, O., Camara, M., Guenzi, E., Walker, J. *et al.*, 1992 A highly conserved repeated DNA element located in the chromosome of *Streptococcus pneumoniae*. *Nuc acids res* 20: 3479-3483.
- Maryani, N., Sandoval-Denis, M., Lombard, L., Crous, P.W., Kemal, G.H.J. 2019a. New endemic *Fusarium* species hitch-hiking with pathogenic *Fusarium* strains causing Panama disease in small-holder banana plots in Indonesia. *Persoonia* 43:48-69.
- Maryani, N., Lombard, L., Poerba, Y.S., Subandiyah, S., Crous, P.W., Kema, G.H.J. 2019b. Phylogeny and genetic diversity of the banana *Fusarium* wilt pathogen *Fusarium oxysporum* f. sp. *cubense* in the Indonesian centre of origin. *Stud Mycol* 92: 155–194.
- Maqsood, A., Rehman, A., Ahmad, I., Nafees, M., Jamil, M., Qureshi, M. *et al.*, 2014. Physiological attributes of fungi associated with stem end rot of mango (*Mangifera indica* L.) Cultivars in postharvest fruit losses. *Pak. J. Bot.*, 46: 1915-1920.
- Mathur, S.C. 1981. Observations on diseases of dryland rice in Brazil. *International Rice Research Newsletter* 6: 11-12.
- McCormick, S.P., Stanley, A.M., Stover, N.A., Alexander, N.J. 2011. Trichothecenes: from simple to complex mycotoxins. *Toxins (Basel)*, 3: 802-814.
- McDonald, J.G., Wong, E., White, G.P., 2000. Differentiation of *Tilletia* species by rep-PCR genomic fingerprinting. *Plant Dis* 84: 1121– 5.
- McDonald, B.A., Linde, C. 2002. The population genetics of plant pathogens and breeding strategies for durable resistance. *Euphytica* 124: 163–180.
- Mehta, Y.R., Mehta, A, Rosato, Y.B. 2002. ERIC and REP-PCR banding patterns and sequence analysis of the internal transcribed spacer of rDNA of *Stemphylium solani* isolates from cotton. *Cur Microbio* 44: 323-328.
- Mew, T.W., Gonzales, P. 2002. A Handbook of Rice Seedborne Fungi. Enfield, NH: Science Publishers.
- Mew, T.W., Leung, H., Savary, S., Vera Cruz, C.M., Leach, J.E. 2004. Looking ahead in rice disease research and management. *CRC Crit. Rev. Plant Sci.* 23, 103–127.
- Mezzomo, R., Rolim, J. M., Poletto, T., Boff de Oliveira, M., Lazarotto, M., Fátima, M. *et al.*, 2018. Mycelial growth and sporulation of *Fusarium* spp. pathogenic to *Ilex paraguariensis* in different culture media and under exposure to different light levels. *Revista Scientia Agraria* 19(1): 14-19.

- Miller, D.E., Burke, D.W. 1985. Effects of soil physical factors on resistance in beans to *Fusarium* root rot. *Plant Dis.*, 69: 324-327.
- Mishra, P.K., Fox, R.T.V., Culham, A. 2003. Development of a PCR-based assay for rapid and reliable identification of pathogenic *Fusaria*. *FEMS Microbiology Letters* 218:329-332.
- Miyajima, K., Tanii, A., Akita, T. 1983. *Pseudomonas fuscovaginae* sp. nov., nom. rev. *Int. J. Syst. Evol. Microbiol* 33: 656–657.
- Moromizato Z, Amano T, Tamori M. 1983. The effect of light on sclerotial formation of *Rhizoctonia solani* Kuhn (AG-1, IA). *AnnPhytopath Soc Japan* 49: 495-500.
- Moussa, T.A.A., Al-Zahrani, H.S., Kadasa, N.M.S., Ahmed, S.A., de Hoog, G.S., Al-Hatmi, A.M.S. 2017. Two new species of the *Fusarium fujikuroi* species complex isolated from the natural environment. *Antonie Van Leeuwenhoek* 110:819-832
- Mudge, A.M., Dill-Macky, R., Dong, Y., Gardiner, D.M., White, R.G., Manners, J.M. 2006. A role for the mycotoxin deoxynivalenol in stem colonisation during crown rot disease of wheat caused by *Fusarium graminearum* and *Fusarium pseudograminearum*. *Physiol. Mol. Plant Pathol.* 69:73–85.
- Mulè G., Susca, A., Stea, G., Moretti, A. 2004. A species-specific assay based on the calmodulin partial gene for identification of *Fusarium verticillioides*, *Fusarium proliferatum* and *Fusarium subglutinans*. *Eur. J. Plant Pathol.*110: 495–502.
- Mule, G., Gonzalez-Jaen, M.T., Hornok, L., Nicholson, P., Waalwijk, C. 2005. Advances in molecular diagnosis of toxigenic *Fusarium* species: a review. *Food Addit Contam* 22:316–323.
- Muraosa, Y, Oguchi, M., Yahiro, M., Watanabe, A., Yaguchi, T., Kamei, K. 2017. Epidemiological study of *Fusarium* species causing invasive and superficial fusariosis in Japan. *Med Mycol J* 58:E5-E13.
- Mvuyekure, S.M., Sibiya, J., Derera, J., Nzungize, J., Nkima, G. 2017. Genetic analysis of mechanisms associated with inheritance of resistance to sheath rot of rice. *Plant Breed* 136: 509-515.
- Naeimi, S., Okhovvat, S.M., Hedjaroude, G.A., and Khosravi, V. 2003. Sheath rot of rice in Iran. *Commun. Agric. Appl. Biol. Sci.* 68, 681–684.

- Nair, R. 1976. Incidence of sheath rot in rice a potential problem for Sambalpur, Orissa. In: International Rice Research Notes. IRRI, Manila, Philippines.
- Naiki, T., Morita, Y. 1983. The population of spinach wilt fungus, *Fusarium oxysporum* f. sp. *spinaciae*, and the wilt incidence in soil. Ann. Phytopathol. Soc. Jpn. 49:539-544.
- Nakata, N., Yokoyama, T., Nakamura, K. 2018. Multiplex PCR for detecting *Fusarium oxysporum*, *F. solani* and *Pythium sulcatum* present in blot-like lesions of carrots. Annual Report of the Kanto-Tosan Plant Protection Society 65:39-43.
- Nalim, F., Samuels, G., Wijesundera, R., Geiser, D. 2011. New species from the *Fusarium solani* species complex derived from perithecia and soil in the Old World tropics. Mycologia, 103:1302-1330.
- Narayanasamy, P., Viswanathan, R. 1990. A new scoring system for sheath rot of rice. Madras Agric J 7:256–257
- Navas-Cortes, J.A., Landa, B.B., Mendez-Rodriguez, M.A., Jimenez-Diaz, R.M. 2007. Quantitative modeling of the effects of temperature and inoculum density of *Fusarium oxysporum* f. sp. *ciceris* races 0 and 5 on development of *Fusarium* wilt in chickpea cultivars. Phytopathology 97:564-573
- Nayaka, S.C., Wulff, E.G., Udayashankar, A.C., Nandini, B.P., Niranjana, S.R., Mortensen, C.N. *et al.*, 2011. Prospects of molecular markers in *Fusarium* species diversity. Appl Microbiol Biotechnol 90: 1625–1639.
- Nelson, P.E., Burgess, L.W., Summerell, B.A. 1990. Some morphological and physiological characters of *Fusarium* species in section Liseola and Elegans and similar species. Mycologia, 82: 99-106.
- Nicholson, P., Jenkinson, P., Rezanoor, H.N., Parry, D.W. 1993 Restriction fragment length polymorphism analysis of variation in *Fusarium* species causing ear blight of cereals. Plant Pathol 42:905–914.
- Nicholson, P., Simpson, D.R., Wilson, A.H., Chandler, E., Thomsett, M. 2004. Detection and differentiation of tricothecene and enniatin-producing *Fusarium* species on small-grain cereals. Eur J Plant Pathol. 110:503–514.
- Nirenberg, H., O'Donnell, K. 1998. New *Fusarium* species and combinations within the *Gibberella fujikuroi* species complex. Mycologia 90:434-458
- O'Donnell, K., Cigelnik, E 1997. Two divergent intragenomic rDNA *ITS2* types within a monophyletic lineage of the fungus *Fusarium* are nonorthologous. Mol Phylogenet Evol 7: 103–116.

- O'Donnell, K., Cigelnik, E., Nirenberg, H.I. 1998. Molecular systematics and phylogeography of the *Gibberella fujikuroi* species complex. *Mycologia* 90:465–93.
- O'Donnell, K, Kistler, H.C., Cigelnik, E., Ploetz, R.C. 1998b. Multiple evolutionary origins of the fungus causing Panama disease of banana: concordant evidence from nuclear and mitochondrial gene genealogies. *Proceedings of the National Academy of Sciences (USA)* 95: 2044–2049.
- O'Donnell, K., Nirenberg, H.I., Aoki, T., Cigelnik, E. 2000. A multigene phylogeny of the *Gibberella fujikuroi* species complex: detection of additional phylogenetically distinct species. *Mycoscience* 41: 61–78.
- O'Donnell, K., Sarver, B.A., Brandt, M., Chang, D.C., Noble-Wang, J., Park, B.J. et al 2007. Phylogenetic diversity and microsphere array-based genotyping of human pathogenic *Fusaria*, including isolates from the multistate contact lens-associated U.S. keratitis outbreaks of 2005 and 2006. *J Clin Microbiol* 45(7):2235–2248.
- O'Donnell, K., Gueidan, C., Sink, S., Johnston, P.R., Crous, P.W., Glenn, A. *et al.*, 2009. A two-locus DNA sequence database for typing plant and human pathogens within the *Fusarium oxysporum* species complex. *Fungal Gen. Biol.* 46:936–48.
- O'Donnell, K., Sutton, D.A., Rinaldi, M.G., Gueidan, C., Crous, P.W., Geiser, D.M. 2009b. Novel multilocus sequence typing scheme reveals high genetic diversity of human pathogenic members of the *Fusarium incarnatum-equiseti* and *F. chlamydosporum* species complexes within the United States. *J Clin Microbiol* 47: 3851–3861.
- O'Donnell, K., Ward, T.J., Robert, V.A.R.G., Crous, P.W., Geiser, D.M., Kang, S. 2015. DNA sequence-based identification of *Fusarium*: Current status and future directions. *Phytoparasitica* 43:583–595.
- Oleńska E, Małek W. 2019. Genomic polymorphism of *Trifolium repens* root nodule symbionts from heavy metal-abundant 100-year-old waste heap in southern Poland. *Arch Microbiol.* 201(10):1405-1414.
- Olive, D.M., Bean, P. 1999. Principles and applications of methods for DNA-based typing of microbial organisms. *J Clin Microbiol.* 37(6):1661-1669.
- Ou, S.H. 1985. *Rice Diseases*. 2nd Ed. The Cambrian News, United Kingdom.

- Paciolla, C., Dipierro, N., Mule, G., Logrieco, A., Dipierro, S. 2004. The mycotoxins beauvericin and T-2 induce cell death and alteration to the ascorbate metabolism in tomato protoplasts. *Physiol. Mol. Plant Pathol.* 65:49–56.
- Panda, K.K., Mishra, M.K. 2019. Studies on physiological characteristics of *Sarocladium oryzae* causing sheath rot of rice. *Int. J. Curr. Microbiol. App. Sci.* 8(08): 1767-1774.
- Pascale, M., Visconti, A., Pronczuk, M., Wisniewska, H., Chelkowski, J. 2002. Accumulation of fumonisins, beauvericin and fusaproliferin in maize hybrids inoculated under field conditions with *Fusarium proliferatum*. *Mycological Research* 106(9): 1026-1030.
- Pavlovkin, J., Mistríková, I., Luxová, M., Mistrík, I. 2011. Effects of beauvericin on root cell transmembrane electric potential, electrolyte leakage and respiration of maize roots with different susceptibility to *Fusarium*. *Plant Soil Environ.* 52:492–498.
- Pavlovkin, J., Mistríková, I., Jašková, K., Tamás, L. 2012. Impact of beauvericin on membrane properties of young initial leaves of maize with different susceptibility to *Fusarium*. *Plant Soil Environ.* 58:205–210.
- Pearce, D.A., Bridge, P.D., Hawksworth, D.L. 2001. Species concept in *Sarocladium*, the causal agent in sheath rot in rice and bamboo blight. In: Sreenivasaprasad S, Johnson R (Eds.) *Major Fungal Diseases of Rice*. Springer, Dordrecht, pp 285–292.
- Pehrson, S.O. 1948. Studies of the growth physiology of *Phacidium infestans* Karst. *Physiol. Plant.* 1:38-56.
- Pekkarinen, A., Mannonen, L., Jones, B.L., Niku-Paavola, M.L. 2000. Production of proteases by *Fusarium* species grown on barley grains and in media containing cereal proteins. *J. Cereal Sci.* 31:253–261.
- Pitt, R.E. 1993. A descriptive model of mold growth and aflatoxin formation as affected by environmental conditions. *J. Food Prot.* 56:139–146.
- Prabhukarthikeyan, S.R., Keerthana, U., Nagendran, K., Yadav, M.K., Parameswaran, C., Panneerselvam, P. *et al.*, 2020. First report of *Fusarium proliferatum* causing sheath rot disease of rice in Eastern India. *Plant Dis.*
- Pramunadipta, S. 2017. Keberagaman Patogen Busuk Pelelah pada Padi dan Faktor-Faktor Lingkungan yang Mempengaruhi Keparahan Penyakit. Skripsi. Universitas Gadjah Mada, Yogyakarta (ID). 90 p.

- Pramunadipta, S, Widiastuti, A., Wibowo, A., Suga, H., Priyatmojo, A. 2020 Short Communication: *Sarocladium oryzae* associated with sheath rot disease of rice in Indonesia. *Biodiversitas* 21:1243-1249.
- Prasad, M., Chaudhary, S.K. 1992. Studies on the effect of different phosphorus concentrations on the production of chlamydospores, microconidia and macroconidia in the culture of *Fusarium udum* Butler. *Proc. Nat. acad. Sci. India.* 36B: 43–48.
- Pratiwi, S.D. 2018. Identifikasi dan Karakterisasi Patogen Busuk Pelepah Padi di Kabupaten Serang. Skripsi. Universitas Gadjah Mada, Yogyakarta (ID). 72 p.
- Quazi, S.A.J., Meon, S., Jaafar, H., Ahmad, Z.A.B.M. 2013. Characterization of *Fusarium proliferatum* through species specific primers and its virulence on rice seeds. *Int. J. Agric. Biol.* 15: 649–656.
- Rahayu, W. P. 2006. Mikotoksin dan Mikotoksis: Mikrobiologi keamanan pangan. Departemen Ilmu dan Teknologi Pangan, Institut Pertanian Bogor.
- Rangel, D.E.N., Fernandes, E.K.K., Braga, G.U.L., Roberts, D.W. 2011. Visible light during mycelial growth and conidiation of *Metarhizium robertsii* produces conidia with increased stress tolerance. *FEMS Microbiol. Lett.* 315:81–86.
- Rasmussen, H.B. 2012. Restriction Fragment Length Polymorphism Analysis of PCR-Amplified Fragments (PCR-RFLP) and Gel Electrophoresis – Valuable Tool for Genotyping and Genetic Fingerprinting. In: Mageldin S. (eds) *Gel Electrophoresis - Principles and Basics*. Rijeka/Croatia, InTech Europe, pp 315-334.
- Rezene, Y., Tesfaye, K., Clare, M., Male, A., Gepts, P. 2012. Rep-PCR genomic fingerprinting revealed genetic diversity and population structure among ethiopian isolates of *Pseudocercospora griseola* pathogen of the common bean (*Phaseolus vulgaris* L.). *J Plant Pathol Microbiol* 9(11): 1-9.
- Reeb, V., Lutzoni, F., Roux, C. 2004. Contribution of RPB2 to multilocus phylogenetic studies of the euascomycetes (*Pezizomycotina*, Fungi) with special emphasis on the lichen-forming Acarosporaceae and evolution of polyspory. *Mol Phylogenet Evol* 32:1036–1060.
- Ronquist, F., Teslenko, M., Van Der Mark, K., Ayres, D.L., Darling, A., Höhna, S. *et al.*, 2013. MrBayes 3.2 : efficient Bayesian phylogenetic inference and model choice across a large model space. *Syst Biol* 61:539-542.
- Rohlf F J 2000 NTSYS pc2.1: Numerical Taxonomy and Multivariate Analysis System version 2.1. (New York: Applied Biostatistics Inc.)

- Rosaliyana, N. 2017. Keparahan Penyakit Busuk Pelelah Padi (*Sarocladium oryzae* dan *Fusarium* sp.). Skripsi. Universitas Gadjah Mada, Yogyakarta (ID). 71 p.
- Sae-Yeon, H., Mi, R.K., Eun-Ji, C., Hee-Kyoung, K., Sung-Hwan, Y. 2010. Specific PCR detection of four quarantine *Fusarium* species in Korea. *Plant Pathol J* 26:409-416.
- Sakthivel, N., Gnanamanickam, S. 1987. Evaluation of *Pseudomonas fluorescens* for suppression of Sheath Rot disease and for enhancement of grain yields in rice (*Oryza sativa* L.). *Appl Environ Microbiol* 53:2056–2059.
- Sakthivel, N. 2001. Sheath rot disease of rice: current status and control strategies. In: Sreenivasaprasad S, Johnson R (Eds.) *Major Fungal Diseases of Rice*. Springer, Dordrecht, pp 271-283.
- Sandoval-Denis, M., Lombard, L., Crous, P.W. 2019. Back to the roots: A reappraisal of *Neocosmospora*. *Persoonia* 43: 90–185.
- Santillan-Mendoza, R., Fernandez-Pavia, S.P., O'Donnell, K., Ploetz, R.C., Ortega-Arreola, R., Vazquez-Marrufo, G. *et al.*, 2018. A novel disease of big-leaf mahogany caused by two *Fusarium* species in Mexico. *Plant Dis* 102:1965-1972.
- Santini, A., Meca, G., Uhlig, S., Ritieni, A. 2012. Fusaproliferin, beauvericin and enniatins: Occurrence in food. *World Mycotoxin J.* 5: 71–81.
- Sarang, S.K., Maiji, B., Mahanta, K.K., Digar, S., Burman, D., Mandal, S. *et al.*, 2019. Alternate Kharif rice crop establishment methods and medium duration varieties to enable cropping system intensification in coastal saline regions. *J Indian Soc Coast Agric Res* 37: 115-122.
- Schroers, H.J., Samuels, G.J., Zhang, N., Short, D.P., Juba, J., Geiser, D.M. 2016. Epitypification of *Fusisporium* (*Fusarium*) *solani* and its assignment to a common phylogenetic species in the *Fusarium solani* species complex. *Mycologia* 108:806-819.
- Schuerger, A.C., Mitchell, D.J. 1992. Effects of temperature and hydrogen ion concentration on attachment of macroconidia of *Fusarium solani* f.sp. *phaseoli* to mung bean roots in hydroponic nutrient solution. *Phytopathology* 82:1311-1319.
- Scott, J.C., Gordon, T.R., Shaw, D.V., Koike, S.T. 2010. Effect of temperature on severity of *Fusarium* wilt of lettuce caused by *Fusarium oxysporum* f. sp. *lactucae*. *Plant Dis.* 94:13-17.

- Schuenger, A.C., Mitchell, D.J. 1992. Effects of temperature and hydrogen ion concentration on attachment of macroconidia of *Fusarium solani* f.sp. *phaseoli* to mung bean roots in hydroponic nutrient solution. *Phytopathology*, 82: 1311-1319.
- Shahjahan, A.K.M., Harahap, Z., Rush, M.C. 1977. Sheath rot of rice caused by *Acrocyllindrium oryzae* in Louisiana. *Plant Disease Reporter* 61: 307-310.
- Shaner, G., Finney, R.E. 1977. The effect of nitrogen fertilization on the expression of slow-mildewing resistance in Knox wheat. *Phytopathology* 67:1051–1056.
- Sharma, S., Sthapit, B., Pradhanang, P., Joshi, K. 1997. “Bacterial sheath brown rot of rice caused by *Pseudomonas fuscovaginae* in Nepal,” in *Rice Cultivation in High land Areas*. Proceedings of the CIRAD Conference, Antananarivo, Madagascar, 107–112.
- Sharples, G.J., Lloyd, R.G. 1990. A novel repeated DNA sequence located in the intergenic regions of bacterial chromosomes. *Nucleic Acids Res* 18: 6503-6508.
- Singh, R., Dodan, D. S. 1995. Sheath rot of rice. *International Journal of Tropical Plant Diseases* 13: 139-152.
- Singh G. 1999. *Plant Systematics an Integrated Approach*. Science. Publisher. United States America
- Singh P., Mazumdar P., Harikrishna J.A., Babu S. 2019. Sheath blight of rice: A review and identification of priorities for future research. *Planta*. 250:1387–1407.
- Srivastava, S., Gupta, P.S., Lal, S., Sinha, O.K. 2017. Rapid identification of endophytic fungi of sugarcane (*Saccharum* spp. hybrid) using PCR-RFLP of rDNA. *J Environ Biol* 38:21–26
- Stępień, Ł., Koczyk, G., Waśkiewicz, A. 2011. Genetic and phenotypic variation of *Fusarium proliferatum* isolates from different host species. *J Appl Genet*. 52:487–496.
- Stępień, L., Waskiewicz, A. 2013. Sequence divergence of the enniatin synthase gene in relation to production of beauvericin and enniatins in *Fusarium* Species. *Toxins*, 5: 537–555.
- Stern, M.J., Ames, G.F.L., Smith, N.H., Robinson, E.C., Higgins, C.F. 1984. Repetitive extragenic palindromic sequences: a major component of the bacterial genom. *Cell* 37: 1015 - 1026.

- Stielow, J.B, Lévesque, C.A., Seifert, K.A., Meyer, W., Iriny, L., Smits, D. *et al.*, 2015. One fungus, which genes? Development and assessment of universal primers for potential secondary fungal DNA barcodes. *Persoonia* 35:242-263.
- Stöver, B.C., Müller, K.F. 2010. TreeGraph 2: Combining and visualizing evidence from different phylogenetic analyses. *BMC Bioinformatics* 11:1-9
- Stuthman, D.D., Leonard, K.J., Miller-Garvin, J. 2007. Breeding crops for durable resistance to disease. Pages 319-367 in: *Advances in Agronomy*, vol 95, D. L. Sparks, ed. Elsevier Academic Press Inc, San Diego.
- Suga, H., Karugia, G.W., Ward, T., Gale, L.R., Tomimura, K., Nakajima, T. *et al.*, 2008. Molecular characterization of *Fusarium graminearum* species complex in Japan. *Phytopathology* 98:159–166.
- Suga, H, Kitajima, M., Nagumo, R., Tsukiboshi, T., Uegaki, R., Nakajima, T. *et al.*, 2014. A single nucleotide polymorphism in the translation elongation factor 1 α gene correlates with the ability to produce fumonisin in Japanese *Fusarium fujikuroi*. *Fungal Biol* 118:402-412.
- Sulistiani., Mangunwardoyo, W., Abinawanto., Sukara, E., Dinoto, A., Salamah, A. 2017. Variasi genetik *Lactobacillus fermentum* Beijerinck asal sayur asin berdasarkan analisis RFLP 16S-23S rDNA ISR, RAPD-PCR dan ERIC-PCR. *Berita Biologi* 162: 185-192.
- Sunder, S., Satyavir. 1998. Survival of *Fusarium moniliforme* in soil, grains and stubbles of paddy. *Indian Phytopathol.* 51: 47–50.
- Surin, A.S., Disthapom, S. 1977. Rice abortion of sheath rot-a serious rice disease in Thailand. *International Rice Research Newsletter* 2: 16-17.
- Swofford, D.L. 2003. *Phylogenetic analysis using parsimony (*and other methods)*, version 4. Sunderland. Sinauer Associates, MA, USA
- Sy-Cordero, A.A., Pearce, C.J., Oberlies, N.H. 2012 Revisiting the enniatins: A review of their isolation, biosynthesis, structure determination and biological activities. *J. Antibiot.* 65:541–549.
- Tasugi, H., Ikeda, Y. 1956. Studies on sheath rot of rice plant caused by *Acrocyldrium oryzae* Sawada. *Bulletin of the National Institute of Agricultural Sciences* 6: 151-166.
- Thamthurasan, W., Unartngarm, J. 2017. Genetic diversity of *Sarocladium oryzae* isolated from rice using morphology and ISSR markers. *Joint Conference of the Societies for Environmental Microbiology (JCSEM 2017)* vol 61 (Sendai: The Mycological Society of Japan) p 115

- Umesha, S., Manukumar, H.M., Raghava, S. 2016. A rapid method for isolation of genomic DNA from food-borne fungal pathogens. *3 Biotech* 6: 123.
- Upadhyay, R.K., Diwakar, M.C. 1984. Sheath rot (ShR) in Chhatisgarh, Madhya Pradesh, India. *International Rice Research Newsletter* 9: 6.
- Ussery, D.W., Binnewies, T.T., Gouveia-Oliveira, R., Jarmer, H., Hallin, F. 2004. Genome update: DNA repeats in bacterial genomes. *Microbio* 150: 3519-3521.
- Van Belkum, A., Scherer, S., Van Alphen, L., Verbrugh, H. 1998. Short-sequence DNA repeats in prokaryotic genomes. *Microbio Mole Biology Rev* 62: 275-293.
- Varati, U. 2012. Studies on sheath rot disease of rice caused by *Sarocladium oryzae* (Sawada) Gams and Hawksworth. M.Sc. (Agri.) Thesis, Acharya N.G. Ranga Agricultural University Rajendranagar, Hyderabad.
- Venturini, G, Toffolatti, S.L., Quaglino, F., Casati, P. 2017. First report of *Fusarium andiyazi* causing ear rot on maize in Italy. *Plant Dis* 101:839.
- Verma, S.K., Kingsley, K.L., Bergen, M.S., Kowalski, K.P., White, J.F. 2018. Fungal disease prevention in seedlings of rice (*Oryza sativa*) and other grasses by growth-promoting seed-associated endophytic bacteria from invasive *Phragmites australis*. *Microorganisms* 6:1-13.
- Versalovic, J., Koeuth, T., Lupski, R. 1991. Distribution of repetitive DNA sequences in eubacteria and application to fingerprinting of bacterial genomes. *Nucl Acids Res* 19: 6823-6831.
- Versalovic, J., Schneider, M., De Bruijn, F.J., Lupski, J.R. 1994. Genomic fingerprinting of bacteria using repetitive sequence based polymerase chain reaction. *Methods in Molecular Cell Biology* 5: 25-40.
- Versalovic, J., Lupski, J.R. 2002. Molecular detection and genotyping of pathogens: more accurate and rapid answers. *Trends Microbiol.* 10(10 Suppl):S15-21.
- Viaud, M., Pasquier, A., Brygoo, Y. 2000. Diversity of soil fungi studied by PCR-RFLP of ITS. *Mycol Res* 104:1027-1032
- Wang, M.M., Chen, Q., Diao, Y.Z., Duan, W.J., Ca, L. 2019. *Fusarium incarnatum-equiseti* complex from China. *Persoonia* 43:70-89.

- Wheeler, K.A., Hurdman, B.F., Pitt, J.I. 1991. Influence of pH on the growth of some toxigenic species of *Aspergillus*, *Penicillium* and *Fusarium*. *Int. J. Food Microbiol* 12: 141–150.
- White, T.J., Bruns, T., Lee, S., Taylor, J. 1990. Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics. In: Innis M A, *et al.*, editors. PCR protocols: a guide to methods and applications. Academic Press, Inc., New York.
- Wibowo, 2020. In: Afifah *et al.*, 2020. History of sheath rot disease in indonesia and disease severity in two rice production centres of West Java. *Jurnal Perlindungan Tanaman Indonesia* 24 (2): 201–208.
- Widiastuti, A., Karlina, M.L., Dhanti, K.R., Chinta, Y.D., Joko, T., Suryanti., Wibowo, A. 2020. Morphological and molecular identification of *Fusarium* spp. isolated from maize kernels in Java and Lombok, Indonesia. *Boodiversitas* 21(6): 2741-2750.
- Wiraswati, S.M., Rusmana, I., Nawangsih, A.A., Wahyudi, A.T. 2019. Antifungal activities of bacteria producing bioactive compounds isolated from rice phyllosphere against *Pyricularia oryzae*. *J Plant Prot Res* 59:86-94.
- Wijaya, D.A.E. 2017. Evaluasi Kejadian Penyakit Busuk Upih (Sheath Rot) pada Tanaman Padi (*Oryza sativa* L.) di Kecamatan Tanggul. Skripsi. Universitas Jember, Jember (ID). 36 p.
- Webb, K.M., Brenner, T., Jacobsen, B.J. 2015. Temperature effects on the interactions of sugar beet with *Fusarium* yellows caused by *Fusarium oxysporum* f. sp. *betae*. *Can. J. Plant Pathol.* 37: 353-362.
- Wegulo, S.N. 2012. Factors influencing deoxynivalenol accumulation in small grain cereals. *Toxins.* 4:1157–1180.
- Winter, M., Koopmann, B., Döll, K., Karlovsky, P., Kropf, U., Schlüter, K., von Tiedemann, A. 2013. Mechanisms regulating grain contamination with trichothecenes translocated from the stem base of Wheat (*Triticum aestivum*) infected with *Fusarium culmorum*. *Phytopathology.* 103:682–689.
- Wollenweber, H.W., Reinking, O.A. 1935. The *Fusaria*: Their description injurious effects and control. Paul Parey, Berlin 8: 1–135
- Wu, H.S., Wang, Y., Zhang, C.Y., Bao, W., Ling, N., Liu, D.Y. *et al.*, 2009. Growth of in vitro *Fusarium oxysporum* f. sp. *niveum* in chemically defined media amended with gallic acid. *Biol. Res.* 42:297-304

- Wu, Q., Patotcka, J., Nepovimova, E., Kuca, K. 2018. A review on the synthesis and bioactivity aspects of beauvericin, a *Fusarium* mycotoxin. *Front. Pharmacol* 9: 1338.
- Wulff, E.G., Sørensen, J.L., Lübeck, M., Nielsen, K.F., Thrane, U., Torp, J. 2010. *Fusarium* spp. associated with rice Bakanae: ecology, genetic diversity, pathogenicity and toxigenicity. *Environ. Microbiol.* 12, 649–657.
- Xia, J.W., Sandoval-Denis, M., Crous, P.W., Zhang, X.G., Lombard, L. 2019. Numbers to names – restyling the *Fusarium incarnatum-equiseti* species complex. *Persoonia* 43: 186-221.
- Yanchao, L., Jinji, P., Yixian, X., Jia, L., Ling, L., Xing, X. 2010. Biological characteristics of *Fusarium proliferatum* of mango malformation in China. *Chinese Journal of Tropical Crop* 31(3): 453-456.
- Ye, J., Coulouris, G., Zaretskaya, I., Cutcutache, I., Rozen, S., Madden, T. L. 2012. Primer-BLAST: A tool to design target-specific primers for polymerase chain reaction. *BMC Bioinformatics* 13 (134)
- Yli-Mattila, T., Gagkaeva, T. 2010. Molecular chemotyping of *Fusarium graminearum*, *F. culmorum* and *F. cerealis* isolates from Finland and Russia. In: Gherbawy Y, Voigt K (eds) *Molecular identification of fungi*. Springer, Berlin.
- Yuliani, D., Rohaeni, W. R. 2017. Heritabilitas, sumber gen, dan durabilitas ketahanan varietas padi terhadap penyakit hawar daun bakteri. *Jurnal Litbang Pertanian* 36(2): 99-108.
- Zarrin, M., Ganj, F., Faramarzi, S. 2016. Analysis of the rDNA internal transcribed spacer region of the *Fusarium* species by polymerase chain reaction-restriction fragment length polymorphism. *Biomed Rep.* 4(4):471-474.
- Zeller, K.A., Summerell, B.A., Ballock, S., Leslie, J.F. 2003. *Gibberella konza* (*Fusarium konzum*) sp. nov. from prairie grasses, a new species in the *Gibberella fujikuroi* species complex. *Mycologia* 95: 943–954.
- Zhang, N., O'Donnell, K., Sutton, D.A., Nalim, F.A., Summerbell, R.C., Padhye, A.A. *et al.*, 2006. Members of the *Fusarium solani* species complex that cause infections in both humans and plants are common in the environment. *J Clin Microbiol* 44:2186-2190.
- Zhang, T., Zhuo, Y., Jia, X., Liu, J., Gao, H., Song, F., Liu, M., Zhang, L. 2013 Cloning and characterization of the gene cluster required for beauvericin biosynthesis in *Fusarium proliferatum*. *Sci. China Life Sci.* 56: 628–637.



- Zhang, H., Luo, W., Pan, Y., Xu, J., Xu, J.S., Chen, W.Q. *et al.*, 2014. First report of *Fusarium* ear rot of maize caused by *Fusarium andiyazi* in China. *Plant Dis* 98: 1428.
- Zhang, J., Pan, Y., Li, Y., Ren, T., Cong, R., Lu, J. *et al.*, 2019. Low grain sink activity imposed by potassium deficiency aggravates loss in quality of rice (*Oryza sativa* L.) infected with natural sheath rot disease. *J Cereal Sci* 87:31-38