

## DAFTAR PUSTAKA

- Afonso, A. F., Pereira, O.F., Neto, R. T., Silva, A. M., Cardoso, S. M. 2017. Health-promoting effects of *Thymus herba-barona*, *Thymus pseudolanuginosus*, and *Thymus caespititius* decoctions. *International Journal of Molecular Sciences*, 18: 1-14.
- Ahmed, H. M. 2019. Ethnomedicinal, phytochemical and pharmacological investigations of *Perilla frutescens* (L.) Britt. *Molecules*, 24: 1-23.
- Akiharu, K., Amagai, M. 2019. Skin Barrier. *Fitzpatrick's Dermatology*. 9<sup>th</sup> edn. New York: McGraw-Hill Education: pp: 206-226.
- Balato, A., Cacciapuoti, S., Di Caprio, R., Marasca, C., Masara, A., Raimondo, A., et al. 2019. Human Microbiome: Composition and Role in Inflammatory Skin Diseases, *Archivum Immunologiae et Therapiae Experimentalis*. Springer International Publishing, 67: 1-18.
- Beiu, C., Mihai, A., Popa, L., Cima, L., Popescu, M. N. 2020. Frequent Hand Washing for COVID-19 Prevention Can Cause Hand Dermatitis: Management Tips. *Cureus*, 12: 1-7.
- Blaak, J., Staib, P. 2018. The Relation of pH and Skin Cleansing. *Current Problem Dermatology*, 54: 132-142.
- Braga, P. C., Culici, M., Alfieri, M. 2008. Thymol inhibits *Candida albicans* biofilm formation and mature biofilm. *International Journal of Antimicrobial Agents*. 10: 1-8.
- Brown, M. M. and Horswill, A. R. 2020. *Staphylococcus epidermidis*-Skin friend or foe?. *PLoS Pathogens*. 16: 1-6.
- Byrd, A. L., Belkaid, Y. and Segre, J. A. 2018. The human skin microbiome. *Nature Reviews Microbiology*. 16: 143-155.
- Chen, Y. E., Fischbach, M.A., Belkaid, Y. 2018. Skin Microbiota-Host Interaction. *Nature*. 553: 427-436.
- Claesen, J. 2018. Topical Antiseptics and the Skin Microbiota. *Journal of Investigative Dermatology*. 138: 2106-2107.
- Corazza, M., Borghi, A., Gallo, R., Schena, D., Pigatto, P., Lauriola, M. M., et al. 2014. Topical botanically derived products: Use, skin reactions, and usefulness of patch tests. A multicentre Italian study. *Contact Dermatitis*. 70: 90-97.
- Cork, M. 1997. The importance of skin barrier function. *Journal of Dermatological Treatment*. 8: 7-13.
- Dauqan, E. M. A. and Abdullah, A. 2017. Medicinal and Functional Values of Thyme ( *Thymus vulgaris* L .). *Herb*: 5: 17-22.
- Davey, M. E. and O'toole, G. A. 2000. Microbial Biofilms: from Ecology to Molecular Genetics. *Microbiology and Molecular Biology Reviews*. 138: 1-7.
- Dhyani, A., Chopra, R. and Garg, M. 2019. A review on nutritional value, functional properties and pharmacological application of perilla (*Perilla frutescens* L.). *Biomedical and Pharmacology Journal*., 12: 649-660.

- Eyerich, S., Eyerich, K., Traidl-Hoffman, C. 2018. Cutaneous Barriers and Skin Immunity: Differentiating A Connected Network. *Trends in Immunology*. 39: 315–327.
- Fournière, M., Latire, T., Souak, D., Feuililolley, M. G. J., Bedoux, G. 2020. *Staphylococcus epidermidis* and cutibacterium acnes: Two major sentinels of skin microbiota and the influence of cosmetics. *Microorganisms*. 8: 1–31.
- García Núñez, C., Manjakkal, L. and Dahiya, R. 2019. Energy autonomous electronic skin. *npj Flexible Electronics*.103: 15-28.
- Hall, G. S. 2013. Bailey & Scott's Diagnostic Microbiology. 13<sup>th</sup> Edn. Elsevier Inc; pp: 57-75.
- Han, Y., Chen, W. and Sun, Z. 2021. Antimicrobial activity and mechanism of limonene against *Staphylococcus aureus*. *Journal of Food Safety*: 5: 3–8.
- Harding, C. R. 2004. The stratum corneum: structure and function in health and disease. *Dermatology Therapy*. 17: 6–15.
- He, W., Shi, C., Long, X., Liu, X., Zhao, X. 2020. Antimicrobial activity and mechanism of action of *Perilla* essential oil against *Staphylococcus aureus*. *E3S Web of Conferences 145*. 5: 3–8.
- Igarashi, M. and Miyazaki, Y. 2013. A review on bioactivities of perilla: Progress in research on the functions of perilla as medicine and food. *Evidence-based Complementary and Alternative Medicine*. 10: 11-55.
- Jeong, H. J., Xuan, S.H., Song, B.R., Lee, S. L., Lee, Y.J., Park, S.N. 2018. Antimicrobial and antioxidant activities of perilla frutescens var. Acuta extract and its fraction and their component analyses. *Applied Chemistry for Engineering*, 29: 716–725.
- Kampf, G. 2018. Biocidal Agents Used for Disinfection Can Enhance Antibiotic Resistance in Gram-Negative Species. *Antibiotics*. 110: 1-24.
- Kang, S. 2019. *Fitzpatrick's Dermatology*. 9<sup>th</sup> edn. New York: McGraw-Hill Education: pp: 124-143.
- Karpanen, T. J., Worthington, T., Hendry, E. R., Conway, B. R., Lambert, P. A. 2008. Antimicrobial efficacy of chlorhexidine digluconate alone and in combination with eucalyptus oil, tea tree oil and thymol against planktonic and biofilm cultures of *Staphylococcus epidermidis*. *Journal of Antimicrobial Chemotherapy*, 62: 1031–1036.
- Kim, D. H., Kim, Y. C. and Choi, U. K. 2011. Optimization of antibacterial activity of *Perilla frutescens* var. Acuta leaf against *Staphylococcus aureus* using evolutionary operation factorial design technique. *International Journal of Molecular Sciences*, 29: 716-725.
- Lai-Cheong, J. E., Arita, K. and McGrath, J. A. 2007. Genetic diseases of junctions. *Journal of Investigative Dermatology*, 201: 145-154.
- Lambers, H., Piessens, S., Bloem, A., Pronk, H., Finkel, P. 2006. Natural skin surface pH is on average below 5, which is beneficial for its resident flora. *International Journal of Cosmetic Science*, 28: 359–370.
- Li, Q., Fang, H., Dang, W., Wang, G. 2020. The role of ceramides in skin homeostasis and inflammatory skin diseases. *Journal of Dermatological Science*, 97: 2–8.
- Memar, M. Y., Raei, P., Alizadeh, N., Aghdam, M. A., Kafil, H. S. 2017. Carvacrol

- and thymol: Strong antimicrobial agents against resistant isolates. *Reviews in Medical Microbiology*, 28: 63–68.
- Meşe, G., Richard, G. and White, T. W. 2007. Gap junctions: Basic structure and function. *Journal of Investigative Dermatology*, 10: 10-38.
- Moldovan, M. and Nanu, A. 2010. Influence of cleansing product type on several skin parameters after single use, *Farmacia*, 58: 29–37.
- Uwe, A., Banowski, B., Brock, M., Erasmy, J., Fitzner, A., Kortemeier, U., *et al.* 2013. The impact of cleansing products on the skin surface pH, *Journal of Investigative Dermatology*, 13: 3–9.
- Naik, S., Bouladoux, N., Wilhelm, C. 2012. Compartmentalized control of skin immunity by resident commensals. *Science*, 10: 11-26.
- Naik, S., Bouladoux, N., Linehan, J. L. 2015. Commensal-dendritic-cell interaction specifies a unique protective skin immune signature. *Nature*, 10: 10-38.
- Nakatsuji, T., Chen, T.H., Narala, S., Chun, K.A., Two, A.M., Yun, T., *et al.* 2017. Antimicrobials from human skin commensal bacteria protect against *Staphylococcus aureus* and are deficient in atopic dermatitis. *Science Translational Medicine*, 9: 1-22.
- Namvar, A. E., Bastarahang, S., Abbasi, N. 2014. Clinical characteristics of *Staphylococcus epidermidis*: a systematic review. *GMS hygiene and infection control*, 9: 1-10.
- Natsuga, K. 2014. Epidermal barriers. *Cold Spring Harbor Perspectives in Medicine*, 4: 1-17.
- Nostro, A., Blanco, A.R., Cannatelli, M.A., Enea, V., Flamini, G., Morelli, I. *et al.* 2004. Susceptibility of methicillin-resistant staphylococci to oregano essential oil, carvacrol and thymol. *FEMS Microbiology Letters*, 230: 191–195.
- Nostro, A., Roccaro, A.S., Bisignano, G., Marino, A., Cannatelli, M.A., Pizzimenti, F.C., *et al.* 2007. Effects of oregano, carvacrol and thymol on *Staphylococcus aureus* and *Staphylococcus epidermidis* biofilms. *Journal of Medical Microbiology*, 56: 519–523.
- Nuryastuti, T., Van Der Mei, H., Busscher, H. 2009. Effect of cinnamon oil on *icaA* expression and biofilm formation by *Staphylococcus epidermidis*. *Applied and Environmental Microbiology*, 101: 875-879.
- Palaniappan, K. and Holley, R. A. 2010. Use of natural antimicrobials to increase antibiotic susceptibility of drug resistant bacteria. *International Journal of Food Microbiology*, 16: 201-204.
- Park, Y. J., Kim, C. W. and Lee, H. K. 2019. Interactions between Host Immunity and Skin-Colonizing *Staphylococci*: No Two Siblings Are Alike. *International Journal of Molecular Medicine*, 718: 1-10.
- Pe, M., Romanelli, G. and Blustein, G. 2020. Thymol bioactivity: A review focusing on practical applications, 102: 9243–9269.
- Pothmann, A., Illing, T., Wiegand, C., Hartmann, A.A., Elsner, P. 2019. The Microbiome and Atopic Dermatitis: A Review. *American Journal of Clinical Dermatology*, 20: 749–761.
- Proksch Ehrhardt. 2012. Skin as an Organ of Protection', in Goldsmith LA, Katz SI, Gilchrist BA, Paller AS, Leffel DJ, Wolff, K. (ed.) *Fitzpatrick's*

- Dermatology in General Medicine*. 8<sup>th</sup> edn. New York: McGraw-Hill, pp: 486-498.
- Reddy, P., Kandisa, R.V., Varsa, P.V., Satyam, S. 2016. Review on Thymus vulgaris Traditional Uses and Pharmacological Properties Medicinal & Aromatic Plants Review on Thymus vulgaris Traditional Uses and Pharmacological Properties. *Medical Aromatic Plants*, 3: 1-3.
- Del Rosso, J. Q., Levin, J., High, W. 2011. The Clinical Relevance of Maintaining the Functional Integrity of the Stratum Corneum in both Healthy and Disease-affected Skin. *Journal of Clinical Aesthetic Dermatology*, 4: 22-42.
- Del Rosso, J. Q., Zeichner, J., Alex, A. 2016. Understanding the Epidermal Barrier in Healthy and Compromised Skin : Clinically Relevant Information for the Proceedings of an Expert Panel Roundtable Meeting. *Journal of Clinical Aesthetic Dermatology*, 9: 2-8.
- Rúa, J., Del Valle, P., De Ariaga, D., Ferná'ndez-A'lvarez, L., Garcia-Ernesto, M. 2019. Combination of Carvacrol and Thymol: Antimicrobial Activity Against *Staphylococcus aureus* and Antioxidant Activity. *Foodborne Pathogens and Disease*, 16: 622–629.
- Scharschmidt, T. C. and Vasquez, K.S. 2015. A Wave of Regulatory T Cells into Neonatal Skin Mediates Tolerance to Commensal Microbes. *Immunity*, 16: 100-116.
- Scharschmidt, T. C. and Vasquez, K.S. 2017. Commensal Microbes and Hair Follicle Morphogenesis Coordinately Drive Treg Migration into Neonatal Skin. *Cell Host and Microbe*, 16: 1-19.
- Silhavy, T. J., Kahne, D., Walker, S. 2010. The Bacterial Cell Envelope. *Cold Spring Harb Perspect Biol*, 2: 1–16.
- Skelley, J., Gerrald, M., Russel, D. 2016. Antiseptics and Disinfectants: Activity, Action, and Resistance. *Clinical Microbiology*, 16: 1–35.
- Solan, J. L. and Lampe, P. D. 2009. Connexin43 phosphorylation: Structural changes and biological effects. *Biochemical Journal*, 823: 19-31.
- Toltzis, P. 2017. *Staphylococcus epidermidis and Other Coagulase-Negative Staphylococci. Principles and Practice of Pediatric Infectious Diseases*. Fifth Edit. Chengdu: Elsevier Inc.
- Upula, S. A., Basse, E. E., Ije, U. E. 2021. Antiseptic Soaps and Body Cleansing Agents and Its Effects on the Human Skin. *World Journal of Pharmaceutical and Medical Research*. 7: 28–34.
- Verspecht, T., Herrero, E.R., Khodaparast, L., Khodaparast, L., Boon, N., Bernaerts, K., *et al.* 2019. Development of antiseptic adaptation and cross-adaptation in selected oral pathogens in vitro. *Scientific Reports*. 9: 1–13.
- Voegeli, D. 2008. The effect of washing and drying practices on skin barrier function. *Journal of Wound, Ostomy and Continence Nursing*. 35: 84–90.
- Wang, X., Dong, L., Zhang, H., Yu, R. 2015. Recent Progress in Electronic Skin. *Advanced Science*, 2: 201- 205.
- Wolf, R. and Parish, L. C. 2012. Effect of soaps and detergents on epidermal barrier function. *Clinics in Dermatology*. 30: 297–300.
- Yu, H., Feng-Qiu, J., Juan-Ma, L., Jia-Hu, Y., Li, P., Bo-Wan, J. 2017.

Phytochemical and phytopharmacological review of *Perilla frutescens* L. (Labiatae), a traditional edible-medicinal herb in China. *Food and Chemical Toxicology*, 278: 1-17.

Zhou, Q, Hu, Z., Du, L., Liu, F., Yuan, K. 2020. Inhibition of *Enterococcus faecalis* Growth and Cell Membrane Integrity by *Perilla frutescens* Essential Oil. *Foodborne Pathogens and Disease*, 20: 1-8.

Zihni, C., Mills, C., Matter, K., Balda, M. S. 2016. Tight junctions: From simple barriers to multifunctional molecular gates, *Nature Reviews Molecular Cell Biology*, 38: 16-80.