

Daftar Pustaka

- Acharya, S., dan Acharya, S. (2018). Dental Materials used in Pediatric Dentistry-A Sneak Peek. *Acta Scientific Dental Sciences*, 2(11), 2581–4893.
- Amaral, I., Gameiro, A., Lopes, L., dan Ventura, I., (2017) In Vitro Study of Micro Leakage and Micro Hardness of High Viscosity Glass Ionomer Cement and Resin Modified Glass Ionomer Cement. *J Dent Oral Hyg.* 1 : 283-289
- Andari, E. S., Wulandari, E., dan Robin, D. M. C., 2014, Efek Larutan Kopi Robusta Terhadap Kekuatan Tekan Resin Komposit Nanofiller. *Stomatognatic Jurnal Kedokteran gigi Unej.* 11(1): 6-11
- Anggasaputra, C., Eriwati Y. K., dan Triaminingsih, S (2020). SURFACE GLOSS OF GLASS-HYBRID RESTORATION AFTER IMMERSION IN VARIOUS pH ARTIFICIAL SALIVA. *Cakradonya Dental Journal*, 12(1), 1–7.
- Anusavice, K.J., Shen, C., dan Rawls, H.R. (2013). *Philip's Science of Dental Material 12th Ed.* Missouri: Elsevier. hal.308,311,320,321,322.
- Aviandani, M. J., dan Munadzirah, E. (2012). *Perbedaan kebocoran tepi tumpatan semen ionomer kaca dengan pengadukan secara mekanik elektrik dan manual.* 61(3), 81–120.
- Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI, (2018) *Laporan Nasional Riskesdas 2018.* Jakarta : Kementerian Kesehatan RI. hal. 197.
- Bagheri, R., Taha, N. A., Azar, M. R., dan Burrow, M. F. (2013). Effect of G-Coat Plus on the mechanical properties of glass-ionomer cements. *Australian Dental Journal*, 58(4), 448–453.
- Baig, M. M., Mustafa, M., Al Jeaidi, Z. A., dan Al-Muhaiza, M. (2013). Microleakage evaluation in restorations using different resin composite insertion techniques and liners in preparations with high c-factor – An in vitro study. *King Saud University Journal of Dental Sciences*, 4(2), 57–64.
- Bhadra, D., Shah, N. C., Rao, A. S., Dedania, M. S., dan Bajpai, N., (2019) A 1- year Comparative Evaluation of Clinical Performance of Nanohybrid Composite with Activa Bioactive Composite in Class II Carious Lesion: A Randomized Control Study. *J Conserv Dent.* 22(1): 92-96.
- Bicer, A. Z. Y., dan Unver, S. (2018). Etiology of Secondary Caries in Prosthodontic Treatments. *Dental Caries - Diagnosis, Prevention and Management.* London

IntechOpen. hal.35-46.

- de Araújo,C.S., da Silva,T.I., Ogliari FA, Meireles SS., Piva E., dan Demarco FF., 2006.Microleakage of seven adhesive systems in enamel and dentin. *J Contemp Dent Pract.* 7(5):26-33.
- Devara, A. R., Lunardhi, C. G. ., dan Yuanita, T. (2016). Perbedaan Kebocoran Tepi antara GIC Konvensional dan Resin Modified GIC pada Restorasi Kelas V (Difference on Microleakage of Conventional GIC and Resin Modified GIC in Class V Restoration). *Conservative Dentistry Journal*, 6(2), 77-81.
- Dinakaran, D. S. (2014). Sorption and Solubility Characteristics of Compomer, Conventional and Resin Modified Glass-Ionomer Immersed In Various Media. *IOSR Journal of Dental and Medical Sciences*, 13(3), 41–45.
- Fahmy, M. M., Moussa, T.A., dan Abdelraouf, R.M., (2021). Evaluation of Ion Release, Apatite Formation and Tooth-Restoration Interface of Bioactive Resin. *Egyptian*, 67, 1463–1473.
- Ferracane, J.L., Paul,R.C., dan Anthony,J.S., 2010. Can Interaction of Materials with the Dentin – Pulp Complex Contribute to Dentin Regeneration?., *Odontology*. 9 (8) : 2 - 14
- Goldstein, R. E., Lamba, S., Lawson, N. C., Beck, P., Oster, R. A., dan Burgess, J. O. (2017). Microleakage around Class V Composite Restorations after Ultrasonic Scaling and Sonic Toothbrushing around their Margin. *Journal of Esthetic and Restorative Dentistry*, 29(1), 41–48.
- Gopinath, VK., 2017., Comparve Evaluation of Microleakage between Bulk Esthetic Materials Versus Resin-Modified Glass Ionomer to Restore Class II Cavities in Primary Molars., *J Indian Soc Pedod Prev Dent.*, 25 (3) : 238 – 243.
- Gurgan, S., Kutuk, Z. B., Ergin, E., Oztas, S. S., dan Cakir, F. Y. (2015). Four-year randomized clinical trial to evaluate the clinical performance of a glass ionomer restorative system. *Operative Dentistry*, 40(2), 134–143.
- Hakim, R. (2013). Gambaran tumpatan glass ionomer cement pada mahasiswa akademi keperawatan rumah sakit tingkat III Robert wolter monginsidi. *E-GIGI*, 1(2).
- Handoko, M., Tjandrawinata, R., dan Octarina. (2020). The effect of nanofilled resin coating on the hardness of glass ionomer cement. *Scientific Dental Journal*, 4(3), 97-100.

- Ichim, I.P., Schmidlin, P.R., Li, Q., Kieser, J.A., dan Swain, M.V. (2007). Restoration of non-carious cervical lesions: Part II. Restorative material selection to minimise fracture, *Dental Materials*, 23(12): 1562-1569.
- ISO 9917-1:2007. *Dental Water Based Cements*. International Organization for Standardization ; Geneva, Switzerland.
- Jang, J. H., Lee, M. G., Ferracane, J. L., Davis, H., Bae, H. E., Choi, D., dan Kim, D. S. (2018). Effect of bioactive glass-containing resin composite on dentin remineralization. *Journal of Dentistry*, 75(5), 58–64.
- Jones, J.R., 2013., Review of bioactive glass: From Hench to hybrids., *Acta Biomaterialia*., 9(1) : 4457 – 4486.
- Khandelwal. (2011). Science of Simplicity. *The Science of Simplicity*, 4(6), 2011.
- Kim, Y. K., Kim, K. H., dan Kwon, T. Y. (2015). Setting Reaction of Dental Resin-Modified Glass Ionomer Restoratives as a Function of Curing Depth and Postirradiation Time. *Journal of Spectroscopy*, 2015.1-9.
- Kimyai, S., Pournaghi-Azar, F., Daneshpooy, M., Abed Kahnamoii, M., dan Davoodi, F. (2016). Effect of two prophylaxis methods on marginal gap of CI Vresin-modified glass-ionomer restorations. *Journal of Dental Research, Dental Clinics, Dental Prospects*, 10(1), 23–29.
- Kinasih, C. P., Indahyani, D. E., Barid, I., dan Probosari, N. (2018). Analisis Kebocoran Tepi pada Glass Ionomer Kaca dengan Penambahan Bioactive Glass Berbasis Silica dari Ampas Tebu. *STOMATOGNATIC - Jurnal Kedokteran Gigi*, 15(2), 37-42.
- Kumala, Y. R., Rachmawati, D., dan Sari, A. A. (2017). Modifikasi Resin Nano Dan Modifikasi Resin. *ODONTO Dental Journal*, 4, 7–12.
- Lestari, S., Hidayatul, F., Annisa, K., dan Dwi, W.A.F (2012). Kebocoran Tepi Restorasi Semen Ionomer Kaca dengan Bahan Fuji ® II, Fuji ® VII (white) dan Fuji ® vii (pink). *Stomatognatic (J. K. G Unej)*, 9(1), 23–27.
- Magni, E., Zhang, L., Hickel, R., Bossu, M., Polimeni, A., Ferrari, M., (2008) SEM and microleakage evaluation of the marginal integrity of two types of class V restorations with or without the use of a light-curable coating material and of polishing. *J Dent*. 36 (2008) : 885-891
- Mali, P., Deshpande, S., dan Singh, A., (2006). Microleakage of restorative materials :

An in vitro study. *Journal of Indian Society of Pedodontics and Preventive Dentistry*, 24(1):15-18.

Miconos., (2021). *Panduan Singkat Penggunaan Image Raster.*, PT.Miconos, Yogyakarta, hal 2,7.

Molina, G. F., Cabral, R. J., Mazzola, I., Brain Lascano, L., dan Frencken, J. E. (2013). Mechanical performance of encapsulated restorative glass-ionomer cements for use with Atraumatic Restorative Treatment (ART). *Journal of Applied Oral Science*, 21(3), 243–249.

Naorungroj, S., Wei, H. H., Arnold, R. R., Swift, E. J., dan Walter, R. (2010). Antibacterial surface properties of fluoride-containing resin-based sealants. *Journal of Dentistry*, 38(5), 387–391.

Moshaverinia, M., Navas, A., Jahedmanesh, N., Shah, KC., Moshaverinia, A., Ansari, S., (2019) Comparative Evaluation of the Physical Properties of a Reinforced Glass Ionomer Dental Restorative Material. *J. Prosthet. Dent.* 122 (2) : 154-159.

Nicholson, J., dan Czarnecka, B. (2016). *Materials for the Direct Restoration of Teeth.* Amsterdam: Elsevier. hal.22.

Setya, D. N. (2014). Resin Modified Glass Ionomer Cement Sebagai Material Alternatif Restorasi Gigi Sulung. *ODONTO Dental Journal*, 1(2), 46–51.

Odermatt, R., Par, M., Mohn, D., Wiedemeier, D. B., Attin, T., dan Tauböck, T. T. (2020). Bioactivity and Physico-Chemical Properties of Dental Composites Functionalized with Nano- vs. Micro-Sized Bioactive Glass. *Journal of Clinical Medicine*, 9(3), 1-13.

Omidi, B. R., Naeini, F. F., Dehghan, H., Tamiz, P., Savadroodbari, M. M., dan Jabbarian, R. (2018). Microleakage of an Enhanced Resin-Modified Glass Ionomer Restorative Material in Primary Molars. *Journal of Dentistry (Tehran, Iran)*, 15(4), 205–213.

Owens, B. M., Phebus, J. G., dan Johnson, W. W. (2018). Evaluation of the marginal integrity of a bioactive restorative material. *General Dentistry*, 66(3), 32–36.

Parirokh, M., Askarifard, S., Mansouri, S., Haghdoost, A. A., Raof, M., dan Torabinejad, M. (2009). Effect of phosphate buffer saline on coronal leakage of mineral trioxide aggregate. *Journal of Oral Science*, 51(2), 187–191.

Patil, B. S., Raghavendra Rao, B. K., Sharathchandra, S. M., Hegde, R., dan Vinay

- Kumar, G. (2013). Comparative evaluation of self-etching primers and phosphoric acid effectiveness on composite to enamel bond: An in vitro study. *Journal of Contemporary Dental Practice*, 14(5), 790–795.
- Pertiwi, O. S., Darmawangsa, D., dan Widyawati, W. (2017). Perbedaan Kebocoran Tumpatan Resin Komposit Nanofiller Dengan Komposisi Yang Berbeda. *B-Dent, Jurnal Kedokteran Gigi Universitas Baiturrahmah*, 4(2), 104–109.
- Powers, J. M., dan Wataha, J. C. (2017). *Resensi Dental Materials Foundations and Applications 11th Edition*. Missouri : Elsevier. hal 42,43,52,85.
- Prabhakar,S., dan Vena,A. (2009). Comparison of the remineralizing effects of sodium fluoride and bioactive glass using bioerodible gel systems. *Journal of Dental Research, Dental Clinics, Dental Prospects*, 3(4), 117–121.
- Rajić, V. B., Miletić, I., Gurgan, S., Peroš, K., Verzak, Ž., dan Malčić, A. I. (2018). Fluoride release from glass ionomer with nano filled coat and varnish. *Acta Stomatologica Croatica*, 52(4), 307–313. <https://doi.org/10.15644/asc52/4/4>
- Ramashetty Prabhakar, A., dan Arali, V. (2009). Comparison of the remineralizing effects of sodium fluoride and bioactive glass using bioerodible gel systems. *Journal of Dental Research, Dental Clinics, Dental Prospects*, 3(4), 117–11721. <https://doi.org/10.5681/joddd.2009.029>
- Rao, A. dan Neeraj, M. (2013). The Role of remineralizing Agent in Dentistry : A Review., *Compendium.*, 32(6), 25–34.
- Rizzante, F. A.P., Rafael,S.C., Juliana,F.S.B., Gisele,M.C., Carla,C.G., dan Adilson,Y.F.(2015). Indications and restorative techniques for glass ionomer cement. *Rsbo*, 12(1), 79-87.
- Roeroe, V. M., Wicaksono, D. A., dan Juliatri. (2015). Gambaran Kekuatan Tekan Bahan Tumpatan Semen Ionomer Kaca Yang Direndam Dalam Minuman Beralkohol. *E-GIGI*, 3(1).1-6.
- Sakaguchi,R.L dan Powers,J.M. (2019). Craig's Restorative dental materials. Philadelphia : Elsevier.hal.153,182.
- Šalinović, I., Stunja, M., Schauerl, Z., Verzak, Ž., Malčić, A. I., dan Rajić, V. B. (2019). Mechanical properties of high viscosity glass ionomer and glass hybrid restorative materials. *Acta Stomatologica Croatica*, 53(2), 125–131.
- Scotti, N., Comba, A., Gambino, A., Paolino, D. S., Alovise, M., Pasqualini, D., dan

- Berutti, E. (2014). Microleakage at enamel and dentin margins with a bulk fills flowable resin. *European Journal of Dentistry*, 8(1), 1–8.
- Septishelya, P. F., Nahzi, M. Y. I., dan Dewi, N. (2016). Kadar kelarutan fluor Glass Ionomer Cement setelah perendaman air sungai dan akuades. *Majalah Kedokteran Gigi Indonesia*, 2(2), 95-100.
- Setya, N. D. (2014). Resin Modified Glass Ionomer Cement Sebagai Material Alternatif Restorasi Gigi Sulung. *ODONTO Dental Journal*, 1(2), 46–51.
- Vaid, DS., Shah, NC., dan Bilgi, PS., 2015., One year comparative clinical evaluation of EQUIA with resin-modified glass ionomer and a nanohybrid composite in noncarious cervical lessions., *J Conserv Dent*. 18 (6) : 449-452
- van Noort, R. (2013). Introduction to Dental Materials. In *Materials in Restorative Dentistry 4th Edition* ., Mosby Ltd, Missouri, hal 99,100,142.
- Zhang. K., Zhang,N., Weir,M.D., Reynolds,M.A., Bai,Y., dan Xu,H. (2019). Bioactive Dental Composites and Bonding Agents Having Remineralizing and Antibacterial Characteristic. *Dental Clinics of North America*, 176(3), 139–148.
- Zmener, O., Pameijer, C. H., dan Hernández, S. (2014). Resistance against bacterial leakage of four luting agents used for cementation of complete cast crowns. *American Journal of Dentistry*, 27(1), 51–55.
- Zoergiebel, J., & Ilie, N. (2013). Evaluation of a conventional glass ionomer cement with new zinc formulation: Effect of coating, aging and storage agents. *Clinical Oral Investigations*, 17(2), 619–626.