

DAFTAR PUSTAKA

- Adly MS, Adly Afnan Sedky, Alreshidi SF, Alotaibi AM, Alreshidi MF dan Adly Aya Sedky. Can paracetamol lower stress and anxiety by blunting emotions during and after computer guided dental implant surgeries? Findings from a randomized crossover clinical trial. *Journal of Dental Sciences*. 2021; 16(1): 137–144. doi: 10.1016/j.jds.2020.05.026.
- Alhajj M dan Babos M. *Physiology, Salivation*. StatPearls Publishing; . *StatPearls*. 2019. Tersedia pada: <http://www.ncbi.nlm.nih.gov/pubmed/31194408> (Diakses: 3 Juni 2021).
- AlMaummar M, Althabit H dan Pani S. The impact of dental anxiety on the salivary cortisol and alpha-amylase levels of children undergoing dental treatment. *Saudi Journal of Oral Sciences*. 2019; 6(2): 60. doi: 10.4103/sjos.sjoralsci_54_19.
- Almaummar M, Althabit HO dan Pani S. The impact of dental treatment and age on salivary cortisol and alpha-amylase levels of patients with varying degrees of dental anxiety. *BMC Oral Health*. 2019; 19(1): 1–8. doi: 10.1186/s12903-019-0901-7.
- De Almeida PDV, Grégio AMT, Machado MÂN, De Lima AAS dan Azevedo LR. Saliva composition and functions: A comprehensive review. *Journal of Contemporary Dental Practice*. 2008; 9(3): 072–080. doi: 10.5005/jcdp-9-3-72.
- Almstahl A dan Wikstrom M. Oral microflora in subjects with reduced salivary secretion. *Journal of Dental Research*. 1999; 78(8): 1410–1416. doi: 10.1177/00220345990780080601.
- Anwar DA, Supartinah A dan Handajani J. Efek Kumur Ekstrak Teh Hijab (*Camellia sinensis*) Terhadap Derajat Keasaman dan Volume Saliva Penderita Gingivitis. *Journal of Dentistry Indonesia*. 2007; 14(1): 21–26.
- Appukuttan DP. Strategies to manage patients with dental anxiety and dental phobia: literature review. *Clinical, Cosmetic and Investigational Dentistry*. 2016; 8: 35–50. doi: 10.2147/CCIDE.S63626.
- Aps JKM dan Martens LC. Review: The physiology of saliva and transfer of drugs into saliva. *Forensic Science International*. 2005; 150(2–3): 119–131. doi: 10.1016/j.forsciint.2004.10.026.
- Arhakis A, Karagiannis V dan Kalfas S. Salivary Alpha-Amylase Activity and Salivary Flow Rate in Young Adults. *The Open Dentistry Journal*. 2013; 7(1): 7–15. doi: 10.2174/1874210601307010007.
- Armfield JM. How do we measure dental fear and what are we measuring anyway? *Oral Health & Preventive Dentistry*. 2010; 8(2): 107–15. doi: 10.3290/j.ohpd.a19198.

- Baliga S, Muglikar S dan Kale R. Salivary pH: A diagnostic biomarker. *Journal of Indian Society of Periodontology*. 2013; 17(4): 461–465. doi: 10.4103/0972-124X.118317.
- Bavbek NC, Bozkaya E, Isler SC, Elbeg S, Uraz A dan Yuksel S. Assessment of salivary stress and pain biomarkers and their relation to self-reported pain intensity during orthodontic tooth movement: a longitudinal and prospective study. *Journal of Orofacial Orthopedics*. 2021; 1–14. doi: 10.1007/S00056-021-00311-4.
- Bellagambi FG, Lomonaco T, Salvo P, Vivaldi F, Hangouët M, Ghimenti S, Biagini D, Di Francesco F, Fuoco R dan Errachid A. Saliva sampling: Methods and devices. An overview. *TrAC - Trends in Analytical Chemistry*. 2020; 124: 1–15. doi: 10.1016/j.trac.2019.115781.
- Benn A dan Murray Thomson W. Saliva: An Overview. *New Zealand Dental Journal*. 2014; 110(3): 92–95.
- Bileck A, Frei S, Vogt B dan Groessl M. Urinary steroid profiles: comparison of spot and 24-hour collections. *Journal of Steroid Biochemistry and Molecular Biology*. 2020; 200(105662): 1–6. doi: 10.1016/j.jsbmb.2020.105662.
- Bongaerts JHH, Rossetti AD dan Stokes AJR. The Lubricating Properties of Human Whole Saliva. *Tribol Lett*. 2007; 27(3): 277–287. doi: 10.1007/s11249-007-9232-y.
- Bosch JA, De Geus EJC, Veerman ECI, Hoogstraten J dan Nieuw Amerongen A V. Innate secretory immunity in response to laboratory stressors that evoke distinct patterns of cardiac autonomic activity. *Psychosomatic Medicine*. 2003; 65(2): 245–258. doi: 10.1097/01.PSY.0000058376.50240.2D.
- Brunton LL. *The Pharmacological Basis of Therapeutics 12ed*. United States: The McGraw-Hill Companies; 2011.
- Bulthuis MS, Jan Jager DH dan Brand HS. Relationship among perceived stress, xerostomia, and salivary flow rate in patients visiting a saliva clinic. *Clinical Oral Investigations*. 2018; 22(9): 3121–3127. doi: 10.1007/s00784-018-2393-2.
- Campos MJ da S, Raposo NRB, Ferreira AP dan Vitral RWF. Salivary Alpha-Amylase Activity: A Possible Indicator of Pain-Induced Stress in Orthodontic Patients. *Pain Medicine*. 2011; 12(8): 1162–1166. doi: 10.1111/j.1526-4637.2011.01185.x.
- Carpenter GH. The secretion, components, and properties of saliva. *Annual Review of Food Science and Technology*. 2013; 4(1): 267–276. doi: 10.1146/annurev-food-030212-182700.
- Catalán MA, Nakamoto T dan Melvin JE. The salivary gland fluid secretion mechanism. *Journal of Medical Investigation*. 2009; 56(1): 192–196. doi:

10.2152/jmi.56.192.

Chaturvedi Y, Chaturvedi S, Marwah N, Chaturvedi S, Agarwal S dan Agarwal N. Salivary Cortisol and Alpha-amylase—Biomarkers of Stress in Children undergoing Extraction: An in vivo Study. *International Journal of Clinical Pediatric Dentistry*. 2018; 11(3): 214–218. doi: 10.5005/jp-journals-10005-1514.

Chojnowska S, Ptasińska-Sarosiek I, Kępa A, Knaś M dan Waszkiewicz N. Salivary Biomarkers of Stress, Anxiety and Depression. *Journal of Clinical Medicine* 2021, Vol. 10, Page 517. 2021; 10(3): 517. doi: 10.3390/JCM10030517.

Creanor S. *Dasar-Dasar Biologi Oral Klinis*. Jakarta: EGC; 2019. 145–152.

Darmayanti A, Zainal R dan Irwanto FH. Efektivitas Pemberian Alprazolam 0,5 mg Oral Preoperatif terhadap Penurunan Kadar Alpha Amylase Saliva sebagai Indikator Kecemasan pada Pasien yang akan dilakukan Operasi Tumor Payudara The Effectivity of Preoperative Oral Alprazolam 0.5 mg in Reducin. *Anesthesia & Critical Care*. 2017; 35(2): 86–95.

Dewi AOP. Pencarian Katalog dalam Online Public Access Catalog Menggunakan Boolean Logic. *Anuva*. 2018; 2(3): 291–298.

Dewi KKC, Anggaraeni PI dan Valentina TD. Faktor-faktor yang Mempengaruhi Kecemasan Dental Pasien Usia Dewasa Muda Sebelum Tindakan Perawatan Gigi di Puskesmas II Denpasar Barat. *Bali Dental Journal*. 2018; 2(2): 82–87.

Dodds MWJ, Johnson DA dan Yeh CK. Health benefits of saliva: A review. *Journal of Dentistry*. 2005; 33(3): 223–233.

Edgar M, Dawes C dan O'Mullane D. *Saliva and Oral Health 4th ed*. UK: Stephen Hancocks Limited; 2012. 2–36.

Enkling N, Marwinski G dan Jöhren P. Dental anxiety in a representative sample of residents of a large German city. *Clinical Oral Investigations*. 2006; 10(1): 84–91. doi: 10.1007/s00784-006-0035-6.

Furlan NF, Gavião MBD, Barbosa TS, Nicolau J dan Castelo PM. Salivary cortisol, alpha-amylase and heart rate variation in response to dental treatment in children. *Journal of Clinical Pediatric Dentistry*. 2012; 37(1): 83–87. doi: 10.17796/jcpd.37.1.n32m21n08417v363.

Gachons CP des dan Breslin PAS. Salivary Amylase: Digestion and Metabolic Syndrome. *Current Diabetes Reports*. 2016; 16(102): 1–7. doi: 10.1007/s11892-016-0794-7.

Gadicherla S, Shenoy RP, Patel B, Ray M, Naik B dan Pentapati KC. Estimation of salivary cortisol among subjects undergoing dental extraction. *Journal of Clinical and Experimental Dentistry*. 2018; 10(2): e116–e119. doi:

10.4317/jced.54369.

- Galdino AS, Silva RN, Lottermann MT, Alvares ACM, Moraes LMP de, Torres FAG, Freitas SM de dan Ulhoa CJ. Biochemical and Structural Characterization of Amy1: An Alpha-Amylase from *Cryptococcus flavus* Expressed in *Saccharomyces cerevisiae*. *SAGE-Hindawi Access to Research Enzyme Research*. Diedit oleh A. B. Vermelho dkk.2012; 2011. doi: 10.1155/2012/980681.
- Gholami N, Hosseini Sabzvari B, Razzaghi A dan Salah S. Effect of stress, anxiety and depression on unstimulated salivary flow rate and xerostomia. *Journal of Dental Research, Dental Clinics, Dental Prospects*. 2017; 11(4): 247–252. doi: 10.15171/joddd.2017.043.
- Goiato MC, Da Silva EVF, Cândido NB, Nóbrega AS, De Medeiros RA, Sumida DH, Chiba FY dan Dos Santos DM. Evaluation of the level of cortisol, capillary blood glucose, and blood pressure in response to anxiety of patients rehabilitated with complete dentures. *BMC Oral Health*. 2019; 19(1). doi: 10.1186/s12903-019-0763-z.
- Gomes HS, Vieira LAC, Costa PS, Batista AC dan Costa LR. Professional dental prophylaxis increases salivary cortisol in children with dental behavioural management problems: A longitudinal study. *BMC Oral Health*. 2016; 16(1). doi: 10.1186/s12903-016-0273-1.
- Gunnar MR, Reid BM, Donzella B, Miller ZR, Gardow S, Tsakonas NC, Thomas KM, DeJoseph M dan BendeZú JJ. Validation of an online version of the Trier Social Stress Test in a study of adolescents. *Psychoneuroendocrinology*. 2021; 125: 1–6. doi: 10.1016/j.psyneuen.2020.105111.
- Hallit S, Haddad C, Hallit R, Akel M, Obeid S, Haddad G, Soufia M, Khansa W, Khoury R, Kheir N, Elias Hallit CA dan Salameh P. Validation of the Hamilton Anxiety Rating Scale and State Trait Anxiety Inventory A and B in Arabic among the Lebanese population. *Clinical Epidemiology and Global Health*. 2020; 8(4): 1104–1109. doi: 10.1016/j.cegh.2020.03.028.
- Handajani J, Puspita RM dan Amelia R. Pemakaian Kontrasepsi Pil dan Suntik Menaikkan pH dan Volume Saliva. *dentika Dental Journal*. 2010; 15(1): 1–5.
- Hellhammer DH, Wüst S dan Kudielka BM. Salivary cortisol as a biomarker in stress research. *Psychoneuroendocrinology*. 2009; 34(2): 163–171. doi: 10.1016/j.psyneuen.2008.10.026.
- Hmud R dan Walsh LJ. Dental anxiety: causes, complications and management approaches. *International Dentistry SA*. 2007; 9(5): 6–16.
- Humphrey SP dan Williamson RT. A review of saliva: Normal composition, flow, and function. *Journal of Prosthetic Dentistry*. 2001; 85(2): 162–169. doi:

10.1067/mpr.2001.113778.

- Ilgüy D, Ilgüy M, Dinçer S dan Bayirli G. Reliability and validity of the modified dental anxiety scale in Turkish patients. *Journal of International Medical Research*. 2005; 33(2): 252–259. doi: 10.1177/147323000503300214.
- Jaafarzadeh M, Arman S dan Pour FF. Effect of aromatherapy with orange essential oil on salivary cortisol and pulse rate in children during dental treatment: A randomized controlled clinical trial. *Advanced Biomedical Research*. 2013; 2(1): 10. doi: 10.4103/2277-9175.107968.
- Jafari A, Pouramir M, Shirzad A, Motallebnejad M, Bijani A, Moudi S, Abolghasem-Zade F dan Dastan Z. Evaluation of salivary alpha amylase as a biomarker for dental anxiety. *Iranian Journal of Psychiatry and Behavioral Sciences*. 2018; 12(1). doi: 10.5812/ijpbs.9350.
- Jain M, Tandon S, Sharma A, Jain V dan Yadav NR. Cross-Cultural adaption, validity and reliability of a Hindi version of the Corah's Dental Anxiety Scale. *Health Promotion Perspectives*. 2018; 8(2): 120–126. doi: 10.15171/hpp.2018.15.
- Jakiel J, Szyszkowska A, Szczerba-Gwóźdź JM, Mełges M dan Rahnama M. Salivary cortisol measurement as a test for dental anxiety before tooth extraction. *Dental and Medical Problems*. 2015; 52(4): 408–414. doi: 10.17219/dmp/59574.
- Jansen P, Stoffels I, Müseler A-C, Petri M, Brinker TJ, Schedlowski M, Schadendorf D, Engler H dan Klode J. Salivary cortisol levels and anxiety in melanoma patients undergoing sentinel lymph node excision under local anesthesia versus general anesthesia: a prospective study. *World Journal of Surgical Oncology*. 2020; 18(1): 1–8. doi: 10.1186/S12957-020-01823-W.
- Jongh A dan Stouthard MEA. Anxiety About Dental Hygienist Treatment. *Community Dentistry and Oral Epidemiology*. 1993; 21(2): 91–95.
- Jung C, Greco S, Nguyen HHT, Ho JT, Lewis JG, Torpy DJ dan Inder WJ. Plasma, salivary and urinary cortisol levels following physiological and stress doses of hydrocortisone in normal volunteers. *BMC Endocrine Disorders*. 2014; 14(1). doi: 10.1186/1472-6823-14-91.
- Kandhalu P. Effects of Cortisol on Physical and Psychological Aspects of the Body and Effective Ways by Which One Can Reduce Stress. *Berkeley Scientific Journal*. 2013; 18(1): 14–16.
- Kanegane K, Penha SS, Munhoz CD dan Rocha RG. Dental Anxiety and Salivary Cortisol Levels Before Urgent Dental Care. *Journal of oral science*. 2009; 51(4): 515–520.
- Kaufman E dan Lamster IB. The diagnostic applications of saliva - A review. *Critical Reviews in Oral Biology and Medicine*. 2002; 197–212.

- Kleinknecht RA, Thorndike RM, McGlynn FD dan Harkavy J. Factor analysis of the dental fear survey with cross-validation. *Journal of the American Dental Association* (1939). 1984; 108(1): 59–61. doi: 10.14219/jada.archive.1984.0193.
- Kurniawan A, Utariani A, Hamzah dan Nalini. Hubungan Antara Tingkat Stres dan Kadar Kortisol Saliva dan Faktor Penyebab Stres Residen Anestesiologi dan Terapi Intensif pada Era Pandemi Covid-19. *Jurnal Syntax Transformation*. 2021; 2(2): 147–156. doi: 10.46799/%J.VOL2.ISS2.229.
- Lai JC. Psychosocial Stress and Salivary Cortisol in Older People: A Brief Review. *Journal of Aging Science*. 2014; 2(2): 1–5. doi: 10.4172/2329-8847.1000120.
- Lee KC dan Bassiur JP. Salivary alpha amylase, dental anxiety, and extraction pain: A pilot study. *Anesthesia Progress*. 2017; 64(1): 22–28. doi: 10.2344/anpr-63-03-02.
- Levine A, Zagoory-Sharon O, Feldman R, Lewis JG dan Weller A. Measuring Cortisol in Human Psychobiological Studies. *Physiology and Behavior*. 2007; 90(1): 43–53.
- Ligtenberg AJM, Meuffels M dan Veerman ECI. Effects of Environmental Temperature on Saliva Flow Rate and Secretion of Protein, Amylase and Mucin 5B. *Archives of Oral Biology*. 2019; 109(2020): 1–3.
- Lima DP, Diniz DG, Moimaz SAS, Sumida DH dan Okamoto AC. Saliva: reflection of the body. *International Journal of Infectious Diseases*. 2010; 14(3): 184–188. doi: 10.1016/j.ijid.2009.04.022.
- Maier W, Buller R, Philipp M dan Heuser I. The Hamilton Anxiety Scale: reliability, validity and sensitivity to change in anxiety and depressive disorders. *Journal of Affective Disorders*. 1988; 14(1): 61–68. doi: 10.1016/0165-0327(88)90072-9.
- Maleki S, Falsafi P, Pakdel F, Eslami H, Ahari UZ, Ghanizadeh M dan Pouralibaba F. A comparison between catalase and salivary alpha-amylase level in patients with type I diabetes and non-diabetic people. *Biomedical and Pharmacology Journal*. 2016; 9(2): 463–468. doi: 10.13005/bpj/959.
- Mathius NPNE, Sembiring LS dan Rohinsa M. Dental anxiety level of 7-12 years old children who will perform tooth extraction at dental hospital. *Padjadjaran Journal of Dental Researchers and Students*. 2019; 3(1): 33–42.
- McKay KAC, Buen JE, Bohan KJ dan P MJ. Determining the Relationship of Acute Stress, Anxiety, and Salivary a-Amylase Level With Performance of Student Nurse Anesthetists During Human-Based Anesthesia Simulator Training. *American Association of Nurse Anesthetists*. 2010; 78(4): 301–309.

- Milsom KM, Tickle M, Humphris GM dan Blinkhorn AS. The Relationship Between Anxiety and Dental Treatment Experience in 5-year-old Children. *British Dental Journal*. 2003; 194(9): 503–506.
- Naidu RS dan Lalwah S. Dental anxiety in a sample of West Indian adults. *The West Indian medical journal*. 2010; 59(5): 567–572.
- Nanci A. *Ten Cate's Oral Histology Development, Structure, and Function 9th*. Canada: Elsevier; 2018.
- Nater UM, Rohleder N, Gaab J, Berger S, Jud A, Kirschbaum C dan Ehlert U. Human salivary alpha-amylase reactivity in a psychosocial stress paradigm. *International Journal of Psychophysiology*. 2005; 55(3): 333–342. doi: 10.1016/j.ijpsycho.2004.09.009.
- Nater UM, La Marca R, Florin L, Moses A, Langhans W, Koller MM dan Ehlert U. Stress-induced changes in human salivary alpha-amylase activity - Associations with adrenergic activity. *Psychoneuroendocrinology*. 2006; 31(1): 49–58. doi: 10.1016/j.psyneuen.2005.05.010.
- Nater UM, Rohleder N, Schlotz W, Ehlert U dan Kirschbaum C. Determinants of the diurnal course of salivary alpha-amylase. *Psychoneuroendocrinology*. 2007; 32(4): 392–401. doi: 10.1016/j.psyneuen.2007.02.007.
- Ningsih JR. *Ilmu Dasar Kedokteran Gigi*. Surakarta: Muhammadiyah University Press; 2018. 145–146.
- Noto Y, Sato T, Kudo M, Kurata K dan Hirota K. The relationship between salivary biomarkers and state-trait anxiety inventory score under mental arithmetic stress: A pilot study. *Anesthesia and Analgesia*. 2005; 101(6): 1873–1876. doi: 10.1213/01.ANE.0000184196.60838.8D.
- Ohura K, Nozaki T, Shinohara M, Daito K, Sonomoto M dan Daito M. Utility of salivary biomarker for stress induced by dental treatment. *Japanese Dental Science Review*. 2012; 48(1): 14–17. doi: 10.1016/j.jdsr.2011.06.001.
- Oosterink FMD, De Jongh A dan Aartman IHA. What are people afraid of during dental treatment? Anxiety-provoking capacity of 67 stimuli characteristic of the dental setting. *European Journal of Oral Sciences*. 2008; 116(1): 44–51. doi: 10.1111/j.1600-0722.2007.00500.x.
- Patil SJ, Shah PP, Patil JA, Shigli A, Patil AT dan Tamagond SB. Assessment of the changes in the stress-related salivary cortisol levels to the various dental procedures in children. *Journal of Indian Society of Pedodontics and Preventive Dentistry*. 2015; 33(2): 94–99. doi: 10.4103/0970-4388.155116.
- Pedersen AML, Sørensen CE, Proctor GB dan Carpenter GH. Salivary functions in mastication, taste and textural perception, swallowing and initial digestion. *Oral Diseases*. 2018; 24(8): 1399–1416. doi: 10.1111/odi.12867.
- Perrotta G. Anxiety Disorders: Definitions, Contexts, Neural Correlates And

- Strategic Therapy. *Jacobs Journal of Neurology and Neuroscience*. 2019; 6(1): 1–15.
- Polimpung JAF dan Pratiwi R. Pengaruh Stres, Depresi, dan Kecemasan Terhadap Volume Saliva pada Mahasiswa Preklinik Fakultas Kedokteran Gigi Universitas Hasanuddin. *Makassar Dental Journal*. 2013; 2(3): 2–6.
- Queiroz AM, Carvalho AB, Censi LL, Cardoso CL, Leite-Panissi CR, da Silva RAB, de Carvalho FK, Nelson-Filho P dan da Silva LAB. Stress and anxiety in children after the use of computerized dental anesthesia. *Brazilian Dental Journal*. 2015; 26(3): 303–307. doi: 10.1590/0103-6440201300211.
- Rajagopal S, Chander N, Anitha K dan Balasubramaniam M. Evaluation of psychological stress marker in partially edentulous Indian adults restored with fixed dental prosthesis - A prospective cohort study. *Contemporary Clinical Dentistry*. 2020; 11(2): 116–120. doi: 10.4103/ccd.ccd_63_20.
- Reddy SP, Prasad MG, RadhaKrishna AN, Saujanya K, Raviteja NVK dan Deepthi B. Correlation between salivary cortisol levels and dental anxiety in children of smokers and nonsmokers. *European Journal of Dentistry*. 2017; 11(2): 192–195. doi: 10.4103/ejd.ejd_171_16.
- Reis AC, Sanchotene MC, Pereira KR, Dalpian DM, Dotto PP, Carpes AD dan Santos BZ. Levels of anxiety and salivary alpha-amylase in children during restorative dental treatment. *Pesquisa Brasileira em Odontopediatria e Clinica Integrada*. 2016; 16(1): 499–509. doi: 10.4034/PBOCI.2016.161.52.
- Riksavianti F dan Samad R. Reliabilitas dan validitas dari modified dental anxiety scale dalam versi Bahasa Indonesia (Reliability and validity of modified dental anxiety scale in the Indonesian version). *Journal of Dentomaxillofacial Science*. 2014; 13(3): 145–149.
- Rohleder N, Wolf JM, Maldonado EF dan Kirschbaum C. The psychosocial stress-induced increase in salivary alpha-amylase is independent of saliva flow rate. *Psychophysiology*. 2006; 43(6): 645–652.
- Sabbagh A, Nakata H, Abdou A, Kasugai S dan Kuroda S. Fluctuation of salivary alpha-amylase activity levels and vital signs during dental implant surgery. *International Journal of Implant Dentistry*. 2021; 7(1). doi: 10.1186/s40729-021-00339-6.
- Santos MJP dos, Bernabé DG, Nakamune AC de MS, Perri SHV, de Aguiar SMHC ávila dan de Oliveira SHP. Salivary alpha amylase and cortisol levels in children with global developmental delay and their relation with the expectation of dental care and behavior during the intervention. *Research in Developmental Disabilities*. 2012; 33(2): 499–505. doi: 10.1016/j.ridd.2011.10.015.
- Scully C. Drug effects on salivary glands: Dry mouth. *Oral Diseases*. 2003; 9(4):

165–176. doi: 10.1034/j.1601-0825.2003.03967.x.

Seligman LD, Hovey JD, Chacon K dan Ollendick TH. Dental anxiety: An Understudied Problem in Youth 2017. doi: 10.1016/j.cpr.2017.04.004.

Seshadri P dan Ramani P. Salivary cortisol: a marker of anxiety in response to different dental treatment procedures: A cross sectional study. *Journal of International Oral Health*. 2021; 13(2): 129. doi: 10.4103/JIOH.JIOH_262_20.

Sitilci AT, Gas S, Batu S, Arkan HK dan Bozbay B. The Effect of Conscious Sedation on Salivary Alpha-Amylase Levels During Third Molar Surgery. *Journal of Clinical Medicine of Kazakhstan*. 2020; 2(56): 11–16. doi: 10.23950/1812-2892-jcmk-00738.

Stefani S dan Tjahajawati S. Correlation between dental anxiety and salivary pH prior to the tooth extraction. *Padjadjaran Journal of Dentistry*. 2014; 26(2). doi: 10.24198/pjd.vol26no2.26699.

Thau L dan Sharma S. *Physiology, Cortisol*. StatPearls Publishing; . *StatPearls*. 2019. Tersedia pada: <http://www.ncbi.nlm.nih.gov/pubmed/30855827> (Diakses: 15 Juni 2021).

Thayumanavan B, Krithika C, Mohideen K, Ranjalitha AVR, Twinkle CMS, Pravda C dan Prabhu S. Assessment of Salivary Cortisol Concentrations as a Level of Stress Indicator among Individuals Undergoing Dental Extraction Procedure. *Journal of Pharmacy & Bioallied Sciences*. 2021; 13(1): S735–S740. doi: 10.4103/JPBS.JPBS_557_20.

Umeanuka OT, Saheeb BD, Uguru CC dan Chukwuneke FN. Evaluation of cortisol concentrations in saliva as a measure of stress in patients having routine dental extractions. *British Journal of Oral and Maxillofacial Surgery*. 2015; 53(6): 557–560. doi: 10.1016/j.bjoms.2015.03.011.

Vineetha R, Pai KM, Vengal M, Gopalakrishna K dan Narayanakurup D. Usefulness of salivary alpha amylase as a biomarker of chronic stress and stress related oral mucosal changes - a pilot study. *Journal of Clinical and Experimental Dentistry*. 2014; 6(2): e132. doi: 10.4317/jced.51355.

Wuisang M, Gunawan P dan Kandau J. Gambaran Kecemasan Terhadap Penambalan Gigi. *e-GiGi*. 2015; 3(1): 204–209.

Yildirim S, Bakkal M, Bulut H dan Selek S. Quantitative evaluation of dental anxiety indicators in the serum and saliva samples of children treated under general anesthesia. *Clinical Oral Investigations*. 2018; 22(6): 2373–2380. doi: 10.1007/s00784-018-2340-2.

Yuanita T. *Flare-Up Endodontic*. Surabaya: Airlangga University Press; 2019. 44–50.

Zen R, Rigo L, Gaviolli E, Giroto LPS dan Mário DN. Effect of recreational



UNIVERSITAS
GADJAH MADA

Kajian Efek Kecemasan Perawatan Gigi Terhadap Saliva

VILIPI TIUF KATRINA SITORUS, Prof. Dr. drg. Juni Handajani, M.Kes., Ph.D.; Prof. drg. Tetiana Haniastuti, M.Kes.,
Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

intervention on the approach of pediatric patients in dental treatment:
Analysis of salivary cortisol. *Pesquisa Brasileira em Odontopediatria e
Clinica Integrada*. 2020; 20: 4796. doi: 10.1590/pboci.2020.036.