

- Abd-Elgawad, M. M., and S. Molinari. 2008. Markers of plant resistance to nematodes: Classical and molecular strategies. *Nematol. Medit.* 36: 3-11
- Agrios, G. N. 2005. *Plant Pathology*. Fifth edition. USA: University of Florida.
- Akhter, G., and T. A. Khan. 2018. Response of brinjal (*Solanum melongena* L.) varieties for resistance against root-knot nematode, *Meloidogyne incognita* race-1. *The Journal of Phytopharmacology* 7: 222-224
- Ali, M. A., M. S. Anjam, M. A. Nawaz, Hon-Ming Lam and G. Chung. 2018. Signal transduction in plant–nematode interactions. *International Journal of Molecular Sciences* 19: 1648.
- Bleve-Zacheo, T., M. Teresa Melillo, dan P. Castagnone-Sereno. 2007. The contribution of biotechnology to root-knot nematode control in tomato plants. *Pest Technologi.* 1(1): 1-16
- Botstein D., R. L. White, M. Skolnick, R. W. Davis. 1980. Construction of a genetic linkage map in man using restriction fragment length polymorphisms. *American Journal of Human Genetics* 32: 314–331.
- BPS (Badan Pusat Statistik). 2019. *Produksi Sayuran di Indonesia 2013-2019*. Jakarta (ID). BPS.
- Branch C, C.F. Hwang, D.A. Navarre, V.M. Williamson. 2004. Salicylic acid is part of the *Mi-1* mediated defense response to root-knot nematode in tomato. *Molecular Plant-Microbe Interactions* 17: 351-356
- Cattivelli L., F. Rizza, F.W. Badeck, E. Mazzucotelli, A. M. Mastrangelo, E. Franch, C. Mare, A. Tondelli, A. M. Stanca. 2008. Drought tolerance improvement in crop plants: an integrated view from breeding to genomics. *Field Crops res* 105: 1-14
- Changkwian, A., J. Venkatesh, J-Ho. Lee, Ji-W. Han, J.K. Kwon, M. I. Siddique, A. M. Solomon, G.J. Choi, E. Kim, Y. Seo, Y.H. Kim, and B. C. Kang. 2019. Physical localization of the root-knot nematode (*Meloidogyne incognita*) resistance locus Me7 in pepper (*Capsicum annuum*). *Frontiers in Plant Science* 10: 886
- Chen, N. C., and H. M. Li. 1996. *Cultivation and breeding of eggplant*. Report by Asian Vegetable Research and Development Center.
- Chesnokov, Y.V. and A.M. Artemyeva. 2015. Evaluation of the measure of polymorphism information of genetic diversity. *Agricultural Biology.* 50: 571-578.
- Chiarini, F.E., F.F. Santinaque, J.D. Urdampilleta, M.L. Las Peas. 2013. Genome size and karyotype diversity in *Solanum* sect. *Acanthophora* (Solanaceae). *Plant Systematics and Evolution.* 3-14

Colonnier, C., I. Fock, V. Kashyap, G. L. Rotino, M. C. Daunay, Y. Lian, I. K. Mariska, M. V. Rajam, A. Servaes, G. Ducreux, D. Sihachakr. 2001. Applications of biotechnology in eggplant. *Plant cell tissue organ culture* 65: 91-107.

Dangl, J.L., D. M. Horvath, B.J. Staskawicz. 2013. Pivoting the plant immune system from dissection to deployment. *Science* 341: 746-751.

Demir, K. M. Bakir, G. Sarikamis, S. Acunalp. 2010. Genetic diversity of eggplant (*Solanum melongena*) germplasm from Turkey assessed by SSR and RAPD markers. *Genetics and Molecular Research* 9: 1568-1576.

Dropkin, V.H. 1991. Pengantar Nematologi Tumbuhan (Edisi Kedua) alih bahasa oleh Supratoyo). Gadjah Mada University Press. Yogyakarta.

Eisenback, J. D. 1998. *Plant and Nematode Interactions (Vol.36): "Morphology and Systematics"*. American Society of Agronomy, Inc. Crop Science Society of America, Inc. Soil Science Society of America, Inc

El-Sappah, A. H., M. M. Islam, H. H. El-awady, S. Yan, S. Qi, J. Liu, G. Cheng, and Y. Liang. 2019. Tomato natural resistance genes in controlling the root-knot nematode. *Genes* 10: 925.

Fischer, R. A, and R. Maurer. 1978. Drought resistance in spring wheat cultivars. I. Grain yield response. *Aust J Agric Res.* 29: 897–907.

Fita, A., F. Fioruci, M. Plazas, A. R. Burruezo, J. Prohens. 2015. Drought tolerance among accessions of eggplant and related species. Instituto de Conservación y Mejora de la Agrodiversidad Valenciana. Universitat Politècnica de Valencia, Spain. *Bulletin UASVM Horticulture* 72: 461-462.

Fourie, H., A. H. Mc Donald, D. De. Waele. 2010. Relationships between initial population densities of *Meloidogyne incognita* race 2 and nematode population development in terms of variable soybean resistance. *Journal of Nematology* 42: 55–61.

Goverse A., E.J. de Almeida, J. Vehees, S. van der Krol, J. Helder, G. Gheysen. 2000. Cell cycle activation by plant parasitic nematode. *Plant Molecular Biology* 43: 747-761.

Gramazio, P., E. Chatziefstratiou, C. Petropoulos, V. Chioti, P. Mylona, G. Kapotis, S. Vilanova, J. Prohens, and V. Papatiroopoulos. 2019. Multi-level characterization of eggplant accessions from greek islands and the mainland contributes to the enhancement and conservation of this germplasm and reveals a large diversity and signatures of differentiation between both origins. *Agronomy* 9: 887-907.

Grundler, F. M. W., and A. Bockenhoff. 1997. Physiology of nematode feeding and feeding sites. In *Cellular and Molecular Aspects of Plant Nematode Interaction*. Fenoll C, Grundler, F.M.W., Ohl, S.A. eds. Kluwer Academic Nederland. 107-119p.

Guest, D and J. Brown. 1997. *Plant pathogens and plant diseases*. Rockvale publications national library of Australia ISBN 1-86389-439. Halaman: 263-260. Edited by J.F.Brown & H.J, Ogle (1) (PDF) *Plant and Pathogens: Pathogen Recognition, Invasion and Plant Defense*

[https://www.researchgate.net/publication/303917654\\_Plant\\_and\\_Pathogens\\_Pathogen\\_Recognition\\_Invasion\\_and\\_Plant\\_Defense\\_Mechanism](https://www.researchgate.net/publication/303917654_Plant_and_Pathogens_Pathogen_Recognition_Invasion_and_Plant_Defense_Mechanism) [diakses pada Juni, 23 2021].

- Hafiza, N., M. M. Khandaker, N. Mat. 2016. Occurance and control of root knot nematode in crops: A review. *Australian Journal of Crop Science* 10: 1649-1654
- Harni R., 2014. Plant resistance to parasitic nematodes. *Jurnal Sirinov* 3: 171-178
- Heubl, G. 2013. "DNA Based Authentication of TCM Plants: Current Progress and Future Perspectives". Evidence and National Based Research on Chinese Drugs. Wagner, H. and Ulrich Merzenich, G., Eds., Vienna: Springer Vienna.
- Huang, J.S. 2001. Plant Patogenesis and Resistance; Biochemistry and Physiology of Plant–Microbe Interactions. Kluwer Academic Publishers. London.
- Hwang, C.F., and V.M. Williamson. 2003. Leucine-rich repeat-mediated intramolecular interactions in nematode recognition and cell death signaling by the tomato resistance protein Mi. *The Plant Journal* 34: 585-593
- Ismael, J.H.S, S. M. Sulaiman, A. Muhidden, S. M. Faraj, H. Abdul-Khaliq. 2017. Control of root-knot nematode of eggplant and its effect on plant growth and yield under plastic house condition. *International Journal of Forestry and Horticulture* 2: 28-34.
- Karuri, H.W., D. Olago D, R. Neilson, E. Mararo, J. Villinger. 2016. A survey of root knot nematodes and resistance to *Meloidogyne incognita* in sweet potato varieties from Kenyan fields. *Crop Prot.* 92: 114-121
- Kashyap, V., S. V. Kumar, C. Collonnier, F. Fusari, R. Haicour, G. L. Rotino, D. Sihachkr, M. V. Rajam. 2002. Biotechnology of eggplant. *Sci. Hort.* 1846: 1-25.
- Lee, J. M., C. S. Oh, I. Yeam. 2015. Molecular markers for selecting diverse disease resistances in tomato breeding programs. *Plant Breed. Biotech.* 3:308-322.
- Lopez-Perez, J.A., M. le Strange, I. Kaloshian, A.T. Ploeg. 2006. Differential response of *Mi* gene-resistant tomato rootstocks to root-knot nematodes (*Meloidogyne incognita*). *Crop Protection* 25: 382-388
- Micali C. O., U. Neumann, D. Grunewald, R. Panstruga, R. O'Connell. 2011. Biogenesis of a specialized plant-fungal interface during host cell internalization of *Golovinomyces orontii* haustoria. *Cell. Microbiol.* 13: 210–226.
- Mitkowski N. A. and G. S. Abawi. 2003. Root-knot nematodes. The Plant Health Instructor. <https://www.apsnet.org/edcenter/disandpath/nematode/pdlessons/Pages/RootknotNematode.aspx>. Diakses pada 26 Desember 2019. DOI:10.1094/PHI-I-2003-0917-01
- Morisson, D. F. 1978. Multivariate Statistical Methods. McGrawHill. Singapore.

Naujeer, H. B. 2009. Morphological diversity in eggplant (*Solanum melongena* L.), their related species and wild types conserved at the National gene bank in Mauritius. Internatiosl Master Program at the Swedish Biodiversity Centre.

Navarrete, X., L. Ron, P. Viteri and W. Viera. 2018. Parasitism of the root knot nematode *Meloidogyne incognita* (Kofoid and White) chitwood in fve wild Solanaceae species. *Rev. Fac. Nac. Agron. Medellin* 7: 8367-8373.

Olori-Great, and G. Nnenna. 2017. Defence mechanisms in plants against invading plant pathogenic microbes in Nigeria. *Journal of Agriculture and Sustainability* 10: 80-96.

Plazas, M., S. Vilanova, P. Gramazio, A. Rodríguez-Burruezo, A. Fita, F. J. Herraiz. 2016. Interspecific hybridization between eggplant and wild relatives from different gene pools. *J. Am. Soc. Hort. Sci.* 141: 34-44

Raats, D., E. Yaniv, A. Distelfeld, R. B. David, J. Shanir, V. Bocharova, A. Schulman, and T. Fahima. 2014. Application of CAPS markers for genomic studies in wild emmer wheat, in *Cleaved Amplified Polymorphic Sequences (CAPS) Markers in Plant Biology*, Shavrukov, Y., Ed., New York: NOVA Publisher

Ramirez, P. and J. D. Kelly. 1998. Traits related to drought resistance in common bean. *Euphytica* 99: 127-136.

Reddy, Y. S., C. Sellaperumal, H. C. P. A. Yadav, S. P. Kashyap, S. Singh, N. Rai, M. Singh, B. Singh. 2016. Screening of tomato genotypes against root-knot nematode and validation of mi 1 gene linked markers. *Biology Science* 88:65–72

Richard, R. A. 1996. Defining selection criteria to improve yield under drought. *Plant Growth Regul* 20: 157-166.

STAT. 2020. Interpretation of the principal components. <https://online.stat.psu.edu/stat505/lesson/11/11.4>. The Pennsylvania State University. Diakses pada 31 Oktober 2021.

Shavrukov, Y. N. 2016. CAPS marker in plant biology. *Russian Journal of Genetics* 19: 205-213.

Singha, H.R., B.D. Chowdhury, S. Sinha, R.K. Sinha. 2018. Karyotype analysis of *Solanum torvum* Sw. - an ethnobotanical Solanaceous species of Tripura, North East India. *Plant Science Today* 5(4): 191-195

Soetasad, A. A., and Muryanti, S. 1999. *Budidaya Terung Lokal dan Terung Jepang*. Penebar Swadaya. Jakarta.

Soya, S. and B. Tanyolac. 2010. Screening the tomato (*Lycopersicum esculentum* mill.) lines for the resistance to root-knot nematodes and verticillium wilt by dna markers. *Journal of applied biological sciences* 4: 39-44



- Taher, D., S. Ø. Solberg, J. Prohens, Y. Chou, M. Rakha and T. Wu. 2017. World Vegetable Center Eggplant Collection: Origin, Composition, Seed Dissemination and Utilization in Breeding. *Frontiers in Plant Science* 8: 1484
- Taryono. 2014. Pengantar Bioteknologi untuk Pemuliaan Tanaman. Gadjah Mada University Press: Yogyakarta
- Taylor, A.L., and J.N. Sasser. 1978. Identification and control of root-knot nematodes (*Meloidogyne* spp.) *Crop Publ, Dep Plant Pathol, North Carolina State Univ and US Agency Int Dev, Raleigh, NC USA*, pp 111
- Trudgill, D.L. 1991. Resistance to and tolerance of plant parasitic nematodes in plants. *Annual Review of Phytopathology* 29: 167-192.
- Ui, H., M. Sameri, M. Pourkheirandish, M. C. Chang, H. Shimada, N. Stein, T. Komatsuda, and H. Handa. 2015. High resolution genetic mapping and physical map construction for the fertility restorer Rfm1 locus in barley. *Theor. Appl. Genet* 128: 283– 290.
- Vorontsova, M.S., and S. Knapp. 2012. A new species of *Solanum* (Solanaceae) from South Africa related to the cultivated eggplant. *PhytoKeys* 8: 1–11.
- Williamson, V. M. and A. Kumar. 2006. Nematode resistance in plants: the battle underground. *TRENDS in Genetics* 7:3 96-403
- Yunianti, R., S. Sastrosumarjo, S. Sujiprihati, M. Surahman, dan S. H. Hidayat. 2007. Ketahanan 22 genotipe cabai (*Capsicum* spp.) terhadap *Phytophthora capsici* Leonian dan keragaman genetiknya. *Buletin Agronomi* 35: 103 – 111.
- Zambrano-Moreno, E. L., R. N. Chávez-Jáuregui, M. L. Plaza, L. Wessel-Beaver. 2015. Phenolic content and antioxidant capacity in organically and conventionally grown eggplant (*Solanum melongena*) fruits following thermal processing. *Food Science and Technology* 35(3): 414-420
- Zhou, X., J. Liu, S. Bao, Y. Yang, and Y. Zhuang. 2018. Molecular cloning and characterization of a wild eggplant *Solanum aculeatissimum* NBS-LRR gene, involved in plant resistance to *Meloidogyne incognita*. *International Journal Molecular science* 19:583.
- Zhou, X.H., S. Y. Bao, J. Liu, Y. Zhuang. 2016. De novo sequencing and analysis of the transcriptome of the wild eggplant species *Solanum aculeatissimum* in response to *Verticillium dahliae*. *Plant Mol. Biol. Rep.* 34: 1193–1203.